



Species data collected during surveys for alternatives and previous alignments are also shown.

 	<p>Riparian Forests and Woodlands</p> <p>SCLORF Southern Coast Live Oak Riparian Forest</p> <p>Coastal and Montane Scrub Habitats</p> <p>BSS Big Sagebrush Scrub</p> <p>BSS-D Big Sagebrush Scrub - Disturbed</p> <p>CSSI Coastal Sage Scrub - Inland Form</p> <p>CSSI-D Coastal Sage Scrub - Inland Form, Disturbed</p>	<p>FTBS Flat-topped Buckwheat Scrub</p> <p>FTBS-D Flat-topped Buckwheat Scrub - Disturbed</p> <p>Chaparrals</p> <p>CC Chamise Chaparral</p> <p>NMC Northern Mixed Chaparral</p> <p>NMC-D Northern Mixed Chaparral - Disturbed</p> <p>SMC Southern Mixed Chaparral</p>	<p>Woodlands and Forests</p> <p>CLOW Coast Live Oak Woodland</p> <p>Grasslands and Meadows</p> <p>MDW Meadow</p> <p>NNG Non-native Grassland</p> <p>NNG-D Non-native Grassland Disturbed</p> <p>Non-native Vegetation, Developed Areas, and Disturbed Habitat</p> <p>DEV Developed</p> <p>DH Disturbed Habitat</p>	<p>BCD Alternative: South Option</p> <p>Permanent Impacts</p> <p>Temporary Impacts</p> <p>S20092 Tower Identification</p> <p>BCD-1 Mile Markers</p> <p>GRVI Gray vireo (<i>Vireo vicinior</i>)</p> <p>ARTO Arroyo toad (<i>Bufo californicus</i>)</p> <p>AP = Assumed Presence</p>
------	--	--	---	---

Sunrise Powerlink Project

Figure Ap. 8J-25
BCD Alternative
Biological Resources/Impacts