


PROFILE: BELL BLUFF TRUCK TRAIL
 SCALE
 HORIZ: 1"=20'
 VERT 1"=4'

CENTERLINE DATA TABLE


SYMBOL	DELTA/BEARING	RADIUS	LENGTH
CL67	03°54'53"	200.00'	13.66'
CL68	N84°17'38"W	...	221.84'
CL69	12°06'02"	200.00'	42.24'
CL70	N72°11'36"W	...	292.99'

- NOTE:
1. LINES/CURVES SHOWN ON THE DATA TABLE ARE NOT BROKEN AT MATCH LINES. LENGTHS ARE COMPREHENSIVE.
 2. CONTRACTOR SHALL USE DEFLECTION COUPLINGS TO INSTALL THE 4" PVC DR14 C-900 WATER PIPELINE ALONG CURVES. ALLOWABLE LENGTHS OF PIPE SECTIONS THROUGH CURVES ARE 20', 10', OR 5'. WATERLINE IS 8.0 FEET LEFT OF CENTERLINE.
 3. TELECOMMUNICATION AND ELECTRICAL LINE PER SEPARATE PLAN.

MATCH LINE 100+00
 SEE SHEET 19



MATCH LINE 105+00
 SEE SHEET 21



REVISIONS

NO.	WORK DONE	DATE	BY	APP'D.	NO.	WORK DONE	DATE	BY	APP'D.	NO.	WORK DONE	DATE	BY	APP'D.	NO.

SAN DIEGO GAS & ELECTRIC COMPANY
 SAN DIEGO, CALIFORNIA

SUNCREST SUBSTATION ACCESS ROAD
 PLAN & PROFILE

DRAWN BY: DHT	DATE: 3/24/10	SCALE: 1"=20'	W.O.:	REV: 0
CHECKED BY: PJC	DATE: -			
APPROVED BY: CR	DATE: -	SHEET 20 OF 55		
CAD NO.: IPPV20	PLOT SCALE: 1=1			

SCR-C-220