

**ATTACHMENT A**  
**Safety Data Sheets**

## MATERIAL SAFETY DATA SHEET

Product Trade Name: **EZ-MUD® GOLD**

Revision Date: 01-Aug-2011

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Trade Name:** EZ-MUD® GOLD  
**Synonyms:** None  
**Chemical Family:** Anionic Polymer  
**Application:** Additive

**Manufacturer/Supplier** Baroid Fluid Services  
Product Service Line of Halliburton  
P.O. Box 1675  
Houston, TX 77251  
Telephone: (281) 871-4000  
Emergency Telephone: (281) 575-5000

**Prepared By** Chemical Compliance  
Telephone: 1-580-251-4335  
e-mail: fdunexchem@halliburton.com

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT	ACGIH TLV-TWA	OSHA PEL-TWA
Contains no hazardous substances	Mixture	60 - 100%	Not applicable	Not applicable

### 3. HAZARDS IDENTIFICATION

**Hazard Overview** May cause eye and skin irritation. Airborne dust may be explosive.

### 4. FIRST AID MEASURES

**Inhalation** If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

**Skin** Wash with soap and water. Get medical attention if irritation persists.

**Eyes** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

**Ingestion** Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.

**Notes to Physician** Not Applicable

## 5. FIRE FIGHTING MEASURES

Flash Point/Range (F):	Not Determined
Flash Point/Range (C):	Not Determined
Flash Point Method:	Not Determined
Autoignition Temperature (F):	Not Determined
Autoignition Temperature (C):	Not Determined
Flammability Limits in Air - Lower (%):	Not Determined
Flammability Limits in Air - Upper (%):	Not Determined

**Fire Extinguishing Media** Water fog, carbon dioxide, foam, dry chemical.

**Special Exposure Hazards** Decomposition in fire may produce toxic gases. Organic dust in the presence of an ignition source can be explosive in high concentrations. Good housekeeping practices are required to minimize this potential.

**Special Protective Equipment for Fire-Fighters** Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

**NFPA Ratings:** Health 1, Flammability 0, Reactivity 0  
**HMS Ratings:** Health 1, Flammability 0, Reactivity 0

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautionary Measures** Use appropriate protective equipment. Avoid creating and breathing dust. Slippery when wet.

**Environmental Precautionary Measures** Prevent from entering sewers, waterways, or low areas.

**Procedure for Cleaning / Absorption** Scoop up and remove.

## 7. HANDLING AND STORAGE

**Handling Precautions** Avoid contact with eyes, skin, or clothing. Avoid creating or inhaling dust. Slippery when wet.

**Storage Information** Store away from oxidizers. Store in a cool, dry location. Product has a shelf life of 36 months.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls** Use in a well ventilated area.

**Personal Protective Equipment** If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

**Respiratory Protection** Not normally needed. But if significant exposures are possible then the following respirator is recommended:  
Dust/mist respirator. (95%)

**Hand Protection** Normal work gloves.

**Skin Protection** Normal work coveralls.

**Eye Protection** Wear safety glasses or goggles to protect against exposure.

**Other Precautions**

None known.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical State:</b>	Granules
<b>Color:</b>	Off white
<b>Odor:</b>	Odorless
<b>pH:</b>	7.75 (1%)
<b>Specific Gravity @ 20 C (Water=1):</b>	0.8-1.0
<b>Density @ 20 C (lbs./gallon):</b>	6.66-8.33
<b>Bulk Density @ 20 C (lbs/ft3):</b>	52
<b>Boiling Point/Range (F):</b>	Not Determined
<b>Boiling Point/Range (C):</b>	Not Determined
<b>Freezing Point/Range (F):</b>	Not Determined
<b>Freezing Point/Range (C):</b>	Not Determined
<b>Vapor Pressure @ 20 C (mmHg):</b>	Not Determined
<b>Vapor Density (Air=1):</b>	Not Determined
<b>Percent Volatiles:</b>	Not Determined
<b>Evaporation Rate (Butyl Acetate=1):</b>	Not Determined
<b>Solubility in Water (g/100ml):</b>	Soluble
<b>Solubility in Solvents (g/100ml):</b>	Not Determined
<b>VOCs (lbs./gallon):</b>	Not Determined
<b>Viscosity, Dynamic @ 20 C (centipoise):</b>	Not Determined
<b>Viscosity, Kinematic @ 20 C (centistrokes):</b>	Not Determined
<b>Partition Coefficient/n-Octanol/Water:</b>	Not Determined
<b>Molecular Weight (g/mole):</b>	Not Determined

**10. STABILITY AND REACTIVITY**

<b>Stability Data:</b>	Stable
<b>Hazardous Polymerization:</b>	Will Not Occur
<b>Conditions to Avoid</b>	None anticipated
<b>Incompatibility (Materials to Avoid)</b>	Strong oxidizers.
<b>Hazardous Decomposition Products</b>	Ammonia. Oxides of nitrogen. Carbon monoxide and carbon dioxide.
<b>Additional Guidelines</b>	Not Applicable

**11. TOXICOLOGICAL INFORMATION**

<b>Principle Route of Exposure</b>	Eye or skin contact, inhalation.
<b>Inhalation</b>	None known.
<b>Skin Contact</b>	May cause mild skin irritation.
<b>Eye Contact</b>	May cause mild eye irritation.
<b>Ingestion</b>	None known
<b>Aggravated Medical Conditions</b>	None known.
<b>Chronic Effects/Carcinogenicity</b>	No data available to indicate product or components present at greater than 1% are chronic health hazards.

**Other Information** None known.

**Toxicity Tests**

**Oral Toxicity:** LD50: > 5000 mg/kg (Rat)  
**Dermal Toxicity:** Not determined  
**Inhalation Toxicity:** Not determined  
**Primary Irritation Effect:** Not determined  
**Carcinogenicity** Not determined  
**Genotoxicity:** Not determined  
**Reproductive / Developmental Toxicity:** Not determined

**12. ECOLOGICAL INFORMATION**

**Mobility (Water/Soil/Air)** Not determined  
**Persistence/Degradability** Not readily biodegradable.  
**Bio-accumulation** Will not bio-accumulate.

**Ecotoxicological Information**

**Acute Fish Toxicity:** TLM96: >1000 mg/l (Pimephales promelas)  
**Acute Crustaceans Toxicity:** Not determined  
**Acute Algae Toxicity:** EC50: > 500 mg/l (Selenastrum capricornutum)

**Chemical Fate Information** Not determined  
**Other Information** Not applicable

**13. DISPOSAL CONSIDERATIONS**

**Disposal Method** Disposal should be made in accordance with federal, state, and local regulations.  
**Contaminated Packaging** Follow all applicable national or local regulations.

**14. TRANSPORT INFORMATION**

**Land Transportation**

**DOT**  
Not restricted

**Canadian TDG**  
Not restricted

**ADR**  
Not restricted

**Air Transportation**

ICAO/IATA  
Not restricted

## Sea Transportation

IMDG  
Not restricted

## Other Transportation Information

Labels: None

## 15. REGULATORY INFORMATION

### US Regulations

US TSCA Inventory	All components listed on inventory or are exempt.
EPA SARA Title III Extremely Hazardous Substances	Not applicable
EPA SARA (311,312) Hazard Class	None
EPA SARA (313) Chemicals	This product does not contain a toxic chemical for routine annual "Toxic Chemical Release Reporting" under Section 313 (40 CFR 372).
EPA CERCLA/Superfund Reportable Spill Quantity	Not applicable.
EPA RCRA Hazardous Waste Classification	If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA.
California Proposition 65	The California Proposition 65 regulations apply to this product.
MA Right-to-Know Law	One or more components listed.
NJ Right-to-Know Law	One or more components listed.
PA Right-to-Know Law	One or more components listed.

### Canadian Regulations

Canadian DSL Inventory	All components listed on inventory or are exempt.
WHMIS Hazard Class	Un-Controlled

## 16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS  
Not applicable

**Additional Information** For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Material Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

**Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**\*\*\*END OF MSDS\*\*\***

## MATERIAL SAFETY DATA SHEET

**Product Trade Name:**           **QUIK-GEL®**

**Revision Date:**                   19-Dec-2011

<b>1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION</b>
-------------------------------------------------------

**Product Trade Name:**           QUIK-GEL®  
**Synonyms:**                       None  
**Chemical Family:**               Mineral  
**Application:**                    Viscosifier

**Manufacturer/Supplier**           Baroid Fluid Services  
                                           Product Service Line of Halliburton  
                                           P.O. Box 1675  
                                           Houston, TX 77251  
                                           Telephone: (281) 871-4000  
                                           Emergency Telephone: (281) 575-5000

**Prepared By**                       Chemical Compliance  
                                           Telephone: 1-580-251-4335  
                                           e-mail: fdunexchem@halliburton.com

<b>2. COMPOSITION/INFORMATION ON INGREDIENTS</b>
--------------------------------------------------

Substances	CAS Number	PERCENT	ACGIH TLV-TWA	OSHA PEL-TWA
Bentonite	1302-78-9	60 - 100%	Not applicable	Not applicable
Crystalline silica, cristobalite	14464-46-1	0 - 1%	0.025 mg/m <sup>3</sup>	1/2 x 10 mg/m <sup>3</sup> %SiO <sub>2</sub> + 2
Crystalline silica, tridymite	15468-32-3	0 - 1%	0.05 mg/m <sup>3</sup>	1/2 x 10 mg/m <sup>3</sup> %SiO <sub>2</sub> + 2
Crystalline silica, quartz	14808-60-7	1 - 5%	0.025 mg/m <sup>3</sup>	10 mg/m <sup>3</sup> %SiO <sub>2</sub> + 2

**More restrictive exposure limits may be enforced by some states, agencies, or other authorities.**



### 3. HAZARDS IDENTIFICATION

#### Hazard Overview

#### **CAUTION! - ACUTE HEALTH HAZARD**

May cause eye and respiratory irritation.

#### **DANGER! - CHRONIC HEALTH HAZARD**

Breathing crystalline silica can cause lung disease, including silicosis and lung cancer. Crystalline silica has also been associated with scleroderma and kidney disease.

This product contains quartz, cristobalite, and/or tridymite which may become airborne without a visible cloud. Avoid breathing dust. Avoid creating dusty conditions. Use only with adequate ventilation to keep exposures below recommended exposure limits. Wear a NIOSH certified, European Standard EN 149, or equivalent respirator when using this product. Review the Material Safety Data Sheet (MSDS) for this product, which has been provided to your employer.

### 4. FIRST AID MEASURES

#### Inhalation

If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

#### Skin

Wash with soap and water. Get medical attention if irritation persists.

#### Eyes

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

#### Ingestion

Under normal conditions, first aid procedures are not required.

#### Notes to Physician

Treat symptomatically.

### 5. FIRE FIGHTING MEASURES

Flash Point/Range (F):	Not Determined
Flash Point/Range (C):	Not Determined
Flash Point Method:	Not Determined
Autoignition Temperature (F):	Not Determined
Autoignition Temperature (C):	Not Determined
Flammability Limits in Air - Lower (%):	Not Determined
Flammability Limits in Air - Upper (%):	Not Determined

**Fire Extinguishing Media** All standard firefighting media.

**Special Exposure Hazards** Not applicable.

**Special Protective Equipment for Fire-Fighters** Not applicable.

**NFPA Ratings:** Health 0, Flammability 0, Reactivity 0  
**HMIS Ratings:** Health 0\*, Flammability 0, Physical Hazard 0, PPE: E

### 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautionary Measures** Use appropriate protective equipment. Avoid creating and breathing dust.

**Environmental Precautionary Measures** None known.

**Procedure for Cleaning / Absorption**

Collect using dustless method and hold for appropriate disposal. Consider possible toxic or fire hazards associated with contaminating substances and use appropriate methods for collection, storage and disposal.

**7. HANDLING AND STORAGE**

<b>Handling Precautions</b>	This product contains quartz, cristobalite, and/or tridymite which may become airborne without a visible cloud. Avoid breathing dust. Avoid creating dusty conditions. Use only with adequate ventilation to keep exposure below recommended exposure limits. Wear a NIOSH certified, European Standard En 149, or equivalent respirator when using this product. Material is slippery when wet.
<b>Storage Information</b>	Use good housekeeping in storage and work areas to prevent accumulation of dust. Close container when not in use. Keep from excessive heat. Do not reuse empty container. Product has a shelf life of 36 months.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

<b>Engineering Controls</b>	Use approved industrial ventilation and local exhaust as required to maintain exposures below applicable exposure limits listed in Section 2.
<b>Personal Protective Equipment</b>	If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.
<b>Respiratory Protection</b>	Not normally needed. But if significant exposures are possible then the following respirator is recommended: Dust/mist respirator. (95%)
<b>Hand Protection</b>	Normal work gloves.
<b>Skin Protection</b>	Wear clothing appropriate for the work environment. Dusty clothing should be laundered before reuse. Use precautionary measures to avoid creating dust when removing or laundering clothing.
<b>Eye Protection</b>	Wear safety glasses or goggles to protect against exposure.
<b>Other Precautions</b>	None known.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical State:</b>	Powder
<b>Color:</b>	Various
<b>Odor:</b>	Mild earthy
<b>pH:</b>	8-10
<b>Specific Gravity @ 20 C (Water=1):</b>	2.6
<b>Density @ 20 C (lbs./gallon):</b>	Not Determined
<b>Bulk Density @ 20 C (lbs/ft3):</b>	47.6-72.1
<b>Boiling Point/Range (F):</b>	Not Determined
<b>Boiling Point/Range (C):</b>	Not Determined
<b>Freezing Point/Range (F):</b>	Not Determined
<b>Freezing Point/Range (C):</b>	Not Determined
<b>Vapor Pressure @ 20 C (mmHg):</b>	Not Determined
<b>Vapor Density (Air=1):</b>	Not Determined
<b>Percent Volatiles:</b>	Not Determined
<b>Evaporation Rate (Butyl Acetate=1):</b>	Not Determined
<b>Solubility in Water (g/100ml):</b>	Slightly soluble

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Solubility in Solvents (g/100ml):	Not Determined
VOCs (lbs./gallon):	Not Determined
Viscosity, Dynamic @ 20 C (centipoise):	Not Determined
Viscosity, Kinematic @ 20 C (centistrokes):	Not Determined
Partition Coefficient/n-Octanol/Water:	Not Determined
Molecular Weight (g/mole):	Not Determined

## 10. STABILITY AND REACTIVITY

Stability Data:	Stable
Hazardous Polymerization:	Will Not Occur
Conditions to Avoid	None anticipated
Incompatibility (Materials to Avoid)	Hydrofluoric acid.
Hazardous Decomposition Products	Amorphous silica may transform at elevated temperatures to tridymite (870 C) or cristobalite (1470 C).
Additional Guidelines	Not Applicable

## 11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure	Eye or skin contact, inhalation.
Inhalation	<p>Inhaled crystalline silica in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (IARC, Group 1). There is sufficient evidence in experimental animals for the carcinogenicity of tridymite (IARC, Group 2A).</p> <p>Breathing silica dust may cause irritation of the nose, throat, and respiratory passages. Breathing silica dust may not cause noticeable injury or illness even though permanent lung damage may be occurring. Inhalation of dust may also have serious chronic health effects (See "Chronic Effects/Carcinogenicity" subsection below).</p>
Skin Contact	May cause mechanical skin irritation.
Eye Contact	May cause eye irritation.
Ingestion	None known
Aggravated Medical Conditions	Individuals with respiratory disease, including but not limited to asthma and bronchitis, or subject to eye irritation, should not be exposed to quartz dust.

**Chronic Effects/Carcinogenicity** Silicosis: Excessive inhalation of respirable crystalline silica dust may cause a progressive, disabling, and sometimes-fatal lung disease called silicosis. Symptoms include cough, shortness of breath, wheezing, non-specific chest illness, and reduced pulmonary function. This disease is exacerbated by smoking. Individuals with silicosis are predisposed to develop tuberculosis.

Cancer Status: The International Agency for Research on Cancer (IARC) has determined that crystalline silica inhaled in the form of quartz or cristobalite from occupational sources can cause lung cancer in humans (Group 1 - carcinogenic to humans) and has determined that there is sufficient evidence in experimental animals for the carcinogenicity of tridymite (Group 2A - possible carcinogen to humans). Refer to IARC Monograph 68, Silica, Some Silicates and Organic Fibres (June 1997) in conjunction with the use of these minerals. The National Toxicology Program classifies respirable crystalline silica as "Known to be a human carcinogen". Refer to the 9th Report on Carcinogens (2000). The American Conference of Governmental Industrial Hygienists (ACGIH) classifies crystalline silica, quartz, as a suspected human carcinogen (A2).

There is some evidence that breathing respirable crystalline silica or the disease silicosis is associated with an increased incidence of significant disease endpoints such as scleroderma (an immune system disorder manifested by scarring of the lungs, skin, and other internal organs) and kidney disease.

**Other Information** For further information consult "Adverse Effects of Crystalline Silica Exposure" published by the American Thoracic Society Medical Section of the American Lung Association, American Journal of Respiratory and Critical Care Medicine, Volume 155, pages 761-768 (1997).

#### Toxicity Tests

<b>Oral Toxicity:</b>	Not determined
<b>Dermal Toxicity:</b>	Not determined
<b>Inhalation Toxicity:</b>	Not determined
<b>Primary Irritation Effect:</b>	Not determined
<b>Carcinogenicity</b>	Refer to <u>IARC Monograph 68, Silica, Some Silicates and Organic Fibres</u> (June 1997).
<b>Genotoxicity:</b>	Not determined
<b>Reproductive / Developmental Toxicity:</b>	Not determined

## 12. ECOLOGICAL INFORMATION

**Mobility (Water/Soil/Air)** Not determined

**Persistence/Degradability** Not determined

**Bio-accumulation** Not determined

#### Ecotoxicological Information

**Acute Fish Toxicity:** TLM96: 10000 ppm (Oncorhynchus mykiss)

**Acute Crustaceans Toxicity:** Not determined

<b>Acute Algae Toxicity:</b>	Not determined
<b>Chemical Fate Information</b>	Not determined
<b>Other Information</b>	Not applicable

### 13. DISPOSAL CONSIDERATIONS

<b>Disposal Method</b>	If practical, recover and reclaim, recycle, or reuse by the guidelines of an approved local reuse program. Should contaminated product become a waste, dispose of in a licensed industrial landfill according to federal, state, and local regulations.
<b>Contaminated Packaging</b>	Follow all applicable national or local regulations.

### 14. TRANSPORT INFORMATION

#### Land Transportation

**DOT**  
Not restricted

**Canadian TDG**  
Not restricted

**ADR**  
Not restricted

#### Air Transportation

**ICAO/IATA**  
Not restricted

#### Sea Transportation

**IMDG**  
Not restricted

#### Other Transportation Information

**Labels:** None

### 15. REGULATORY INFORMATION

#### US Regulations

**US TSCA Inventory** All components listed on inventory or are exempt.

**EPA SARA Title III Extremely Hazardous Substances** Not applicable

**EPA SARA (311,312) Hazard Class** Acute Health Hazard  
Chronic Health Hazard

**EPA SARA (313) Chemicals** This product does not contain a toxic chemical for routine annual "Toxic Chemical Release Reporting" under Section 313 (40 CFR 372).

<b>EPA CERCLA/Superfund Reportable Spill Quantity</b>	Not applicable.
<b>EPA RCRA Hazardous Waste Classification</b>	If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA.
<b>California Proposition 65</b>	The California Proposition 65 regulations apply to this product.
<b>MA Right-to-Know Law</b>	One or more components listed.
<b>NJ Right-to-Know Law</b>	One or more components listed.
<b>PA Right-to-Know Law</b>	One or more components listed.
<b>Canadian Regulations</b>	
<b>Canadian DSL Inventory</b>	All components listed on inventory or are exempt.
<b>WHMIS Hazard Class</b>	D2A Very Toxic Materials Crystalline silica

## 16. OTHER INFORMATION

### The following sections have been revised since the last issue of this MSDS

Section 7. Handling and Storage

#### Additional Information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Material Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

#### Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**\*\*\*END OF MSDS\*\*\***

## MATERIAL SAFETY DATA SHEET

Product Trade Name: **SODA ASH**

Revision Date: 04-Jan-2010

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: SODA ASH  
Synonyms: None  
Chemical Family: Carbonate  
Application: Buffer

Manufacturer/Supplier: Halliburton Energy Services  
P.O. Box 1431  
Duncan, Oklahoma 73536-0431  
Emergency Telephone: (281) 575-5000

Prepared By: Chemical Compliance  
Telephone: 1-580-251-4335  
e-mail: fdunexchem@halliburton.com

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

SUBSTANCE	CAS Number	PERCENT	ACGIH TLV-TWA	OSHA PEL-TWA
Sodium carbonate	497-19-8	60 - 100%	Not applicable	Not applicable

### 3. HAZARDS IDENTIFICATION

Hazard Overview: May cause eye, skin, and respiratory irritation.

### 4. FIRST AID MEASURES

**Inhalation** If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

**Skin** Wash with soap and water. Get medical attention if irritation persists.

**Eyes** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

**Ingestion** Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.

**Notes to Physician** Not Applicable

## 5. FIRE FIGHTING MEASURES

Flash Point/Range (F):	Not Determined
Flash Point/Range (C):	Not Determined
Flash Point Method:	Not Determined
Autoignition Temperature (F):	Not Determined
Autoignition Temperature (C):	Not Determined
Flammability Limits in Air - Lower (%):	Not Determined
Flammability Limits in Air - Upper (%):	Not Determined

**Fire Extinguishing Media** Water fog, carbon dioxide, foam, dry chemical.

**Special Exposure Hazards** Decomposition in fire may produce toxic gases.

**Special Protective Equipment for Fire-Fighters** Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

**NFPA Ratings:** Health 2, Flammability 0, Reactivity 0  
**HMS Ratings:** Health 2, Flammability 0, Reactivity 0

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautionary Measures** Use appropriate protective equipment. Avoid creating and breathing dust.

**Environmental Precautionary Measures** Prevent from entering sewers, waterways, or low areas.

**Procedure for Cleaning / Absorption** Scoop up and remove.

## 7. HANDLING AND STORAGE

**Handling Precautions** Avoid contact with eyes, skin, or clothing. Avoid creating or inhaling dust.

**Storage Information** Store away from acids. Store in a cool, dry location. Product has a shelf life of 36 months.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls** Use in a well ventilated area. Localized ventilation should be used to control dust levels.

**Personal Protective Equipment** If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

**Respiratory Protection** Dust/mist respirator. (95%)

**Hand Protection** Normal work gloves.

**Skin Protection** Normal work coveralls.

**Eye Protection** Dust proof goggles.

**Other Precautions** Eyewash fountains and safety showers must be easily accessible.



## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State:</b>	Powder
<b>Color:</b>	White
<b>Odor:</b>	Odorless
<b>pH:</b>	11.5
<b>Specific Gravity @ 20 C (Water=1):</b>	2.5
<b>Density @ 20 C (lbs./gallon):</b>	Not Determined
<b>Bulk Density @ 20 C (lbs/ft3):</b>	48- 62
<b>Boiling Point/Range (F):</b>	Not Determined
<b>Boiling Point/Range (C):</b>	Not Determined
<b>Freezing Point/Range (F):</b>	Not Determined
<b>Freezing Point/Range (C):</b>	Not Determined
<b>Vapor Pressure @ 20 C (mmHg):</b>	Not Determined
<b>Vapor Density (Air=1):</b>	Not Determined
<b>Percent Volatiles:</b>	Not Determined
<b>Evaporation Rate (Butyl Acetate=1):</b>	Not Determined
<b>Solubility in Water (g/100ml):</b>	Partially soluble
<b>Solubility in Solvents (g/100ml):</b>	Not Determined
<b>VOCs (lbs./gallon):</b>	Not Determined
<b>Viscosity, Dynamic @ 20 C (centipoise):</b>	Not Determined
<b>Viscosity, Kinematic @ 20 C (centistrokes):</b>	Not Determined
<b>Partition Coefficient/n-Octanol/Water:</b>	Not Determined
<b>Molecular Weight (g/mole):</b>	105.99

## 10. STABILITY AND REACTIVITY

<b>Stability Data:</b>	Stable
<b>Hazardous Polymerization:</b>	Will Not Occur
<b>Conditions to Avoid</b>	None anticipated
<b>Incompatibility (Materials to Avoid)</b>	Strong acids.
<b>Hazardous Decomposition Products</b>	Carbon monoxide and carbon dioxide.
<b>Additional Guidelines</b>	Not Applicable

## 11. TOXICOLOGICAL INFORMATION

<b>Principle Route of Exposure</b>	Eye or skin contact, inhalation.
<b>Inhalation</b>	May cause respiratory irritation.
<b>Skin Contact</b>	Prolonged or repeated contact may cause skin irritation.
<b>Eye Contact</b>	May cause eye irritation.
<b>Ingestion</b>	Irritation of the mouth, throat, and stomach.
<b>Aggravated Medical Conditions</b>	None known.
<b>Chronic Effects/Carcinogenicity</b>	No data available to indicate product or components present at greater than 1% are chronic health hazards.
<b>Other Information</b>	None known.

## Toxicity Tests

<b>Oral Toxicity:</b>	LD50: 4220 mg/kg (Rat)
<b>Dermal Toxicity:</b>	Not determined
<b>Inhalation Toxicity:</b>	Not determined
<b>Primary Irritation Effect:</b>	Not determined
<b>Carcinogenicity</b>	Not determined
<b>Genotoxicity:</b>	Not determined
<b>Reproductive / Developmental Toxicity:</b>	Not determined

## 12. ECOLOGICAL INFORMATION

<b>Mobility (Water/Soil/Air)</b>	Not determined
<b>Persistence/Degradability</b>	Not applicable
<b>Bio-accumulation</b>	Not Determined

### Ecotoxicological Information

<b>Acute Fish Toxicity:</b>	TLM24: 385 mg/l (Lepomis macrochirus)
<b>Acute Crustaceans Toxicity:</b>	Not determined
<b>Acute Algae Toxicity:</b>	Not determined

<b>Chemical Fate Information</b>	Not determined
<b>Other Information</b>	Not applicable

## 13. DISPOSAL CONSIDERATIONS

<b>Disposal Method</b>	Bury in a licensed landfill according to federal, state, and local regulations.
<b>Contaminated Packaging</b>	Follow all applicable national or local regulations.

## 14. TRANSPORT INFORMATION

### Land Transportation

**DOT**  
Not restricted

**Canadian TDG**  
Not restricted

**ADR**  
Not restricted

### Air Transportation

ICAO/IATA  
Not restricted

## Sea Transportation

IMDG  
Not restricted

## Other Shipping Information

Labels: None

## 15. REGULATORY INFORMATION

### US Regulations

US TSCA Inventory	All components listed on inventory or are exempt.
EPA SARA Title III Extremely Hazardous Substances	Not applicable
EPA SARA (311,312) Hazard Class	Acute Health Hazard
EPA SARA (313) Chemicals	This product does not contain a toxic chemical for routine annual "Toxic Chemical Release Reporting" under Section 313 (40 CFR 372).
EPA CERCLA/Superfund Reportable Spill Quantity	Not applicable.
EPA RCRA Hazardous Waste Classification	If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA.
California Proposition 65	All components listed do not apply to the California Proposition 65 Regulation.
MA Right-to-Know Law	Does not apply.
NJ Right-to-Know Law	Does not apply.
PA Right-to-Know Law	Does not apply.

### Canadian Regulations

Canadian DSL Inventory	All components listed on inventory.
WHMIS Hazard Class	Un-Controlled

## 16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS  
Not applicable

**Additional Information** For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Material Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

**Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**\*\*\*END OF MSDS\*\*\***