



NOTES

1. THE PROPOSED FIBER OPTIC FACILITIES WILL BE INSTALLED WITHIN A 10'-0" CORRIDOR LOCATED INSIDE THE BOUNDARIES OF TGP'S EXISTING PIPELINE EASEMENT.
2. WIDE PAD TRACK EQUIPMENT OR MATS WILL BE UTILIZED WHERE NECESSARY TO MINIMIZE DISTURBANCE TO WETLANDS DURING CONSTRUCTION.
3. THE EXISTING CONTOURS WILL BE RESTORED TO ORIGINAL CONDITIONS AFTER INSTALLATION OF THE PROPOSED FIBER OPTIC FACILITIES.

NO.	DATE	REVISION	REV.	CKD.	APR.

File No.:

DRAWN BY	DATE	EL PASO GLOBAL NETWORKS	APPROVED BY
CHECKED BY	DATE		DATE:
DES. COOR.	DATE	STANDARD WETLAND ROW CONFIGURATION SINGLE LINE CO-LOCATE TRENCH METHOD	El Paso Global Networks Co.
PROJ. SUPV.	DATE		
OPERATIONS	DATE		
PROJ. ID:	F.B.		
DRAWING DATA			
HORIZ. SCALE:			
VERT. SCALE:			

Source: ENTRIX, Inc.

Figure 2.4-3. Open Trench Excavation