

U.S. Department of Transportation Pipeline and Hazardous Materials Safety Administration

ANNUAL REPORT FOR CALENDAR YEAR 2010 NATURAL OR OTHER GAS TRANSMISSION and GATHERING SYSTEMS

Report Submission Type

INITIAL

A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with a collection of information subject to the requirements of the Paperwork Reduction Act unless that collection of information displays a current valid OMB Control Number. The OMB Control Number for this information collection is 2137-0522. Public reporting for this collection of information is estimated to be approximately 22 hours per response, including the time for reviewing instructions, gathering the data needed, and completing and reviewing the collection of information. All responses to this collection of information are mandatory. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: Information Collection Clearance Officer, PHMSA, Office of Pipeline Safety (PHP-30) 1200 New Jersey Avenue, SE, Washington, D.C. 20590.

Important: Please read the separate instructions for completing this form before you begin.

PART A - OPERATOR INFORMATION	DOT USE ONLY	20110764 - 22828			
OPERATOR'S 5 DIGIT IDENTIFICATION NUMBER (OPID) 18484	2. NAME OF COMPANY OR ESTABLISHMENT: SOUTHERN CALIFORNIA GAS CO IF SUBSIDIARY, NAME OF PARENT: SEMPRA ENERGY				
3. INDIVIDUAL WHERE ADDITIONAL INFORMATION MAY BE OBTAINED: Name: JEFF W. KOSKIE Title: PIPELINE SAFETY ADVISOR Email Address: WKoskie@semprautilities.com Telephone Number: (661) 775-8770	4. HEADQUARTERS SOUTHERN CALIFO Company Name 555 WEST FIFTH ST Street Address State: CA Zip Code: 9 (800) 427-2200 Telephone Number	PRNIA GAS CO			

5. THIS REPORT PERTAINS TO THE FOLLOWING COMMODITY GROUP: (Select Commodity Group based on the predominant gas carried and complete the report for that Commodity Group. File a separate report for each Commodity Group included in this OPID.)

Natural Gas

6. CHARACTERIZE THE PIPELINES AND/OR PIPELINE FACILITIES COVERED BY THIS OPID AND COMMODITY GROUP WITH RESPECT TO COMPLIANCE WITH PHMSA'S INTEGRITY MANAGEMENT PROGRAM REGULATIONS (49 CFR 192 Subpart O).

Portions of SOME OR ALL of the pipelines and/or pipeline facilities covered by this OPID and Commodity Group are included in an Integrity Management Program subject to 49 CFR 192. If this box is checked, complete all PARTs of this form in accordance with PART A, Question 8.

7. FOR THE DESIGNATED "COMMODITY GROUP", THE PIPELINES AND/OR PIPELINE FACILITIES INCLUDED WITHIN THIS OPID ARE: (Select one or both)

INTERstate pipeline - List all of the States in which INTERstate pipelines and/or pipeline facilities included under this OPID exist: etc.

INTRAstate pipeline - List all of the States in which INTRAstate pipelines and/or pipeline facilities included under this OPID exist: **CALIFORNIA** etc.

8. DOES THIS REPORT REPRESENT A CHANGE FROM LAST YEAR'S FINAL REPORTED NUMBERS FOR ONE OR MORE OF THE FOLLOWING PARTS: PART B, D, E, H, I, J, K, or L? (For calendar year 2010 reporting or if this is a first-time Report for an operator or OPID, Commodity Group(s), or pipelines and/or pipeline facilities, select the first box only. For subsequent years' reporting, select either No or one or both of the Yes choices.)

This report is **FOR CALENDAR YEAR 2010** reporting **or is a FIRST-TIME REPORT** and, therefore, *the remaining choices in this Question 8 do not apply.* Complete all remaining PARTS of this form as applicable

NO, there are **NO CHANGES** from last year's final reported information for PARTs B, D, E, H, I, J, K, or L. Complete PARTs A, C, M, and N, along with PARTs F, G, and O when applicable.

YES, this report represents a **CHANGE FROM LAST YEAR'S FINAL REPORTED INFORMATION** for one or more of PARTs B, D, E, H, I, J, K, or L *due to corrected information*; however, the pipelines and/or pipeline facilities and operations are the same as those which were covered under last year's report. Complete PARTs A, C, M, and N, along with only those other PARTs which changed (including PARTs B, F, G, and O when applicable).

YES, this report represents a **CHANGE FROM LAST YEAR'S FINAL REPORTED INFORMATION** for PARTS B, D, E, H, I, J, K, or L because of one or more of the following *change(s) in pipelines and/or pipeline facilities and/or operations* from those which were covered under last year's report. Complete PARTS A, C, M, and N, along with only those other PARTs which changed (including PARTS B, F, G, and O when applicable). (*Select all reasons for these changes from the following list*)

Merger of companies and/or operations, acquisition of pipelines and/or pipeline facilities Divestiture of pipelines and/or pipeline facilities

New construction or new installation of pipelines and/or pipeline facilities

Conversion to service, change in commodity transported, or c change in MAOP (maximum allowable operating pressure)

Abandonment of existing pipelines and/or pipeline facilities

Change in HCA's identified, HCA Segments, or other changes to Operator's Integrity Management Program

Change in OPID

Other - Describe:,

For the designated Commodity Group, complete PARTs B, C, D, and E one time for all pipelines and/or pipeline facilities – both INTERstate and INTRAstate - included within this OPID.

PART B – TRANSMISSION PIPELINE HCA MILES				
	Number of HCA Miles in the IMP Program			
Onshore	1178			
Offshore	0			
Total Miles	1178			

PART C - VOLUME TRANSPORTED IN TRAN PIPELINES (ONLY) IN MILLION SCF PER YEA (excludesTransmission lines of Gas Distribution)	AR.	Check this box and proceed to PART D without completing this PART C if this report only includes gathering pipelines or transmission lines of gas distribution systems.			
		Onshore	Offshore		
Natural Gas		0			
Propane Gas					
Synthetic Gas					
Hydrogen Gas					
Other Gas - Name:					

PART D - MILES OF STEEL PIPE BY CORROSION PROTECTION							
	Cathodica	Ily protected	Cathodically	Cathodically unprotected			
	Bare	Coated	Bare	Coated	Total Miles		
Transmission							
Onshore	5	3749	3	0	3757		
Offshore	0	0	0	0	0		
Subtotal Transmission	5	3749	3	0	3757		
Gathering							
Onshore Type A	0	0	0	0	0		
Onshore Type B	0	0	0	0	0		
Offshore	0	0	0	0	0		
Subtotal Gathering	0	0	0	0	0		
Total Miles	5	3749	3	0	3757		

PART E - MILES OF non-STEEL PIPE BY TYPE AND LOCATION								
	Cast Iron Pipe	Wrought Iron Pipe	Plastic Pipe	Other Pipe	Total Miles			
Transmission								
Onshore	0	0	0	0	0			
Offshore	0	0	0	0	0			
Subtotal Transmission	0	0	0	0	0			
Gathering								
Onshore Type A	0	0	0	0	0			
Onshore Type B	0	0	0	0	0			
Offshore	0	0	0	0	0			
Subtotal Gathering	0	0	0	0	0			
Total Miles	0	0	0	0	0			

For the designated Commodity Group, complete PARTs F and G one time for all INTERstate pipelines and/or pipeline facilities included within this OPID and multiple times as needed for the designated Commodity Group for each State in which INTRAstate pipelines and/or pipeline facilities included within this OPID exist. Each time these sections are completed, designate the State to which the data applies for INTRAstate pipelines and/or pipeline facilities, or that it applies to all INTERstate pipelines included within this Commodity Group and OPID.

PARTs F and G

The data reported in these PARTs F and G applies to: (select only one)

PART F - INTEGRITY INSPECTIONS CONDUCTED AND ACTIONS TAKEN BASED ON INSPECTION INTRASTATE pipelines/pipeline facilities CALIFORNIA	
1. MILEAGE INSPECTED IN CALENDAR YEAR USING THE FOLLOWING IN-LINE INSPECTION (ILI) TOOLS	
a. Corrosion or metal loss tools	540
b. Dent or deformation tools	540
c. Crack or long seam defect detection tools	422
d. Any other internal inspection tools	0
e. Total tool mileage inspected in calendar year using in-line inspection tools. (Lines a + b + c + d)	1502
2. ACTIONS TAKEN IN CALENDAR YEAR BASED ON IN-LINE INSPECTIONS	
 Based on ILI data, total number of anomalies excavated in calendar year because they met the operator's criteria for excavation. 	369
 Total number of anomalies repaired in calendar year that were identified by ILI based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment. 	148
c. Total number of conditions repaired WITHIN AN HCA SEGMENT meeting the definition of:	58
1. "Immediate repair conditions" [192.933(d)(1)]	2
2. "One-year conditions" [192.933(d)(2)]	1
3. "Monitored conditions" [192.933(d)(3)]	52
4. Other "Scheduled conditions" [192.933(c)]	3
3. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON PRESSURE TESTING	
a. Total mileage inspected by pressure testing in calendar year.	1
b. Total number of pressure test failures (ruptures and leaks) repaired in calendar year, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of pressure test ruptures (complete failure of pipe wall) repaired in calendar year WITHIN AN HCA SEGMENT.	0
 d. Total number of pressure test leaks (less than complete wall failure but including escape of test medium) repaired in calendar year WITHIN AN HCA SEGMENT. 	0
4. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON DA (Direct Assessment methods)	
a. Total mileage inspected by each DA method in calendar year.	26
1. ECDA	26
2. ICDA	0
3. SCCDA	0
b. Total number of anomalies identified by each DA method and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	4
1. ECDA	4
2. ICDA	0
3. SCCDA	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	3
1. "Immediate repair conditions" [192.933(d)(1)]	3
2. "One-year conditions" [192.933(d)(2)]	0
F DIMOA F.7400.04 (D	t

	Expires: 01/13/2014					
3. "Monitored conditions" [192.933(d)(3)]	0					
4. Other "Scheduled conditions" [192.933(c)]	0					
5. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON OTHER INSPECTION TECHNIQUE	S					
a. Total mileage inspected by inspection techniques other than those listed above in calendar year.	0					
b. Total number of anomalies identified by other inspection techniques and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0					
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	0					
1. "Immediate repair conditions" [192.933(d)(1)]	0					
2. "One-year conditions" [192.933(d)(2)]	0					
3. "Monitored conditions" [192.933(d)(3)]	0					
4. Other "Scheduled conditions" [192.933(c)]	0					
6. TOTAL MILEAGE INSPECTED (ALL METHODS) AND ACTIONS TAKEN IN CALENDAR YEAR						
a. Total mileage inspected in calendar year. (Lines 1.e + 3.a + 4.a.1 + 4.a.2 + 4.a.3 + 5.a)	1529					
b. Total number of anomalies repaired in calendar year both within an HCA Segment and outside of an HCA Segment. (Lines 2.b + 3.b + 4.b.1 + 4.b.2 + 4.b.3 + 5.b)	152					
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT. (Lines 2.c.1 + 2.c.2 + 2.c.3 + $2.c.4 + 3.c + 3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4$)	61					
PART G- MILES OF BASELINE ASSESSMENTS AND REASSESSMENTS COMPLETED IN CALENDAR YEAR (HCA SECONLY)	egment miles					
a. Baseline assessment miles completed during the calendar year.	55					
b. Reassessment miles completed during the calendar year.	50					
c. Total assessment and reassessment miles completed during the calendar year.	105					

For the designated Commodity Group, complete PARTs H, I, J, K, L, and M covering INTERstate pipelines and/or pipeline facilities for each State in which INTERstate systems exist within this OPID and again covering INTRAstate pipelines and/or pipeline facilities for each State in which INTRAstate systems exist within this OPID.

PARTS H, I, J, K, L and M The data reported in these PARTS H, I, J, K, L and M applies to: INTRASTATE pipelines/pipeline facilities CALIFORNIA									
	NPS 4" or less	6"	8"	10"	12"	14"	16"	18"	20"
	9	138	247	323	247	1	384	51	184
	22"	24"	26"	28"	30"	32"	34"	36"	38"
Onshore	79	184	129	0	1087	0	269	398	0
Olishore	40"	42"	44"	46"	48"	50"	52"	54"	56"
	0	0	0	0	0	0	0	0	0
	58" and over	over Additional Sizes and Miles (Size – Miles;):							
	0	0 15 - 27; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;							
3757		of Onshore Pip	e – Transmissi	on				ı	
	NPS 4" or less	6"	8"	10"	12"	14"	16"	18"	20"
	22"	24"	26"	28"	30"	32"	34"	36"	38"
Offshore	40"	42"	44"	46"	48"	50"	52"	54"	56"
	58" and over Additional Sizes and Miles (Size – Miles;): -; -; -; -; -; -; -; -; -;								
	Total Miles	of Offshore Pip	e – Transmissi	on					

PART I - MILES OF GATHERING PIPE BY NOMINAL PIPE SIZE (NPS)										
	NPS 4 or les		8"	10"	12"	14"	16"		18"	20"
	5, 700	-								
Onshore	22"	24"	26"	28"	30"	32"	34"		36"	38"
Type A										58" and
	40"	42"	44"	46"	48"	50"	52"	54"	56"	over
	Addition	nal Sizes and Miles	(Size – Miles;):	•		•				·
		iles of Onshore Typ	e A Pipe – Gathe	ring						
	NPS 4 or les		8"	10"	12"	14"	16"		18"	20"
	22"	24"	26"	28"	30"	32"	34"		36"	38"
Onshore Type B	4011	4011	4.411	40"	40"	50"	50"	5.4 "	50"	58" and
1,500	40"	42"	44"	46"	48"	50"	52"	54"	56"	over
	Addition	nal Sizes and Miles	(Size – Miles;):	•		•			•	•
	Total M	iles of Onshore Typ	e B Pipe – Gathe	ring						
	NPS 4		8"	10"	12"	14"	16"		18"	20"
	or les	S								-
	22"	24"	26"	28"	30"	32"	34"		36"	38"
Offshore							<u>, İ</u>			
	40"	42"	44"	46"	48"	50"	52"	54"	56"	58" and over
	Addition	nal Sizes and Miles	(Size – Miles:):				<u> </u>			
	i otal M	iles of Offshore Pip	e – Gatnering							
	ILES OI	F PIPE BY DEC	ADE INSTAL	LED						
Decade Pipe Installed		Pre-40 or Unknown	1940 - 1949	1950 - 19	959 196	60 - 1969	1970 - 19	79	1980	- 1989
Transmissio	n									
Onshore		189	554	1121		809	290		3	09
Offshore										
Subtotal Trans	mission	189	554	1121		809	290		3	09
Gathering Opshore To	/DQ Λ									
Onshore Ty Onshore Ty										
Offshore	, 20 0									
Subtotal Ga	athering									

Total Miles	189	554	1121	809	290	309
Decade Pipe Installed	1990 - 1999	2000 - 2009	2010 - 2019			Total Miles
Transmission						
Onshore	337	147	1			3757
Offshore						
Subtotal Transmission	337	147	1			3757
Gathering						
Onshore Type A						
Onshore Type B						
Offshore						
Subtotal Gathering						
Total Miles	337	147	1			3757

ONOUGE		Total Miles			
ONSHORE	Class I	Class 2	Class 3	Class 4	
Less than 20% SMYS	4	0	12	0	16
Greater than or equal to 20% SMYS but less than 30% SMYS	270	62	238	0	570
Greater than or equal to 30% SMYS but less than or equal to 40% SMYS	171	27	398	0	596
Greater than 40% SMYS but less than or equal to 50% SMYS	514	89	553	0	1156
Greater than 50% SMYS but less than or equal to 60% SMYS	415	56	169	0	640
Greater than 60% SMYS but less than or equal to 72% SMYS	745	32	2	0	779
Greater than 72% SMYS but less than or equal to 80% SMYS	0	0	0	0	0
Greater than 80% SMYS	0	0	0	0	0
Unknown percent of SMYS	0	0	0	0	0
All Non-Steel pipe	0	0	0	0	0
Onshore Totals	2119	266	1372	0	3757
OFFSHORE	Class I				
Less than or equal to 50% SMYS					
Greater than 50% SMYS but less than or equal to 72% SMYS					
Offshore Total					
Total Miles	2119				3757

	Class I
Form PHMSA F 7100.2-1 ((Rev. 06-2011)

PART L - MILES OF PIPE BY CLASS LOCATION

HCA Miles in the

IMP Program

Total

Class Location

Miles

Class 3

Class 4

Class Location

Class 2

Transmission						
Onshore	2119	266	1372	0	3757	1178
Offshore	0	0	0	0	0	
Subtotal Transmission	2119	266	1372	0	3757	
Gathering						
Onshore Type A						
Onshore Type B						
Offshore						
Subtotal Gathering						
Total Miles	2119	266	1372	0	3757	1178

PART M - INCIDENTS, FAILURES, LEAKS, AND REPAIRS

PART M1 – ALL LEAKS ELIMINATED/REPAIRED IN CALENDAR YEAR; INCIDENTS & FAILURES IN HCA SEGMENTS IN CALENDAR YEAR

	Transmission Incidents, Leaks, and Failures					Gathering Leaks			
	Incidents	Leaks				Failures	Onshore		Offshore
	in HCA Segments	Onshore Leaks		Offshore Leaks		in HCA Segments	Leaks		Leaks
Cause		HCA	Non-HCA	HCA	Non-HCA	Segments	Type A	Type B	
External Corrosion	0	0	0	0	0	0			
Internal Corrosion	0	0	1	0	0	0			
Stress Corrosion Cracking	0	0	0	0	0	0			
Manufacturing	0	0	0	0	0	0			
Construction	0	1	1	0	0	0			
Equipment	0	0	0	0	0	0			
Incorrect Operations	0	0	1	0	0	0			
	Tł	nird Party	Damage/M	lechanic	al Damage				
Excavation Damage	0	1	1	0	0	0			
Previous Damage (due to Excavation Activity)	0	0	0	0	0	0			
Vandalism (includes all Intentional Damage)	0	0	0	0	0	0			
Weather Related/Other Outside Force									
Natural Force Damage (all)	0	0	0	0	0	0			
Other Outside Force Damage (excluding Vandalism and all Intentional Damage)	0	0	0	0	0	0			
Other	0	0	0	0	0	0			
Total	0	2	4	0	0	0			

PART M2 - KNOWN SYSTEM LEAKS AT END OF YEAR SCHEDULED FOR REPAIR

Transmission	0	Gathering	0				
PART M3 – LEAKS ON FEDERAL LAND OR OCS REPAIRED OR SCHEDULED FOR REPAIR							
Transmission Gathering							
Onchore	0	Onshore Type A					
Onshore		Onshore Type B					
OCS	0	OCS					
Subtotal Transmission	0	Subtotal Gathering					
Total	0						

For the designated Commodity Group, complete PART N one time for all of the pipelines and/or pipeline facilities included within this OPID, and then also PART O if any portion(s) of the pipelines and/or pipeline facilities covered under this Commodity Group and OPID are included in an Integrity Management Program subject to 49 CFR 192.

(213) 244-5429 Telephone Number
(213) 244-8116 Facsimile Number

PART O - CERTIFYING SIGNATURE (applicable only to PARTs B, F, G, and M1)			
RICHARD M. MORROW	(213) 244-3650		
Senior Executive Officer's signature certifying the information in PARTs B, F, G, and M as required by 49 U.S.C. 60109(f)	Telephone Number		
RICHARD M. MORROW			
Senior Executive Officer's name certifying the information in PARTs B, F, G, and M as required by 49 U.S.C. 60109(f)			
VICE PRESIDENT - ENGINEERING & OPERATIONS STAFF			
Senior Executive Officer's title certifying the information in PARTs B, F, G, and M as required by 49 U.S.C. 60109(f)			
RMorrow@semprautilities.com			
Senior Executive Officer's E-mail Address			