

ORIGINAL

Decision No. 3374

BEFORE THE RAILROAD COMMISSION OF THE STATE OF CALIFORNIA.

In the Matter of the Application of)
FAIRMOUNT WATER COMPANY for an order)
authorizing an increase in rates) Application No. 2059.
charged for water.)

BY THE COMMISSION.

OPINION ON PETITION FOR REHEARING.

Fairmount Water Company has filed herein its petition for rehearing on this Commission's Decision No. 3312, rendered on May 8, 1916, in the above entitled proceeding. This decision was rendered on the application of Fairmount Water Company for an order authorizing the company to increase its rates for water to a portion of its consumers in and adjacent to East San Diego, San Diego County, California.

There is no allegation in the petition for rehearing that the Commission erred in the matter of finding the value of petitioner's property or in the allowance made for maintenance and operating expenses or depreciation. The burden of the petition is that under the minimum of \$1.00 per month prescribed by Decision No. 3312 herein, petitioner will not receive the revenue which the Railroad Commission intended petitioner should secure. Whether the rates established by the Railroad Commission will yield such revenue is a matter of opinion. The Commission was and is of the opinion that the rates prescribed will be fair and just to petitioner herein.

If, after a year's trial, it should develop that the rates do not yield the gross revenue referred to in Decision No. 3312 herein, petitioner may again draw the matter to the attention of the Railroad Commission.

The petition for rehearing should be denied.

ORDER.

FAIRMOUNT WATER COMPANY having filed a petition for rehearing herein, and careful consideration having been given thereto, and no good reason appearing why such petition should be granted,

IT IS HEREBY ORDERED that said petition be and the same is hereby denied.

Dated at San Francisco, California, this 24th day of
May, 1916.

Max Thelen
H. D. Stewart
Edwin O. Edgerton
Raymond
Francis R. Doherty

Commissioners.