Decision No. 8359.

BEFORE THE RAILROAD COMMISSION OF THE STATE OF CALIFORNIA.

In the Matter of the Application of) UKIAH WATER & IMPROVEMENT COMPANY) for authority to increase rates.)

Application No. 5618.

Sullivan, Sullivan and Theodore J. Roche, by George D. Squires, for Applicant. Charles M. Mannon for City of Ukiah.

BY THE COMMISSION.

<u>O P I N I O N</u>

Ukiak Water & Improvement Company, applicant herein, is a public utility water company engaged in the business of supplying water for domestic and commercial purposes to consumers in and in the vicinity of Ukiah. Mendecine County. California. In this proceeding applicant asks for authority to increase its rates for said service, alleging in effect that the present rates do not provide sufficient revenue te yield operating expenses, depreciation and a reasonable return upon the investment.

A public hearing was held in this matter before Examiner Satterwhite at Ukiah. All of applicant's consumers were notified of the hearing and given an opportunity to appear and be heard.

The rate schedule at present in effect was fixed by this Commission in its Decision No. 3294, dated April 29, 1916, Application No. 2146, <u>In the Matter of the Application of</u> Uklah Water and Improvement Company for authority to increase rates. (Vol. 9, p.844, Opinions and Orders of the Railroad Commission of California.) Reference is made to that decision for the history of the company and facts relating to operating conditions.

For the purposes of this proceeding, Mr. M. R. MacKall, one of the Commission's Hydraulic Engineers, submitted a report and appraisal of the properties of applicant. This appraisal is based upon the appraisal of the system made by the Commission's engineers in 1916, insofar as it was approved, to which has been added subsequent additions to capital. Mr. MacKall's appraisement of the used and useful properties of applicant is \$65,656. He reports a depreciation annuity computed by the sinking fund method in the amount of \$616, and an estimate of reasonable maintenance and operation expense of \$8,821. Applicant presented a statement which purports to show that the future maintenance and operating expenses will amount to \$12,883.

The difference between the estimates presented is largely due to the elimination by Mr. MacKall of certain charges which had been entered in the books as operating expenses and which in fact were incurred in replacing and extending certain portions of the system or were for expenses which do not annually recur. It appears that there should be added to Mr. MacKall's estimate certain items, the principal of which is an allowance for expenditures for legal services.

After a careful study of the evidence presented, and taking into consideration the increased costs of labor and materials, it appears that the sum of \$9,200 is a reasonable amount to be allowed for maintenance and operation expense, and that figure will be used herein.

The following is a summary of the fair and reasonable annual charges:

163

-2-

Total\$15,058

The total revenue for the year 1919 was approximately \$12,700, and it is therefore evident that the present rate is inadequate and that applicant is entitled to an increase in rates.

$\underline{O} \xrightarrow{\mathbf{R}} \underline{D} \xrightarrow{\mathbf{R}} \xrightarrow{\mathbf{R}}$

The Ukiah Water and Improvement Company, having made

application in the above entitled matter. a public hearing having been held thereon, and the Commission being fully apprised in the matter,

IT IS HEREBY FOUND AS A FACT that the rates now charged by the <u>Ukish Water and Improvement Company</u> for water supplied to its consumers are unjust and unreasonable insofar as they differ from the rates herein established and that the rates herein established are just and reasonable rates for such service, and basing its order upon the foregoing finding of fact and upon the statements of fact contained in the preceeding Opinion,

IT IS HEREBY ORDERED that the Uklah Water and Improvement Company be, and it is hereby authorized and directed to file with the Railroad Commission within twenty days from the date of this Order, and thereafter charge the following rates for water delivered to its consumers in Uklah and vicinity:

Monthly Flat Rates

- $ -$	\$1.25
Each additional room	.25
Private Toilets, each	.25
Private Urinals (with self closing valves) each	.25
" " (without self closing valves) each	. 40
Bath tubs.each	.25
Private Stables, including one horse and vehicle	.50
For each additional animal	.10
Private Garage, including one automobile	.50
For each additional machine	.25
Sprinkling and irrigation, per sq. yd. sprinkled	
or irrigated	-007

-3-

184

Public Bath Tubs, each Additional tubs installed in same establishment, ea	\$1.50 1.00 50 50
Public water closets, each Watering troughs	1.00
Public Hells Stores	1.25 1.25
Butcher shops, candy stores, restaurants, saloons, creameries	2.50
Office rooms	50 3.00
Printing offices and photograph galleries Livery stables and stage barns	3_00
Blacksmith shops For building and construction purposes per barrel	1.50
of lime, cement, or material mixed	.10
Fire Hydrants installed by city and repaired by Water Co.	1.00
Fire Hydrants Installed by Company 2"	1.50 2.00
For service other than as above enumerated the meter rate schedule shall apply.	

ł

Monthly Meter Rates

Quantity Rates For Use	
Between 00 and 2000 cu.ft. per 100 cu.ft. Over 2000 cu.ft. per 100 cu.ft.	\$.20 .12
Minimum Paymente 5/8" and 3/4" meters 1" Meter 12" Meter 2" Meter	\$1.00 1.50 1.75 2.00

IT IS HEREBY FURTHER ORDERED that the Ukiah Water and Improvement Company be, and it is hereby directed to file with the Railroad Commission for its approval, within thirty days of the date of this Order, rules and regulations

183

to be and become effective within five (5) days of their approval by the Commission.

Dated at San Francisco, California. this <u>23</u> day of <u>November</u>, 1920.

I • Commissioners.