

ALJ/KIM/dk

Decision 90 05 052

BEFORE THE PUBLIC UTILITIES COMMISSION OF THE STATE OF CALIFORNIA

Order Instituting Investigating into procurement and system reliability issues deferred from D.86-12-010.

And Related Matters.

ORIGINAL

I.87-03-036
(Filed March 25, 1987)

R.88-08-018
(I&S) Case 89-05-016

ORDER CORRECTING CLERICAL ERROR

On March 14, 1990, we issued Decision (D.)90-03-037 in response to a petition for modification of D.89-12-046. These decisions addressed Southern California Gas Company's (SoCal) gas storage program.

Page 8 of D.90-03-037 contains a clerical error. The first full paragraph of page 8, in the last two sentences, refers to SoCal. Taken in the context of the decision and the paragraph on page 8, it is clear that the last two sentences should refer to Southern California Edison Company (Edison).

Under Resolution A-4661,


IT IS ORDERED that D.90-03-037 is modified so that the last two sentences of the first full paragraph on page 8 read:


Moreover, we strongly urge Edison to take advantage of the smog season storage available to it to the extent necessary to assure curtailments are not required. Its failure to do so may be raised as a reasonableness issue in Edison's subsequent ECAC.

This order is effective today.

Dated MAY 15 1990, at San Francisco, California.

I CERTIFY THAT THIS DECISION
WAS APPROVED BY THE ABOVE
COMMISSIONERS TODAY


NEAL J. SHULMAN
Executive Director


NEAL J. SHULMAN, Executive Director
DS