\$
\$ Abort, Diagnostics
\$

¢	
\$	
PARAMETER	
"DEER Res Shade Jan" PARAMETER	= 0.9
"DEER Res Shade Feb"	= 0.83
PARAMETER "DEER Res Shade Mar"	= 0.7
PARAMETER "DEER Res Shade Apr"	= 0.6
PARAMETER "DEER Res Shade May"	= 0.5
PARAMETER "DEER Res Shade Jun"	= 0.38
PARAMETER "DEER Res Shade Jul"	= 0.3
PARAMETER "DEER Res Shade Aug"	= 0.38
PARAMETER "DEER Res Shade Sep"	= 0.5
PARAMETER "DEER Res Shade Oct"	= 0.6
PARAMETER "DEER Res Shade Nov"	= 0.7
PARAMETER	
"DEER Res Shade Dec" PARAMETER	= 0.83
"DEER TStat Htg Morning" PARAMETER	= 60
"DEER TStat Htg Day" PARAMETER	= 60
"DEER TStat Htg Evening" PARAMETER	= 60
"DEER TStat Htg Night" PARAMETER	= 60
"DEER TStat Clg Morning" PARAMETER	= 83
"DEER TStat Clg Day" PARAMETER	= 80
"DEER TStat Clg Evening" PARAMETER	= 80
"DEER TStat Clg Night"	= 83
PARAMETER "DEER TStat Htg Hall"	= 67

```
PARAMETER
 "DEER TStat Clg Hall" = 80 ..
PARAMETER
 "Sup&Ret Duct Leakage (pct)" = 40 ...
PARAMETER
 "Clg R-Value"
                = 14.6 ..
PARAMETER
 "Infiltration ACH" = 0.4 ...
PARAMETER
 "Ltg W Reduced per Residence" = 0 ...
PARAMETER
 "DHW Therms Saved" = 0 ..
PARAMETER
                   = 10 ..
 "SEER"
PARAMETER
                   = 78 ..
 "AFUE"
PARAMETER
 "DHW EF"
                   = 0.57 ..
PARAMETER
 "EWall R-Value Add" = 0.001 ...
 Title, Run Periods, Design Days, Holidays
TITLE
 LINE-1 = *DEER Single Family 2*
"Entire Year" = RUN-PERIOD-PD
 BEGIN-MONTH = 1
 BEGIN-DAY = 1
 BEGIN-YEAR = 1991
END-MONTH = 12
 END-DAY = 31
 END-YEAR = 1991
"Standard US Holidays" = HOLIDAYS
 LIBRARY-ENTRY "US"
$
  Compliance Data
 Site and Building Data
```

"Site Data" = SITE-PARAMETERS

```
ALTITUDE = 986
"Building Data" = BUILD-PARAMETERS
 HOLIDAYS = "Standard US Holidays"
$
       Materials / Layers / Constructions
$ ------
"Floor abv Crawl Space M1" = MATERIAL
 TYPE = RESISTANCE
 RESISTANCE = 0.05
"Floor abv Crawl Space FRV" = MATERIAL
 TYPE = RESISTANCE
 RESISTANCE = 1.14012
"Garage Int Wall M2" = MATERIAL
 TYPE = RESISTANCE
 RESISTANCE = 0.98
"Garage Int Wall FRV" = MATERIAL
 TYPE = RESISTANCE
 RESISTANCE = 6.67935
"Garage Ext Wall M3" = MATERIAL
 TYPE = RESISTANCE
 RESISTANCE = 0.98
"EL1 EWall Cons Mat 2 (0.98)" = MATERIAL
 TYPE = RESISTANCE
 RESISTANCE = 0.98
"EL1 Roof Cons Mat 4 (2.94)" = MATERIAL
 TYPE
       = RESISTANCE
 RESISTANCE = 2.94
"EL1 IWall Cons Mat 2 (0.91)" = MATERIAL
 TYPE = RESISTANCE
 RESISTANCE = 0.91
"EL1 IFIr Cons Mat 1 (0.031)" = MATERIAL
 TYPE = RESISTANCE
 RESISTANCE = 0.031
"EL2 EWall Cons Mat 2 (0.98)" = MATERIAL
 TYPE = RESISTANCE
 RESISTANCE = 0.98
"EL2 EWall R-val Material" = MATERIAL
 TYPE = RESISTANCE
 RESISTANCE = {7.5+#pa("EWall R-Value Add")}
```

"EL2 Roof Cons Mat 4 (0.29)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.29 "EL2 IWall Cons Mat 2 (0.91)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.91 "EL2 IFIr Cons Mat 1 (0.031)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.031 "EL2 UFIr Cons Mat 2 (27.44)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 27.44 "EL2 AFIr Cons Mat 1 (0.25)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.25 "EL2 AFIr R-val Material" = MATERIAL TYPE = RESISTANCE RESISTANCE = {#pa("Clg R-Value") - 0.25} "EL3 EWall Cons Mat 2 (0.98)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.98 "EL3 Roof Cons Mat 4 (2.94)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 2.94 "EL3 IWall Cons Mat 2 (0.91)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.91 "EL3 IFIr Cons Mat 1 (0.031)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.031 "EL4 EWall Cons Mat 2 (0.98)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.98 "EL4 Roof Cons Mat 4 (2.94)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 2.94 "EL4 IWall Cons Mat 2 (0.91)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.91 "EL4 IFIr Cons Mat 1 (0.031)" = MATERIAL TYPE = RESISTANCE

RESISTANCE = 0.031

"EL5 EWall Cons Mat 2 (0.98)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.98 "EL5 EWall R-val Material" = MATERIAL = RESISTANCE RESISTANCE = {7.5+#pa("EWall R-Value Add")} "EL5 Roof Cons Mat 4 (0.29)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.29 "EL5 IWall Cons Mat 2 (0.91)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.91 "EL5 IFIr Cons Mat 1 (0.031)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.031 "EL5 UFIr Cons Mat 2 (27.44)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 27.44 "EL5 AFIr Cons Mat 1 (0.25)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.25 "EL5 AFIr R-val Material" = MATERIAL TYPE = RESISTANCE RESISTANCE = {#pa("Clg R-Value") - 0.25} "EL6 EWall Cons Mat 2 (0.98)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.98 "EL6 Roof Cons Mat 4 (2.94)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 2.94 "EL6 IWall Cons Mat 2 (0.91)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.91 "EL6 IFIr Cons Mat 1 (0.031)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.031 "EL7 EWall Cons Mat 2 (0.98)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.98 "EL7 EWall R-val Material" = MATERIAL TYPE = RESISTANCE RESISTANCE = {7.5+#pa("EWall R-Value Add")} "EL7 Roof Cons Mat 4 (0.29)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.29 "EL7 IWall Cons Mat 2 (0.91)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.91 "EL7 IFIr Cons Mat 1 (0.031)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.031 "EL7 AFIr Cons Mat 1 (0.25)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.25 "EL7 AFIr R-val Material" = MATERIAL TYPE = RESISTANCE RESISTANCE = {#pa("Clg R-Value") - 0.25} "EL8 EWall Cons Mat 2 (0.98)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.98 "EL8 EWall R-val Material" = MATERIAL TYPE = RESISTANCE RESISTANCE = {7.5+#pa("EWall R-Value Add")} "EL8 Roof Cons Mat 4 (0.29)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.29 "EL8 IWall Cons Mat 2 (0.91)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.91 "EL8 IFIr Cons Mat 1 (0.031)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.031 "EL8 AFIr Cons Mat 1 (0.25)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.25 "EL8 AFIr R-val Material" = MATERIAL TYPE = RESISTANCE RESISTANCE = {#pa("Clg R-Value") - 0.25} "EL1 UFMat (G.1.U2.M1)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.276539"EL3 UFMat (G.1.U2.M1)" = MATERIAL TYPE = RESISTANCE RESISTANCE = 0.276539

```
"EL4 UFMat (G.1.U2.M1)" = MATERIAL
 TYPE = RESISTANCE
 RESISTANCE = 0.276539
"EL6 UFMat (G.1.U2.M1)" = MATERIAL
 TYPE = RESISTANCE
 RESISTANCE = 0.276539
"EL7 UFMat (G.S3.U10.M1)" = MATERIAL
 TYPE = RESISTANCE
 RESISTANCE = 1.83176
"EL7 UFMat (G.N4.U11.M1)" = MATERIAL
 TYPE = RESISTANCE
 RESISTANCE = 1.83176
"EL8 UFMat (G.W3.U10.M1)" = MATERIAL
 TYPE = RESISTANCE
 RESISTANCE = 1.83176
"EL8 UFMat (G.E4.U11.M1)" = MATERIAL
 TYPE = RESISTANCE
 RESISTANCE = 1.83176
"Floor aby Crawl Space Lyr" = LAYERS
 INSIDE-FILM-RES = 0.92
 MATERIAL = ("Floor abv Crawl Space M1", "Plywd 1in (PW06)",
    "Floor aby Crawl Space FRV", "Carpet & Rubber Pad (CP02)")
"Crawl Space Floor Lyr" = LAYERS
 INSIDE-FILM-RES = 0.92
 MATERIAL = ("Light Soil, Damp 12in")
"Crawl Space Wall Lyr" = LAYERS
 INSIDE-FILM-RES = 0.68
 MATERIAL
              = ( "Light Soil, Damp 12in", "Conc HW 140lb 6in (CC04)" )
"Garage Int Wall Lyr" = LAYERS
 INSIDE-FILM-RES = 0.68
 MATERIAL = ( "GypBd 1/2in (GP01)", "Garage Int Wall M2",
    "Garage Int Wall FRV", "GypBd 1/2in (GP01)")
"Garage Ext Wall Lvr" = LAYERS
 INSIDE-FILM-RES = 0.68
 MATERIAL = ( "Stucco 1in (SC01)", "Bldg Paper Felt (BP01)",
    "Garage Ext Wall M3", "GypBd 1/2in (GP01)")
"EL1 EWall Cons Layers" = LAYERS
 MATERIAL = ("Stucco 1in (SC01)", "Bldg Paper Felt (BP01)",
    "EL1 EWall Cons Mat 2 (0.98)", "GypBd 1/2in (GP01)")
"EL1 Roof Cons Layers" = LAYERS
 MATERIAL = ("Wood Shingle (WS02)", "Blt-Up Roof 3/8in (BR01)",
    "Bldg Paper Felt (BP01)", "Plywd 5/8in (PW04)",
```

```
"EL1 Roof Cons Mat 4 (2.94)", "MinWool Batt R30 (IN05)",
     "GypBd 5/8in (GP02)")
"EL1 IWall Cons Layers" = LAYERS
 MATERIAL
                = ( "GypBd 1/2in (GP01)", "EL1 IWall Cons Mat 2 (0.91)",
     "GypBd 1/2in (GP01)")
"EL1 IFIr Cons Layers" = LAYERS
 MATERIAL = ("EL1 IFIr Cons Mat 1 (0.031)", "Plywd 1in (PW06)",
     "Carpet & Rubber Pad (CP02)")
"EL2 EWall Cons Lavers" = LAYERS
              = ( "Stucco 1in (SC01)", "Bldg Paper Felt (BP01)",
 MATERIAL
     "EL2 EWall R-val Material", "EL2 EWall Cons Mat 2 (0.98)",
     "GvpBd 1/2in (GP01)" )
"EL2 Roof Cons Layers" = LAYERS
 MATERIAL
               = ( "Wood Shingle (WS02)", "Blt-Up Roof 3/8in (BR01)",
     "Bldg Paper Felt (BP01)", "Plywd 5/8in (PW04)",
     "EL2 Roof Cons Mat 4 (0.29)")
"EL2 IWall Cons Layers" = LAYERS
 MATERIAL = ( "GypBd 1/2in (GP01)", "EL2 IWall Cons Mat 2 (0.91)",
     "GypBd 1/2in (GP01)")
"EL2 IFIr Cons Layers" = LAYERS
 MATERIAL = ("EL2 IFIr Cons Mat 1 (0.031)", "Plywd 1in (PW06)".
     "Carpet & Rubber Pad (CP02)")
"EL2 GFIr Cons Layers" = LAYERS
                = ("Plywd 5/8in (PW04)", "EL2 UFIr Cons Mat 2 (27.44)",
     "Plywd 1in (PW06)", "Carpet & Rubber Pad (CP02)")
"EL2 AFIr Cons Lavers" = LAYERS
 MATERIAL = ("EL2 AFIr Cons Mat 1 (0.25)",
     "EL2 AFIr R-val Material", "GypBd 5/8in (GP02)")
"EL3 EWall Cons Lavers" = LAYERS
 MATERIAL = ("Stucco 1in (SC01)", "Bldg Paper Felt (BP01)",
     "EL3 EWall Cons Mat 2 (0.98)", "GypBd 1/2in (GP01)")
"EL3 Roof Cons Lavers" = LAYERS
               = ( "Wood Shingle (WS02)", "Blt-Up Roof 3/8in (BR01)",
 MATERIAL
     "Bldg Paper Felt (BP01)", "Plywd 5/8in (PW04)",
     "EL3 Roof Cons Mat 4 (2.94)", "MinWool Batt R30 (IN05)",
     "GypBd 5/8in (GP02)")
"EL3 IWall Cons Layers" = LAYERS
              = ( "GypBd 1/2in (GP01)", "EL3 IWall Cons Mat 2 (0.91)",
 MATERIAL
     "GypBd 1/2in (GP01)")
"EL3 IFIr Cons Layers" = LAYERS
 MATERIAL = ("EL3 IFIr Cons Mat 1 (0.031)", "Plywd 1in (PW06)",
     "Carpet & Rubber Pad (CP02)")
"EL4 EWall Cons Layers" = LAYERS
```

```
= ( "Stucco 1in (SC01)", "Bldg Paper Felt (BP01)",
 MATERIAL
     "EL4 EWall Cons Mat 2 (0.98)", "GypBd 1/2in (GP01)")
"EL4 Roof Cons Layers" = LAYERS
                = ( "Wood Shingle (WS02)", "Blt-Up Roof 3/8in (BR01)",
 MATERIAL
     "Bldg Paper Felt (BP01)", "Plywd 5/8in (PW04)",
     "EL4 Roof Cons Mat 4 (2.94)", "MinWool Batt R30 (IN05)",
     "GypBd 5/8in (GP02)")
"EL4 IWall Cons Lavers" = LAYERS
 MATERIAL = ("GypBd 1/2in (GP01)", "EL4 IWall Cons Mat 2 (0.91)",
     "GvpBd 1/2in (GP01)" )
"EL4 IFIr Cons Layers" = LAYERS
               = ( "EL4 IFIr Cons Mat 1 (0.031)", "Plvwd 1in (PW06)",
 MATERIAL
     "Carpet & Rubber Pad (CP02)")
"EL5 EWall Cons Lavers" = LAYERS
 MATERIAL = ("Stucco 1in (SC01)", "Bldg Paper Felt (BP01)",
     "EL5 EWall R-val Material", "EL5 EWall Cons Mat 2 (0.98)",
     "GypBd 1/2in (GP01)")
"EL5 Roof Cons Lavers" = LAYERS
 MATERIAL = ("Wood Shingle (WS02)", "Blt-Up Roof 3/8in (BR01)",
     "Bldg Paper Felt (BP01)", "Plywd 5/8in (PW04)",
     "EL5 Roof Cons Mat 4 (0.29)")
"EL5 IWall Cons Layers" = LAYERS
 MATERIAL = ( "GypBd 1/2in (GP01)", "EL5 IWall Cons Mat 2 (0.91)",
     "GvpBd 1/2in (GP01)")
"EL5 IFIr Cons Layers" = LAYERS
 MATERIAL = ("EL5 IFIr Cons Mat 1 (0.031)", "Plywd 1in (PW06)",
     "Carpet & Rubber Pad (CP02)")
"EL5 GFIr Cons Layers" = LAYERS
                = ("Plywd 5/8in (PW04)", "EL5 UFIr Cons Mat 2 (27.44)",
     "Plywd 1in (PW06)", "Carpet & Rubber Pad (CP02)")
"EL5 AFIr Cons Layers" = LAYERS
 MATERIAL = ("EL5 AFIr Cons Mat 1 (0.25)".
     "EL5 AFIr R-val Material", "GypBd 5/8in (GP02)")
"EL6 EWall Cons Layers" = LAYERS
               = ( "Stucco 1in (SC01)", "Bldg Paper Felt (BP01)",
     "EL6 EWall Cons Mat 2 (0.98)", "GypBd 1/2in (GP01)")
"EL6 Roof Cons Layers" = LAYERS
 MATERIAL
                = ( "Wood Shingle (WS02)", "Blt-Up Roof 3/8in (BR01)",
     "Bldg Paper Felt (BP01)", "Plywd 5/8in (PW04)",
     "EL6 Roof Cons Mat 4 (2.94)", "MinWool Batt R30 (IN05)",
     "GypBd 5/8in (GP02)")
"EL6 IWall Cons Layers" = LAYERS
 MATERIAL = ("GypBd 1/2in (GP01)", "EL6 IWall Cons Mat 2 (0.91)",
     "GypBd 1/2in (GP01)" )
```

```
"EL6 IFIr Cons Lavers" = LAYERS
 MATERIAL = ("EL6 IFIr Cons Mat 1 (0.031)", "Plywd 1in (PW06)",
     "Carpet & Rubber Pad (CP02)")
"EL7 EWall Cons Layers" = LAYERS
 MATERIAL = ("Stucco 1in (SC01)", "Bldg Paper Felt (BP01)",
     "EL7 EWall R-val Material", "EL7 EWall Cons Mat 2 (0.98)",
     "GypBd 1/2in (GP01)")
"EL7 Roof Cons Layers" = LAYERS
 MATERIAL = ( "Wood Shingle (WS02)", "Blt-Up Roof 3/8in (BR01)",
     "Bldg Paper Felt (BP01)", "Plywd 5/8in (PW04)",
     "EL7 Roof Cons Mat 4 (0.29)")
"EL7 IWall Cons Layers" = LAYERS
                 = ( "GypBd 1/2in (GP01)", "EL7 IWall Cons Mat 2 (0.91)",
 MATERIAL
     "GypBd 1/2in (GP01)" )
"EL7 IFIr Cons Layers" = LAYERS
 MATERIAL = ("EL7 IFIr Cons Mat 1 (0.031)", "Plywd 1in (PW06)",
     "Carpet & Rubber Pad (CP02)")
"EL7 AFIr Cons Lavers" = LAYERS
 MATERIAL = ("EL7 AFIr Cons Mat 1 (0.25)".
     "EL7 AFIr R-val Material", "GypBd 5/8in (GP02)")
"EL8 EWall Cons Layers" = LAYERS
               = ( "Stucco 1in (SC01)", "Bldg Paper Felt (BP01)",
 MATERIAL
     "EL8 EWall R-val Material", "EL8 EWall Cons Mat 2 (0.98)",
     "GvpBd 1/2in (GP01)" )
"EL8 Roof Cons Layers" = LAYERS
 MATERIAL
                = ( "Wood Shingle (WS02)", "Blt-Up Roof 3/8in (BR01)",
     "Bldg Paper Felt (BP01)", "Plywd 5/8in (PW04)",
     "EL8 Roof Cons Mat 4 (0.29)")
"EL8 IWall Cons Lavers" = LAYERS
               = ( "GypBd 1/2in (GP01)", "EL8 IWall Cons Mat 2 (0.91)",
 MATERIAL
     "GypBd 1/2in (GP01)" )
"EL8 IFIr Cons Lavers" = LAYERS
 MATERIAL = ( "EL8 IFIr Cons Mat 1 (0.031)", "Plywd 1in (PW06)".
     "Carpet & Rubber Pad (CP02)")
"EL8 AFIr Cons Layers" = LAYERS
 MATERIAL = ("EL8 AFIr Cons Mat 1 (0.25)".
     "EL8 AFIr R-val Material", "GypBd 5/8in (GP02)")
"EL1 UFLyrs (G.1.U2)" = LAYERS
               = ( "EL1 UFMat (G.1.U2.M1)", "Light Soil, Damp 12in",
 MATERIAL
     "Conc HW 140lb 4in (HF-C5)", "Carpet & Rubber Pad (CP02)")
"EL3 UFLyrs (G.1.U2)" = LAYERS
               = ( "EL3 UFMat (G.1.U2.M1)", "Light Soil, Damp 12in",
 MATERIAL
     "Conc HW 140lb 4in (HF-C5)", "Carpet & Rubber Pad (CP02)")
```

```
"EL4 UFLvrs (G.1.U2)" = LAYERS
 MATERIAL
             = ( "EL4 UFMat (G.1.U2.M1)", "Light Soil, Damp 12in",
    "Conc HW 140lb 4in (HF-C5)", "Carpet & Rubber Pad (CP02)")
"EL6 UFLyrs (G.1.U2)" = LAYERS
 MATERIAL
             = ( "EL6 UFMat (G.1.U2.M1)", "Light Soil, Damp 12in",
    "Conc HW 140lb 4in (HF-C5)", "Carpet & Rubber Pad (CP02)")
"EL7 UFLvrs (G.S3.U10)" = LAYERS
 MATERIAL = ("EL7 UFMat (G.S3.U10.M1)", "Light Soil, Damp 12in",
    "Conc HW 140lb 4in (HF-C5)", "Carpet & Rubber Pad (CP02)")
"EL7 UFLyrs (G.N4.U11)" = LAYERS
              = ( "EL7 UFMat (G.N4.U11.M1)", "Light Soil, Damp 12in",
    "Conc HW 140lb 4in (HF-C5)", "Carpet & Rubber Pad (CP02)")
"EL8 UFLvrs (G.W3.U10)" = LAYERS
             = ( "EL8 UFMat (G.W3.U10.M1)", "Light Soil, Damp 12in",
    "Conc HW 140lb 4in (HF-C5)", "Carpet & Rubber Pad (CP02)")
"EL8 UFLyrs (G.E4.U11)" = LAYERS
             = ( "EL8 UFMat (G.E4.U11.M1)", "Light Soil, Damp 12in",
 MATERIAL
    "Conc HW 140lb 4in (HF-C5)", "Carpet & Rubber Pad (CP02)")
"Floor aby Crawl Space" = CONSTRUCTION
 TYPE = LAYERS
 LAYERS
             = "Floor abv Crawl Space Lyr"
"Crawl Space Floor" = CONSTRUCTION
 TYPE = LAYERS
 LAYERS = "Crawl Space Floor Lyr"
"Crawl Space Wall" = CONSTRUCTION
 TYPE = LAYERS
 LAYERS
            = "Crawl Space Wall Lyr"
"Garage Int Wall" = CONSTRUCTION
 TYPE = LAYERS
 LAYERS
             = "Garage Int Wall Lyr"
"Garage Ext Wall" = CONSTRUCTION
 TYPE = LAYERS
 LAYERS = "Garage Ext Wall Lyr"
"EL1 EWall Construction" = CONSTRUCTION
            = LAYERS
 TYPE
 ABSORPTANCE = 0.6
 ROUGHNESS = 1
 LAYERS = "EL1 EWall Cons Layers"
"EL1 Roof Construction" = CONSTRUCTION
 TYPE = LAYERS
 ABSORPTANCE = 0.88
 ROUGHNESS
```

```
LAYERS
         = "EL1 Roof Cons Lavers"
"EL1 IWall Construction" = CONSTRUCTION
 TYPE
          = LAYERS
 LAYERS
            = "EL1 IWall Cons Lavers"
"EL1 IFIr Construction" = CONSTRUCTION
 TYPE
          = LAYERS
 LAYERS
            = "EL1 IFIr Cons Lavers"
"EL2 EWall Construction" = CONSTRUCTION
 TYPE = LAYERS
 ABSORPTANCE = 0.6
 ROUGHNESS = 1
 LAYERS = "EL2 EWall Cons Lavers"
"EL2 Roof Construction" = CONSTRUCTION
           = LAYERS
 TYPE
 ABSORPTANCE = 0.88
 ROUGHNESS = 2
 LAYERS = "EL2 Roof Cons Layers"
"EL2 IWall Construction" = CONSTRUCTION
 TYPE
           = LAYERS
 LAYERS
             = "EL2 IWall Cons Layers"
"EL2 IFIr Construction" = CONSTRUCTION
 TYPE = LAYERS
            = "EL2 IFIr Cons Layers"
 LAYERS
"EL2 GFIr Construction" = CONSTRUCTION
 TYPE
          = LAYERS
            = "EL2 GFIr Cons Layers"
 LAYERS
"EL2 AFIr Construction" = CONSTRUCTION
 TYPE
         = LAYERS
 LAYERS
            = "EL2 AFIr Cons Layers"
"EL3 EWall Construction" = CONSTRUCTION
 TYPE = LAYERS
 ABSORPTANCE = 0.6
ROUGHNESS = 1
 LAYERS = "EL3 EWall Cons Layers"
"EL3 Roof Construction" = CONSTRUCTION
           = LAYERS
 ABSORPTANCE = 0.88
 ROUGHNESS = 2
 LAYERS
           = "EL3 Roof Cons Layers"
"EL3 IWall Construction" = CONSTRUCTION
 TYPE
          = LAYERS
 LAYERS
            = "EL3 IWall Cons Layers"
"EL3 IFIr Construction" = CONSTRUCTION
 TYPE
          = LAYERS
```

```
LAYERS
         = "EL3 IFIr Cons Lavers"
"EL4 EWall Construction" = CONSTRUCTION
          = LAYERS
 TYPE
 ABSORPTANCE = 0.6
 ROUGHNESS = 1
 LAYERS = "EL4 EWall Cons Lavers"
"EL4 Roof Construction" = CONSTRUCTION
 TYPE
       = LAYERS
 ABSORPTANCE = 0.88
ROUGHNESS = 2
 LAYERS = "EL4 Roof Cons Layers"
"EL4 IWall Construction" = CONSTRUCTION
 TYPE
          = LAYERS
 LAYERS
            = "EL4 IWall Cons Layers"
"EL4 IFIr Construction" = CONSTRUCTION
 TYPE
          = LAYERS
 LAYERS
            = "EL4 IFIr Cons Layers"
"EL5 EWall Construction" = CONSTRUCTION
 TYPE = LAYERS
 ABSORPTANCE = 0.6
              = 1
 ROUGHNESS
 LAYERS
          = "EL5 EWall Cons Lavers"
"EL5 Roof Construction" = CONSTRUCTION
 TYPE
          = LAYERS
 ABSORPTANCE = 0.88
 ROUGHNESS = 2
         = "EL5 Roof Cons Layers"
 LAYERS
"EL5 IWall Construction" = CONSTRUCTION
 TYPE = LAYERS
 LAYERS
            = "EL5 IWall Cons Layers"
"EL5 IFIr Construction" = CONSTRUCTION
 TYPE = LAYERS
            = "EL5 IFIr Cons Layers"
 LAYERS
"EL5 GFIr Construction" = CONSTRUCTION
 TYPE = LAYERS
 LAYERS = "EL5 GFIr Cons Lavers"
"EL5 AFIr Construction" = CONSTRUCTION
 TYPE
         = LAYERS
 LAYERS
            = "EL5 AFIr Cons Layers"
"EL6 EWall Construction" = CONSTRUCTION
           = LAYERS
 ABSORPTANCE = 0.6
 ROUGHNESS = 1
 LAYERS = "EL6 EWall Cons Layers"
```

SB GT&S 0776322

```
"EL6 Roof Construction" = CONSTRUCTION
 TYPF
           = LAYERS
 ABSORPTANCE = 0.88
 ROUGHNESS = 2
 LAYERS
          = "EL6 Roof Cons Layers"
"EL6 IWall Construction" = CONSTRUCTION
 TYPE = LAYERS
 LAYERS
            = "EL6 IWall Cons Layers"
"EL6 IFIr Construction" = CONSTRUCTION
 TYPE = LAYERS
            = "EL6 IFIr Cons Layers"
 LAYERS
"EL7 EWall Construction" = CONSTRUCTION
           = LAYERS
 ABSORPTANCE = 0.6
 ROUGHNESS = 1
 LAYERS = "EL7 EWall Cons Lavers"
"EL7 Roof Construction" = CONSTRUCTION
          = LAYERS
 ABSORPTANCE = 0.88
 ROUGHNESS = 2
 LAYERS = "EL7 Roof Cons Layers"
"EL7 IWall Construction" = CONSTRUCTION
 TYPE
         = LAYERS
            = "EL7 IWall Cons Layers"
 LAYERS
"EL7 IFIr Construction" = CONSTRUCTION
 TYPE = LAYERS
 LAYERS
            = "EL7 IFIr Cons Layers"
"EL7 AFIr Construction" = CONSTRUCTION
 TYPE = LAYERS
 LAYERS
            = "EL7 AFIr Cons Layers"
"EL8 EWall Construction" = CONSTRUCTION
 TYPE = LAYERS
 ABSORPTANCE = 0.6
ROUGHNESS = 1
 LAYERS = "EL8 EWall Cons Layers"
"EL8 Roof Construction" = CONSTRUCTION
 TYPE
           = LAYERS
 ABSORPTANCE = 0.88
 ROUGHNESS = 2
 LAYERS
          = "EL8 Roof Cons Layers"
"EL8 IWall Construction" = CONSTRUCTION
 TYPE
          = LAYERS
 LAYERS
            = "EL8 IWall Cons Layers"
"EL8 IFIr Construction" = CONSTRUCTION
 TYPE
         = LAYERS
```

```
LAYERS
         = "EL8 IFIr Cons Lavers"
"EL8 AFIr Construction" = CONSTRUCTION
 TYPE = LAYERS
 LAYERS
           = "EL8 AFIr Cons Layers"
"EL1 UFCons (G.1.U2)" = CONSTRUCTION
 TYPE = LAYERS
 LAYERS = "EL1 UFLyrs (G.1.U2)"
"EL3 UFCons (G.1.U2)" = CONSTRUCTION
 TYPE = LAYERS
 LAYERS = "EL3 UFLyrs (G.1.U2)"
"EL4 UFCons (G.1.U2)" = CONSTRUCTION
 TYPE
          = LAYERS
           = "EL4 UFLyrs (G.1.U2)"
 LAYERS
"EL6 UFCons (G.1.U2)" = CONSTRUCTION
 TYPE
          = LAYERS
 LAYERS
            = "EL6 UFLyrs (G.1.U2)"
"EL7 UFCons (G.S3.U10)" = CONSTRUCTION
          = LAYERS
 TYPE
 LAYERS
            = "EL7 UFLyrs (G.S3.U10)"
"EL7 UFCons (G.N4.U11)" = CONSTRUCTION
 TYPE = LAYERS
           = "EL7 UFLyrs (G.N4.U11)"
 LAYERS
"EL8 UFCons (G.W3.U10)" = CONSTRUCTION
 TYPE = LAYERS
           = "EL8 UFLyrs (G.W3.U10)"
 LAYERS
"EL8 UFCons (G.E4.U11)" = CONSTRUCTION
 TYPE = LAYERS
           = "EL8 UFLyrs (G.E4.U11)"
 LAYERS
   Glass Type Codes
$
       Glass Types
"EL2 Window Type #1 GT" = GLASS-TYPE
       = SHADING-COEF
 SHADING-COEF = 1
 GLASS-CONDUCT = 1.16873
 VIS-TRANS = 0.81
```

```
"EL5 Window Type #1 GT" = GLASS-TYPE
 TYPE = SHADING-COEF
 SHADING-COEF = 1
 GLASS-CONDUCT = 1.16873
 VIS-TRANS = 0.81
"EL7 Window Type #1 GT" = GLASS-TYPE
 TYPE = SHADING-COEF
 SHADING-COEF = 1
 GLASS-CONDUCT = 1.16873
 VIS-TRANS = 0.81
"EL8 Window Type #1 GT" = GLASS-TYPE
 TYPE = SHADING-COEF
 SHADING-COEF = 1
 GLASS-CONDUCT = 1.16873
 VIS-TRANS = 0.81
 Window Layers
  Lamps / Luminaries / Lighting Systems
$
$ -----
$
  Day Schedules
"EL1 Occ-1 S1 AII" = DAY-SCHEDULE-PD
 "EL1 Occ-1 S2 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES = (0)
"EL1 Occ-1 S3 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
           = (0)
"EL1 ILt-1 S1 WD" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
           = (0.0364, 0.0247, 0.0192, 0.0172, 0.0157, 0.0181,
    0.0229, 0.0298, 0.0361, 0.042, 0.0456, 0.0463, 0.0462, 0.047,
    0.0483, 0.0473, 0.0464, 0.0485, 0.0638, 0.0897, 0.1032, 0.0963,
    0.0777, 0.0544)
```

```
"EL1 ILt-1 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
                = (0.0297, 0.0192, 0.015, 0.0145, 0.0159, 0.0213, 0.0287,
 VALUES
     0.0319, 0.033, 0.0344, 0.0371, 0.0376, 0.0375, 0.0385, 0.0389,
     0.0382, 0.0385, 0.0425, 0.0598, 0.0882, 0.1031, 0.0949, 0.0749,
     0.0501)
"EL1 ILt-1 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0)
"EL1 ILt-1 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
                = (0.0364, 0.0247, 0.0192, 0.0172, 0.0157, 0.0181,
     0.0229, 0.0298, 0.0361, 0.042, 0.0456, 0.0463, 0.0462, 0.047,
     0.0483, 0.0473, 0.0464, 0.0485, 0.0638, 0.0897, 0.1032, 0.0963,
     0.0777, 0.0544)
"EL1 ILt-1 S2 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
                = (0.0267, 0.0191, 0.0146, 0.013, 0.0121, 0.0146, 0.0196,
     0.0257, 0.0318, 0.0364, 0.0389, 0.0388, 0.0382, 0.0383, 0.0399,
     0.04, 0.0394, 0.04, 0.047, 0.0661, 0.0824, 0.0804, 0.0636, 0.0412)
"EL1 ILt-1 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
                = (0.0237, 0.0164, 0.0127, 0.0123, 0.0137, 0.0197,
     0.0273, 0.0282, 0.0298, 0.032, 0.0342, 0.0337, 0.0333, 0.0337,
     0.036, 0.0359, &D, 0.038, 0.047, 0.0691, 0.0864, 0.0823, 0.063,
     0.0399)
"EL1 ILt-1 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0)
"EL1 ILt-1 S2 CDD" = DAY-SCHEDULE-PD
              = FRACTION
                = (0.0267, 0.0191, 0.0146, 0.013, 0.0121, 0.0146, 0.0196,
 VALUES
     0.0257, 0.0318, 0.0364, 0.0389, 0.0388, 0.0382, 0.0383, 0.0399,
     0.04, 0.0394, 0.04, 0.047, 0.0661, 0.0824, 0.0804, 0.0636, 0.0412)
"EL1 ILt-1 S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
                = (0.0318, 0.0218, 0.0164, 0.0148, 0.0139, 0.0166,
     0.0222, 0.0298, 0.0352, 0.0397, 0.042, 0.0419, 0.0421, 0.0423,
     0.0439, 0.0433, 0.0423, 0.044, 0.0576, 0.0815, 0.0955, 0.0892,
     0.0712, 0.0479)
"EL1 ILt-1 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
                = (0.0259, 0.0176, 0.0141, 0.0137, 0.0151, 0.0219,
     0.0298, 0.0322, 0.0325, 0.0335, 0.0352, 0.0354, 0.0353, 0.0359,
     0.0369, 0.037, &D, 0.0404, 0.0573, 0.083, 0.0986, 0.0914, 0.0701,
     0.0446
```

```
"EL1 ILt-1 S3 HDD" = DAY-SCHEDULE-PD
 TYPF
            = FRACTION
 VALUES
             = (0)
"EL1 ILt-1 S3 CDD" = DAY-SCHEDULE-PD
 TYPF
             = FRACTION
 VALUES
              = (0.0318, 0.0218, 0.0164, 0.0148, 0.0139, 0.0166,
    0.0222, 0.0298, 0.0352, 0.0397, 0.042, 0.0419, 0.0421, 0.0423,
    0.0439, 0.0433, 0.0423, 0.044, 0.0576, 0.0815, 0.0955, 0.0892,
    0.0712, 0.0479)
"EL2 Occ-2 S1 WD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
             = (0, &D, &D, &D, &D, &D, 0.5, 0.33, &D, &D, &D, &D, &D,
    &D. &D. &D. &D. &D. 1. &D. &D. &D. 0.5. 0 )
"EL2 Occ-2 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
             = ( 0, &D, &D, &D, &D, &D, &D, 0.5, 0.67, &D, &D, &D, &D,
    &D, &D, &D, &D, 1, &D, &D, &D, &D, 0.5, 0)
"EL2 Occ-2 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
           = FRACTION
 VALUES
             = (0)
"EL2 Occ-2 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
           = FRACTION
 VALUES
             = (0, &D, &D, &D, &D, &D, &D, 0.5, 0.67, &D, &D, &D,
    &D, &D, &D, &D, 1, &D, &D, &D, &D, 0.5, 0)
"EL2 Occ-2 S2 WD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
            = (0, &D, &D, &D, &D, &D, 0.5, 0.33, &D, &D, &D, &D, &D,
    &D, &D, &D, &D, &D, 1, &D, &D, &D, 0.5, 0)
"EL2 Occ-2 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
             = (0, &D, &D, &D, &D, &D, &D, 0.5, 0.67, &D, &D, &D, &D,
    &D, &D, &D, &D, 1, &D, &D, &D, &D, 0.5, 0)
"EL2 Occ-2 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
          = FRACTION
             = (0)
 VALUES
"EL2 Occ-2 S2 CDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
              = (0, &D, &D, &D, &D, &D, &D, 0.5, 0.67, &D, &D, &D, &D,
    &D, &D, &D, &D, 1, &D, &D, &D, &D, 0.5, 0)
"EL2 Occ-2 S3 WD" = DAY-SCHEDULE-PD
 TYPE
           = FRACTION
             = (0, &D, &D, &D, &D, &D, 0.5, 0.33, &D, &D, &D, &D, &D,
    &D, &D, &D, &D, &D, 1, &D, &D, &D, 0.5, 0)
"EL2 Occ-2 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
```

```
VALUES
               = (0, &D, &D, &D, &D, &D, &D, 0.5, 0.67, &D, &D, &D,
     &D, &D, &D, &D, 1, &D, &D, &D, &D, 0.5, 0)
"EL2 Occ-2 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
              = (0)
"EL2 Occ-2 S3 CDD" = DAY-SCHEDULE-PD
             = FRACTION
 VALUES
              = (0, &D, &D, &D, &D, &D, &D, 0.5, 0.67, &D, &D, &D,
    &D, &D, &D, &D, 1, &D, &D, &D, &D, 0.5, 0)
"EL2 Msc-2 S1 WD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
    0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"EL2 Msc-2 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"EL2 Msc-2 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
              = (0)
"EL2 Msc-2 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
    0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"EL2 Msc-2 S2 WD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
    0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"EL2 Msc-2 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
    0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"EL2 Msc-2 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
              = (0)
"EL2 Msc-2 S2 CDD" = DAY-SCHEDULE-PD
```

```
TYPE
              = FRACTION
 VALUES.
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
     0.0307)
"EL2 Msc-2 S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
     0.0307)
"EL2 Msc-2 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
     0.0307)
"EL2 Msc-2 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
              = (0)
"EL2 Msc-2 S3 CDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
     0.0307)
"EL2 Ckg-2 S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.007, &D, 0.0035, &D, 0.007, 0.0105, 0.0247, 0.0424.
     0.046. 0.048. 0.0424. 0.0495, 0.0565, 0.046, 0.0438, 0.0565, 0.0919,
     0.1499, 0.1167, 0.06, 0.0353, 0.0247, 0.0155, 0.0105)
"EL2 Ckg-2 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.007, &D, 0.0035, &D, 0.007, 0.0105, 0.0247, 0.0424,
     0.046, 0.048, 0.0424, 0.0495, 0.0565, 0.046, 0.0438, 0.0565, 0.0919,
     0.1499, 0.1167, 0.06, 0.0353, 0.0247, 0.0155, 0.0105)
"EL2 Ckg-2 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
              = (0)
"EL2 Ckg-2 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.007, &D, 0.0035, &D, 0.007, 0.0105, 0.0247, 0.0424,
 VALUES
     0.046, 0.048, 0.0424, 0.0495, 0.0565, 0.046, 0.0438, 0.0565, 0.0919,
     0.1499, 0.1167, 0.06, 0.0353, 0.0247, 0.0155, 0.0105)
"EL2 Ckg-2 S2 WD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0.007, &D, 0.0035, &D, 0.007, 0.0105, 0.0247, 0.0424,
```

```
0.046, 0.048, 0.0424, 0.0495, 0.0565, 0.046, 0.0438, 0.0565, 0.0919,
     0.1499, 0.1167, 0.06, 0.0353, 0.0247, 0.0155, 0.0105)
"EL2 Ckg-2 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.007, &D, 0.0035, &D, 0.007, 0.0105, 0.0247, 0.0424,
 VALUES
     0.046, 0.048, 0.0424, 0.0495, 0.0565, 0.046, 0.0438, 0.0565, 0.0919,
     0.1499, 0.1167, 0.06, 0.0353, 0.0247, 0.0155, 0.0105)
"EL2 Ckg-2 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0)
"EL2 Ckg-2 S2 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.007, &D, 0.0035, &D, 0.007, 0.0105, 0.0247, 0.0424,
     0.046, 0.048, 0.0424, 0.0495, 0.0565, 0.046, 0.0438, 0.0565, 0.0919,
     0.1499, 0.1167, 0.06, 0.0353, 0.0247, 0.0155, 0.0105)
"EL2 Ckg-2 S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.007, &D, 0.0035, &D, 0.007, 0.0105, 0.0247, 0.0424,
     0.046, 0.048, 0.0424, 0.0495, 0.0565, 0.046, 0.0438, 0.0565, 0.0919,
     0.1499, 0.1167, 0.06, 0.0353, 0.0247, 0.0155, 0.0105)
"EL2 Ckg-2 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.007, &D, 0.0035, &D, 0.007, 0.0105, 0.0247, 0.0424,
     0.046, 0.048, 0.0424, 0.0495, 0.0565, 0.046, 0.0438, 0.0565, 0.0919,
     0.1499, 0.1167, 0.06, 0.0353, 0.0247, 0.0155, 0.0105)
"EL2 Ckg-2 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0)
"EL2 Ckg-2 S3 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.007, &D, 0.0035, &D, 0.007, 0.0105, 0.0247, 0.0424,
     0.046, 0.048, 0.0424, 0.0495, 0.0565, 0.046, 0.0438, 0.0565, 0.0919,
     0.1499, 0.1167, 0.06, 0.0353, 0.0247, 0.0155, 0.0105)
"EL2 Prc-2 S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 Prc-2 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 Prc-2 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0)
```

```
"EL2 Prc-2 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 Prc-2 S2 WD" = DAY-SCHEDULE-PD
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 Prc-2 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 Prc-2 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
              = (0)
"EL2 Prc-2 S2 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 Prc-2 S3 WD" = DAY-SCHEDULE-PD
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 Prc-2 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 Prc-2 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
              = (0)
"EL2 Prc-2 S3 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 Off-2 S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.037, 0.035, 0.034, &D, 0.032, 0.036, 0.042, 0.044,
 VALUES
     0.037, 0.032, 0.033, &D, 0.032, 0.033, 0.035, 0.037, 0.044, 0.053,
     0.058, 0.06, 0.062, 0.06, 0.052, 0.045)
```

```
"EL2 Off-2 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.037, 0.035, 0.034, &D, 0.032, 0.036, 0.042, 0.044,
 VALUES
     0.037, 0.032, 0.033, &D, 0.032, 0.033, 0.035, 0.037, 0.044, 0.053,
     0.058, 0.06, 0.062, 0.06, 0.052, 0.045)
"EL2 Off-2 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0)
"EL2 Off-2 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.037, 0.035, 0.034, &D, 0.032, 0.036, 0.042, 0.044,
     0.037, 0.032, 0.033, &D. 0.032, 0.033, 0.035, 0.037, 0.044, 0.053,
     0.058, 0.06, 0.062, 0.06, 0.052, 0.045)
"EL2 Off-2 S2 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
              = (0.037, 0.035, 0.034, &D, 0.032, 0.036, 0.042, 0.044,
     0.037, 0.032, 0.033, &D, 0.032, 0.033, 0.035, 0.037, 0.044, 0.053,
     0.058, 0.06, 0.062, 0.06, 0.052, 0.045)
"EL2 Off-2 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.037, 0.035, 0.034, &D, 0.032, 0.036, 0.042, 0.044,
     0.037, 0.032, 0.033, &D. 0.032, 0.033, 0.035, 0.037, 0.044, 0.053,
     0.058, 0.06, 0.062, 0.06, 0.052, 0.045)
"EL2 Off-2 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
              = (0)
"EL2 Off-2 S2 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.037, 0.035, 0.034, &D, 0.032, 0.036, 0.042, 0.044,
     0.037, 0.032, 0.033, &D, 0.032, 0.033, 0.035, 0.037, 0.044, 0.053,
     0.058, 0.06, 0.062, 0.06, 0.052, 0.045)
"EL2 Off-2 S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.037, 0.035, 0.034, &D, 0.032, 0.036, 0.042, 0.044,
     0.037, 0.032, 0.033, &D, 0.032, 0.033, 0.035, 0.037, 0.044, 0.053,
     0.058, 0.06, 0.062, 0.06, 0.052, 0.045)
"EL2 Off-2 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.037, 0.035, 0.034, &D, 0.032, 0.036, 0.042, 0.044,
     0.037, 0.032, 0.033, &D, 0.032, 0.033, 0.035, 0.037, 0.044, 0.053,
     0.058, 0.06, 0.062, 0.06, 0.052, 0.045)
"EL2 Off-2 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               =(0)
"EL2 Off-2 S3 CDD" = DAY-SCHEDULE-PD
```

```
TYPE
              = FRACTION
               = (0.037, 0.035, 0.034, &D, 0.032, 0.036, 0.042, 0.044.
 VALUES.
     0.037, 0.032, 0.033, &D, 0.032, 0.033, 0.035, 0.037, 0.044, 0.053,
     0.058, 0.06, 0.062, 0.06, 0.052, 0.045)
"EL2 Mtr-2 S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 Mtr-2 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 Mtr-2 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
              = (0)
"EL2 Mtr-2 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 Mtr-2 S2 WD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 Mtr-2 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 Mtr-2 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0)
"EL2 Mtr-2 S2 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 Mtr-2 S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 Mtr-2 S3 WEH" = DAY-SCHEDULE-PD
```

```
TYPE
          = FRACTION
 VALUES
            = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 Mtr-2 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
          = FRACTION
 VALUES
            = (0)
"EL2 Mtr-2 S3 CDD" = DAY-SCHEDULE-PD
 TYPE
           = FRACTION
             = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 SCR-2 S1 WD" = DAY-SCHEDULE-PD
 TYPE
          = FRACTION
 VALUES
            = (1)
"EL2 SCR-2 S1 WEH" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
           = (1)
"EL2 SCR-2 S1 HDD" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
            = (0)
"EL2 SCR-2 S1 CDD" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
            = (1)
"EL2 SCR-2 S2 WD" = DAY-SCHEDULE-PD
 TYPE
          = FRACTION
 VALUES
            = (1)
"EL2 SCR-2 S2 WEH" = DAY-SCHEDULE-PD
          = FRACTION
 TYPE
 VALUES
            = (1)
"EL2 SCR-2 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
          = FRACTION
 VALUES
            = (0)
"EL2 SCR-2 S2 CDD" = DAY-SCHEDULE-PD
 TYPE
          = FRACTION
 VALUES
            = (1)
"EL2 SCR-2 S3 WD" = DAY-SCHEDULE-PD
 TYPE
          = FRACTION
 VALUES
            = (1)
"EL2 SCR-2 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
          = FRACTION
 VALUES
            = (1)
"EL2 SCR-2 S3 HDD" = DAY-SCHEDULE-PD
```

```
TYPE
              = FRACTION
 VALUES
              = (0)
"EL2 SCR-2 S3 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (1)
"EL2 GndFlr 2 CookPrc Gas S1 WD" = DAY-SCHEDULE-PD
              = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL2 GndFlr 2 CookPrc Gas S1 WEH" = DAY-SCHEDULE-PD
              = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL2 GndFir 2 CookPrc Gas S1 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0)
"EL2 GndFir 2 CookPrc Gas S1 CDD" = DAY-SCHEDULE-PD
              = FRACTION
 TYPE
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL2 GndFir 2 CookPrc Gas S2 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL2 GndFir 2 CookPrc Gas S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239.
 VALUES
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL2 GndFir 2 CookPrc Gas S2 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               =(0)
"EL2 GndFir 2 CookPrc Gas S2 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
```

```
"FL2 GndFlr 2 CookPrc Gas S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL2 GndFir 2 CookPrc Gas S3 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
 VALUES
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL2 GndFir 2 CookPrc Gas S3 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0)
 VALUES
"EL2 GndFir 2 CookPrc Gas S3 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL2 GndFir 2 MtrsPrc Elc S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D. &D. &D. 0.0467, 0.0318, 0.0168)
"EL2 GndFir 2 MtrsPrc Elc S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 GndFir 2 MtrsPrc Elc S1 HDD" = DAY-SCHEDULE-PD
 TYPE
           = FRACTION
               = (0)
 VALUES
"EL2 GndFir 2 MtrsPrc Elc S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523.
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 GndFir 2 MtrsPrc Elc S2 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 GndFir 2 MtrsPrc Elc S2 WEH" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
```

```
VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 GndFir 2 MtrsPrc Elc S2 HDD" = DAY-SCHEDULE-PD
 TYPF
             = FRACTION
 VALUES
             = (0)
"EL2 GndFir 2 MtrsPrc Elc S2 CDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
              = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D. &D. &D. 0.0467, 0.0318, 0.0168)
"EL2 GndFir 2 MtrsPrc Elc S3 WD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
              = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D. &D. &D. 0.0467, 0.0318, 0.0168)
"EL2 GndFir 2 MtrsPrc Elc S3 WEH" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
              = (0.0093, 0.0074, 0.0037, &D. 0.0074, 0.0112, 0.0224,
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 GndFir 2 MtrsPrc Elc S3 HDD" = DAY-SCHEDULE-PD
 TYPE
           = FRACTION
 VALUES
              =(0)
"EL2 GndFir 2 MtrsPrc Elc S3 CDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
              = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL2 Occ-1 S1 WD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
              = (1, &D, &D, &D, &D, &D, 0.5, 0.33, 0, &D, &D, &D, &D,
    &D, &D, &D, &D, &D, &D, &D, &D, 0.5, 1)
"EL2 Occ-1 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
             &D, &D, &D, &D, &D, &D, &D, 0.5, 1)
"EL2 Occ-1 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
              = (0)
"EL2 Occ-1 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
              = (1, &D, &D, &D, &D, &D, &D, 0.5, 0, &D, &D, &D, &D, &D,
 VALUES
    &D, &D, &D, &D, &D, &D, &D, 0.5, 1)
"EL2 Occ-1 S2 WD" = DAY-SCHEDULE-PD
```

```
TYPE
          = FRACTION
 VALUES = (1, &D, &D, &D, &D, 0.5, 0.33, 0, &D, &D, &D,
    &D. &D. &D. &D. &D. &D. &D. &D. O.5. 1)
"EL2 Occ-1 S2 WEH" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
           = (1, &D, &D, &D, &D, &D, &D, 0.5, 0, &D, &D, &D, &D, &D,
    &D, &D, &D, &D, &D, &D, &D, 0.5, 1)
"EL2 Occ-1 S2 HDD" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
            = (0)
"EL2 Occ-1 S2 CDD" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
          = (1, &D, &D, &D, &D, &D, &D, 0.5, 0, &D, &D, &D, &D, &D,
    &D, &D, &D, &D, &D, &D, &D, 0.5, 1)
"EL2 Occ-1 S3 WD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
           = (1, &D, &D, &D, &D, &D, 0.5, 0.33, 0, &D, &D, &D, &D,
    &D, &D, &D, &D, &D, &D, &D, &D, 0.5, 1)
"EL2 Occ-1 S3 WEH" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
            = (1, &D, &D, &D, &D, &D, &D, 0.5, 0, &D, &D, &D, &D, &D,
    &D. &D. &D. &D. &D. &D. &D. O.5. 1)
"EL2 Occ-1 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
          = FRACTION
 VALUES
          = (0)
"EL2 Occ-1 S3 CDD" = DAY-SCHEDULE-PD
 TYPE
          = FRACTION
           = (1, &D, &D, &D, &D, &D, &D, 0.5, 0, &D, &D, &D, &D, &D,
 VALUES
    &D, &D, &D, &D, &D, &D, &D, 0.5, 1)
"EL2 Msc-1 S1 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
            = (0)
"EL2 Msc-1 S2 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
         = (0)
"EL2 Msc-1 S3 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
            = (0)
"EL2 Ckg-1 S1 AII" = DAY-SCHEDULE-PD
 TYPE
         = FRACTION
 VALUES
            = (0)
"EL2 Ckg-1 S2 AII" = DAY-SCHEDULE-PD
 TYPE
       = FRACTION
 VALUES
            = (0)
```

```
"EL2 Ckg-1 S3 AII" = DAY-SCHEDULE-PD
 TYPE
          = FRACTION
 VALUES
             = (0)
"EL2 Prc-1 S1 AII" = DAY-SCHEDULE-PD
 TYPE
          = FRACTION
 VALUES
             = (0)
"EL2 Prc-1 S2 AII" = DAY-SCHEDULE-PD
 TYPE
          = FRACTION
 VALUES
             = (0)
"EL2 Prc-1 S3 AII" = DAY-SCHEDULE-PD
 TYPE
          = FRACTION
 VALUES
            = (0)
"EL2 Mtr-1 S1 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
            = (0)
"EL2 Mtr-1 S2 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
            = (0)
"EL2 Mtr-1 S3 AII" = DAY-SCHEDULE-PD
 TYPE
       = FRACTION
 VALUES
             = (0)
"EL2 SCR-1 S1 AII" = DAY-SCHEDULE-PD
           = FRACTION
 VALUES
            = (0)
"EL2 SCR-1 S2 AII" = DAY-SCHEDULE-PD
 TYPE
          = FRACTION
 VALUES
            = (0)
"EL2 SCR-1 S3 AII" = DAY-SCHEDULE-PD
 TYPE
          = FRACTION
 VALUES
             = (0)
"EL5 GndFlr 5 CookPrc Gas S1 WD" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
             = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
    0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
    0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
    0.0128)
"EL5 GndFir 5 CookPrc Gas S1 WEH" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
              = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
    0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
    0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
    0.0128)
"EL5 GndFlr 5 CookPrc Gas S1 HDD" = DAY-SCHEDULE-PD
```

```
TYPE
              = FRACTION
 VALUES
              = (0)
"EL5 GndFir 5 CookPrc Gas S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
 VALUES
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL5 GndFlr 5 CookPrc Gas S2 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL5 GndFlr 5 CookPrc Gas S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL5 GndFir 5 CookPrc Gas S2 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0)
"EL5 GndFir 5 CookPrc Gas S2 CDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL5 GndFir 5 CookPrc Gas S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL5 GndFir 5 CookPrc Gas S3 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL5 GndFir 5 CookPrc Gas S3 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0)
"EL5 GndFlr 5 CookPrc Gas S3 CDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
```

```
0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL5 GndFir 5 MtrsPrc Elc S1 WD" = DAY-SCHEDULE-PD
 TYPF
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL5 GndFir 5 MtrsPrc Elc S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D. &D. &D. 0.0467, 0.0318, 0.0168)
"EL5 GndFir 5 MtrsPrc Elc S1 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0)
"EL5 GndFir 5 MtrsPrc Elc S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523.
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL5 GndFir 5 MtrsPrc Elc S2 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D. &D. &D. 0.0467, 0.0318, 0.0168)
"EL5 GndFir 5 MtrsPrc Elc S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL5 GndFir 5 MtrsPrc Elc S2 HDD" = DAY-SCHEDULE-PD
 TYPE
        = FRACTION
 VALUES
               = (0)
"EL5 GndFir 5 MtrsPrc Elc S2 CDD" = DAY-SCHEDULE-PD
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL5 GndFir 5 MtrsPrc Elc S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL5 GndFir 5 MtrsPrc Elc S3 WEH" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
```

```
VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL5 GndFir 5 MtrsPrc Elc S3 HDD" = DAY-SCHEDULE-PD
 TYPF
              = FRACTION
 VALUES
              = (0)
"EL5 GndFir 5 MtrsPrc Elc S3 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL7 Off-3 S1 AII" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
              = (0)
"EL7 Off-3 S2 AII" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
              = (0)
"EL7 Off-3 S3 AII" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               =(0)
"EL7 ZnGrp 2 CookPrc Gas S1 WD" = DAY-SCHEDULE-PD
             = FRACTION
 TYPE
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL7 ZnGrp 2 CookPrc Gas S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL7 ZnGrp 2 CookPrc Gas S1 HDD" = DAY-SCHEDULE-PD
              = FRACTION
 TYPE
 VALUES
               = (0)
"EL7 ZnGrp 2 CookPrc Gas S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL7 ZnGrp 2 CookPrc Gas S2 WD" = DAY-SCHEDULE-PD
              = FRACTION
 TYPE
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
```

```
0.0128)
"EL7 ZnGrp 2 CookPrc Gas S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL7 ZnGrp 2 CookPrc Gas S2 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0)
"EL7 ZnGrp 2 CookPrc Gas S2 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL7 ZnGrp 2 CookPrc Gas S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D. 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL7 ZnGrp 2 CookPrc Gas S3 WEH" = DAY-SCHEDULE-PD
              = FRACTION
 TYPE
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL7 ZnGrp 2 CookPrc Gas S3 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
              = (0)
"EL7 ZnGrp 2 CookPrc Gas S3 CDD" = DAY-SCHEDULE-PD
              = FRACTION
 TYPE
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
 VALUES
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL7 ZnGrp 2 MtrsPrc Elc S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL7 ZnGrp 2 MtrsPrc Elc S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
```

```
"EL7 ZnGrp 2 MtrsPrc Elc S1 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
              = (0)
"EL7 ZnGrp 2 MtrsPrc Elc S1 CDD" = DAY-SCHEDULE-PD
              = FRACTION
 TYPE
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL7 ZnGrp 2 MtrsPrc Elc S2 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL7 ZnGrp 2 MtrsPrc Elc S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL7 ZnGrp 2 MtrsPrc Elc S2 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0)
"EL7 ZnGrp 2 MtrsPrc Elc S2 CDD" = DAY-SCHEDULE-PD
              = FRACTION
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL7 ZnGrp 2 MtrsPrc Elc S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL7 ZnGrp 2 MtrsPrc Elc S3 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL7 ZnGrp 2 MtrsPrc Elc S3 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0)
"EL7 ZnGrp 2 MtrsPrc Elc S3 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL8 ZnGrp 2 2 CookPrc Gas S1 WD" = DAY-SCHEDULE-PD
```

```
TYPE
              = FRACTION
 VALUES.
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL8 ZnGrp 2 2 CookPrc Gas S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL8 ZnGrp 2 2 CookPrc Gas S1 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0)
"EL8 ZnGrp 2 2 CookPrc Gas S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL8 ZnGrp 2 2 CookPrc Gas S2 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL8 ZnGrp 2 2 CookPrc Gas S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL8 ZnGrp 2 2 CookPrc Gas S2 HDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0)
"EL8 ZnGrp 2 2 CookPrc Gas S2 CDD" = DAY-SCHEDULE-PD
              = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL8 ZnGrp 2 2 CookPrc Gas S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
```

```
"EL8 ZnGrp 2 2 CookPrc Gas S3 WEH" = DAY-SCHEDULE-PD
 TYPF
              = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL8 ZnGrp 2 2 CookPrc Gas S3 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0)
"EL8 ZnGrp 2 2 CookPrc Gas S3 CDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0.0078, 0.0072, 0.0036, &D, 0.0072, 0.0108, 0.0239,
     0.0446, 0.0557, 0.0617, 0.0574, 0.0586, 0.0604, 0.051, 0.0468,
     0.0536, 0.077, 0.1134, 0.0921, 0.0559, 0.0401, 0.0327, 0.0214,
     0.0128)
"EL8 ZnGrp 2 2 MtrsPrc Elc S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D. &D. &D. 0.0467, 0.0318, 0.0168)
"EL8 ZnGrp 2 2 MtrsPrc Elc S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL8 ZnGrp 2 2 MtrsPrc Elc S1 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0)
"EL8 ZnGrp 2 2 MtrsPrc Elc S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D. &D. &D. 0.0467, 0.0318, 0.0168)
"EL8 ZnGrp 2 2 MtrsPrc Elc S2 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D. &D. &D. 0.0467, 0.0318, 0.0168)
"EL8 ZnGrp 2 2 MtrsPrc Elc S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
                = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL8 ZnGrp 2 2 MtrsPrc Elc S2 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0)
```

```
"EL8 ZnGrp 2 2 MtrsPrc Elc S2 CDD" = DAY-SCHEDULE-PD
 TYPF
             = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL8 ZnGrp 2 2 MtrsPrc Elc S3 WD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
              = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL8 ZnGrp 2 2 MtrsPrc Elc S3 WEH" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"EL8 ZnGrp 2 2 MtrsPrc Elc S3 HDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
              = (0)
"EL8 ZnGrp 2 2 MtrsPrc Elc S3 CDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
               = ( 0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D. &D. &D. 0.0467, 0.0318, 0.0168)
"ZG6-S1 (PVVT) P-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE
             = MULTIPLIER
 VALUES
              = (0.5)
"ZG6-S1 (PVVT) P-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE
             = MULTIPLIER
 VALUES
              = (0.5)
"ZG6-S1 (PVVT) P-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE
            = MULTIPLIER
 VALUES
              = (0.5)
"ZG6-S1 (PVVT) C-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
              = (0.5)
"ZG6-S1 (PVVT) C-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
              = (0.5)
"ZG6-S1 (PVVT) C-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
              = (0.5)
"ZG7-S1 (PVVT) P-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE
           = MULTIPLIER
 VALUES
               = (0.5)
```

```
"ZG7-S1 (PVVT) P-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE
         = MULTIPLIER
 VALUES
           = (0.5)
"ZG7-S1 (PVVT) P-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE = MULTIPLIER
 VALUES
         = (0.5)
"ZG7-S1 (PVVT) C-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
           = (0.5)
"ZG7-S1 (PVVT) C-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES = (0.5)
"ZG7-S1 (PVVT) C-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE
         = FRACTION
 VALUES
           = (0.5)
"ZG8-S1 (PVVT) P-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE
         = MULTIPLIER
 VALUES
           = (0.5)
"ZG8-S1 (PVVT) P-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE = MULTIPLIER
 VALUES
            = (0.5)
"ZG8-S1 (PVVT) P-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE = MULTIPLIER
 VALUES
           = (0.5)
"ZG8-S1 (PVVT) C-Inf S1 AII" = DAY-SCHEDULE-PD
       = FRACTION
 TYPE
 VALUES
           = (0.5)
"ZG8-S1 (PVVT) C-Inf S2 AII" = DAY-SCHEDULE-PD
         = FRACTION
 TYPE
 VALUES
            = (0.5)
"ZG8-S1 (PVVT) C-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES = (0.5)
"ZG9-S1 (PVVT) P-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE = MULTIPLIER
 VALUES = (0.5)
"ZG9-S1 (PVVT) P-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE = MULTIPLIER
 VALUES
           = (0.5)
"ZG9-S1 (PVVT) P-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE = MULTIPLIER
            = (0.5)
 VALUES
```

```
"ZG9-S1 (PVVT) C-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPF
         = FRACTION
 VALUES
          = (0.5)
"ZG9-S1 (PVVT) C-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
         = (0.5)
"ZG9-S1 (PVVT) C-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE
         = FRACTION
 VALUES
           = (0.5)
"S1 Sys1 (PVVT) Fan S1 All" = DAY-SCHEDULE-PD
 TYPE = ON/OFF/FLAG
 VALUES = (1)
"S1 Sys1 (PVVT) Fan S2 All" = DAY-SCHEDULE-PD
 TYPE
         = ON/OFF/FLAG
 VALUES
           = (1)
"S1 Sys1 (PVVT) Fan S3 All" = DAY-SCHEDULE-PD
 TYPE
          = ON/OFF/FLAG
 VALUES
           = (1)
"ZG0-S1 (PVVT) P-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE = MULTIPLIER
 VALUES
            = (0.5)
"ZG0-S1 (PVVT) P-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE = MULTIPLIER
 VALUES
         = (0.5)
"ZG0-S1 (PVVT) P-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE
       = MULTIPLIER
          = (0.5)
 VALUES
"ZG0-S1 (PVVT) C-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE
         = FRACTION
 VALUES
           = (0.5)
"ZG0-S1 (PVVT) C-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES = (0.5)
"ZG0-S1 (PVVT) C-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES = (0.5)
"ZG1-S1 (PVVT) P-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE = MULTIPLIER
 VALUES
           = (0.5)
"ZG1-S1 (PVVT) P-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE = MULTIPLIER
 VALUES
            = (0.5)
```

```
"ZG1-S1 (PVVT) P-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPF
         = MULTIPLIER
 VALUES
           = (0.5)
"ZG1-S1 (PVVT) C-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
         = (0.5)
"ZG1-S1 (PVVT) C-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE
         = FRACTION
 VALUES
           = (0.5)
"ZG1-S1 (PVVT) C-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
           = (0.5)
"ZG2-S1 (PVVT) P-Inf S1 AII" = DAY-SCHEDULE-PD
         = MULTIPLIER
 TYPE
 VALUES
           = (0.5)
"ZG2-S1 (PVVT) P-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE
         = MULTIPLIER
 VALUES
           = (0.5)
"ZG2-S1 (PVVT) P-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE = MULTIPLIER
 VALUES
           = (0.5)
"ZG2-S1 (PVVT) C-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
         = (0.5)
"ZG2-S1 (PVVT) C-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE
        = FRACTION
         = (0.5)
 VALUES
"ZG2-S1 (PVVT) C-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE
         = FRACTION
 VALUES
           = (0.5)
"S2 Sys2 (PVVT) Fan S1 All" = DAY-SCHEDULE-PD
 TYPE = ON/OFF/FLAG
 VALUES = (1)
"S2 Sys2 (PVVT) Fan S2 All" = DAY-SCHEDULE-PD
 TYPE = ON/OFF/FLAG
 VALUES = (1)
"S2 Sys2 (PVVT) Fan S3 All" = DAY-SCHEDULE-PD
 TYPE
         = ON/OFF/FLAG
 VALUES
           = (1)
"ZG10-S1 (PVVT) P-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE = MULTIPLIER
 VALUES
            = (0.5)
```

```
"ZG10-S1 (PVVT) P-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPF
          = MULTIPLIER
 VALUES
            = (0.5)
"ZG10-S1 (PVVT) P-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE = MULTIPLIER
 VALUES
           = (0.5)
"ZG10-S1 (PVVT) C-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE
         = FRACTION
 VALUES
            = (0.5)
"ZG10-S1 (PVVT) C-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
            = (0.5)
"ZG10-S1 (PVVT) C-Inf S3 AII" = DAY-SCHEDULE-PD
          = FRACTION
 TYPE
 VALUES
            = (0.5)
"ZG11-S1 (PVVT) P-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE
          = MULTIPLIER
 VALUES
            = (0.5)
"ZG11-S1 (PVVT) P-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE
          = MULTIPLIER
 VALUES
            = (0.5)
"ZG11-S1 (PVVT) P-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE
          = MULTIPLIER
 VALUES
            = (0.5)
"ZG11-S1 (PVVT) C-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE
          = FRACTION
 VALUES
            = (0.5)
"ZG11-S1 (PVVT) C-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE
          = FRACTION
 VALUES
            = (0.5)
"ZG11-S1 (PVVT) C-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE
          = FRACTION
 VALUES
            = (0.5)
"ZG12-S1 (PVVT) P-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE
          = MULTIPLIER
 VALUES
            = (0.5)
"ZG12-S1 (PVVT) P-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE
          = MULTIPLIER
 VALUES
            = (0.5)
"ZG12-S1 (PVVT) P-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE = MULTIPLIER
 VALUES
            = (0.5)
```

SB_GT&S_0776351

```
"ZG12-S1 (PVVT) C-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPF
          = FRACTION
 VALUES
           = (0.5)
"ZG12-S1 (PVVT) C-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
           = (0.5)
"ZG12-S1 (PVVT) C-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE
         = FRACTION
 VALUES
            = (0.5)
"ZG13-S1 (PVVT) P-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE = MULTIPLIER
 VALUES
         = (0.5)
"ZG13-S1 (PVVT) P-Inf S2 AII" = DAY-SCHEDULE-PD
          = MULTIPLIER
 TYPE
 VALUES
            = (0.5)
"ZG13-S1 (PVVT) P-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE
          = MULTIPLIER
 VALUES
           = (0.5)
"ZG13-S1 (PVVT) C-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE
         = FRACTION
 VALUES
            = (0.5)
"ZG13-S1 (PVVT) C-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE
         = FRACTION
 VALUES
         = (0.5)
"ZG13-S1 (PVVT) C-Inf S3 AII" = DAY-SCHEDULE-PD
         = FRACTION
 TYPE
 VALUES
           = (0.5)
"S3 Sys3 (PVVT) Fan S1 AII" = DAY-SCHEDULE-PD
 TYPE
          = ON/OFF/FLAG
 VALUES
           = (1)
"S3 Sys3 (PVVT) Fan S2 AII" = DAY-SCHEDULE-PD
 TYPE
         = ON/OFF/FLAG
 VALUES = (1)
"S3 Sys3 (PVVT) Fan S3 All" = DAY-SCHEDULE-PD
 TYPE = ON/OFF/FLAG
 VALUES
           = (1)
"ZG3-S1 (PVVT) P-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE = MULTIPLIER
 VALUES
           = (0.5)
"ZG3-S1 (PVVT) P-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE = MULTIPLIER
 VALUES
            = (0.5)
```

SB_GT&S_0776352

```
"ZG3-S1 (PVVT) P-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPF
          = MULTIPLIER
 VALUES
           = (0.5)
"ZG3-S1 (PVVT) C-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
         = (0.5)
"ZG3-S1 (PVVT) C-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE
         = FRACTION
 VALUES
            = (0.5)
"ZG3-S1 (PVVT) C-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
           = (0.5)
"ZG4-S1 (PVVT) P-Inf S1 AII" = DAY-SCHEDULE-PD
         = MULTIPLIER
 TYPE
 VALUES
           = (0.5)
"ZG4-S1 (PVVT) P-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE
         = MULTIPLIER
 VALUES
           = (0.5)
"ZG4-S1 (PVVT) P-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE = MULTIPLIER
 VALUES
            = (0.5)
"ZG4-S1 (PVVT) C-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
         = (0.5)
"ZG4-S1 (PVVT) C-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE
        = FRACTION
           = (0.5)
 VALUES
"ZG4-S1 (PVVT) C-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE
         = FRACTION
 VALUES
           = (0.5)
"ZG5-S1 (PVVT) P-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE = MULTIPLIER
 VALUES = (0.5)
"ZG5-S1 (PVVT) P-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPE = MULTIPLIER
 VALUES = (0.5)
"ZG5-S1 (PVVT) P-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPE = MULTIPLIER
 VALUES
           = (0.5)
"ZG5-S1 (PVVT) C-Inf S1 AII" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
            = (0.5)
```

```
"ZG5-S1 (PVVT) C-Inf S2 AII" = DAY-SCHEDULE-PD
 TYPF
             = FRACTION
 VALUES
               = (0.5)
"ZG5-S1 (PVVT) C-Inf S3 AII" = DAY-SCHEDULE-PD
 TYPF
             = FRACTION
 VALUES
              = (0.5)
"S4 Sys4 (PVVT) Fan S1 All" = DAY-SCHEDULE-PD
 TYPE
             = ON/OFF/FLAG
 VALUES
               = (1)
"S4 Sys4 (PVVT) Fan S2 All" = DAY-SCHEDULE-PD
 TYPE
            = ON/OFF/FLAG
 VALUES
              = (1)
"S4 Sys4 (PVVT) Fan S3 All" = DAY-SCHEDULE-PD
 TYPE
            = ON/OFF/FLAG
 VALUES
               = (1)
"DHW SF2 R-Lp Prc1 S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
    0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
    0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
    0.0209)
"DHW SF2 R-Lp Prc1 S1 WEH" = DAY-SCHEDULE-PD
             = FRACTION
 TYPE
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
    0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
    0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
    0.0209)
"DHW SF2 R-Lp Prc1 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
              = (0)
"DHW SF2 R-Lp Prc1 S1 CDD" = DAY-SCHEDULE-PD
             = FRACTION
 TYPE
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
    0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
    0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
    0.0209)
"DHW SF2 R-Lp Prc1 S2 WD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
 VALUES
     0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
    0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
    0.0209)
"DHW SF2 R-Lp Prc1 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
    0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
```

```
0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D. 0.0418, 0.0409, 0.0292,
    0.0209)
"DHW SF2 R-Lp Prc1 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0)
"DHW SF2 R-Lp Prc1 S2 CDD" = DAY-SCHEDULE-PD
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
    0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
    0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
    0.0209)
"DHW SF2 R-Lp Prc1 S3 WD" = DAY-SCHEDULE-PD
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
    0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
    0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
    0.0209)
"DHW SF2 R-Lp Prc1 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
    0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
    0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
    0.0209)
"DHW SF2 R-Lp Prc1 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
              = (0)
"DHW SF2 R-Lp Prc1 S3 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
    0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
    0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
    0.0209)
"DHW SF2 R-Lp Prc2 S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
    0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF2 R-Lp Prc2 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
 VALUES
     0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF2 R-Lp Prc2 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               =(0)
"DHW SF2 R-Lp Prc2 S1 CDD" = DAY-SCHEDULE-PD
```

```
TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
     0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
     0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF2 R-Lp Prc2 S2 WD" = DAY-SCHEDULE-PD
              = FRACTION
 TYPE
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
     0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
     0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF2 R-Lp Prc2 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
     0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
     0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF2 R-Lp Prc2 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
              = (0)
"DHW SF2 R-Lp Prc2 S2 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
     0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
     0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF2 R-Lp Prc2 S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
     0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D. &D.
     0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF2 R-Lp Prc2 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
     0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
     0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF2 R-Lp Prc2 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
              = (0)
"DHW SF2 R-Lp Prc2 S3 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
     0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
     0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF2 R-Lp Prc3 S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
```

```
"DHW SF2 R-Lp Prc3 S1 WEH" = DAY-SCHEDULE-PD
 TYPF
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF2 R-Lp Prc3 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0)
"DHW SF2 R-Lp Prc3 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF2 R-Lp Prc3 S2 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
                = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF2 R-Lp Prc3 S2 WEH" = DAY-SCHEDULE-PD
              = FRACTION
 TYPE
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF2 R-Lp Prc3 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0)
"DHW SF2 R-Lp Prc3 S2 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
 VALUES
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF2 R-Lp Prc3 S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF2 R-Lp Prc3 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
```

```
"DHW SF2 R-Lp Prc3 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
              = (0)
 VALUES
"DHW SF2 R-Lp Prc3 S3 CDD" = DAY-SCHEDULE-PD
              = FRACTION
 TYPE
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
    0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
    0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
    0.0272
"DHW SF2 R-Lp Prc4 S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
    0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"DHW SF2 R-Lp Prc4 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"DHW SF2 R-Lp Prc4 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               =(0)
"DHW SF2 R-Lp Prc4 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
    0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"DHW SF2 R-Lp Prc4 S2 WD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
    0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"DHW SF2 R-Lp Prc4 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
    0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"DHW SF2 R-Lp Prc4 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               =(0)
"DHW SF2 R-Lp Prc4 S2 CDD" = DAY-SCHEDULE-PD
```

```
TYPE
              = FRACTION
 VALUES.
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
     0.0307)
"DHW SF2 R-Lp Prc4 S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
     0.0307)
"DHW SF2 R-Lp Prc4 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
     0.0307)
"DHW SF2 R-Lp Prc4 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
              = (0)
"DHW SF2 R-Lp Prc4 S3 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
     0.0307)
"DHW SF2 R-Lp Prc5 S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF2 R-Lp Prc5 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF2 R-Lp Prc5 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
              = (0)
"DHW SF2 R-Lp Prc5 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF2 R-Lp Prc5 S2 WD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
```

```
0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D. &D. &D. 0.0467, 0.0318, 0.0168)
"DHW SF2 R-Lp Prc5 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF2 R-Lp Prc5 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0)
"DHW SF2 R-Lp Prc5 S2 CDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF2 R-Lp Prc5 S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF2 R-Lp Prc5 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF2 R-Lp Prc5 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0)
"DHW SF2 R-Lp Prc5 S3 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF2-2 R-Lp Prc1 S1 WD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
     0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
     0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
     0.0209)
"DHW SF2-2 R-Lp Prc1 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
     0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
     0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
     0.0209)
"DHW SF2-2 R-Lp Prc1 S1 HDD" = DAY-SCHEDULE-PD
```

```
TYPE
             = FRACTION
 VALUES
              = (0)
"DHW SF2-2 R-Lp Prc1 S1 CDD" = DAY-SCHEDULE-PD
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
    0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
    0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
    0.0209)
"DHW SF2-2 R-Lp Prc1 S2 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
    0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
    0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
    0.0209)
"DHW SF2-2 R-Lp Prc1 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
    0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
    0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
    0.0209)
"DHW SF2-2 R-Lp Prc1 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0)
"DHW SF2-2 R-Lp Prc1 S2 CDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
    0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
    0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
    0.0209)
"DHW SF2-2 R-Lp Prc1 S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
    0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
    0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
    0.0209)
"DHW SF2-2 R-Lp Prc1 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
    0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
    0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
    0.0209)
"DHW SF2-2 R-Lp Prc1 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
              = (0)
"DHW SF2-2 R-Lp Prc1 S3 CDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
```

```
0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
    0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D. 0.0418, 0.0409, 0.0292,
    0.0209)
"DHW SF2-2 R-Lp Prc2 S1 WD" = DAY-SCHEDULE-PD
 TYPF
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
    0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF2-2 R-Lp Prc2 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
    0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF2-2 R-Lp Prc2 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
              = (0)
"DHW SF2-2 R-Lp Prc2 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
    0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF2-2 R-Lp Prc2 S2 WD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
    0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF2-2 R-Lp Prc2 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
    0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF2-2 R-Lp Prc2 S2 HDD" = DAY-SCHEDULE-PD
          = FRACTION
 TYPE
 VALUES
              = (0)
"DHW SF2-2 R-Lp Prc2 S2 CDD" = DAY-SCHEDULE-PD
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
    0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF2-2 R-Lp Prc2 S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
     0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF2-2 R-Lp Prc2 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
```

```
VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
     0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
     0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF2-2 R-Lp Prc2 S3 HDD" = DAY-SCHEDULE-PD
 TYPF
              = FRACTION
 VALUES
              = (0)
"DHW SF2-2 R-Lp Prc2 S3 CDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
     0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
     0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF2-2 R-Lp Prc3 S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF2-2 R-Lp Prc3 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF2-2 R-Lp Prc3 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
              = (0)
"DHW SF2-2 R-Lp Prc3 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
 VALUES
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF2-2 R-Lp Prc3 S2 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF2-2 R-Lp Prc3 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF2-2 R-Lp Prc3 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0)
```

```
"DHW SF2-2 R-Lp Prc3 S2 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
 VALUES
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF2-2 R-Lp Prc3 S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF2-2 R-Lp Prc3 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF2-2 R-Lp Prc3 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               =(0)
"DHW SF2-2 R-Lp Prc3 S3 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF2-2 R-Lp Prc4 S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
                = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
     0.0307)
"DHW SF2-2 R-Lp Prc4 S1 WEH" = DAY-SCHEDULE-PD
              = FRACTION
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
 VALUES
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
     0.0307)
"DHW SF2-2 R-Lp Prc4 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               =(0)
"DHW SF2-2 R-Lp Prc4 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
 VALUES
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
```

```
0.0307)
"DHW SF2-2 R-Lp Prc4 S2 WD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
              = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"DHW SF2-2 R-Lp Prc4 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
    0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"DHW SF2-2 R-Lp Prc4 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
              = (0)
"DHW SF2-2 R-Lp Prc4 S2 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
    0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"DHW SF2-2 R-Lp Prc4 S3 WD" = DAY-SCHEDULE-PD
             = FRACTION
 TYPE
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
    0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"DHW SF2-2 R-Lp Prc4 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
 VALUES
    0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"DHW SF2-2 R-Lp Prc4 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
              = (0)
"DHW SF2-2 R-Lp Prc4 S3 CDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
 VALUES
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"DHW SF2-2 R-Lp Prc5 S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
```

```
0.0486, 0.0504, 0.0486, &D. &D. &D. 0.0467, 0.0318, 0.0168)
"DHW SF2-2 R-Lp Prc5 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
              = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D. &D. &D. 0.0467, 0.0318, 0.0168)
"DHW SF2-2 R-Lp Prc5 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
           = FRACTION
 VALUES
              = (0)
"DHW SF2-2 R-Lp Prc5 S1 CDD" = DAY-SCHEDULE-PD
            = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF2-2 R-Lp Prc5 S2 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF2-2 R-Lp Prc5 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF2-2 R-Lp Prc5 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0)
"DHW SF2-2 R-Lp Prc5 S2 CDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF2-2 R-Lp Prc5 S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF2-2 R-Lp Prc5 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF2-2 R-Lp Prc5 S3 HDD" = DAY-SCHEDULE-PD
 TYPE = FRACTION
 VALUES
               = (0)
```

```
"DHW SF2-2 R-Lp Prc5 S3 CDD" = DAY-SCHEDULE-PD
 TYPF
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF1 R-Lp Prc1 S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
     0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
     0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
     0.0209)
"DHW SF1 R-Lp Prc1 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
     0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
     0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
     0.0209)
"DHW SF1 R-Lp Prc1 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
              = (0)
"DHW SF1 R-Lp Prc1 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
     0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
     0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
     0.0209)
"DHW SF1 R-Lp Prc1 S2 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
     0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
     0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
     0.0209)
"DHW SF1 R-Lp Prc1 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
     0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
     0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
     0.0209)
"DHW SF1 R-Lp Prc1 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0)
"DHW SF1 R-Lp Prc1 S2 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
     0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
     0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
     0.0209)
```

```
"DHW SF1 R-Lp Prc1 S3 WD" = DAY-SCHEDULE-PD
 TYPF
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
    0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
     0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
    0.0209)
"DHW SF1 R-Lp Prc1 S3 WEH" = DAY-SCHEDULE-PD
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
    0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
    0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
    0.0209)
"DHW SF1 R-Lp Prc1 S3 HDD" = DAY-SCHEDULE-PD
             = FRACTION
 VALUES
              = (0)
"DHW SF1 R-Lp Prc1 S3 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
    0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
    0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
    0.0209)
"DHW SF1 R-Lp Prc2 S1 WD" = DAY-SCHEDULE-PD
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
    0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF1 R-Lp Prc2 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
     0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D. &D.
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF1 R-Lp Prc2 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0)
"DHW SF1 R-Lp Prc2 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
     0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF1 R-Lp Prc2 S2 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
 VALUES
    0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF1 R-Lp Prc2 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
```

```
0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF1 R-Lp Prc2 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0)
"DHW SF1 R-Lp Prc2 S2 CDD" = DAY-SCHEDULE-PD
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
    0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF1 R-Lp Prc2 S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
    0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF1 R-Lp Prc2 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
     0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D. &D.
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF1 R-Lp Prc2 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               =(0)
"DHW SF1 R-Lp Prc2 S3 CDD" = DAY-SCHEDULE-PD
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
    0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
     0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF1 R-Lp Prc3 S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
    0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
    0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
    0.0272)
"DHW SF1 R-Lp Prc3 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
    0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
    0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
    0.0272)
"DHW SF1 R-Lp Prc3 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0)
"DHW SF1 R-Lp Prc3 S1 CDD" = DAY-SCHEDULE-PD
             = FRACTION
 TYPE
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
```

```
0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF1 R-Lp Prc3 S2 WD" = DAY-SCHEDULE-PD
 TYPF
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF1 R-Lp Prc3 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF1 R-Lp Prc3 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
              = (0)
"DHW SF1 R-Lp Prc3 S2 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF1 R-Lp Prc3 S3 WD" = DAY-SCHEDULE-PD
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF1 R-Lp Prc3 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
 VALUES
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF1 R-Lp Prc3 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0)
"DHW SF1 R-Lp Prc3 S3 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
 VALUES
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF1 R-Lp Prc4 S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
```

```
VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
     0.0307)
"DHW SF1 R-Lp Prc4 S1 WEH" = DAY-SCHEDULE-PD
              = FRACTION
 TYPE
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
     0.0307)
"DHW SF1 R-Lp Prc4 S1 HDD" = DAY-SCHEDULE-PD
             = FRACTION
 TYPE
 VALUES
              = (0)
"DHW SF1 R-Lp Prc4 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
 VALUES
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
     0.0307)
"DHW SF1 R-Lp Prc4 S2 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
     0.0307)
"DHW SF1 R-Lp Prc4 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
     0.0307)
"DHW SF1 R-Lp Prc4 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0)
"DHW SF1 R-Lp Prc4 S2 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
     0.0307)
"DHW SF1 R-Lp Prc4 S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
     0.0307)
"DHW SF1 R-Lp Prc4 S3 WEH" = DAY-SCHEDULE-PD
```

```
TYPE
              = FRACTION
 VALUES.
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
    0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"DHW SF1 R-Lp Prc4 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
              = (0)
"DHW SF1 R-Lp Prc4 S3 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
 VALUES
    0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"DHW SF1 R-Lp Prc5 S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF1 R-Lp Prc5 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF1 R-Lp Prc5 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               =(0)
"DHW SF1 R-Lp Prc5 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF1 R-Lp Prc5 S2 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF1 R-Lp Prc5 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF1 R-Lp Prc5 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               =(0)
"DHW SF1 R-Lp Prc5 S2 CDD" = DAY-SCHEDULE-PD
```

```
TYPE
              = FRACTION
 VALUES.
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF1 R-Lp Prc5 S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF1 R-Lp Prc5 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF1 R-Lp Prc5 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
              = (0)
"DHW SF1 R-Lp Prc5 S3 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
     0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF1-2 R-Lp Prc1 S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
     0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
     0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
     0.0209)
"DHW SF1-2 R-Lp Prc1 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
     0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
     0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
     0.0209)
"DHW SF1-2 R-Lp Prc1 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0)
"DHW SF1-2 R-Lp Prc1 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
 VALUES
     0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
     0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
     0.0209)
"DHW SF1-2 R-Lp Prc1 S2 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
     0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
```

```
0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D. 0.0418, 0.0409, 0.0292,
     0.0209)
"DHW SF1-2 R-Lp Prc1 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
                = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
     0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
     0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
     0.0209)
"DHW SF1-2 R-Lp Prc1 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               =(0)
"DHW SF1-2 R-Lp Prc1 S2 CDD" = DAY-SCHEDULE-PD
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
     0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
     0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
     0.0209)
"DHW SF1-2 R-Lp Prc1 S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
     0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
     0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
     0.0209)
"DHW SF1-2 R-Lp Prc1 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
                = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
     0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
     0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
     0.0209)
"DHW SF1-2 R-Lp Prc1 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
              = (0)
"DHW SF1-2 R-Lp Prc1 S3 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0107, 0.0049, 0.0034, 0.0049, 0.0136, 0.0515,
 VALUES
     0.1176, 0.1166, 0.0948, 0.0743, 0.0598, 0.0471, 0.034, 0.0292,
     0.0252, 0.0262, 0.0301, 0.0389, 0.0422, &D, 0.0418, 0.0409, 0.0292,
     0.0209)
"DHW SF1-2 R-Lp Prc2 S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
                = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
     0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
     0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF1-2 R-Lp Prc2 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
     0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
```

```
0.0386, 0.0464, 0.0772, 0.1004, &D. 0.0772, 0.0657, 0.0386)
"DHW SF1-2 R-Lp Prc2 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
              = (0)
"DHW SF1-2 R-Lp Prc2 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
 VALUES
    0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF1-2 R-Lp Prc2 S2 WD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
     0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF1-2 R-Lp Prc2 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
    0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D. &D.
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF1-2 R-Lp Prc2 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0)
"DHW SF1-2 R-Lp Prc2 S2 CDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
    0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF1-2 R-Lp Prc2 S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
    0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF1-2 R-Lp Prc2 S3 WEH" = DAY-SCHEDULE-PD
              = FRACTION
 TYPE
 VALUES
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
    0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
"DHW SF1-2 R-Lp Prc2 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               =(0)
"DHW SF1-2 R-Lp Prc2 S3 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0078, 0.0039, &D, &D, 0.0078, 0.0193, 0.0464,
 VALUES
    0.0579, 0.0657, 0.0579, 0.0464, 0.0348, 0.0309, 0.0232, &D, &D,
    0.0386, 0.0464, 0.0772, 0.1004, &D, 0.0772, 0.0657, 0.0386)
```

```
"DHW SF1-2 R-Lp Prc3 S1 WD" = DAY-SCHEDULE-PD
 TYPF
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF1-2 R-Lp Prc3 S1 WEH" = DAY-SCHEDULE-PD
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF1-2 R-Lp Prc3 S1 HDD" = DAY-SCHEDULE-PD
              = FRACTION
 VALUES
              = (0)
"DHW SF1-2 R-Lp Prc3 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF1-2 R-Lp Prc3 S2 WD" = DAY-SCHEDULE-PD
              = FRACTION
 TYPE
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF1-2 R-Lp Prc3 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF1-2 R-Lp Prc3 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0)
"DHW SF1-2 R-Lp Prc3 S2 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF1-2 R-Lp Prc3 S3 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
```

```
"DHW SF1-2 R-Lp Prc3 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
 VALUES
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF1-2 R-Lp Prc3 S3 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0)
"DHW SF1-2 R-Lp Prc3 S3 CDD" = DAY-SCHEDULE-PD
              = FRACTION
 VALUES
               = (0.0142, 0.0068, 0.0051, &D, 0.0068, 0.0181, 0.0425,
     0.0623, 0.0657, 0.0618, 0.0544, 0.0498, 0.0487, 0.0453, 0.0413,
     0.0431, 0.0482, 0.0652, 0.0748, 0.0692, 0.0567, 0.0482, 0.0397,
     0.0272)
"DHW SF1-2 R-Lp Prc4 S1 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
     0.0307)
"DHW SF1-2 R-Lp Prc4 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
     0.0307)
"DHW SF1-2 R-Lp Prc4 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
              = (0)
"DHW SF1-2 R-Lp Prc4 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
     0.0307)
"DHW SF1-2 R-Lp Prc4 S2 WD" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
     0.0307)
"DHW SF1-2 R-Lp Prc4 S2 WEH" = DAY-SCHEDULE-PD
              = FRACTION
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
 VALUES
     0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
     0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
```

```
0.0307)
"DHW SF1-2 R-Lp Prc4 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
              = (0)
"DHW SF1-2 R-Lp Prc4 S2 CDD" = DAY-SCHEDULE-PD
             = FRACTION
 TYPE
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
 VALUES
    0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"DHW SF1-2 R-Lp Prc4 S3 WD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
    0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"DHW SF1-2 R-Lp Prc4 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
              = FRACTION
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
    0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"DHW SF1-2 R-Lp Prc4 S3 HDD" = DAY-SCHEDULE-PD
           = FRACTION
 TYPE
 VALUES
              = (0)
"DHW SF1-2 R-Lp Prc4 S3 CDD" = DAY-SCHEDULE-PD
             = FRACTION
 TYPE
 VALUES
               = (0.0153, 0.0068, 0.0051, 0.0034, &D, 0.0102, 0.0205,
    0.0307, 0.058, 0.0648, 0.0563, 0.0478, 0.0409, 0.0461, 0.0375,
    0.0359, 0.0375, 0.0495, 0.087, 0.1109, 0.0905, 0.0665, 0.0444,
    0.0307)
"DHW SF1-2 R-Lp Prc5 S1 WD" = DAY-SCHEDULE-PD
            = FRACTION
 TYPE
 VALUES
              = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF1-2 R-Lp Prc5 S1 WEH" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF1-2 R-Lp Prc5 S1 HDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
              = (0)
"DHW SF1-2 R-Lp Prc5 S1 CDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
```

```
VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
     0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF1-2 R-Lp Prc5 S2 WD" = DAY-SCHEDULE-PD
 TYPF
             = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
    0.0486. 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF1-2 R-Lp Prc5 S2 WEH" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
               = ( 0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D. &D. &D. 0.0467, 0.0318, 0.0168)
"DHW SF1-2 R-Lp Prc5 S2 HDD" = DAY-SCHEDULE-PD
 TYPE
            = FRACTION
 VALUES
               = (0)
"DHW SF1-2 R-Lp Prc5 S2 CDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D. 0.0074, 0.0112, 0.0224,
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF1-2 R-Lp Prc5 S3 WD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D. &D. &D. 0.0467, 0.0318, 0.0168)
"DHW SF1-2 R-Lp Prc5 S3 WEH" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
               = ( 0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
 VALUES
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"DHW SF1-2 R-Lp Prc5 S3 HDD" = DAY-SCHEDULE-PD
           = FRACTION
 TYPE
 VALUES
              = (0)
"DHW SF1-2 R-Lp Prc5 S3 CDD" = DAY-SCHEDULE-PD
 TYPE
             = FRACTION
 VALUES
               = (0.0093, 0.0074, 0.0037, &D, 0.0074, 0.0112, 0.0224,
    0.0486, 0.0729, 0.086, 0.0841, 0.0748, 0.0673, 0.0598, 0.0523,
    0.0486, 0.0504, 0.0486, &D, &D, &D, 0.0467, 0.0318, 0.0168)
"Cust 1 Elec TOU Seas1 Day1" = DAY-SCHEDULE-PD
 TYPE
             = FLAG
 VALUES
              = (1.4)
"Cust 1 Elec TOU Seas2 Day1" = DAY-SCHEDULE-PD
 TYPE
             = FLAG
 VALUES
               &D, 2.2, &D, &D, 2.4)
```

```
"Cust 2 Elec TOU Seas1 Day1" = DAY-SCHEDULE-PD
 TYPE
          = FLAG
 VALUES
           = (1.4)
"Cust 2 Elec TOU Seas2 Day1" = DAY-SCHEDULE-PD
 TYPE = FLAG
 VALUES
          &D, 2.2, &D, &D, 2.4)
$
       Week Schedules
$ -----
"EL1 Occ-1 S1 Wk" = WEEK-SCHEDULE-PD
 TYPE = FRACTION
 DAY-SCHEDULES = ("EL1 Occ-1 S1 AII")
"EL1 Occ-1 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE = FRACTION
 DAY-SCHEDULES = ("EL1 Occ-1 S2 AII")
"EL1 Occ-1 S3 Wk" = WEEK-SCHEDULE-PD
 TYPE = FRACTION
 DAY-SCHEDULES = ("EL1 Occ-1 S3 AII")
"EL1 ILt-1 S1 Wk" = WEEK-SCHEDULE-PD
 TYPE = FRACTION
 DAY-SCHEDULES = ("EL1 ILt-1 S1 WD", &D, &D, &D, &D, "EL1 ILt-1 S1 WEH",
    &D, &D, "EL1 ILt-1 S1 HDD", "EL1 ILt-1 S1 CDD")
"EL1 ILt-1 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE = FRACTION
 DAY-SCHEDULES = ( "EL1 ILt-1 S2 WD", &D, &D, &D, "EL1 ILt-1 S2 WEH",
    &D, &D, "EL1 ILt-1 S2 HDD", "EL1 ILt-1 S2 CDD")
"EL1 ILt-1 S3 Wk" = WEEK-SCHEDULE-PD
 TYPE = FRACTION
 DAY-SCHEDULES = ( "EL1 ILt-1 S3 WD", &D, &D, &D, "EL1 ILt-1 S3 WEH",
    &D, &D, "EL1 ILt-1 S3 HDD", "EL1 ILt-1 S3 CDD" )
"EL2 Occ-2 S1 Wk" = WEEK-SCHEDULE-PD
          = FRACTION
 DAY-SCHEDULES = ("EL2 Occ-2 S1 WD", &D, &D, &D, "EL2 Occ-2 S1 WEH",
    &D, &D, "EL2 Occ-2 S1 HDD", "EL2 Occ-2 S1 CDD" )
"EL2 Occ-2 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
       = FRACTION
 DAY-SCHEDULES = ("EL2 Occ-2 S2 WD", &D, &D, &D, "EL2 Occ-2 S2 WEH",
    &D, &D, "EL2 Occ-2 S2 HDD", "EL2 Occ-2 S2 CDD")
"EL2 Occ-2 S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
       = FRACTION
 DAY-SCHEDULES = ("EL2 Occ-2 S3 WD", &D, &D, &D, "EL2 Occ-2 S3 WEH",
    &D, &D, "EL2 Occ-2 S3 HDD", "EL2 Occ-2 S3 CDD")
```

```
"EL2 Msc-2 S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("EL2 Msc-2 S1 WD", &D, &D, &D, "EL2 Msc-2 S1 WEH",
    &D, &D, "EL2 Msc-2 S1 HDD", "EL2 Msc-2 S1 CDD")
"EL2 Msc-2 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE = FRACTION
 DAY-SCHEDULES = ("EL2 Msc-2 S2 WD", &D, &D, &D, "EL2 Msc-2 S2 WEH",
    &D, &D, "EL2 Msc-2 S2 HDD", "EL2 Msc-2 S2 CDD")
"EL2 Msc-2 S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
        = FRACTION
 DAY-SCHEDULES = ("EL2 Msc-2 S3 WD", &D, &D, &D, "EL2 Msc-2 S3 WEH",
    &D. &D. "EL2 Msc-2 S3 HDD", "EL2 Msc-2 S3 CDD")
"EL2 Ckg-2 S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("EL2 Ckg-2 S1 WD", &D, &D, &D, "EL2 Ckg-2 S1 WEH",
    &D, &D, "EL2 Ckg-2 S1 HDD", "EL2 Ckg-2 S1 CDD" )
"EL2 Ckg-2 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("EL2 Ckg-2 S2 WD", &D, &D, &D, "EL2 Ckg-2 S2 WEH",
    &D, &D, "EL2 Ckg-2 S2 HDD", "EL2 Ckg-2 S2 CDD" )
"EL2 Ckg-2 S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
       = FRACTION
 DAY-SCHEDULES = ("EL2 Ckg-2 S3 WD", &D, &D, &D, "EL2 Ckg-2 S3 WEH",
    &D, &D, "EL2 Ckg-2 S3 HDD", "EL2 Ckg-2 S3 CDD")
"EL2 Prc-2 S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ( "EL2 Prc-2 S1 WD", &D, &D, &D, "EL2 Prc-2 S1 WEH",
    &D, &D, "EL2 Prc-2 S1 HDD", "EL2 Prc-2 S1 CDD")
"EL2 Prc-2 S2 Wk" = WEEK-SCHEDULE-PD
           = FRACTION
 DAY-SCHEDULES = ( "EL2 Prc-2 S2 WD", &D, &D, &D, "EL2 Prc-2 S2 WEH",
    &D, &D, "EL2 Prc-2 S2 HDD", "EL2 Prc-2 S2 CDD")
"EL2 Prc-2 S3 Wk" = WEEK-SCHEDULE-PD
 TYPE = FRACTION
 DAY-SCHEDULES = ( "EL2 Prc-2 S3 WD", &D, &D, &D, "EL2 Prc-2 S3 WEH",
    &D, &D, "EL2 Prc-2 S3 HDD", "EL2 Prc-2 S3 CDD")
"EL2 Off-2 S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ( "EL2 Off-2 S1 WD", &D, &D, &D, "EL2 Off-2 S1 WEH",
    &D, &D, "EL2 Off-2 S1 HDD", "EL2 Off-2 S1 CDD")
"EL2 Off-2 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ( "EL2 Off-2 S2 WD", &D, &D, &D, "EL2 Off-2 S2 WEH",
    &D, &D, "EL2 Off-2 S2 HDD", "EL2 Off-2 S2 CDD")
```

```
"EL2 Off-2 S3 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("EL2 Off-2 S3 WD", &D, &D, &D, "EL2 Off-2 S3 WEH",
    &D, &D, "EL2 Off-2 S3 HDD", "EL2 Off-2 S3 CDD")
"EL2 Mtr-2 S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("EL2 Mtr-2 S1 WD", &D, &D, &D, "EL2 Mtr-2 S1 WEH",
    &D, &D, "EL2 Mtr-2 S1 HDD", "EL2 Mtr-2 S1 CDD")
"EL2 Mtr-2 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
        = FRACTION
 DAY-SCHEDULES = ( "EL2 Mtr-2 S2 WD", &D, &D, &D, "EL2 Mtr-2 S2 WEH",
    &D, &D, "EL2 Mtr-2 S2 HDD", "EL2 Mtr-2 S2 CDD")
"EL2 Mtr-2 S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("EL2 Mtr-2 S3 WD", &D, &D, &D, "EL2 Mtr-2 S3 WEH",
    &D. &D. "EL2 Mtr-2 S3 HDD". "EL2 Mtr-2 S3 CDD" )
"EL2 SCR-2 S1 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("EL2 SCR-2 S1 WD", &D, &D, &D, "EL2 SCR-2 S1 WEH",
    &D, &D, "EL2 SCR-2 S1 HDD", "EL2 SCR-2 S1 CDD" )
"EL2 SCR-2 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("EL2 SCR-2 S2 WD", &D, &D, &D, "EL2 SCR-2 S2 WEH",
    &D, &D, "EL2 SCR-2 S2 HDD", "EL2 SCR-2 S2 CDD")
"EL2 SCR-2 S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("EL2 SCR-2 S3 WD", &D, &D, &D, "EL2 SCR-2 S3 WEH",
    &D, &D, "EL2 SCR-2 S3 HDD", "EL2 SCR-2 S3 CDD")
"EL2 GndFlr 2 CookPrc Gas S1 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("EL2 GndFlr 2 CookPrc Gas S1 WD", &D, &D, &D,
    "EL2 GndFlr 2 CookPrc Gas S1 WEH", &D, &D,
    "EL2 GndFir 2 CookPrc Gas S1 HDD",
    "EL2 GndFlr 2 CookPrc Gas S1 CDD" )
"EL2 GndFir 2 CookPrc Gas S2 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("EL2 GndFlr 2 CookPrc Gas S2 WD", &D, &D, &D,
    "EL2 GndFlr 2 CookPrc Gas S2 WEH", &D, &D,
    "EL2 GndFlr 2 CookPrc Gas S2 HDD",
    "EL2 GndFlr 2 CookPrc Gas S2 CDD")
"EL2 GndFlr 2 CookPrc Gas S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("EL2 GndFlr 2 CookPrc Gas S3 WD", &D, &D, &D,
    "EL2 GndFlr 2 CookPrc Gas S3 WEH", &D, &D,
    "EL2 GndFir 2 CookPrc Gas S3 HDD".
    "EL2 GndFlr 2 CookPrc Gas S3 CDD" )
```

```
"EL2 GndFir 2 MtrsPrc Elc S1 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("EL2 GndFlr 2 MtrsPrc Elc S1 WD", &D, &D, &D, &D,
    "EL2 GndFlr 2 MtrsPrc Elc S1 WEH", &D, &D,
    "EL2 GndFlr 2 MtrsPrc Elc S1 HDD"
    "EL2 GndFlr 2 MtrsPrc Elc S1 CDD" )
"EL2 GndFlr 2 MtrsPrc Elc S2 Wk" = WEEK-SCHEDULE-PD
           = FRACTION
 DAY-SCHEDULES = ("EL2 GndFlr 2 MtrsPrc Elc S2 WD", &D, &D, &D,
    "EL2 GndFlr 2 MtrsPrc Elc S2 WEH", &D, &D,
    "EL2 GndFlr 2 MtrsPrc Elc S2 HDD"
    "EL2 GndFlr 2 MtrsPrc Elc S2 CDD" )
"EL2 GndFir 2 MtrsPrc Elc S3 Wk" = WEEK-SCHEDULE-PD
             = FRACTION
 DAY-SCHEDULES = ( "EL2 GndFlr 2 MtrsPrc Elc S3 WD", &D, &D, &D,
    "EL2 GndFlr 2 MtrsPrc Elc S3 WEH", &D, &D,
    "EL2 GndFlr 2 MtrsPrc Elc S3 HDD",
    "EL2 GndFlr 2 MtrsPrc Elc S3 CDD" )
"EL2 Occ-1 S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("EL2 Occ-1 S1 WD", &D, &D, &D, "EL2 Occ-1 S1 WEH",
    &D, &D, "EL2 Occ-1 S1 HDD", "EL2 Occ-1 S1 CDD")
"EL2 Occ-1 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("EL2 Occ-1 S2 WD", &D, &D, &D, "EL2 Occ-1 S2 WEH",
    &D, &D, "EL2 Occ-1 S2 HDD", "EL2 Occ-1 S2 CDD")
"EL2 Occ-1 S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ( "EL2 Occ-1 S3 WD", &D, &D, &D, "EL2 Occ-1 S3 WEH",
    &D, &D, "EL2 Occ-1 S3 HDD", "EL2 Occ-1 S3 CDD")
"EL2 Msc-1 S1 Wk" = WEEK-SCHEDULE-PD
           = FRACTION
 DAY-SCHEDULES = ("EL2 Msc-1 S1 AII")
"EL2 Msc-1 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("EL2 Msc-1 S2 AII")
"EL2 Msc-1 S3 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("EL2 Msc-1 S3 AII")
"EL2 Ckg-1 S1 Wk" = WEEK-SCHEDULE-PD
             = FRACTION
 DAY-SCHEDULES = ("EL2 Ckg-1 S1 AII")
"EL2 Ckg-1 S2 Wk" = WEEK-SCHEDULE-PD
           = FRACTION
 DAY-SCHEDULES = ("EL2 Ckg-1 S2 AII")
```

```
"EL2 Ckg-1 S3 Wk" = WEEK-SCHEDULE-PD
 TYPF
           = FRACTION
 DAY-SCHEDULES = ("EL2 Ckg-1 S3 AII")
"EL2 Prc-1 S1 Wk" = WEEK-SCHEDULE-PD
 TYPE = FRACTION
 DAY-SCHEDULES = ("EL2 Prc-1 S1 AII")
"EL2 Prc-1 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE = FRACTION
 DAY-SCHEDULES = ("EL2 Prc-1 S2 AII")
"EL2 Prc-1 S3 Wk" = WEEK-SCHEDULE-PD
       = FRACTION
 TYPE
 DAY-SCHEDULES = ("EL2 Prc-1 S3 AII")
"EL2 Mtr-1 S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("EL2 Mtr-1 S1 AII")
"EL2 Mtr-1 S2 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("EL2 Mtr-1 S2 AII")
"EL2 Mtr-1 S3 Wk" = WEEK-SCHEDULE-PD
       = FRACTION
 TYPE
 DAY-SCHEDULES = ("EL2 Mtr-1 S3 AII")
"EL2 SCR-1 S1 Wk" = WEEK-SCHEDULE-PD
           = FRACTION
 DAY-SCHEDULES = ("EL2 SCR-1 S1 AII")
"EL2 SCR-1 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE = FRACTION
 DAY-SCHEDULES = ("EL2 SCR-1 S2 AII")
"EL2 SCR-1 S3 Wk" = WEEK-SCHEDULE-PD
          = FRACTION
 DAY-SCHEDULES = ("EL2 SCR-1 S3 AII")
"EL5 GndFlr 5 CookPrc Gas S1 Wk" = WEEK-SCHEDULE-PD
           = FRACTION
 DAY-SCHEDULES = ("EL5 GndFir 5 CookPrc Gas S1 WD", &D, &D, &D,
    "EL5 GndFir 5 CookPrc Gas S1 WEH", &D, &D,
    "EL5 GndFlr 5 CookPrc Gas S1 HDD".
    "EL5 GndFir 5 CookPrc Gas S1 CDD")
"EL5 GndFir 5 CookPrc Gas S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("EL5 GndFir 5 CookPrc Gas S2 WD", &D, &D, &D,
    "EL5 GndFlr 5 CookPrc Gas S2 WEH", &D, &D,
    "EL5 GndFlr 5 CookPrc Gas S2 HDD",
    "EL5 GndFlr 5 CookPrc Gas S2 CDD")
"EL5 GndFir 5 CookPrc Gas S3 Wk" = WEEK-SCHEDULE-PD
 TYPE = FRACTION
```

```
DAY-SCHEDULES = ("EL5 GndFir 5 CookPrc Gas S3 WD", &D, &D, &D.
    "EL5 GndFlr 5 CookPrc Gas S3 WEH", &D, &D.
    "EL5 GndFlr 5 CookPrc Gas S3 HDD".
    "EL5 GndFlr 5 CookPrc Gas S3 CDD")
"EL5 GndFir 5 MtrsPrc Elc S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
             = FRACTION
 DAY-SCHEDULES = ("EL5 GndFir 5 MtrsPrc Elc S1 WD", &D, &D, &D,
    "EL5 GndFlr 5 MtrsPrc Elc S1 WEH", &D, &D,
    "EL5 GndFlr 5 MtrsPrc Elc S1 HDD".
    "EL5 GndFlr 5 MtrsPrc Elc S1 CDD" )
"EL5 GndFir 5 MtrsPrc Elc S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("EL5 GndFlr 5 MtrsPrc Elc S2 WD", &D, &D, &D.
    "EL5 GndFlr 5 MtrsPrc Elc S2 WEH", &D, &D.
    "EL5 GndFir 5 MtrsPrc Elc S2 HDD",
    "EL5 GndFlr 5 MtrsPrc Elc S2 CDD" )
"EL5 GndFir 5 MtrsPrc Elc S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
             = FRACTION
 DAY-SCHEDULES = ("EL5 GndFir 5 MtrsPrc Elc S3 WD", &D, &D, &D,
    "EL5 GndFlr 5 MtrsPrc Elc S3 WEH", &D, &D,
    "EL5 GndFlr 5 MtrsPrc Elc S3 HDD".
    "EL5 GndFlr 5 MtrsPrc Elc S3 CDD")
"EL7 Off-3 S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("EL7 Off-3 S1 AII")
"EL7 Off-3 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("EL7 Off-3 S2 AII")
"EL7 Off-3 S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("EL7 Off-3 S3 AII")
"EL7 ZnGrp 2 CookPrc Gas S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("EL7 ZnGrp 2 CookPrc Gas S1 WD", &D, &D, &D,
    "EL7 ZnGrp 2 CookPrc Gas S1 WEH", &D, &D,
    "EL7 ZnGrp 2 CookPrc Gas S1 HDD", "EL7 ZnGrp 2 CookPrc Gas S1 CDD")
"EL7 ZnGrp 2 CookPrc Gas S2 Wk" = WEEK-SCHEDULE-PD
             = FRACTION
 DAY-SCHEDULES = ("EL7 ZnGrp 2 CookPrc Gas S2 WD", &D, &D, &D, &D,
    "EL7 ZnGrp 2 CookPrc Gas S2 WEH", &D, &D,
    "EL7 ZnGrp 2 CookPrc Gas S2 HDD", "EL7 ZnGrp 2 CookPrc Gas S2 CDD")
"EL7 ZnGrp 2 CookPrc Gas S3 Wk" = WEEK-SCHEDULE-PD
             = FRACTION
 DAY-SCHEDULES = ("EL7 ZnGrp 2 CookPrc Gas S3 WD", &D, &D, &D,
    "EL7 ZnGrp 2 CookPrc Gas S3 WEH", &D, &D,
    "EL7 ZnGrp 2 CookPrc Gas S3 HDD", "EL7 ZnGrp 2 CookPrc Gas S3 CDD")
```

```
"EL7 ZnGrp 2 MtrsPrc Elc S1 Wk" = WEEK-SCHEDULE-PD
 TYPF
             = FRACTION
 DAY-SCHEDULES = ("EL7 ZnGrp 2 MtrsPrc Elc S1 WD", &D, &D, &D, &D,
     "EL7 ZnGrp 2 MtrsPrc Elc S1 WEH", &D, &D,
     "EL7 ZnGrp 2 MtrsPrc Elc S1 HDD", "EL7 ZnGrp 2 MtrsPrc Elc S1 CDD")
"EL7 ZnGrp 2 MtrsPrc Elc S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
             = FRACTION
 DAY-SCHEDULES = ("EL7 ZnGrp 2 MtrsPrc Elc S2 WD", &D, &D, &D,
    "EL7 ZnGrp 2 MtrsPrc Elc S2 WEH", &D, &D,
    "EL7 ZnGrp 2 MtrsPrc Elc S2 HDD", "EL7 ZnGrp 2 MtrsPrc Elc S2 CDD")
"EL7 ZnGrp 2 MtrsPrc Elc S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
             = FRACTION
 DAY-SCHEDULES = ("EL7 ZnGrp 2 MtrsPrc Elc S3 WD", &D, &D, &D, &D,
    "EL7 ZnGrp 2 MtrsPrc Elc S3 WEH", &D, &D,
     "EL7 ZnGrp 2 MtrsPrc Elc S3 HDD", "EL7 ZnGrp 2 MtrsPrc Elc S3 CDD")
"EL8 ZnGrp 2 2 CookPrc Gas S1 Wk" = WEEK-SCHEDULE-PD
             = FRACTION
 DAY-SCHEDULES = ("EL8 ZnGrp 2 2 CookPrc Gas S1 WD", &D, &D, &D,
    "EL8 ZnGrp 2 2 CookPrc Gas S1 WEH", &D, &D,
    "EL8 ZnGrp 2 2 CookPrc Gas S1 HDD".
    "EL8 ZnGrp 2 2 CookPrc Gas S1 CDD")
"EL8 ZnGrp 2 2 CookPrc Gas S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
             = FRACTION
 DAY-SCHEDULES = ("EL8 ZnGrp 2 2 CookPrc Gas S2 WD", &D, &D, &D,
    "EL8 ZnGrp 2 2 CookPrc Gas S2 WEH", &D, &D,
    "EL8 ZnGrp 2 2 CookPrc Gas S2 HDD",
    "EL8 ZnGrp 2 2 CookPrc Gas S2 CDD" )
"EL8 ZnGrp 2 2 CookPrc Gas S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
             = FRACTION
 DAY-SCHEDULES = ("EL8 ZnGrp 2 2 CookPrc Gas S3 WD", &D, &D, &D,
    "EL8 ZnGrp 2 2 CookPrc Gas S3 WEH", &D, &D,
    "EL8 ZnGrp 2 2 CookPrc Gas S3 HDD",
    "EL8 ZnGrp 2 2 CookPrc Gas S3 CDD")
"EL8 ZnGrp 2 2 MtrsPrc Elc S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
             = FRACTION
 DAY-SCHEDULES = ("EL8 ZnGrp 2 2 MtrsPrc Elc S1 WD", &D, &D, &D,
    "EL8 ZnGrp 2 2 MtrsPrc Elc S1 WEH", &D, &D,
    "EL8 ZnGrp 2 2 MtrsPrc Elc S1 HDD",
    "EL8 ZnGrp 2 2 MtrsPrc Elc S1 CDD")
"EL8 ZnGrp 2 2 MtrsPrc Elc S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
             = FRACTION
 DAY-SCHEDULES = ("EL8 ZnGrp 2 2 MtrsPrc Elc S2 WD", &D, &D, &D,
    "EL8 ZnGrp 2 2 MtrsPrc Elc S2 WEH", &D, &D,
    "EL8 ZnGrp 2 2 MtrsPrc Elc S2 HDD",
    "EL8 ZnGrp 2 2 MtrsPrc Elc S2 CDD")
"EL8 ZnGrp 2 2 MtrsPrc Elc S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
             = FRACTION
 DAY-SCHEDULES = ("EL8 ZnGrp 2 2 MtrsPrc Elc S3 WD", &D, &D, &D,
```

```
"EL8 ZnGrp 2 2 MtrsPrc Elc S3 WEH", &D, &D.
    "EL8 ZnGrp 2 2 MtrsPrc Elc S3 HDD",
    "EL8 ZnGrp 2 2 MtrsPrc Elc S3 CDD" )
"ZG6-S1 (PVVT) P-Inf S1 Wk" = WEEK-SCHEDULE-PD
 TYPF
            = MULTIPLIER
 DAY-SCHEDULES = ("ZG6-S1 (PVVT) P-Inf S1 AII")
"ZG6-S1 (PVVT) P-Inf S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
         = MULTIPLIER
 DAY-SCHEDULES = ("ZG6-S1 (PVVT) P-Inf S2 AII")
"ZG6-S1 (PVVT) P-Inf S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
         = MULTIPLIER
 DAY-SCHEDULES = ("ZG6-S1 (PVVT) P-Inf S3 AII")
"ZG6-S1 (PVVT) C-Inf S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ( "ZG6-S1 (PVVT) C-Inf S1 All" )
"ZG6-S1 (PVVT) C-Inf S2 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ( "ZG6-S1 (PVVT) C-Inf S2 AII" )
"ZG6-S1 (PVVT) C-Inf S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
          = FRACTION
 DAY-SCHEDULES = ("ZG6-S1 (PVVT) C-Inf S3 AII")
"ZG7-S1 (PVVT) P-Inf S1 Wk" = WEEK-SCHEDULE-PD
           = MULTIPLIER
 DAY-SCHEDULES = ("ZG7-S1 (PVVT) P-Inf S1 All")
"ZG7-S1 (PVVT) P-Inf S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = MULTIPLIER
 DAY-SCHEDULES = ( "ZG7-S1 (PVVT) P-Inf S2 All" )
"ZG7-S1 (PVVT) P-Inf S3 Wk" = WEEK-SCHEDULE-PD
            = MULTIPLIER
 DAY-SCHEDULES = ("ZG7-S1 (PVVT) P-Inf S3 AII")
"ZG7-S1 (PVVT) C-Inf S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("ZG7-S1 (PVVT) C-Inf S1 AII")
"ZG7-S1 (PVVT) C-Inf S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("ZG7-S1 (PVVT) C-Inf S2 AII")
"ZG7-S1 (PVVT) C-Inf S3 Wk" = WEEK-SCHEDULE-PD
             = FRACTION
 DAY-SCHEDULES = ("ZG7-S1 (PVVT) C-Inf S3 AII")
"ZG8-S1 (PVVT) P-Inf S1 Wk" = WEEK-SCHEDULE-PD
           = MULTIPLIER
 DAY-SCHEDULES = ("ZG8-S1 (PVVT) P-Inf S1 AII")
```

```
"ZG8-S1 (PVVT) P-Inf S2 Wk" = WEEK-SCHEDULE-PD
 TYPF
           = MULTIPLIER
 DAY-SCHEDULES = ( "ZG8-S1 (PVVT) P-Inf S2 All" )
"ZG8-S1 (PVVT) P-Inf S3 Wk" = WEEK-SCHEDULE-PD
 TYPF
            = MULTIPLIER
 DAY-SCHEDULES = ("ZG8-S1 (PVVT) P-Inf S3 AII")
"ZG8-S1 (PVVT) C-Inf S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
         = FRACTION
 DAY-SCHEDULES = ("ZG8-S1 (PVVT) C-Inf S1 AII")
"ZG8-S1 (PVVT) C-Inf S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
         = FRACTION
 DAY-SCHEDULES = ("ZG8-S1 (PVVT) C-Inf S2 AII")
"ZG8-S1 (PVVT) C-Inf S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ( "ZG8-S1 (PVVT) C-Inf S3 AII" )
"ZG9-S1 (PVVT) P-Inf S1 Wk" = WEEK-SCHEDULE-PD
            = MULTIPLIER
 DAY-SCHEDULES = ( "ZG9-S1 (PVVT) P-Inf S1 AII" )
"ZG9-S1 (PVVT) P-Inf S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
          = MULTIPLIER
 DAY-SCHEDULES = ( "ZG9-S1 (PVVT) P-Inf S2 AII" )
"ZG9-S1 (PVVT) P-Inf S3 Wk" = WEEK-SCHEDULE-PD
           = MULTIPLIER
 DAY-SCHEDULES = ("ZG9-S1 (PVVT) P-Inf S3 AII")
"ZG9-S1 (PVVT) C-Inf S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ( "ZG9-S1 (PVVT) C-Inf S1 AII" )
"ZG9-S1 (PVVT) C-Inf S2 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("ZG9-S1 (PVVT) C-Inf S2 AII")
"ZG9-S1 (PVVT) C-Inf S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("ZG9-S1 (PVVT) C-Inf S3 AII")
"S1 Sys1 (PVVT) Fan S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = ON/OFF/FLAG
 DAY-SCHEDULES = ("S1 Sys1 (PVVT) Fan S1 All")
"S1 Sys1 (PVVT) Fan S2 Wk" = WEEK-SCHEDULE-PD
            = ON/OFF/FLAG
 DAY-SCHEDULES = ("S1 Sys1 (PVVT) Fan S2 All")
"S1 Sys1 (PVVT) Fan S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = ON/OFF/FLAG
 DAY-SCHEDULES = ("S1 Sys1 (PVVT) Fan S3 All")
```

```
"ZG0-S1 (PVVT) P-Inf S1 Wk" = WEEK-SCHEDULE-PD
 TYPF
           = MULTIPLIER
 DAY-SCHEDULES = ( "ZG0-S1 (PVVT) P-Inf S1 All" )
"ZG0-S1 (PVVT) P-Inf S2 Wk" = WEEK-SCHEDULE-PD
 TYPF
            = MULTIPLIER
 DAY-SCHEDULES = ("ZG0-S1 (PVVT) P-Inf S2 AII")
"ZG0-S1 (PVVT) P-Inf S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
       = MULTIPLIER
 DAY-SCHEDULES = ("ZG0-S1 (PVVT) P-Inf S3 AII")
"ZG0-S1 (PVVT) C-Inf S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
        = FRACTION
 DAY-SCHEDULES = ("ZG0-S1 (PVVT) C-Inf S1 AII")
"ZG0-S1 (PVVT) C-Inf S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ( "ZG0-S1 (PVVT) C-Inf S2 AII" )
"ZG0-S1 (PVVT) C-Inf S3 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ( "ZG0-S1 (PVVT) C-Inf S3 AII" )
"ZG1-S1 (PVVT) P-Inf S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
          = MULTIPLIER
 DAY-SCHEDULES = ("ZG1-S1 (PVVT) P-Inf S1 AII")
"ZG1-S1 (PVVT) P-Inf S2 Wk" = WEEK-SCHEDULE-PD
           = MULTIPLIER
 DAY-SCHEDULES = ("ZG1-S1 (PVVT) P-Inf S2 AII")
"ZG1-S1 (PVVT) P-Inf S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = MULTIPLIER
 DAY-SCHEDULES = ( "ZG1-S1 (PVVT) P-Inf S3 AII" )
"ZG1-S1 (PVVT) C-Inf S1 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("ZG1-S1 (PVVT) C-Inf S1 AII")
"ZG1-S1 (PVVT) C-Inf S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("ZG1-S1 (PVVT) C-Inf S2 AII")
"ZG1-S1 (PVVT) C-Inf S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("ZG1-S1 (PVVT) C-Inf S3 AII")
"ZG2-S1 (PVVT) P-Inf S1 Wk" = WEEK-SCHEDULE-PD
            = MULTIPLIER
 DAY-SCHEDULES = ("ZG2-S1 (PVVT) P-Inf S1 All")
"ZG2-S1 (PVVT) P-Inf S2 Wk" = WEEK-SCHEDULE-PD
           = MULTIPLIER
 DAY-SCHEDULES = ("ZG2-S1 (PVVT) P-Inf S2 AII")
```

```
"ZG2-S1 (PVVT) P-Inf S3 Wk" = WEEK-SCHEDULE-PD
 TYPF
           = MULTIPLIER
 DAY-SCHEDULES = ( "ZG2-S1 (PVVT) P-Inf S3 AII" )
"ZG2-S1 (PVVT) C-Inf S1 Wk" = WEEK-SCHEDULE-PD
 TYPF
            = FRACTION
 DAY-SCHEDULES = ("ZG2-S1 (PVVT) C-Inf S1 AII")
"ZG2-S1 (PVVT) C-Inf S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
          = FRACTION
 DAY-SCHEDULES = ("ZG2-S1 (PVVT) C-Inf S2 AII")
"ZG2-S1 (PVVT) C-Inf S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("ZG2-S1 (PVVT) C-Inf S3 AII")
"S2 Sys2 (PVVT) Fan S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = ON/OFF/FLAG
 DAY-SCHEDULES = ( "S2 Sys2 (PVVT) Fan S1 All" )
"S2 Sys2 (PVVT) Fan S2 Wk" = WEEK-SCHEDULE-PD
            = ON/OFF/FLAG
 DAY-SCHEDULES = ( "S2 Sys2 (PVVT) Fan S2 All" )
"S2 Sys2 (PVVT) Fan S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = ON/OFF/FLAG
 DAY-SCHEDULES = ("S2 Sys2 (PVVT) Fan S3 All")
"ZG10-S1 (PVVT) P-Inf S1 Wk" = WEEK-SCHEDULE-PD
            = MULTIPLIER
 DAY-SCHEDULES = ("ZG10-S1 (PVVT) P-Inf S1 AII")
"ZG10-S1 (PVVT) P-Inf S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = MULTIPLIER
 DAY-SCHEDULES = ("ZG10-S1 (PVVT) P-Inf S2 AII")
"ZG10-S1 (PVVT) P-Inf S3 Wk" = WEEK-SCHEDULE-PD
            = MULTIPLIER
 DAY-SCHEDULES = ("ZG10-S1 (PVVT) P-Inf S3 AII")
"ZG10-S1 (PVVT) C-Inf S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("ZG10-S1 (PVVT) C-Inf S1 AII")
"ZG10-S1 (PVVT) C-Inf S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("ZG10-S1 (PVVT) C-Inf S2 AII")
"ZG10-S1 (PVVT) C-Inf S3 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("ZG10-S1 (PVVT) C-Inf S3 AII")
"ZG11-S1 (PVVT) P-Inf S1 Wk" = WEEK-SCHEDULE-PD
            = MULTIPLIER
 DAY-SCHEDULES = ("ZG11-S1 (PVVT) P-Inf S1 AII")
```

```
"ZG11-S1 (PVVT) P-Inf S2 Wk" = WEEK-SCHEDULE-PD
 TYPF
            = MULTIPLIER
 DAY-SCHEDULES = ("ZG11-S1 (PVVT) P-Inf S2 AII")
"ZG11-S1 (PVVT) P-Inf S3 Wk" = WEEK-SCHEDULE-PD
 TYPF
            = MULTIPLIER
 DAY-SCHEDULES = ("ZG11-S1 (PVVT) P-Inf S3 AII")
"ZG11-S1 (PVVT) C-Inf S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("ZG11-S1 (PVVT) C-Inf S1 AII")
"ZG11-S1 (PVVT) C-Inf S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("ZG11-S1 (PVVT) C-Inf S2 AII")
"ZG11-S1 (PVVT) C-Inf S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ( "ZG11-S1 (PVVT) C-Inf S3 All" )
"ZG12-S1 (PVVT) P-Inf S1 Wk" = WEEK-SCHEDULE-PD
            = MULTIPLIER
 DAY-SCHEDULES = ("ZG12-S1 (PVVT) P-Inf S1 AII")
"ZG12-S1 (PVVT) P-Inf S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = MULTIPLIER
 DAY-SCHEDULES = ("ZG12-S1 (PVVT) P-Inf S2 AII")
"ZG12-S1 (PVVT) P-Inf S3 Wk" = WEEK-SCHEDULE-PD
            = MULTIPLIER
 DAY-SCHEDULES = ("ZG12-S1 (PVVT) P-Inf S3 AII")
"ZG12-S1 (PVVT) C-Inf S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("ZG12-S1 (PVVT) C-Inf S1 AII")
"ZG12-S1 (PVVT) C-Inf S2 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("ZG12-S1 (PVVT) C-Inf S2 AII")
"ZG12-S1 (PVVT) C-Inf S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("ZG12-S1 (PVVT) C-Inf S3 AII")
"ZG13-S1 (PVVT) P-Inf S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = MULTIPLIER
 DAY-SCHEDULES = ("ZG13-S1 (PVVT) P-Inf S1 AII")
"ZG13-S1 (PVVT) P-Inf S2 Wk" = WEEK-SCHEDULE-PD
            = MULTIPLIER
 DAY-SCHEDULES = ("ZG13-S1 (PVVT) P-Inf S2 All")
"ZG13-S1 (PVVT) P-Inf S3 Wk" = WEEK-SCHEDULE-PD
            = MULTIPLIER
 DAY-SCHEDULES = ("ZG13-S1 (PVVT) P-Inf S3 All")
```

```
"ZG13-S1 (PVVT) C-Inf S1 Wk" = WEEK-SCHEDULE-PD
 TYPF
            = FRACTION
 DAY-SCHEDULES = ("ZG13-S1 (PVVT) C-Inf S1 AII")
"ZG13-S1 (PVVT) C-Inf S2 Wk" = WEEK-SCHEDULE-PD
 TYPF
            = FRACTION
 DAY-SCHEDULES = ("ZG13-S1 (PVVT) C-Inf S2 AII")
"ZG13-S1 (PVVT) C-Inf S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("ZG13-S1 (PVVT) C-Inf S3 AII")
"S3 Sys3 (PVVT) Fan S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
         = ON/OFF/FLAG
 DAY-SCHEDULES = ("S3 Sys3 (PVVT) Fan S1 All")
"S3 Sys3 (PVVT) Fan S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = ON/OFF/FLAG
 DAY-SCHEDULES = ( "S3 Sys3 (PVVT) Fan S2 All" )
"S3 Sys3 (PVVT) Fan S3 Wk" = WEEK-SCHEDULE-PD
            = ON/OFF/FLAG
 DAY-SCHEDULES = ("S3 Sys3 (PVVT) Fan S3 All")
"ZG3-S1 (PVVT) P-Inf S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = MULTIPLIER
 DAY-SCHEDULES = ( "ZG3-S1 (PVVT) P-Inf S1 AII" )
"ZG3-S1 (PVVT) P-Inf S2 Wk" = WEEK-SCHEDULE-PD
           = MULTIPLIER
 DAY-SCHEDULES = ("ZG3-S1 (PVVT) P-Inf S2 All")
"ZG3-S1 (PVVT) P-Inf S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = MULTIPLIER
 DAY-SCHEDULES = ( "ZG3-S1 (PVVT) P-Inf S3 AII" )
"ZG3-S1 (PVVT) C-Inf S1 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("ZG3-S1 (PVVT) C-Inf S1 AII")
"ZG3-S1 (PVVT) C-Inf S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("ZG3-S1 (PVVT) C-Inf S2 AII")
"ZG3-S1 (PVVT) C-Inf S3 Wk" = WEEK-SCHEDULE-PD
           = FRACTION
 DAY-SCHEDULES = ("ZG3-S1 (PVVT) C-Inf S3 AII")
"ZG4-S1 (PVVT) P-Inf S1 Wk" = WEEK-SCHEDULE-PD
            = MULTIPLIER
 DAY-SCHEDULES = ("ZG4-S1 (PVVT) P-Inf S1 All")
"ZG4-S1 (PVVT) P-Inf S2 Wk" = WEEK-SCHEDULE-PD
           = MULTIPLIER
 DAY-SCHEDULES = ("ZG4-S1 (PVVT) P-Inf S2 AII")
```

```
"ZG4-S1 (PVVT) P-Inf S3 Wk" = WEEK-SCHEDULE-PD
 TYPF
           = MULTIPLIER
 DAY-SCHEDULES = ("ZG4-S1 (PVVT) P-Inf S3 AII")
"ZG4-S1 (PVVT) C-Inf S1 Wk" = WEEK-SCHEDULE-PD
 TYPF
            = FRACTION
 DAY-SCHEDULES = ("ZG4-S1 (PVVT) C-Inf S1 AII")
"ZG4-S1 (PVVT) C-Inf S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
          = FRACTION
 DAY-SCHEDULES = ("ZG4-S1 (PVVT) C-Inf S2 AII")
"ZG4-S1 (PVVT) C-Inf S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
          = FRACTION
 DAY-SCHEDULES = ("ZG4-S1 (PVVT) C-Inf S3 AII")
"ZG5-S1 (PVVT) P-Inf S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = MULTIPLIER
 DAY-SCHEDULES = ("ZG5-S1 (PVVT) P-Inf S1 AII")
"ZG5-S1 (PVVT) P-Inf S2 Wk" = WEEK-SCHEDULE-PD
            = MULTIPLIER
 DAY-SCHEDULES = ( "ZG5-S1 (PVVT) P-Inf S2 AII" )
"ZG5-S1 (PVVT) P-Inf S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = MULTIPLIER
 DAY-SCHEDULES = ("ZG5-S1 (PVVT) P-Inf S3 AII")
"ZG5-S1 (PVVT) C-Inf S1 Wk" = WEEK-SCHEDULE-PD
           = FRACTION
 DAY-SCHEDULES = ("ZG5-S1 (PVVT) C-Inf S1 AII")
"ZG5-S1 (PVVT) C-Inf S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("ZG5-S1 (PVVT) C-Inf S2 AII")
"ZG5-S1 (PVVT) C-Inf S3 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("ZG5-S1 (PVVT) C-Inf S3 AII")
"S4 Sys4 (PVVT) Fan S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = ON/OFF/FLAG
 DAY-SCHEDULES = ("S4 Sys4 (PVVT) Fan S1 All")
"S4 Svs4 (PVVT) Fan S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = ON/OFF/FLAG
 DAY-SCHEDULES = ( "S4 Sys4 (PVVT) Fan S2 All" )
"S4 Sys4 (PVVT) Fan S3 Wk" = WEEK-SCHEDULE-PD
            = ON/OFF/FLAG
 DAY-SCHEDULES = ( "S4 Sys4 (PVVT) Fan S3 All" )
"DHW SF2 R-Lp Prc1 S1 Wk" = WEEK-SCHEDULE-PD
           = FRACTION
 TYPE
 DAY-SCHEDULES = ("DHW SF2 R-Lp Prc1 S1 WD", &D, &D, &D, &D,
    "DHW SF2 R-Lp Prc1 S1 WEH", &D, &D, "DHW SF2 R-Lp Prc1 S1 HDD",
```

```
"DHW SF2 R-Lp Prc1 S1 CDD")
"DHW SF2 R-Lp Prc1 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("DHW SF2 R-Lp Prc1 S2 WD", &D, &D, &D, &D,
    "DHW SF2 R-Lp Prc1 S2 WEH", &D, &D, "DHW SF2 R-Lp Prc1 S2 HDD",
    "DHW SF2 R-Lp Prc1 S2 CDD")
"DHW SF2 R-Lp Prc1 S3 Wk" = WEEK-SCHEDULE-PD
           = FRACTION
 TYPE
 DAY-SCHEDULES = ("DHW SF2 R-Lp Prc1 S3 WD", &D, &D, &D, &D,
    "DHW SF2 R-Lp Prc1 S3 WEH", &D, &D, "DHW SF2 R-Lp Prc1 S3 HDD",
    "DHW SF2 R-Lp Prc1 S3 CDD")
"DHW SF2 R-Lp Prc2 S1 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("DHW SF2 R-Lp Prc2 S1 WD", &D, &D, &D,
    "DHW SF2 R-Lp Prc2 S1 WEH", &D, &D, "DHW SF2 R-Lp Prc2 S1 HDD",
    "DHW SF2 R-Lp Prc2 S1 CDD")
"DHW SF2 R-Lp Prc2 S2 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("DHW SF2 R-Lp Prc2 S2 WD", &D, &D, &D, &D,
    "DHW SF2 R-Lp Prc2 S2 WEH", &D, &D, "DHW SF2 R-Lp Prc2 S2 HDD",
    "DHW SF2 R-Lp Prc2 S2 CDD")
"DHW SF2 R-Lp Prc2 S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("DHW SF2 R-Lp Prc2 S3 WD", &D, &D, &D,
    "DHW SF2 R-Lp Prc2 S3 WEH", &D, &D, "DHW SF2 R-Lp Prc2 S3 HDD",
    "DHW SF2 R-Lp Prc2 S3 CDD")
"DHW SF2 R-Lp Prc3 S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("DHW SF2 R-Lp Prc3 S1 WD", &D, &D, &D, &D,
    "DHW SF2 R-Lp Prc3 S1 WEH", &D, &D, "DHW SF2 R-Lp Prc3 S1 HDD",
    "DHW SF2 R-Lp Prc3 S1 CDD")
"DHW SF2 R-Lp Prc3 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("DHW SF2 R-Lp Prc3 S2 WD", &D, &D, &D, &D,
    "DHW SF2 R-Lp Prc3 S2 WEH", &D, &D, "DHW SF2 R-Lp Prc3 S2 HDD",
    "DHW SF2 R-Lp Prc3 S2 CDD")
"DHW SF2 R-Lp Prc3 S3 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("DHW SF2 R-Lp Prc3 S3 WD", &D, &D, &D, &D,
    "DHW SF2 R-Lp Prc3 S3 WEH", &D, &D, "DHW SF2 R-Lp Prc3 S3 HDD",
    "DHW SF2 R-Lp Prc3 S3 CDD")
"DHW SF2 R-Lp Prc4 S1 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("DHW SF2 R-Lp Prc4 S1 WD", &D, &D, &D, &D,
    "DHW SF2 R-Lp Prc4 S1 WEH", &D, &D, "DHW SF2 R-Lp Prc4 S1 HDD",
    "DHW SF2 R-Lp Prc4 S1 CDD")
```

```
"DHW SF2 R-Lp Prc4 S2 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("DHW SF2 R-Lp Prc4 S2 WD", &D, &D, &D, &D,
    "DHW SF2 R-Lp Prc4 S2 WEH", &D, &D, "DHW SF2 R-Lp Prc4 S2 HDD",
    "DHW SF2 R-Lp Prc4 S2 CDD" )
"DHW SF2 R-Lp Prc4 S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("DHW SF2 R-Lp Prc4 S3 WD", &D, &D, &D, &D,
    "DHW SF2 R-Lp Prc4 S3 WEH", &D, &D, "DHW SF2 R-Lp Prc4 S3 HDD",
    "DHW SF2 R-Lp Prc4 S3 CDD")
"DHW SF2 R-Lp Prc5 S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("DHW SF2 R-Lp Prc5 S1 WD", &D, &D, &D, &D,
    "DHW SF2 R-Lp Prc5 S1 WEH", &D, &D, "DHW SF2 R-Lp Prc5 S1 HDD",
    "DHW SF2 R-Lp Prc5 S1 CDD")
"DHW SF2 R-Lp Prc5 S2 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("DHW SF2 R-Lp Prc5 S2 WD", &D, &D, &D, &D,
    "DHW SF2 R-Lp Prc5 S2 WEH", &D, &D, "DHW SF2 R-Lp Prc5 S2 HDD",
    "DHW SF2 R-Lp Prc5 S2 CDD")
"DHW SF2 R-Lp Prc5 S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("DHW SF2 R-Lp Prc5 S3 WD", &D, &D, &D, &D,
    "DHW SF2 R-Lp Prc5 S3 WEH", &D, &D, "DHW SF2 R-Lp Prc5 S3 HDD",
    "DHW SF2 R-Lp Prc5 S3 CDD")
"DHW SF2-2 R-Lp Prc1 S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("DHW SF2-2 R-Lp Prc1 S1 WD", &D, &D, &D,
    "DHW SF2-2 R-Lp Prc1 S1 WEH", &D, &D, "DHW SF2-2 R-Lp Prc1 S1 HDD",
    "DHW SF2-2 R-Lp Prc1 S1 CDD")
"DHW SF2-2 R-Lp Prc1 S2 Wk" = WEEK-SCHEDULE-PD
           = FRACTION
 DAY-SCHEDULES = ("DHW SF2-2 R-Lp Prc1 S2 WD", &D, &D, &D, &D,
    "DHW SF2-2 R-Lp Prc1 S2 WEH", &D, &D, "DHW SF2-2 R-Lp Prc1 S2 HDD",
    "DHW SF2-2 R-Lp Prc1 S2 CDD")
"DHW SF2-2 R-Lp Prc1 S3 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("DHW SF2-2 R-Lp Prc1 S3 WD", &D, &D, &D,
    "DHW SF2-2 R-Lp Prc1 S3 WEH", &D, &D, "DHW SF2-2 R-Lp Prc1 S3 HDD",
    "DHW SF2-2 R-Lp Prc1 S3 CDD")
"DHW SF2-2 R-Lp Prc2 S1 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 TYPE
 DAY-SCHEDULES = ("DHW SF2-2 R-Lp Prc2 S1 WD", &D, &D, &D,
    "DHW SF2-2 R-Lp Prc2 S1 WEH", &D, &D, "DHW SF2-2 R-Lp Prc2 S1 HDD",
    "DHW SF2-2 R-Lp Prc2 S1 CDD")
"DHW SF2-2 R-Lp Prc2 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
          = FRACTION
```

```
DAY-SCHEDULES = ("DHW SF2-2 R-Lp Prc2 S2 WD", &D, &D, &D.
    "DHW SF2-2 R-Lp Prc2 S2 WEH", &D, &D, "DHW SF2-2 R-Lp Prc2 S2 HDD",
    "DHW SF2-2 R-Lp Prc2 S2 CDD")
"DHW SF2-2 R-Lp Prc2 S3 Wk" = WEEK-SCHEDULE-PD
 TYPF
            = FRACTION
 DAY-SCHEDULES = ("DHW SF2-2 R-Lp Prc2 S3 WD", &D, &D, &D,
    "DHW SF2-2 R-Lp Prc2 S3 WEH", &D, &D, "DHW SF2-2 R-Lp Prc2 S3 HDD",
    "DHW SF2-2 R-Lp Prc2 S3 CDD")
"DHW SF2-2 R-Lp Prc3 S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
         = FRACTION
 DAY-SCHEDULES = ("DHW SF2-2 R-Lp Prc3 S1 WD", &D, &D, &D,
    "DHW SF2-2 R-Lp Prc3 S1 WEH", &D, &D, "DHW SF2-2 R-Lp Prc3 S1 HDD",
    "DHW SF2-2 R-Lp Prc3 S1 CDD")
"DHW SF2-2 R-Lp Prc3 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("DHW SF2-2 R-Lp Prc3 S2 WD", &D, &D, &D, &D.
    "DHW SF2-2 R-Lp Prc3 S2 WEH", &D, &D, "DHW SF2-2 R-Lp Prc3 S2 HDD",
    "DHW SF2-2 R-Lp Prc3 S2 CDD")
"DHW SF2-2 R-Lp Prc3 S3 Wk" = WEEK-SCHEDULE-PD
           = FRACTION
 DAY-SCHEDULES = ("DHW SF2-2 R-Lp Prc3 S3 WD", &D, &D, &D, &D,
    "DHW SF2-2 R-Lp Prc3 S3 WEH", &D, &D, "DHW SF2-2 R-Lp Prc3 S3 HDD",
    "DHW SF2-2 R-Lp Prc3 S3 CDD")
"DHW SF2-2 R-Lp Prc4 S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("DHW SF2-2 R-Lp Prc4 S1 WD", &D, &D, &D,
    "DHW SF2-2 R-Lp Prc4 S1 WEH", &D, &D, "DHW SF2-2 R-Lp Prc4 S1 HDD",
    "DHW SF2-2 R-Lp Prc4 S1 CDD")
"DHW SF2-2 R-Lp Prc4 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("DHW SF2-2 R-Lp Prc4 S2 WD", &D, &D, &D, &D,
    "DHW SF2-2 R-Lp Prc4 S2 WEH", &D, &D, "DHW SF2-2 R-Lp Prc4 S2 HDD",
    "DHW SF2-2 R-Lp Prc4 S2 CDD")
"DHW SF2-2 R-Lp Prc4 S3 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("DHW SF2-2 R-Lp Prc4 S3 WD", &D, &D, &D, &D,
    "DHW SF2-2 R-Lp Prc4 S3 WEH", &D, &D, "DHW SF2-2 R-Lp Prc4 S3 HDD",
    "DHW SF2-2 R-Lp Prc4 S3 CDD")
"DHW SF2-2 R-Lp Prc5 S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("DHW SF2-2 R-Lp Prc5 S1 WD", &D, &D, &D,
    "DHW SF2-2 R-Lp Prc5 S1 WEH", &D, &D, "DHW SF2-2 R-Lp Prc5 S1 HDD",
    "DHW SF2-2 R-Lp Prc5 S1 CDD")
"DHW SF2-2 R-Lp Prc5 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
        = FRACTION
 DAY-SCHEDULES = ("DHW SF2-2 R-Lp Prc5 S2 WD", &D, &D, &D, &D,
    "DHW SF2-2 R-Lp Prc5 S2 WEH", &D, &D, "DHW SF2-2 R-Lp Prc5 S2 HDD",
```

```
"DHW SF2-2 R-Lp Prc5 S2 CDD")
"DHW SF2-2 R-Lp Prc5 S3 Wk" = WEEK-SCHEDULE-PD
 TYPE = FRACTION
 DAY-SCHEDULES = ("DHW SF2-2 R-Lp Prc5 S3 WD", &D, &D, &D, &D,
    "DHW SF2-2 R-Lp Prc5 S3 WEH", &D, &D, "DHW SF2-2 R-Lp Prc5 S3 HDD",
    "DHW SF2-2 R-Lp Prc5 S3 CDD")
"DHW SF1 R-Lp Prc1 S1 Wk" = WEEK-SCHEDULE-PD
           = FRACTION
 TYPE
 DAY-SCHEDULES = ("DHW SF1 R-Lp Prc1 S1 WD", &D, &D, &D, &D,
    "DHW SF1 R-Lp Prc1 S1 WEH", &D, &D, "DHW SF1 R-Lp Prc1 S1 HDD",
    "DHW SF1 R-Lp Prc1 S1 CDD")
"DHW SF1 R-Lp Prc1 S2 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("DHW SF1 R-Lp Prc1 S2 WD", &D, &D, &D, &D,
    "DHW SF1 R-Lp Prc1 S2 WEH", &D, &D, "DHW SF1 R-Lp Prc1 S2 HDD",
    "DHW SF1 R-Lp Prc1 S2 CDD")
"DHW SF1 R-Lp Prc1 S3 Wk" = WEEK-SCHEDULE-PD
             = FRACTION
 DAY-SCHEDULES = ("DHW SF1 R-Lp Prc1 S3 WD", &D, &D, &D, &D,
    "DHW SF1 R-Lp Prc1 S3 WEH", &D, &D, "DHW SF1 R-Lp Prc1 S3 HDD",
    "DHW SF1 R-Lp Prc1 S3 CDD")
"DHW SF1 R-Lp Prc2 S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("DHW SF1 R-Lp Prc2 S1 WD", &D, &D, &D, &D,
    "DHW SF1 R-Lp Prc2 S1 WEH", &D, &D, "DHW SF1 R-Lp Prc2 S1 HDD",
    "DHW SF1 R-Lp Prc2 S1 CDD")
"DHW SF1 R-Lp Prc2 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("DHW SF1 R-Lp Prc2 S2 WD", &D, &D, &D, &D,
    "DHW SF1 R-Lp Prc2 S2 WEH", &D, &D, "DHW SF1 R-Lp Prc2 S2 HDD",
    "DHW SF1 R-Lp Prc2 S2 CDD")
"DHW SF1 R-Lp Prc2 S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
         = FRACTION
 DAY-SCHEDULES = ("DHW SF1 R-Lp Prc2 S3 WD", &D, &D, &D, &D,
    "DHW SF1 R-Lp Prc2 S3 WEH", &D, &D, "DHW SF1 R-Lp Prc2 S3 HDD",
    "DHW SF1 R-Lp Prc2 S3 CDD")
"DHW SF1 R-Lp Prc3 S1 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("DHW SF1 R-Lp Prc3 S1 WD", &D, &D, &D, &D,
    "DHW SF1 R-Lp Prc3 S1 WEH", &D, &D, "DHW SF1 R-Lp Prc3 S1 HDD",
    "DHW SF1 R-Lp Prc3 S1 CDD")
"DHW SF1 R-Lp Prc3 S2 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("DHW SF1 R-Lp Prc3 S2 WD", &D, &D, &D,
    "DHW SF1 R-Lp Prc3 S2 WEH", &D, &D, "DHW SF1 R-Lp Prc3 S2 HDD",
    "DHW SF1 R-Lp Prc3 S2 CDD")
```

```
"DHW SF1 R-Lp Prc3 S3 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("DHW SF1 R-Lp Prc3 S3 WD", &D, &D, &D, &D,
    "DHW SF1 R-Lp Prc3 S3 WEH", &D, &D, "DHW SF1 R-Lp Prc3 S3 HDD",
    "DHW SF1 R-Lp Prc3 S3 CDD")
"DHW SF1 R-Lp Prc4 S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("DHW SF1 R-Lp Prc4 S1 WD", &D, &D, &D, &D,
    "DHW SF1 R-Lp Prc4 S1 WEH", &D, &D, "DHW SF1 R-Lp Prc4 S1 HDD",
    "DHW SF1 R-Lp Prc4 S1 CDD")
"DHW SF1 R-Lp Prc4 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("DHW SF1 R-Lp Prc4 S2 WD", &D, &D, &D, &D,
    "DHW SF1 R-Lp Prc4 S2 WEH", &D, &D, "DHW SF1 R-Lp Prc4 S2 HDD",
    "DHW SF1 R-Lp Prc4 S2 CDD")
"DHW SF1 R-Lp Prc4 S3 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("DHW SF1 R-Lp Prc4 S3 WD", &D, &D, &D, &D,
    "DHW SF1 R-Lp Prc4 S3 WEH", &D, &D, "DHW SF1 R-Lp Prc4 S3 HDD",
    "DHW SF1 R-Lp Prc4 S3 CDD")
"DHW SF1 R-Lp Prc5 S1 Wk" = WEEK-SCHEDULE-PD
 TYPE
           = FRACTION
 DAY-SCHEDULES = ("DHW SF1 R-Lp Prc5 S1 WD", &D, &D, &D, &D,
    "DHW SF1 R-Lp Prc5 S1 WEH", &D, &D, "DHW SF1 R-Lp Prc5 S1 HDD",
    "DHW SF1 R-Lp Prc5 S1 CDD")
"DHW SF1 R-Lp Prc5 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("DHW SF1 R-Lp Prc5 S2 WD", &D, &D, &D,
    "DHW SF1 R-Lp Prc5 S2 WEH", &D, &D, "DHW SF1 R-Lp Prc5 S2 HDD",
    "DHW SF1 R-Lp Prc5 S2 CDD")
"DHW SF1 R-Lp Prc5 S3 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("DHW SF1 R-Lp Prc5 S3 WD", &D, &D, &D, &D,
    "DHW SF1 R-Lp Prc5 S3 WEH", &D, &D, "DHW SF1 R-Lp Prc5 S3 HDD",
    "DHW SF1 R-Lp Prc5 S3 CDD")
"DHW SF1-2 R-Lp Prc1 S1 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("DHW SF1-2 R-Lp Prc1 S1 WD", &D, &D, &D,
    "DHW SF1-2 R-Lp Prc1 S1 WEH", &D, &D, "DHW SF1-2 R-Lp Prc1 S1 HDD",
    "DHW SF1-2 R-Lp Prc1 S1 CDD")
"DHW SF1-2 R-Lp Prc1 S2 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 TYPE
 DAY-SCHEDULES = ("DHW SF1-2 R-Lp Prc1 S2 WD", &D, &D, &D, &D,
    "DHW SF1-2 R-Lp Prc1 S2 WEH", &D, &D, "DHW SF1-2 R-Lp Prc1 S2 HDD",
    "DHW SF1-2 R-Lp Prc1 S2 CDD")
"DHW SF1-2 R-Lp Prc1 S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
          = FRACTION
```

```
DAY-SCHEDULES = ("DHW SF1-2 R-Lp Prc1 S3 WD", &D, &D, &D, &D.
    "DHW SF1-2 R-Lp Prc1 S3 WEH", &D, &D, "DHW SF1-2 R-Lp Prc1 S3 HDD",
    "DHW SF1-2 R-Lp Prc1 S3 CDD")
"DHW SF1-2 R-Lp Prc2 S1 Wk" = WEEK-SCHEDULE-PD
 TYPF
            = FRACTION
 DAY-SCHEDULES = ("DHW SF1-2 R-Lp Prc2 S1 WD", &D, &D, &D, &D,
    "DHW SF1-2 R-Lp Prc2 S1 WEH", &D, &D, "DHW SF1-2 R-Lp Prc2 S1 HDD",
    "DHW SF1-2 R-Lp Prc2 S1 CDD")
"DHW SF1-2 R-Lp Prc2 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
         = FRACTION
 DAY-SCHEDULES = ("DHW SF1-2 R-Lp Prc2 S2 WD", &D, &D, &D,
    "DHW SF1-2 R-Lp Prc2 S2 WEH", &D, &D, "DHW SF1-2 R-Lp Prc2 S2 HDD",
    "DHW SF1-2 R-Lp Prc2 S2 CDD")
"DHW SF1-2 R-Lp Prc2 S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("DHW SF1-2 R-Lp Prc2 S3 WD", &D, &D, &D, &D.
    "DHW SF1-2 R-Lp Prc2 S3 WEH", &D, &D, "DHW SF1-2 R-Lp Prc2 S3 HDD",
    "DHW SF1-2 R-Lp Prc2 S3 CDD")
"DHW SF1-2 R-Lp Prc3 S1 Wk" = WEEK-SCHEDULE-PD
           = FRACTION
 DAY-SCHEDULES = ("DHW SF1-2 R-Lp Prc3 S1 WD", &D, &D, &D,
    "DHW SF1-2 R-Lp Prc3 S1 WEH", &D, &D, "DHW SF1-2 R-Lp Prc3 S1 HDD",
    "DHW SF1-2 R-Lp Prc3 S1 CDD")
"DHW SF1-2 R-Lp Prc3 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("DHW SF1-2 R-Lp Prc3 S2 WD", &D, &D, &D,
    "DHW SF1-2 R-Lp Prc3 S2 WEH", &D, &D, "DHW SF1-2 R-Lp Prc3 S2 HDD",
    "DHW SF1-2 R-Lp Prc3 S2 CDD")
"DHW SF1-2 R-Lp Prc3 S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("DHW SF1-2 R-Lp Prc3 S3 WD", &D, &D, &D, &D,
    "DHW SF1-2 R-Lp Prc3 S3 WEH", &D, &D, "DHW SF1-2 R-Lp Prc3 S3 HDD",
    "DHW SF1-2 R-Lp Prc3 S3 CDD")
"DHW SF1-2 R-Lp Prc4 S1 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("DHW SF1-2 R-Lp Prc4 S1 WD", &D, &D, &D, &D,
    "DHW SF1-2 R-Lp Prc4 S1 WEH", &D, &D, "DHW SF1-2 R-Lp Prc4 S1 HDD",
    "DHW SF1-2 R-Lp Prc4 S1 CDD")
"DHW SF1-2 R-Lp Prc4 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE
            = FRACTION
 DAY-SCHEDULES = ("DHW SF1-2 R-Lp Prc4 S2 WD", &D, &D, &D,
    "DHW SF1-2 R-Lp Prc4 S2 WEH", &D, &D, "DHW SF1-2 R-Lp Prc4 S2 HDD",
    "DHW SF1-2 R-Lp Prc4 S2 CDD")
"DHW SF1-2 R-Lp Prc4 S3 Wk" = WEEK-SCHEDULE-PD
 TYPE
         = FRACTION
 DAY-SCHEDULES = ("DHW SF1-2 R-Lp Prc4 S3 WD", &D, &D, &D, &D,
    "DHW SF1-2 R-Lp Prc4 S3 WEH", &D, &D, "DHW SF1-2 R-Lp Prc4 S3 HDD",
```

```
"DHW SF1-2 R-Lp Prc4 S3 CDD")
"DHW SF1-2 R-Lp Prc5 S1 Wk" = WEEK-SCHEDULE-PD
 TYPE = FRACTION
 DAY-SCHEDULES = ("DHW SF1-2 R-Lp Prc5 S1 WD", &D, &D, &D,
    "DHW SF1-2 R-Lp Prc5 S1 WEH", &D, &D, "DHW SF1-2 R-Lp Prc5 S1 HDD",
    "DHW SF1-2 R-Lp Prc5 S1 CDD")
"DHW SF1-2 R-Lp Prc5 S2 Wk" = WEEK-SCHEDULE-PD
 TYPE = FRACTION
 DAY-SCHEDULES = ("DHW SF1-2 R-Lp Prc5 S2 WD", &D, &D, &D, &D,
    "DHW SF1-2 R-Lp Prc5 S2 WEH", &D, &D, "DHW SF1-2 R-Lp Prc5 S2 HDD",
    "DHW SF1-2 R-Lp Prc5 S2 CDD")
"DHW SF1-2 R-Lp Prc5 S3 Wk" = WEEK-SCHEDULE-PD
            = FRACTION
 DAY-SCHEDULES = ("DHW SF1-2 R-Lp Prc5 S3 WD", &D, &D, &D,
    "DHW SF1-2 R-Lp Prc5 S3 WEH", &D, &D, "DHW SF1-2 R-Lp Prc5 S3 HDD",
    "DHW SF1-2 R-Lp Prc5 S3 CDD")
"Cust 1 Elec TOU Seas1 Week" = WEEK-SCHEDULE-PD
        = FLAG
 DAY-SCHEDULES = ("Cust 1 Elec TOU Seas1 Day1")
"Cust 1 Elec TOU Seas2 Week" = WEEK-SCHEDULE-PD
 TYPE = FLAG
 DAY-SCHEDULES = ("Cust 1 Elec TOU Seas2 Day1")
"Cust 2 Elec TOU Seas1 Week" = WEEK-SCHEDULE-PD
 TYPE = FLAG
 DAY-SCHEDULES = ("Cust 2 Elec TOU Seas1 Day1")
"Cust 2 Elec TOU Seas2 Week" = WEEK-SCHEDULE-PD
 TYPE = FLAG
 DAY-SCHEDULES = ("Cust 2 Elec TOU Seas2 Day1")
     Annual Schedules
$
"EL1 Occ-1 Sch" = SCHEDULE-PD
 TYPE = FRACTION
 MONTH
           = (3, 5, 9, 11, 12)
 DAY = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("EL1 Occ-1 S1 Wk", "EL1 Occ-1 S3 Wk",
    "EL1 Occ-1 S2 Wk", "EL1 Occ-1 S3 Wk", "EL1 Occ-1 S1 Wk")
"EL1 ILt-1 Sch" = SCHEDULE-PD
 TYPE = FRACTION
 MONTH
            = (3, 5, 9, 11, 12)
 DAY = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("EL1 ILt-1 S1 Wk", "EL1 ILt-1 S3 Wk",
    "EL1 ILt-1 S2 Wk", "EL1 ILt-1 S3 Wk", "EL1 ILt-1 S1 Wk")
"EL2 Occ-2 Sch" = SCHEDULE-PD
```

```
TYPE
           = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
 DAY
            = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("EL2 Occ-2 S1 Wk", "EL2 Occ-2 S3 Wk",
    "EL2 Occ-2 S2 Wk", "EL2 Occ-2 S3 Wk", "EL2 Occ-2 S1 Wk")
"EL2 Msc-2 Sch" = SCHEDULE-PD
 TYPE = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
 DAY
            = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("EL2 Msc-2 S1 Wk", "EL2 Msc-2 S3 Wk",
    "EL2 Msc-2 S2 Wk", "EL2 Msc-2 S3 Wk", "EL2 Msc-2 S1 Wk")
"EL2 Ckg-2 Sch" = SCHEDULE-PD
 TYPE
           = FRACTION
             = (3, 5, 9, 11, 12)
 MONTH
 DAY
           = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("EL2 Ckg-2 S1 Wk", "EL2 Ckg-2 S3 Wk",
    "EL2 Ckg-2 S2 Wk", "EL2 Ckg-2 S3 Wk", "EL2 Ckg-2 S1 Wk")
"EL2 Prc-2 Sch" = SCHEDULE-PD
 TYPE = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
 DAY
            = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("EL2 Prc-2 S1 Wk", "EL2 Prc-2 S3 Wk",
    "EL2 Prc-2 S2 Wk", "EL2 Prc-2 S3 Wk", "EL2 Prc-2 S1 Wk")
"EL2 Off-2 Sch" = SCHEDULE-PD
 TYPE = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
           = (31, 31, 30, 30, 31)
 DAY
 WEEK-SCHEDULES = ( "EL2 Off-2 S1 Wk", "EL2 Off-2 S3 Wk",
    "EL2 Off-2 S2 Wk", "EL2 Off-2 S3 Wk", "EL2 Off-2 S1 Wk")
"EL2 Mtr-2 Sch" = SCHEDULE-PD
 TYPE = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
 DAY
            = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("EL2 Mtr-2 S1 Wk", "EL2 Mtr-2 S3 Wk",
    "EL2 Mtr-2 S2 Wk", "EL2 Mtr-2 S3 Wk", "EL2 Mtr-2 S1 Wk")
"EL2 SCR-2 Sch" = SCHEDULE-PD
 TYPE = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
           = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("EL2 SCR-2 S1 Wk", "EL2 SCR-2 S3 Wk",
    "EL2 SCR-2 S2 Wk", "EL2 SCR-2 S3 Wk", "EL2 SCR-2 S1 Wk")
"EL2 GndFir 2 CookPrc Gas Sch" = SCHEDULE-PD
 TYPE
            = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
            = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("EL2 GndFlr 2 CookPrc Gas S1 Wk",
    "EL2 GndFir 2 CookPrc Gas S3 Wk", "EL2 GndFir 2 CookPrc Gas S2 Wk",
    "EL2 GndFlr 2 CookPrc Gas S3 Wk", "EL2 GndFlr 2 CookPrc Gas S1 Wk")
```

```
"EL2 GndFir 2 MtrsPrc Elc Sch" = SCHEDULE-PD
 TYPF
            = FRACTION
 MONTH
              = (3, 5, 9, 11, 12)
            = (31, 31, 30, 30, 31)
 DAY
 WEEK-SCHEDULES = ("EL2 GndFir 2 MtrsPrc Elc S1 Wk".
    "EL2 GndFir 2 MtrsPrc Elc S3 Wk", "EL2 GndFir 2 MtrsPrc Elc S2 Wk",
    "EL2 GndFir 2 MtrsPrc Elc S3 Wk", "EL2 GndFir 2 MtrsPrc Elc S1 Wk")
"EL2 Occ-1 Sch" = SCHEDULE-PD
 TYPE
          = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
 DAY
            = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("EL2 Occ-1 S1 Wk", "EL2 Occ-1 S3 Wk",
    "EL2 Occ-1 S2 Wk", "EL2 Occ-1 S3 Wk", "EL2 Occ-1 S1 Wk")
"EL2 Msc-1 Sch" = SCHEDULE-PD
 TYPE
          = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
 DAY
            = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("EL2 Msc-1 S1 Wk", "EL2 Msc-1 S3 Wk",
    "EL2 Msc-1 S2 Wk", "EL2 Msc-1 S3 Wk", "EL2 Msc-1 S1 Wk")
"EL2 Ckg-1 Sch" = SCHEDULE-PD
 TYPE
           = FRACTION
              = (3, 5, 9, 11, 12)
 MONTH
            = (31, 31, 30, 30, 31)
 DAY
 WEEK-SCHEDULES = ("EL2 Ckg-1 S1 Wk", "EL2 Ckg-1 S3 Wk",
    "EL2 Ckg-1 S2 Wk", "EL2 Ckg-1 S3 Wk", "EL2 Ckg-1 S1 Wk")
"EL2 Prc-1 Sch" = SCHEDULE-PD
 TYPE
           = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
 DAY
            = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("EL2 Prc-1 S1 Wk", "EL2 Prc-1 S3 Wk",
    "EL2 Prc-1 S2 Wk", "EL2 Prc-1 S3 Wk", "EL2 Prc-1 S1 Wk")
"EL2 Mtr-1 Sch" = SCHEDULE-PD
 TYPE
           = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
            = (31, 31, 30, 30, 31)
 DAY
 WEEK-SCHEDULES = ("EL2 Mtr-1 S1 Wk", "EL2 Mtr-1 S3 Wk",
    "EL2 Mtr-1 S2 Wk", "EL2 Mtr-1 S3 Wk", "EL2 Mtr-1 S1 Wk")
"EL2 SCR-1 Sch" = SCHEDULE-PD
 TYPE
           = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
 DAY
            = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("EL2 SCR-1 S1 Wk", "EL2 SCR-1 S3 Wk",
    "EL2 SCR-1 S2 Wk", "EL2 SCR-1 S3 Wk", "EL2 SCR-1 S1 Wk")
"EL5 GndFir 5 CookPrc Gas Sch" = SCHEDULE-PD
 TYPE
             = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
            = (31, 31, 30, 30, 31)
 DAY
 WEEK-SCHEDULES = ("EL5 GndFir 5 CookPrc Gas S1 Wk",
    "EL5 GndFlr 5 CookPrc Gas S3 Wk", "EL5 GndFlr 5 CookPrc Gas S2 Wk",
```

```
"EL5 GndFlr 5 CookPrc Gas S3 Wk". "EL5 GndFlr 5 CookPrc Gas S1 Wk")
"EL5 GndFir 5 MtrsPrc Elc Sch" = SCHEDULE-PD
 TYPE
            = FRACTION
 MONTH
              = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("EL5 GndFir 5 MtrsPrc Elc S1 Wk".
     "EL5 GndFir 5 MtrsPrc Elc S3 Wk", "EL5 GndFir 5 MtrsPrc Elc S2 Wk",
     "EL5 GndFir 5 MtrsPrc Elc S3 Wk", "EL5 GndFir 5 MtrsPrc Elc S1 Wk")
"EL7 Off-3 Sch" = SCHEDULE-PD
 TYPE
           = FRACTION
 MONTH
              = (3, 5, 9, 11, 12)
 DAY
            = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("EL7 Off-3 S1 Wk", "EL7 Off-3 S3 Wk",
     "EL7 Off-3 S2 Wk", "EL7 Off-3 S3 Wk", "EL7 Off-3 S1 Wk")
"EL7 ZnGrp 2 CookPrc Gas Sch" = SCHEDULE-PD
 TYPE
             = FRACTION
 MONTH
              = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("EL7 ZnGrp 2 CookPrc Gas S1 Wk",
     "EL7 ZnGrp 2 CookPrc Gas S3 Wk". "EL7 ZnGrp 2 CookPrc Gas S2 Wk".
     "EL7 ZnGrp 2 CookPrc Gas S3 Wk", "EL7 ZnGrp 2 CookPrc Gas S1 Wk")
"EL7 ZnGrp 2 MtrsPrc Elc Sch" = SCHEDULE-PD
 TYPE
             = FRACTION
 MONTH
               = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("EL7 ZnGrp 2 MtrsPrc Elc S1 Wk",
     "EL7 ZnGrp 2 MtrsPrc Elc S3 Wk". "EL7 ZnGrp 2 MtrsPrc Elc S2 Wk".
     "EL7 ZnGrp 2 MtrsPrc Elc S3 Wk", "EL7 ZnGrp 2 MtrsPrc Elc S1 Wk")
"EL8 ZnGrp 2 2 CookPrc Gas Sch" = SCHEDULE-PD
 TYPE
             = FRACTION
 MONTH
              = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("EL8 ZnGrp 2 2 CookPrc Gas S1 Wk",
     "EL8 ZnGrp 2 2 CookPrc Gas S3 Wk",
     "EL8 ZnGrp 2 2 CookPrc Gas S2 Wk"
     "EL8 ZnGrp 2 2 CookPrc Gas S3 Wk"
     "EL8 ZnGrp 2 2 CookPrc Gas S1 Wk")
"EL8 ZnGrp 2 2 MtrsPrc Elc Sch" = SCHEDULE-PD
 TYPE
             = FRACTION
 MONTH
              = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("EL8 ZnGrp 2 2 MtrsPrc Elc S1 Wk",
     "EL8 ZnGrp 2 2 MtrsPrc Elc S3 Wk",
     "EL8 ZnGrp 2 2 MtrsPrc Elc S2 Wk",
    "EL8 ZnGrp 2 2 MtrsPrc Elc S3 Wk",
     "EL8 ZnGrp 2 2 MtrsPrc Elc S1 Wk" )
"ZG6-S1 (PVVT) P-Inf Sch" = SCHEDULE-PD
 TYPE
           = MULTIPLIER
 MONTH
              = (3, 5, 9, 11, 12)
```

```
= (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("ZG6-S1 (PVVT) P-Inf S1 Wk",
     "ZG6-S1 (PVVT) P-Inf S3 Wk", "ZG6-S1 (PVVT) P-Inf S2 Wk",
     "ZG6-S1 (PVVT) P-Inf S3 Wk", "ZG6-S1 (PVVT) P-Inf S1 Wk")
"ZG6-S1 (PVVT) C-Inf Sch" = SCHEDULE-PD
 TYPE
              = FRACTION
 MONTH
               = (3, 5, 9, 11, 12)
             = (31, 31, 30, 30, 31)
 DAY
 WEEK-SCHEDULES = ( "ZG6-S1 (PVVT) C-Inf S1 Wk",
     "ZG6-S1 (PVVT) C-Inf S3 Wk", "ZG6-S1 (PVVT) C-Inf S2 Wk".
     "ZG6-S1 (PVVT) C-Inf S3 Wk", "ZG6-S1 (PVVT) C-Inf S1 Wk")
"ZG7-S1 (PVVT) P-Inf Sch" = SCHEDULE-PD
 TYPE
              = MULTIPLIER
 MONTH
               = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("ZG7-S1 (PVVT) P-Inf S1 Wk",
     "ZG7-S1 (PVVT) P-Inf S3 Wk", "ZG7-S1 (PVVT) P-Inf S2 Wk", "ZG7-S1 (PVVT) P-Inf S1 Wk", "ZG7-S1 (PVVT) P-Inf S1 Wk")
"ZG7-S1 (PVVT) C-Inf Sch" = SCHEDULE-PD
 TYPE
              = FRACTION
 MONTH
               = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("ZG7-S1 (PVVT) C-Inf S1 Wk",
     "ZG7-S1 (PVVT) C-Inf S3 Wk", "ZG7-S1 (PVVT) C-Inf S2 Wk".
     "ZG7-S1 (PVVT) C-Inf S3 Wk", "ZG7-S1 (PVVT) C-Inf S1 Wk")
"ZG8-S1 (PVVT) P-Inf Sch" = SCHEDULE-PD
 TYPE
             = MULTIPLIER
 MONTH
               = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("ZG8-S1 (PVVT) P-Inf S1 Wk",
     "ZG8-S1 (PVVT) P-Inf S3 Wk", "ZG8-S1 (PVVT) P-Inf S2 Wk",
     "ZG8-S1 (PVVT) P-Inf S3 Wk", "ZG8-S1 (PVVT) P-Inf S1 Wk")
"ZG8-S1 (PVVT) C-Inf Sch" = SCHEDULE-PD
 TYPE
             = FRACTION
 MONTH
               = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ( "ZG8-S1 (PVVT) C-Inf S1 Wk",
     "ZG8-S1 (PVVT) C-Inf S3 Wk", "ZG8-S1 (PVVT) C-Inf S2 Wk".
     "ZG8-S1 (PVVT) C-Inf S3 Wk", "ZG8-S1 (PVVT) C-Inf S1 Wk")
"ZG9-S1 (PVVT) P-Inf Sch" = SCHEDULE-PD
 TYPE
              = MULTIPLIER
               = (3, 5, 9, 11, 12)
 MONTH
             = (31, 31, 30, 30, 31)
 DAY
 WEEK-SCHEDULES = ( "ZG9-S1 (PVVT) P-Inf S1 Wk",
     "ZG9-S1 (PVVT) P-Inf S3 Wk". "ZG9-S1 (PVVT) P-Inf S2 Wk".
     "ZG9-S1 (PVVT) P-Inf S3 Wk", "ZG9-S1 (PVVT) P-Inf S1 Wk")
"ZG9-S1 (PVVT) C-Inf Sch" = SCHEDULE-PD
 TYPE
            = FRACTION
 MONTH
               = (3, 5, 9, 11, 12)
```

```
= (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("ZG9-S1 (PVVT) C-Inf S1 Wk".
     "ZG9-S1 (PVVT) C-Inf S3 Wk", "ZG9-S1 (PVVT) C-Inf S2 Wk",
     "ZG9-S1 (PVVT) C-Inf S3 Wk", "ZG9-S1 (PVVT) C-Inf S1 Wk")
"S1 Svs1 (PVVT) Fan Sch" = SCHEDULE-PD
              = ON/OFF/FLAG
 TYPE
 MONTH
               = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("S1 Sys1 (PVVT) Fan S1 Wk",
     "S1 Sys1 (PVVT) Fan S3 Wk", "S1 Sys1 (PVVT) Fan S2 Wk",
     "S1 Sys1 (PVVT) Fan S3 Wk", "S1 Sys1 (PVVT) Fan S1 Wk")
"ZG0-S1 (PVVT) P-Inf Sch" = SCHEDULE-PD
 TYPE
              = MULTIPLIER
 MONTH
               = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("ZG0-S1 (PVVT) P-Inf S1 Wk",
     "ZG0-S1 (PVVT) P-Inf S3 Wk", "ZG0-S1 (PVVT) P-Inf S2 Wk", "ZG0-S1 (PVVT) P-Inf S1 Wk", "ZG0-S1 (PVVT) P-Inf S1 Wk")
"ZG0-S1 (PVVT) C-Inf Sch" = SCHEDULE-PD
 TYPE
              = FRACTION
 MONTH
               = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("ZG0-S1 (PVVT) C-Inf S1 Wk",
     "ZG0-S1 (PVVT) C-Inf S3 Wk", "ZG0-S1 (PVVT) C-Inf S2 Wk".
     "ZG0-S1 (PVVT) C-Inf S3 Wk", "ZG0-S1 (PVVT) C-Inf S1 Wk")
"ZG1-S1 (PVVT) P-Inf Sch" = SCHEDULE-PD
 TYPE
             = MULTIPLIER
 MONTH
               = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("ZG1-S1 (PVVT) P-Inf S1 Wk",
     "ZG1-S1 (PVVT) P-Inf S3 Wk", "ZG1-S1 (PVVT) P-Inf S2 Wk",
     "ZG1-S1 (PVVT) P-Inf S3 Wk", "ZG1-S1 (PVVT) P-Inf S1 Wk")
"ZG1-S1 (PVVT) C-Inf Sch" = SCHEDULE-PD
 TYPE
             = FRACTION
 MONTH
               = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ( "ZG1-S1 (PVVT) C-Inf S1 Wk",
     "ZG1-S1 (PVVT) C-Inf S3 Wk", "ZG1-S1 (PVVT) C-Inf S2 Wk",
     "ZG1-S1 (PVVT) C-Inf S3 Wk", "ZG1-S1 (PVVT) C-Inf S1 Wk")
"ZG2-S1 (PVVT) P-Inf Sch" = SCHEDULE-PD
 TYPE
              = MULTIPLIER
               = (3, 5, 9, 11, 12)
 MONTH
             = (31, 31, 30, 30, 31)
 DAY
 WEEK-SCHEDULES = ( "ZG2-S1 (PVVT) P-Inf S1 Wk",
     "ZG2-S1 (PVVT) P-Inf S3 Wk", "ZG2-S1 (PVVT) P-Inf S2 Wk",
     "ZG2-S1 (PVVT) P-Inf S3 Wk", "ZG2-S1 (PVVT) P-Inf S1 Wk")
"ZG2-S1 (PVVT) C-Inf Sch" = SCHEDULE-PD
            = FRACTION
 TYPE
 MONTH
               = (3, 5, 9, 11, 12)
```

```
= (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("ZG2-S1 (PVVT) C-Inf S1 Wk".
     "ZG2-S1 (PVVT) C-Inf S3 Wk", "ZG2-S1 (PVVT) C-Inf S2 Wk",
     "ZG2-S1 (PVVT) C-Inf S3 Wk", "ZG2-S1 (PVVT) C-Inf S1 Wk")
"S2 Svs2 (PVVT) Fan Sch" = SCHEDULE-PD
              = ON/OFF/FLAG
 TYPE
 MONTH
               = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ( "S2 Sys2 (PVVT) Fan S1 Wk",
     "S2 Sys2 (PVVT) Fan S3 Wk", "S2 Sys2 (PVVT) Fan S2 Wk",
     "S2 Sys2 (PVVT) Fan S3 Wk", "S2 Sys2 (PVVT) Fan S1 Wk")
"ZG10-S1 (PVVT) P-Inf Sch" = SCHEDULE-PD
 TYPE
              = MULTIPLIER
 MONTH
               = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("ZG10-S1 (PVVT) P-Inf S1 Wk",
     "ZG10-S1 (PVVT) P-Inf S3 Wk", "ZG10-S1 (PVVT) P-Inf S2 Wk", "ZG10-S1 (PVVT) P-Inf S3 Wk", "ZG10-S1 (PVVT) P-Inf S1 Wk")
"ZG10-S1 (PVVT) C-Inf Sch" = SCHEDULE-PD
 TYPE
              = FRACTION
 MONTH
               = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("ZG10-S1 (PVVT) C-Inf S1 Wk",
     "ZG10-S1 (PVVT) C-Inf S3 Wk", "ZG10-S1 (PVVT) C-Inf S2 Wk",
     "ZG10-S1 (PVVT) C-Inf S3 Wk", "ZG10-S1 (PVVT) C-Inf S1 Wk")
"ZG11-S1 (PVVT) P-Inf Sch" = SCHEDULE-PD
 TYPE
              = MULTIPLIER
 MONTH
               = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("ZG11-S1 (PVVT) P-Inf S1 Wk",
     "ZG11-S1 (PVVT) P-Inf S3 Wk", "ZG11-S1 (PVVT) P-Inf S2 Wk",
     "ZG11-S1 (PVVT) P-Inf S3 Wk", "ZG11-S1 (PVVT) P-Inf S1 Wk")
"ZG11-S1 (PVVT) C-Inf Sch" = SCHEDULE-PD
 TYPE
             = FRACTION
 MONTH
               = (3, 5, 9, 11, 12)
             = (31, 31, 30, 30, 31)
 DAY
 WEEK-SCHEDULES = ("ZG11-S1 (PVVT) C-Inf S1 Wk",
     "ZG11-S1 (PVVT) C-Inf S3 Wk", "ZG11-S1 (PVVT) C-Inf S2 Wk",
     "ZG11-S1 (PVVT) C-Inf S3 Wk", "ZG11-S1 (PVVT) C-Inf S1 Wk")
"ZG12-S1 (PVVT) P-Inf Sch" = SCHEDULE-PD
 TYPE
              = MULTIPLIER
               = (3, 5, 9, 11, 12)
 MONTH
             = (31, 31, 30, 30, 31)
 DAY
 WEEK-SCHEDULES = ( "ZG12-S1 (PVVT) P-Inf S1 Wk",
     "ZG12-S1 (PVVT) P-Inf S3 Wk", "ZG12-S1 (PVVT) P-Inf S2 Wk",
     "ZG12-S1 (PVVT) P-Inf S3 Wk", "ZG12-S1 (PVVT) P-Inf S1 Wk")
"ZG12-S1 (PVVT) C-Inf Sch" = SCHEDULE-PD
 TYPE
            = FRACTION
 MONTH
               = (3, 5, 9, 11, 12)
```

```
= (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("ZG12-S1 (PVVT) C-Inf S1 Wk".
     "ZG12-S1 (PVVT) C-Inf S3 Wk", "ZG12-S1 (PVVT) C-Inf S2 Wk",
     "ZG12-S1 (PVVT) C-Inf S3 Wk", "ZG12-S1 (PVVT) C-Inf S1 Wk")
"ZG13-S1 (PVVT) P-Inf Sch" = SCHEDULE-PD
 TYPE
              = MULTIPLIER
 MONTH
                = (3, 5, 9, 11, 12)
              = (31, 31, 30, 30, 31)
 DAY
 WEEK-SCHEDULES = ("ZG13-S1 (PVVT) P-Inf S1 Wk",
     "ZG13-S1 (PVVT) P-Inf S3 Wk", "ZG13-S1 (PVVT) P-Inf S2 Wk",
     "ZG13-S1 (PVVT) P-Inf S3 Wk", "ZG13-S1 (PVVT) P-Inf S1 Wk")
"ZG13-S1 (PVVT) C-Inf Sch" = SCHEDULE-PD
 TYPE
              = FRACTION
 MONTH
               = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("ZG13-S1 (PVVT) C-Inf S1 Wk",
     "ZG13-S1 (PVVT) C-Inf S3 Wk", "ZG13-S1 (PVVT) C-Inf S2 Wk", "ZG13-S1 (PVVT) C-Inf S1 Wk", "ZG13-S1 (PVVT) C-Inf S1 Wk")
"S3 Svs3 (PVVT) Fan Sch" = SCHEDULE-PD
 TYPE
              = ON/OFF/FLAG
 MONTH
                = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("S3 Sys3 (PVVT) Fan S1 Wk",
     "S3 Sys3 (PVVT) Fan S3 Wk", "S3 Sys3 (PVVT) Fan S2 Wk", "S3 Sys3 (PVVT) Fan S1 Wk", "S3 Sys3 (PVVT) Fan S1 Wk")
"ZG3-S1 (PVVT) P-Inf Sch" = SCHEDULE-PD
 TYPE
             = MULTIPLIER
 MONTH
                = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("ZG3-S1 (PVVT) P-Inf S1 Wk",
     "ZG3-S1 (PVVT) P-Inf S3 Wk", "ZG3-S1 (PVVT) P-Inf S2 Wk",
     "ZG3-S1 (PVVT) P-Inf S3 Wk", "ZG3-S1 (PVVT) P-Inf S1 Wk")
"ZG3-S1 (PVVT) C-Inf Sch" = SCHEDULE-PD
 TYPE
              = FRACTION
 MONTH
               = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ( "ZG3-S1 (PVVT) C-Inf S1 Wk",
     "ZG3-S1 (PVVT) C-Inf S3 Wk", "ZG3-S1 (PVVT) C-Inf S2 Wk",
     "ZG3-S1 (PVVT) C-Inf S3 Wk", "ZG3-S1 (PVVT) C-Inf S1 Wk")
"ZG4-S1 (PVVT) P-Inf Sch" = SCHEDULE-PD
 TYPE
              = MULTIPLIER
                = (3, 5, 9, 11, 12)
 MONTH
 DAY
              = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ( "ZG4-S1 (PVVT) P-Inf S1 Wk",
     "ZG4-S1 (PVVT) P-Inf S3 Wk", "ZG4-S1 (PVVT) P-Inf S2 Wk",
     "ZG4-S1 (PVVT) P-Inf S3 Wk", "ZG4-S1 (PVVT) P-Inf S1 Wk")
"ZG4-S1 (PVVT) C-Inf Sch" = SCHEDULE-PD
            = FRACTION
 TYPE
 MONTH
               = (3, 5, 9, 11, 12)
```

```
= (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ( "ZG4-S1 (PVVT) C-Inf S1 Wk".
     "ZG4-S1 (PVVT) C-Inf S3 Wk", "ZG4-S1 (PVVT) C-Inf S2 Wk",
     "ZG4-S1 (PVVT) C-Inf S3 Wk", "ZG4-S1 (PVVT) C-Inf S1 Wk")
"ZG5-S1 (PVVT) P-Inf Sch" = SCHEDULE-PD
 TYPE
            = MULTIPLIER
 MONTH
              = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ( "ZG5-S1 (PVVT) P-Inf S1 Wk",
     "ZG5-S1 (PVVT) P-Inf S3 Wk", "ZG5-S1 (PVVT) P-Inf S2 Wk".
    "ZG5-S1 (PVVT) P-Inf S3 Wk", "ZG5-S1 (PVVT) P-Inf S1 Wk")
"ZG5-S1 (PVVT) C-Inf Sch" = SCHEDULE-PD
 TYPE
            = FRACTION
 MONTH
              = (3, 5, 9, 11, 12)
 DAY
            = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("ZG5-S1 (PVVT) C-Inf S1 Wk",
     "ZG5-S1 (PVVT) C-Inf S3 Wk". "ZG5-S1 (PVVT) C-Inf S2 Wk".
     "ZG5-S1 (PVVT) C-Inf S3 Wk", "ZG5-S1 (PVVT) C-Inf S1 Wk")
"S4 Svs4 (PVVT) Fan Sch" = SCHEDULE-PD
 TYPE
             = ON/OFF/FLAG
 MONTH
             = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ( "S4 Sys4 (PVVT) Fan S1 Wk",
    "S4 Sys4 (PVVT) Fan S3 Wk", "S4 Sys4 (PVVT) Fan S2 Wk", "S4 Sys4 (PVVT) Fan S1 Wk", "S4 Sys4 (PVVT) Fan S1 Wk")
"DHW SF2 R-Lp Prc1 Sch" = SCHEDULE-PD
 TYPE
            = FRACTION
 MONTH
              = (3, 5, 9, 11, 12)
 DAY
            = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("DHW SF2 R-Lp Prc1 S1 Wk", "DHW SF2 R-Lp Prc1 S3 Wk",
     "DHW SF2 R-Lp Prc1 S2 Wk", "DHW SF2 R-Lp Prc1 S3 Wk",
     "DHW SF2 R-Lp Prc1 S1 Wk")
"DHW SF2 R-Lp Prc2 Sch" = SCHEDULE-PD
 TYPE
            = FRACTION
 MONTH
              = (3, 5, 9, 11, 12)
 DAY
           = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("DHW SF2 R-Lp Prc2 S1 Wk", "DHW SF2 R-Lp Prc2 S3 Wk",
     "DHW SF2 R-Lp Prc2 S2 Wk", "DHW SF2 R-Lp Prc2 S3 Wk",
    "DHW SF2 R-Lp Prc2 S1 Wk")
"DHW SF2 R-Lp Prc3 Sch" = SCHEDULE-PD
 TYPE
             = FRACTION
 MONTH
              = (3, 5, 9, 11, 12)
 DAY
             = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("DHW SF2 R-Lp Prc3 S1 Wk", "DHW SF2 R-Lp Prc3 S3 Wk",
     "DHW SF2 R-Lp Prc3 S2 Wk", "DHW SF2 R-Lp Prc3 S3 Wk",
    "DHW SF2 R-Lp Prc3 S1 Wk")
"DHW SF2 R-Lp Prc4 Sch" = SCHEDULE-PD
 TYPE = FRACTION
 MONTH
              = (3, 5, 9, 11, 12)
```

```
= (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("DHW SF2 R-Lp Prc4 S1 Wk", "DHW SF2 R-Lp Prc4 S3 Wk",
    "DHW SF2 R-Lp Prc4 S2 Wk", "DHW SF2 R-Lp Prc4 S3 Wk",
    "DHW SF2 R-Lp Prc4 S1 Wk")
"DHW SF2 R-Lp Prc5 Sch" = SCHEDULE-PD
 TYPE
           = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
 DAY
            = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("DHW SF2 R-Lp Prc5 S1 Wk", "DHW SF2 R-Lp Prc5 S3 Wk",
    "DHW SF2 R-Lp Prc5 S2 Wk", "DHW SF2 R-Lp Prc5 S3 Wk",
    "DHW SF2 R-Lp Prc5 S1 Wk")
"DHW SF2-2 R-Lp Prc1 Sch" = SCHEDULE-PD
 TYPE
          = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
 DAY
          = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("DHW SF2-2 R-Lp Prc1 S1 Wk",
    "DHW SF2-2 R-Lp Prc1 S3 Wk", "DHW SF2-2 R-Lp Prc1 S2 Wk",
    "DHW SF2-2 R-Lp Prc1 S3 Wk", "DHW SF2-2 R-Lp Prc1 S1 Wk")
"DHW SF2-2 R-Lp Prc2 Sch" = SCHEDULE-PD
 TYPE
           = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
 DAY
            = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("DHW SF2-2 R-Lp Prc2 S1 Wk",
    "DHW SF2-2 R-Lp Prc2 S3 Wk", "DHW SF2-2 R-Lp Prc2 S2 Wk",
    "DHW SF2-2 R-Lp Prc2 S3 Wk", "DHW SF2-2 R-Lp Prc2 S1 Wk")
"DHW SF2-2 R-Lp Prc3 Sch" = SCHEDULE-PD
 TYPE
           = FRACTION
 MONTH
              = (3, 5, 9, 11, 12)
 DAY
            = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("DHW SF2-2 R-Lp Prc3 S1 Wk",
    "DHW SF2-2 R-Lp Prc3 S3 Wk", "DHW SF2-2 R-Lp Prc3 S2 Wk",
    "DHW SF2-2 R-Lp Prc3 S3 Wk", "DHW SF2-2 R-Lp Prc3 S1 Wk")
"DHW SF2-2 R-Lp Prc4 Sch" = SCHEDULE-PD
 TYPE
           = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
 DAY
           = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("DHW SF2-2 R-Lp Prc4 S1 Wk",
    "DHW SF2-2 R-Lp Prc4 S3 Wk", "DHW SF2-2 R-Lp Prc4 S2 Wk",
    "DHW SF2-2 R-Lp Prc4 S3 Wk", "DHW SF2-2 R-Lp Prc4 S1 Wk")
"DHW SF2-2 R-Lp Prc5 Sch" = SCHEDULE-PD
 TYPE
           = FRACTION
             = (3, 5, 9, 11, 12)
 MONTH
            = (31, 31, 30, 30, 31)
 DAY
 WEEK-SCHEDULES = ("DHW SF2-2 R-Lp Prc5 S1 Wk",
    "DHW SF2-2 R-Lp Prc5 S3 Wk", "DHW SF2-2 R-Lp Prc5 S2 Wk",
    "DHW SF2-2 R-Lp Prc5 S3 Wk", "DHW SF2-2 R-Lp Prc5 S1 Wk")
"DHW SF1 R-Lp Prc1 Sch" = SCHEDULE-PD
 TYPE = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
```

```
= (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("DHW SF1 R-Lp Prc1 S1 Wk", "DHW SF1 R-Lp Prc1 S3 Wk",
    "DHW SF1 R-Lp Prc1 S2 Wk", "DHW SF1 R-Lp Prc1 S3 Wk",
    "DHW SF1 R-Lp Prc1 S1 Wk")
"DHW SF1 R-Lp Prc2 Sch" = SCHEDULE-PD
 TYPE
            = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
 DAY
            = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("DHW SF1 R-Lp Prc2 S1 Wk", "DHW SF1 R-Lp Prc2 S3 Wk",
    "DHW SF1 R-Lp Prc2 S2 Wk", "DHW SF1 R-Lp Prc2 S3 Wk",
    "DHW SF1 R-Lp Prc2 S1 Wk")
"DHW SF1 R-Lp Prc3 Sch" = SCHEDULE-PD
 TYPE
            = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
 DAY
            = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("DHW SF1 R-Lp Prc3 S1 Wk", "DHW SF1 R-Lp Prc3 S3 Wk",
    "DHW SF1 R-Lp Prc3 S2 Wk". "DHW SF1 R-Lp Prc3 S3 Wk".
    "DHW SF1 R-Lp Prc3 S1 Wk")
"DHW SF1 R-Lp Prc4 Sch" = SCHEDULE-PD
 TYPE
            = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
 DAY
            = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("DHW SF1 R-Lp Prc4 S1 Wk", "DHW SF1 R-Lp Prc4 S3 Wk",
    "DHW SF1 R-Lp Prc4 S2 Wk", "DHW SF1 R-Lp Prc4 S3 Wk",
    "DHW SF1 R-Lp Prc4 S1 Wk")
"DHW SF1 R-Lp Prc5 Sch" = SCHEDULE-PD
 TYPE
           = FRACTION
 MONTH
              = (3, 5, 9, 11, 12)
 DAY
            = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("DHW SF1 R-Lp Prc5 S1 Wk", "DHW SF1 R-Lp Prc5 S3 Wk",
    "DHW SF1 R-Lp Prc5 S2 Wk", "DHW SF1 R-Lp Prc5 S3 Wk",
    "DHW SF1 R-Lp Prc5 S1 Wk")
"DHW SF1-2 R-Lp Prc1 Sch" = SCHEDULE-PD
 TYPE
          = FRACTION
             = (3, 5, 9, 11, 12)
 MONTH
 DAY
           = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("DHW SF1-2 R-Lp Prc1 S1 Wk",
    "DHW SF1-2 R-Lp Prc1 S3 Wk", "DHW SF1-2 R-Lp Prc1 S2 Wk",
    "DHW SF1-2 R-Lp Prc1 S3 Wk", "DHW SF1-2 R-Lp Prc1 S1 Wk")
"DHW SF1-2 R-Lp Prc2 Sch" = SCHEDULE-PD
 TYPE
           = FRACTION
             = (3, 5, 9, 11, 12)
 MONTH
            = (31, 31, 30, 30, 31)
 DAY
 WEEK-SCHEDULES = ("DHW SF1-2 R-Lp Prc2 S1 Wk",
    "DHW SF1-2 R-Lp Prc2 S3 Wk", "DHW SF1-2 R-Lp Prc2 S2 Wk".
    "DHW SF1-2 R-Lp Prc2 S3 Wk", "DHW SF1-2 R-Lp Prc2 S1 Wk")
"DHW SF1-2 R-Lp Prc3 Sch" = SCHEDULE-PD
 TYPE
          = FRACTION
 MONTH
              = (3, 5, 9, 11, 12)
```

```
= (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("DHW SF1-2 R-Lp Prc3 S1 Wk",
    "DHW SF1-2 R-Lp Prc3 S3 Wk", "DHW SF1-2 R-Lp Prc3 S2 Wk",
    "DHW SF1-2 R-Lp Prc3 S3 Wk", "DHW SF1-2 R-Lp Prc3 S1 Wk")
"DHW SF1-2 R-Lp Prc4 Sch" = SCHEDULE-PD
          = FRACTION
 TYPE
 MONTH
             = (3, 5, 9, 11, 12)
 DAY
           = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("DHW SF1-2 R-Lp Prc4 S1 Wk",
    "DHW SF1-2 R-Lp Prc4 S3 Wk", "DHW SF1-2 R-Lp Prc4 S2 Wk",
    "DHW SF1-2 R-Lp Prc4 S3 Wk", "DHW SF1-2 R-Lp Prc4 S1 Wk")
"DHW SF1-2 R-Lp Prc5 Sch" = SCHEDULE-PD
 TYPE
          = FRACTION
 MONTH
             = (3, 5, 9, 11, 12)
 DAY = (31, 31, 30, 30, 31)
 WEEK-SCHEDULES = ("DHW SF1-2 R-Lp Prc5 S1 Wk",
    "DHW SF1-2 R-Lp Prc5 S3 Wk", "DHW SF1-2 R-Lp Prc5 S2 Wk", "DHW SF1-2 R-Lp Prc5 S1 Wk", "DHW SF1-2 R-Lp Prc5 S1 Wk")
"Cust 1 Elec TOU Sched" = SCHEDULE-PD
 TYPE
           = FLAG
 MONTH
             = (8, 8, 12)
            = (11, 14, 31)
 DAY
 WEEK-SCHEDULES = ("Cust 1 Elec TOU Seas1 Week",
    "Cust 1 Elec TOU Seas2 Week", "Cust 1 Elec TOU Seas1 Week")
"Cust 2 Elec TOU Sched" = SCHEDULE-PD
 TYPE = FLAG
 MONTH
             = (8, 8, 12)
 DAY
          = (11, 14, 31)
 WEEK-SCHEDULES = ("Cust 2 Elec TOU Seas1 Week",
    "Cust 2 Elec TOU Seas2 Week", "Cust 2 Elec TOU Seas1 Week")
$
        Polygons
$ -
"EL1 Floor Polygon" = POLYGON
 V1 = (0, 0)
 V2
          = (0, 14)
 V3
          = (-14.32, 14)
 V4
           = (-14.32, 0)
"EL2 Floor Polygon" = POLYGON
 V1
           = (0, 0)
 V2
           = (0, 42.95)
 V3
          = (-28.64, 42.95)
 V4
          = (-28.64, 0)
"EL2 Roof Polygon 1" = POLYGON
 V1 = (2, -2)
           = (2, 44.95)
 V2
```

```
V3
            = (-30.64, 44.95)
 V4
            = (-30.64, -2)
"EL2 Roof Polygon 1 Wall 1" = POLYGON
           = (0, 0)
 V2
           = (46.95, 0)
 V3
           = (46.95, 18.01)
 V4
            = (0, 18.01)
"EL2 Roof Polygon 1 Wall 2" = POLYGON
 V1
          = (0, 0)
 V2
           = (42.95, 0)
 V3
           = (42.95, 2)
 V4
           = (0, 2)
"EL2 Roof Polygon 1 Wall 3" = POLYGON
 V1
          = (0, 0)
 V2
           = (32.64, 0)
 V3
           = (16.32, 7.61)
"EL2 Roof Polygon 1 Wall 4" = POLYGON
 V1
           = (0, 0)
 V2
           = (46.95, 0)
           = (46.95, 18.01)
 V3
 V4
           = (0, 18.01)
"EL2 Roof Polygon 1 Wall 5" = POLYGON
 V1 = (0, 0)
 V2
           = (42.95, 0)
 V3
           = (42.95, 2)
 V4
           = (0, 2)
"EL2 Roof Polygon 1 Wall 6" = POLYGON
 V1
          = (0, 0)
 V2
           = (32.64, 0)
 V3
           = (16.32, 7.61)
"EL3 Floor Polygon" = POLYGON
 V1
          = (0, 0)
 V2
           = (0, 14)
 V3
           = (-14.32, 14)
 V4
           = (-14.32, 0)
"EL4 Floor Polygon" = POLYGON
 V1 = (0,0)
 V2
           = (0, 14)
 V3
           = (-14.32, 14)
 V4
           = (-14.32, 0)
"EL5 Floor Polygon" = POLYGON
 V1
           = (0, 0)
 V2
           = (0, 42.95)
 V3
           = (-28.64, 42.95)
 V4
           = (-28.64, 0)
"EL5 Roof Polygon 1" = POLYGON
```

```
V1
            = (2, -2)
 V2
            = (2, 44.95)
 V3
            = (-30.64, 44.95)
 V4
            = (-30.64, -2)
"EL5 Roof Polygon 1 Wall 1" = POLYGON
            = (0, 0)
 V2
            = (46.95, 0)
 V3
            = (46.95, 18.01)
 V4
            = (0, 18.01)
"EL5 Roof Polygon 1 Wall 2" = POLYGON
           = (0, 0)
 V1
 V2
            = (42.95, 0)
 V3
            = (42.95, 2)
 V4
            = (0, 2)
"EL5 Roof Polygon 1 Wall 3" = POLYGON
           =(0,0)
 V1
 V2
            = (32.64, 0)
 V3
            = (16.32, 7.61)
"EL5 Roof Polygon 1 Wall 4" = POLYGON
           = (0, 0)
 V1
 V2
            = (46.95, 0)
 V3
            = (46.95, 18.01)
 V4
            = (0, 18.01)
"EL5 Roof Polygon 1 Wall 5" = POLYGON
 V1
           = (0, 0)
 V2
            = (42.95, 0)
 V3
            = (42.95, 2)
 V4
            = (0, 2)
"EL5 Roof Polygon 1 Wall 6" = POLYGON
            = (0, 0)
 V1
 V2
            = (32.64, 0)
 V3
            = (16.32, 7.61)
"EL6 Floor Polygon" = POLYGON
           = (0, 0)
 V1
 V2
            = (0, 14)
 V3
            = (-14.32, 14)
 V4
            = (-14.32, 0)
"EL7 Floor Polygon" = POLYGON
 V1
           = (0, 0)
 V2
            = (0, 14)
 V3
            = (0, 35.48)
 V4
            = (0, 56.95)
 V5
            = (-14.32, 56.95)
 V6
            = (-14.32, 70.95)
 V7
            = (-28.64, 70.95)
 V8
            = (-28.64, 56.95)
 V9
            = (-28.64, 35.48)
            = (-28.64, 14)
 V10
```

```
V11
            = (-14.32, 14)
 V12
            = (-14.32, 0)
"EL7 Space Polygon 1" = POLYGON
 V1
            = (0, 0)
 V2
            = (21.48, 0)
 V3
            = (21.48, 28.64)
 V4
            = (0, 28.64)
 V5
            = (0, 14.32)
"EL7 Space Polygon 2" = POLYGON
 V1
            = (0, 0)
 V2
            = (21.48, 0)
 V3
            = (21.48, 14.32)
 V4
            = (21.48, 28.64)
 V5
            = (0, 28.64)
"EL7 Space Polygon 3" = POLYGON
 V1
            = (0,0)
 V2
            = (14, 0)
 V3
            = (14, 14.32)
 V4
            = (0, 14.32)
"EL7 Space Polygon 4" = POLYGON
           = (0,0)
 V1
 V2
            = (14, 0)
 V3
            = (14, 14.32)
 V4
            = (0, 14.32)
"EL7 Roof Polygon 1" = POLYGON
 V1
            = (2, -2)
 V2
            = (2, 58.95)
 V3
            = (-12.32, 58.95)
 V4
            = (-12.32, 72.95)
 V5
            = (-30.64, 72.95)
 V6
            = (-30.64, 12)
 V7
            = (-16.32, 12)
 V8
            = (-16.32, -2)
"EL7 Roof Polygon 1 Wall 1" = POLYGON
 V1
            = (0, 0)
 V2
            = (60.95, 0)
 V3
            = (44.64, 18.01)
 V4
            = (30.32, 18.01)
 V5
            = (23.16, 10.11)
 V6
            = (0, 10.11)
"EL7 Roof Polygon 1 Wall 2" = POLYGON
 V1
            = (0, 0)
 V2
            = (56.95, 0)
 V3
            = (58.95, 2)
 V4
            = (0, 2)
"EL7 Roof Polygon 1 Wall 3" = POLYGON
 V1
            = (0, 0)
 V2
            = (14.32, 0)
```

```
V3
            = (23.48, 10.11)
 V4
            = (16.32, 18.01)
"EL7 Roof Polygon 1 Wall 4" = POLYGON
 V1
            = (0, 0)
 V2
           = (14.32, 0)
 V3
            = (12.32, 2)
 V4
            = (-2, 2)
"EL7 Roof Polygon 1 Wall 5" = POLYGON
 V1
           = (0, 0)
            = (14, 0)
 V2
 V3
            = (14, 10.11)
 V4
            = (-9.16, 10.11)
"EL7 Roof Polygon 1 Wall 6" = POLYGON
 V1
           = (0, 0)
            = (14,0)
 V2
 V3
            = (14, 2)
 V4
            = (2, 2)
"EL7 Roof Polygon 1 Wall 7" = POLYGON
            = (0, 0)
 V2
            = (18.32, 0)
 V3
            = (9.16, 4.27)
"EL7 Roof Polygon 1 Wall 8" = POLYGON
 V1
           = (0, 0)
 V2
            = (60.95, 0)
 V3
            = (44.64, 18.01)
 V4
            = (30.32, 18.01)
 V5
            = (23.16, 10.11)
 V6
            = (0, 10.11)
"EL7 Roof Polygon 1 Wall 9" = POLYGON
 V1
           = (0, 0)
 V2
            = (56.95, 0)
 V3
            = (58.95, 2)
 V4
            = (0, 2)
"EL7 Roof Polygon 1 Wall 10" = POLYGON
 V1
            = (0, 0)
 V2
            = (14.32, 0)
 V3
            = (23.48, 10.11)
 V4
            = (16.32, 18.01)
"EL7 Roof Polygon 1 Wall 11" = POLYGON
 V1
           = (0, 0)
 V2
            = (14.32, 0)
 V3
            = (12.32, 2)
 V4
            = (-2, 2)
"EL7 Roof Polygon 1 Wall 12" = POLYGON
           = (0,0)
 V1
 V2
            = (14, 0)
 V3
            = (14, 10.11)
```

```
V4
            = (-9.16, 10.11)
"EL7 Roof Polygon 1 Wall 13" = POLYGON
 V1
           = (0, 0)
 V2
            = (14, 0)
 V3
            = (14, 2)
 V4
            =(2,2)
"EL7 Roof Polygon 1 Wall 14" = POLYGON
            = (0, 0)
 V2
            = (18.32, 0)
 V3
            = (9.16, 4.27)
"EL8 Floor Polygon" = POLYGON
 V1
            = (0,0)
 V2
            = (0, 14)
 V3
            = (0, 35.48)
 V4
            = (0, 56.95)
 V5
            = (-14.32, 56.95)
 V6
            = (-14.32, 70.95)
 V7
            =(-28.64, 70.95)
 V8
            = (-28.64, 56.95)
            = (-28.64, 35.48)
 V9
 V10
            = (-28.64, 14)
            = (-14.32, 14)
 V11
            = (-14.32, 0)
 V12
"EL8 Space Polygon 1" = POLYGON
 V1
            = (0, 0)
 V2
            = (21.48, 0)
 V3
            = (21.48, 28.64)
 V4
            = (0, 28.64)
 V5
            = (0, 14.32)
"EL8 Space Polygon 2" = POLYGON
 V1
           = (0, 0)
 V2
            = (21.48, 0)
 V3
            = (21.48, 14.32)
 V4
            = (21.48, 28.64)
 V5
            = (0, 28.64)
"EL8 Space Polygon 3" = POLYGON
 V1
           = (0, 0)
 V2
            = (14, 0)
 V3
            = (14, 14.32)
 V4
            = (0, 14.32)
"EL8 Space Polygon 4" = POLYGON
 V1
            = (0, 0)
 V2
            = (14, 0)
 V3
            = (14, 14.32)
 V4
            = (0, 14.32)
"EL8 Roof Polygon 1" = POLYGON
 V1
           = (2, -2)
 V2
            = (2, 58.95)
```

```
V3
            = (-12.32, 58.95)
 V4
            = (-12.32, 72.95)
 V5
            = (-30.64, 72.95)
 V6
            = (-30.64, 12)
 V7
            = (-16.32, 12)
 V8
            = (-16.32, -2)
"EL8 Roof Polygon 1 Wall 1" = POLYGON
            = (0, 0)
 V2
            = (60.95, 0)
 V3
            = (44.64, 18.01)
            = (30.32, 18.01)
 V4
 V5
            = (23.16, 10.11)
 V6
            = (0, 10.11)
"EL8 Roof Polygon 1 Wall 2" = POLYGON
 V1
           = (0, 0)
 V2
            = (56.95, 0)
 V3
            = (58.95, 2)
 V4
            = (0, 2)
"EL8 Roof Polygon 1 Wall 3" = POLYGON
            = (0, 0)
 V2
            = (14.32, 0)
 V3
            = (23.48, 10.11)
 V4
            = (16.32, 18.01)
"EL8 Roof Polygon 1 Wall 4" = POLYGON
 V1
            = (0, 0)
 V2
            = (14.32, 0)
 V3
            = (12.32, 2)
 V4
            = (-2, 2)
"EL8 Roof Polygon 1 Wall 5" = POLYGON
            = (0, 0)
 V1
 V2
            = (14,0)
 V3
            = (14, 10.11)
 V4
            = (-9.16, 10.11)
"EL8 Roof Polygon 1 Wall 6" = POLYGON
 V1
           = (0, 0)
 V2
            = (14, 0)
 V3
            = (14, 2)
 V4
            =(2,2)
"EL8 Roof Polygon 1 Wall 7" = POLYGON
 V1
           = (0, 0)
 V2
            = (18.32, 0)
 V3
            = (9.16, 4.27)
"EL8 Roof Polygon 1 Wall 8" = POLYGON
 V1
            = (0, 0)
 V2
            = (60.95, 0)
 V3
            = (44.64, 18.01)
 V4
            = (30.32, 18.01)
 V5
            = (23.16, 10.11)
```

```
V6
            = (0, 10.11)
"EL8 Roof Polygon 1 Wall 9" = POLYGON
 V1
           = (0, 0)
 V2
            = (56.95, 0)
 V3
            = (58.95, 2)
 V4
            = (0, 2)
"EL8 Roof Polygon 1 Wall 10" = POLYGON
 V1
           = (0, 0)
 V2
            = (14.32, 0)
 V3
            = (23.48, 10.11)
 V4
            = (16.32, 18.01)
"EL8 Roof Polygon 1 Wall 11" = POLYGON
 V1
            = (0, 0)
 V2
            = (14.32, 0)
            = (12.32, 2)
 V3
 V4
            =(-2,2)
"EL8 Roof Polygon 1 Wall 12" = POLYGON
 V1
            = (0, 0)
 V2
            = (14, 0)
            = (14, 10.11)
 V3
 V4
            = (-9.16, 10.11)
"EL8 Roof Polygon 1 Wall 13" = POLYGON
 V1
            = (0, 0)
 V2
            = (14, 0)
 V3
            = (14, 2)
 V4
            = (2, 2)
"EL8 Roof Polygon 1 Wall 14" = POLYGON
 V1
            = (0, 0)
 V2
            = (18.32, 0)
 V3
            = (9.16, 4.27)
"EL1 Floor Polygon - Mirror" = POLYGON
 V1
           = (0, 0)
 V2
            = (0, -14.32)
 V3
            = (14, -14.32)
 V4
            = (14, 0)
"EL2 Floor Polygon - Mirror" = POLYGON
 V1
           = (0, 0)
 V2
            = (0, -28.64)
 V3
            = (42.95, -28.64)
 V4
            = (42.95, 0)
"EL7 Space Polygon 1 - Mirror" = POLYGON
 V1
            = (0, 0)
 V2
            = (14.32, 0)
 V3
            = (28.64, 0)
 V4
            = (28.64, 21.48)
 V5
            = (0, 21.48)
```

```
"EL7 Space Polygon 2 - Mirror" = POLYGON
 V1
          = (0, 0)
 V2
          = (28.64, 0)
        = (28.64, 21.48)
= (14.32, 21.48)
 V3
 V4
 V5
          = (0, 21.48)
"EL7 Space Polygon 3 - Mirror" = POLYGON
          = (0, 0)
 V2
          = (14.32, 0)
 V3
         = (14.32, 14)
 V4
          = (0, 14)
$
       Wall Parameters
  Fixed and Building Shades
"SFAM1 Shade - Front" = BUILDING-SHADE
 SHADE-SCHEDULE = "DEER Res Monthly Shade Sched"
         = 2.5
 Υ
          = -2.5
 Z
         = 0
          = 10
= 75.9548
 HEIGHT
 WIDTH
 AZIMUTH = 90
 TILT
        = 90
"SFAM1 Shade - Right" = BUILDING-SHADE
 SHADE-SCHEDULE = "DEER Res Monthly Shade Sched"
 Χ
          = 2.5
 Υ
          = 73.4548
 Ζ
          = 0
 HEIGHT = 10
WIDTH = 33.6365
 AZIMUTH
             = 0
           = 90
 TILT
"SFAM1 Shade - Back" = BUILDING-SHADE
 SHADE-SCHEDULE = "DEER Res Monthly Shade Sched"
 Χ
          = -31.1365
 Υ
          = 73.4548
 Ζ
         = 0
 HEIGHT = 10
17DTH = 75.9548
 AZIMUTH = 270
      = 90
 TILT
```

```
"SFAM1 Shade - Left" = BUILDING-SHADE
 SHADE-SCHEDULE = "DEER Res Monthly Shade Sched"
 Χ
          = -31.1365
 Υ
          = -2.5
 Ζ
          = 0
 HEIGHT
             = 10
           = 33.6365
 WIDTH
 AZIMUTH = 180
           = 90
 TILT
"SFAM1-2 Shade - Front" = BUILDING-SHADE
 SHADE-SCHEDULE = "DEER Res Monthly Shade Sched"
          = 49.8183
 Υ
          = 202.41
 Ζ
          = 0
 HEIGHT
             = 10
 WIDTH
             = 75.9548
 AZIMUTH
            = 180
           = 90
 TILT
"SFAM1-2 Shade - Right" = BUILDING-SHADE
 SHADE-SCHEDULE = "DEER Res Monthly Shade Sched"
          = 125.773
 Υ
          = 202.41
 Ζ
          = 0
 HEIGHT
             = 10
          = 33.6365
 WIDTH
 AZIMUTH
             = 90
 TILT
           = 90
"SFAM1-2 Shade - Back" = BUILDING-SHADE
 SHADE-SCHEDULE = "DEER Res Monthly Shade Sched"
          = 125.773
 Χ
 Υ
          = 236.046
 Ζ
          = 0
 HEIGHT
             = 10
           = 75.9548
 WIDTH
 AZIMUTH
            = 0
 TILT
           = 90
"SFAM1-2 Shade - Left" = BUILDING-SHADE
 SHADE-SCHEDULE = "DEER Res Monthly Shade Sched"
          = 49.8183
 Χ
          = 236.046
 Υ
 Ζ
          = 0
             = 10
 HEIGHT
             = 33.6365
 WIDTH
 AZIMUTH
             = 270
 TILT
           = 90
"SFAM2 Shade - Front" = BUILDING-SHADE
 SHADE-SCHEDULE = "DEER Res Monthly Shade Sched"
          = 2.5
          = 92.4548
 Υ
 Ζ
          = 0
 HEIGHT
            = 10
```

```
WIDTH
           = 75.9548
 AZIMUTH = 90
 TILT
           = 90
"SFAM2 Shade - Right" = BUILDING-SHADE
 SHADE-SCHEDULE = "DEER Res Monthly Shade Sched"
          = 2.5
 Υ
          = 168.41
 Ζ
          = 0
 HEIGHT
             = 10
 WIDTH
             = 33.6365
 AZIMUTH
              = 0
           = 90
 TILT
"SFAM2 Shade - Back" = BUILDING-SHADE
 SHADE-SCHEDULE = "DEER Res Monthly Shade Sched"
 Χ
          = -31.1365
 Υ
          = 168.41
 Ζ
          = 0
 HEIGHT
             = 10
 WIDTH
             = 75.9548
 AZIMUTH
             = 270
 TILT
           = 90
"SFAM2 Shade - Left" = BUILDING-SHADE
 SHADE-SCHEDULE = "DEER Res Monthly Shade Sched"
          = -31.1365
 Х
 Υ
          = 92.4548
 Ζ
          = 0
 HEIGHT
             = 10
 WIDTH
             = 33.6365
 AZIMUTH
              = 180
           = 90
 TILT
"SFAM2-2 Shade - Front" = BUILDING-SHADE
 SHADE-SCHEDULE = "DEER Res Monthly Shade Sched"
 Χ
          = -45.1365
 Υ
          = 202.41
 Ζ
          = 0
 HEIGHT
             = 10
             = 75.9548
 WIDTH
 AZIMUTH
              = 180
 TILT
           = 90
"SFAM2-2 Shade - Right" = BUILDING-SHADE
 SHADE-SCHEDULE = "DEER Res Monthly Shade Sched"
 Χ
          = 30.8183
 Υ
          = 202.41
 Ζ
          = 0
 HEIGHT
             = 10
             = 33.6365
 WIDTH
 AZIMUTH
             = 90
 TILT
           = 90
"SFAM2-2 Shade - Back" = BUILDING-SHADE
 SHADE-SCHEDULE = "DEER Res Monthly Shade Sched"
```

```
= 30.8183
 Υ
        = 236.046
 Ζ
         = 0
         = 10
= 75.9548
 HEIGHT
 WIDTH
 AZIMUTH = 0
 TILT = 90
"SFAM2-2 Shade - Left" = BUILDING-SHADE
 SHADE-SCHEDULE = "DEER Res Monthly Shade Sched"
 Х
        = -45.1365
 Υ
         = 236.046
 Ζ
         = 0
 HEIGHT = 10
WIDTH = 33.6365
 AZIMUTH = 270
       = 90
 TILT
$
  Misc Cost Related Objects
"Baseline Data" = BASELINE
$ *************
$ **
$ **
     Floors / Spaces / Walls / Windows / Doors
$ **
$ ******************
"EL1 Ground FIr" = FLOOR
 AZIMUTH = 360
 POLYGON = "EL1 Floor Polygon"
 SHAPE = POLYGON
 FLOOR-HEIGHT = 8.5
SPACE-HEIGHT = 8.5
 C-DIAGRAM-DATA = *SFAM1 Garage1 Diag Data*
"EL1 Spc (G.1)" = SPACE
          = POLYGON
 SHAPE
 ZONE-TYPE = UNCONDITIONED
 PEOPLE-SCHEDULE = "EL1 Occ-1 Sch"
 LIGHTING-SCHEDUL = ( "EL1 ILt-1 Sch" )
 INF-METHOD = AIR-CHANGE
 INF-FLOW/AREA = 0.2125
 PEOPLE-HG-LAT = 140
 PEOPLE-HG-SENS = 210
 LIGHTING-W/AREA = (0.685)
 AREA/PERSON = 10000
 POLYGON = "EL1 Floor Polygon"
```

```
C-SUB-SRC-BTUH = (0.0.0)
 C-SUB-SRC-KW = (0,0,0)
 C-ACTIVITY-DESC = *Residential (Garage)*
"EL1 East Wall (G.1.E1)" = EXTERIOR-WALL
 CONSTRUCTION = "EL1 EWall Construction"
 LOCATION
              = SPACE-V1
 SHADING-SURFACE = YES
"EL1 West Wall (G.1.E2)" = EXTERIOR-WALL
 CONSTRUCTION = "EL1 EWall Construction"
 LOCATION = SPACE-V3
 SHADING-SURFACE = YES
"EL1 West Door (G.1.E2.D1)" = DOOR
 CONSTRUCTION = "Sgl Lyr Unins Mtl Door"
 Χ
          = 1
 HEIGHT
            = 7.5
 WIDTH
             = 12
"EL1 South Wall (G.1.E3)" = EXTERIOR-WALL
 CONSTRUCTION = "EL1 EWall Construction"
 LOCATION = SPACE-V4
 SHADING-SURFACE = YES
"EL1 Roof (G.1.E4)" = EXTERIOR-WALL
 CONSTRUCTION = "EL1 Roof Construction"
 LOCATION = TOP
 SHADING-SURFACE = YES
"EL1 Fir (G.1.U1)" = UNDERGROUND-WALL
 CONSTRUCTION = "EL1 UFCons (G.1.U2)"
 LOCATION = BOTTOM
"EL2 Ground FIr" = FLOOR
 Y = 14
 AZIMUTH
             = 360
 POLYGON
              = "EL2 Floor Polygon"
 SHAPE
            = POLYGON
 FLOOR-HEIGHT = 8.5
 SPACE-HEIGHT = 8.5
 C-DIAGRAM-DATA = *SFAM1 Dwelling Diag Data*
"2-Storey South 1st FIr" = SPACE
 SHAPE
          = POLYGON
 ZONE-TYPE = CONDITIONED
 PEOPLE-SCHEDULE = "EL2 Occ-2 Sch"
 LIGHTING-SCHEDUL = ( "EL1 ILt-1 Sch" )
 EQUIP-SCHEDULE = ("EL2 Msc-2 Sch", "EL2 Ckg-2 Sch", "EL2 Off-2 Sch",
    "EL2 SCR-2 Sch", "EL2 GndFir 2 MtrsPrc Elc Sch")
 SOURCE-SCHEDULE = "EL2 GndFlr 2 CookPrc Gas Sch"
 SOURCE-TYPE = GAS
 SOURCE-POWER = 33397.3
 INF-METHOD = AIR-CHANGE
  \begin{array}{ll} \text{INF-FLOW/AREA} &= \{0.0495833 * \#pa("Infiltration ACH") / 0.35\} \\ \text{PEOPLE-HG-LAT} &= 140 \end{array}
```

```
PEOPLE-HG-SENS = 210
 EQUIP-LATENT = (0.15, 0, 0, 0, 0.04)
 EQUIP-SENSIBLE = (0.85, 1, 1, 1, 0.33)
 SOURCE-SENSIBLE = 0.227974
 LIGHTING-W/AREA = (
{3.614 - #pa("Ltg W Reduced per Residence") / local("AREA")} )
 EQUIPMENT-W/AREA = (0.196, 0, 7.321, 0.062, 0.276)
 AREA/PERSON = 332.453
 POLYGON
             = "EL2 Floor Polygon"
 EQUIP-PWR-FT = (&D, &D, &D, "DEER Refrigerator Power FT")
 EQUIP-RATED-T = (&D, &D, &D, 90)
 C-SUB-SRC-BTUH = (0, 17.3728, 9.7778)
 C-SUB-SRC-KW = (0, 0.06, 0.216)
 C-ACTIVITY-DESC = *Residential (Living)*
"EL2 East Wall (G.1.E1)" = EXTERIOR-WALL
 CONSTRUCTION = "EL2 EWall Construction"
 LOCATION = SPACE-V1
 SHADING-SURFACE = YES
"EL2 East Win (G.1.E1.W1)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 1.56565
 Χ
 Υ
          = 3.5
 HEIGHT
             = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 East Win (G.1.E1.W2)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
          = 6.93499
 Χ
 Υ
          = 3.5
 HEIGHT
             = 4
            = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 East Win (G.1.E1.W3)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
        = 12.3043
 Χ
 Υ
          = 3.5
 HEIGHT
             = 4
 WIDTH
             = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 East Win (G.1.E1.W4)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
```

```
FRAME-WIDTH = 0
 Х
         = 17.6737
 Υ
          = 3.5
 HEIGHT
           = 4
          = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 East Win (G.1.E1.W5)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 23.043
 Χ
 Υ
          = 3.5
 HEIGHT
           = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 East Win (G.1.E1.W6)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 28.4124
 Χ
 Υ
          = 3.5
 HEIGHT
            = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 East Win (G.1.E1.W7)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 33.7817
 Χ
 Υ
          = 3.5
 HEIGHT
            = 4
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 East Win (G.1.E1.W8)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH
               = 0
 Χ
         = 39.1511
          = 3.5
 Υ
 HEIGHT
            = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 North Wall (G.1.E2)" = EXTERIOR-WALL
 CONSTRUCTION = "EL2 EWall Construction"
 WIDTH
        = 14.3183
 LOCATION
              = SPACE-V2
```

```
SHADING-SURFACE = YES
"EL2 North Win (G.1.E2.W1)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 3
 Χ
 Υ
          = 3.5
 HEIGHT
           = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 North Door (G.1.E2.D1)" = DOOR
 CONSTRUCTION = "Other Wd Door"
          = 8
 HEIGHT
           = 6.7
 WIDTH
            = 3
"EL2 West Wall (G.1.E3)" = EXTERIOR-WALL
 CONSTRUCTION = "EL2 EWall Construction"
 LOCATION
             = SPACE-V3
 SHADING-SURFACE = YES
"EL2 West Win (G.1.E3.W1)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
        = 1.56565
 Х
 Υ
          = 3.5
 HEIGHT
           = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 West Win (G.1.E3.W2)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
        = 6.93499
 Χ
 Υ
          = 3.5
 HEIGHT
            = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 West Win (G.1.E3.W3)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 12.3043
 Х
 Υ
          = 3.5
 HEIGHT
            = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
```

```
"EL2 West Win (G.1.E3.W4)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
          = 17.6737
 Χ
          = 3.5
 Υ
 HEIGHT
            = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 West Win (G.1.E3.W5)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
         = 23.043
          = 3.5
 Υ
 HEIGHT
            = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 West Win (G.1.E3.W6)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
         = 28.4124
 Υ
          = 3.5
 HEIGHT
           = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 West Win (G.1.E3.W7)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
         = 33.7817
 Υ
          = 3.5
 HEIGHT
            = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 West Win (G.1.E3.W8)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
          = 39.1511
 Υ
          = 3.5
 HEIGHT
            = 4
           = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
```

SB GT&S 0776427

```
"EL2 South Wall (G.1.E4)" = EXTERIOR-WALL
 CONSTRUCTION = "EL2 EWall Construction"
 WIDTH
            = 14.3183
 LOCATION = SPACE-V4
 SHADING-SURFACE = YES
"EL2 South Win (G.1.E4.W1)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 3
 Х
 Υ
          = 3.5
 HEIGHT
            = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 South Door (G.1.E4.D1)" = DOOR
 CONSTRUCTION = "Other Wd Door"
          = 8
 Χ
 HEIGHT
             = 6.7
 WIDTH
           = 3
"EL2 Fir (G.1.I1)" = INTERIOR-WALL
 NEXT-TO = "EL2 CrS (G.1)"
 CONSTRUCTION = "Floor abv Crawl Space"
 LOCATION
             = BOTTOM
"EL2 South Wall (G.1.I2)" = INTERIOR-WALL
 NEXT-TO = "EL1 Spc (G.1)"
 CONSTRUCTION = "Garage Int Wall"
 Χ
          = -14.3183
          = 0
 Υ
 Ζ
          = 0
 HEIGHT
             = 8.5
           = 14.3183
 WIDTH
            = 180
 AZIMUTH
"EL2 CrS (G.1)" = SPACE
 Z = -3
 HEIGHT
            = 3
 SHAPE
            = POLYGON
 ZONE-TYPE = UNCONDITIONED
 INF-METHOD = AIR-CHANGE
 INF-FLOW/AREA = 0.075
 POLYGON = "EL2 Floor Polygon"
"EL2 FIr (G.1.U1)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Floor"
 U-EFFECTIVE = 0.001
 LOCATION
              = BOTTOM
"EL2 East Wall (G.1.U2)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Wall"
 U-EFFECTIVE = 0.43
             = SPACE-V1
 LOCATION
```

```
"EL2 North Wall (G.1.U3)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Wall"
 U-EFFECTIVE = 0.43
 LOCATION
              = SPACE-V2
"EL2 West Wall (G.1.U4)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Wall"
 U-EFFECTIVE = 0.43
 LOCATION
              = SPACE-V3
"EL2 South Wall (G.1.U5)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Wall"
 U-EFFECTIVE = 0.43
 LOCATION
             = SPACE-V4
"EL2 Top FIr" = FLOOR
 Υ
         = 14
          = 8.5
 Ζ
 AZIMUTH
              = 360
 POLYGON
              = "EL2 Floor Polygon"
 SHAPE
             = POLYGON
 FLOOR-HEIGHT = 8.5
 SPACE-HEIGHT = 8.5
 C-DIAGRAM-DATA = *SFAM1 Dwelling Diag Data*
"2-Storev South 2nd FIr" = SPACE
 SHAPE = POLYGON
 ZONE-TYPE = CONDITIONED
 PEOPLE-SCHEDULE = "EL2 Occ-1 Sch"
 LIGHTING-SCHEDUL = ("EL1 ILt-1 Sch")
 EQUIP-SCHEDULE = ("EL2 Msc-1 Sch", "EL2 Ckg-1 Sch", "EL2 Off-2 Sch")
 INF-METHOD
              = AIR-CHANGE
 INF-FLOW/AREA = \{0.0495833 * \#pa("Infiltration ACH") / 0.35\}
PEOPLE-HG-LAT = 140
 PEOPLE-HG-SENS = 210
 LIGHTING-W/AREA = (1.78)
 EQUIPMENT-W/AREA = (0, 0, 1.83)
 AREA/PERSON = 332.453
            = "EL2 Floor Polygon"
 POLYGON
 C-SUB-SRC-BTUH = (0,0,0)
 C-SUB-SRC-KW = (0,0,0)
 C-ACTIVITY-DESC = *Residential (Bedroom)*
"EL2 East Wall (T.2.E5)" = EXTERIOR-WALL
 CONSTRUCTION = "EL2 EWall Construction"
 LOCATION = SPACE-V1
 SHADING-SURFACE = YES
"EL2 East Win (T.2.E5.W1)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
          = 1.56565
 Χ
 Υ
          = 3.5
 HEIGHT
             = 4
```

```
WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 East Win (T.2.E5.W2)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
         = 6.93499
 Υ
          = 3.5
 HEIGHT
           = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 East Win (T.2.E5.W3)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
         = 12.3043
 Υ
          = 3.5
 HEIGHT
            = 4
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 East Win (T.2.E5.W4)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
         = 17.6737
 Υ
          = 3.5
 HEIGHT
           = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 East Win (T.2.E5.W5)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 23.043
 Χ
 Υ
          = 3.5
 HEIGHT
           = 4
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 East Win (T.2.E5.W6)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
         = 28.4124
 Υ
          = 3.5
 HEIGHT
           = 4
          = 2.23805
 WIDTH
```

```
WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 East Win (T.2.E5.W7)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 33.7817
 Χ
         = 3.5
 HEIGHT
           = 4
           = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 East Win (T.2.E5.W8)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
        = 39.1511
 Χ
 Υ
         = 3.5
 .
HEIGHT
            = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 North Wall (T.2.E6)" = EXTERIOR-WALL
 CONSTRUCTION = "EL2 EWall Construction"
 LOCATION = SPACE-V2
 SHADING-SURFACE = YES
"EL2 North Win (T.2.E6.W1)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 3
 Χ
 Υ
         = 3.5
 HEIGHT
           = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 West Wall (T.2.E7)" = EXTERIOR-WALL
 CONSTRUCTION = "EL2 EWall Construction"
 LOCATION = SPACE-V3
 SHADING-SURFACE = YES
"EL2 West Win (T.2.E7.W1)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 1.56565
 Х
 Υ
          = 3.5
            = 4
 HEIGHT
           = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
```

```
"EL2 West Win (T.2.E7.W2)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
          = 6.93499
 Χ
          = 3.5
 Υ
 HEIGHT
            = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 West Win (T.2.E7.W3)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
        = 12.3043
 Χ
 Υ
          = 3.5
 HEIGHT
           = 4
          = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 West Win (T.2.E7.W4)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
         = 17.6737
 Υ
          = 3.5
 HEIGHT
           = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 West Win (T.2.E7.W5)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
         = 23.043
 Υ
          = 3.5
 HEIGHT
            = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 West Win (T.2.E7.W6)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
          = 28.4124
 Υ
          = 3.5
 HEIGHT
            = 4
           = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
```

```
"EL2 West Win (T.2.E7.W7)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
    = 33.7817
 Х
         = 3.5
 Υ
 HEIGHT
           = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 West Win (T.2.E7.W8)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Х
        = 39.1511
 Υ
         = 3.5
 HEIGHT
         = 4
= 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 South Wall (T.2.E8)" = EXTERIOR-WALL
 CONSTRUCTION = "EL2 EWall Construction"
 LOCATION = SPACE-V4
 SHADING-SURFACE = YES
"EL2 South Win (T.2.E8.W1)" = WINDOW
 GLASS-TYPE = "EL2 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
     = 3
= 3.5
 Χ
 Υ
 HEIGHT = 4
WIDTH = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL2 Fir (T.2.13)" = INTERIOR-WALL
 NEXT-TO = "2-Storey South 1st Fir"
 CONSTRUCTION = "EL2 IFIr Construction"
 LOCATION = BOTTOM
"EL2 UnderRf (T.2.I4)" = INTERIOR-WALL
 NEXT-TO = "EL2 Under Roof (T.3)"
 CONSTRUCTION = "EL2 AFIr Construction"
 LOCATION = TOP
"EL2 Under Roof (T.3)" = SPACE
 X = 0
 Υ
         = 0
       = 8.5
 Ζ
 AZIMUTH
            = 0
           = 7.60933
 HEIGHT
 VOLUME = 5333.74

= POLYGON
```

```
ZONE-TYPE = UNCONDITIONED
 INF-METHOD = RESIDENTIAL
 RES-INF-CST = 0
 RES-INF-WND = 0.3
RES-INF-TEMP = 0.5
 POLYGON = "EL2 Roof Polygon 1"
 LOCATION
             = FLOOR-V1
"EL2 Roof (T.3.E9)" = EXTERIOR-WALL
 CONSTRUCTION = "EL2 Roof Construction"
 Χ
          = 2
 Υ
          = -2
 Ζ
          = 0
 AZIMUTH
            = 90
 TILT
 POLYGON = "EL2 Roof Polygon 1 Wall 1"
 SHADING-SURFACE = YES
"EL2 Soffet (T.3.E10)" = EXTERIOR-WALL
 CONSTRUCTION = "EL2 EWall Construction"
          = 0
 Х
 Υ
          = 0
 Ζ
         = 0
 AZIMUTH
              = 90
 TILT = 180
 POLYGON = "EL2 Roof Polygon 1 Wall 2"
"EL2 Gable (T.3.E11)" = EXTERIOR-WALL
 CONSTRUCTION = "EL2 EWall Construction"
 Χ
          = 2
 Υ
          = 42.9548
 Ζ
          = 0
 AZIMUTH
            = 0
 TILT
           = 90
 POLYGON = "EL2 Roof Polygon 1 Wall 3"
 SHADING-SURFACE = YES
"EL2 Roof (T.3.E12)" = EXTERIOR-WALL
 CONSTRUCTION = "EL2 Roof Construction"
         = -30.6365
 Υ
          = 44.9548
 Ζ
          = 0
 AZIMUTH
           = -90
 TILT
           = 25
 POLYGON
              = "EL2 Roof Polygon 1 Wall 4"
 SHADING-SURFACE = YES
"EL2 Soffet (T.3.E13)" = EXTERIOR-WALL
 CONSTRUCTION = "EL2 EWall Construction"
 Χ
          = -28.6365
 Υ
          = 42.9548
 Ζ
          = 0
 AZIMUTH
              = -90
 TILT
          = 180
 POLYGON
              = "EL2 Roof Polygon 1 Wall 5"
```

```
"EL2 Gable (T.3.E14)" = EXTERIOR-WALL
 CONSTRUCTION = "EL2 EWall Construction"
 Х
          = -30.6365
 Υ
          = 0
 Ζ
         = 0
 AZIMUTH
             = 180
 TILT
         = 90
 POLYGON
              = "EL2 Roof Polygon 1 Wall 6"
 SHADING-SURFACE = YES
"EL3 Ground FIr" = FLOOR
 Χ
     = -14.3183
 Υ
         = 56.9548
 AZIMUTH
            = 360
 POLYGON = "EL3 Floor Polygon"
 SHAPE = POLYGON
 FLOOR-HEIGHT = 8.5
 SPACE-HEIGHT = 8.5
 C-DIAGRAM-DATA = *SFAM1 Garage2 Diag Data*
"EL3 Spc (G.1)" = SPACE
 SHAPE
           = POLYGON
 ZONE-TYPE = UNCONDITIONED
 PEOPLE-SCHEDULE = "EL1 Occ-1 Sch"
 LIGHTING-SCHEDUL = ("EL1 ILt-1 Sch")
 INF-METHOD = AIR-CHANGE
 INF-FLOW/AREA = 0.2125
 PEOPLE-HG-LAT = 140
 PEOPLE-HG-SENS = 210
 LIGHTING-W/AREA = (0.685)
 AREA/PERSON = 10000
 POLYGON = "EL3 Floor Polygon"
 C-SUB-SRC-BTUH = (0,0,0)
 C-SUB-SRC-KW = (0,0,0)
 C-ACTIVITY-DESC = *Residential (Garage)*
"EL3 East Wall (G.1.E1)" = EXTERIOR-WALL
 CONSTRUCTION = "EL3 EWall Construction"
 LOCATION = SPACE-V1
 SHADING-SURFACE = YES
"EL3 East Door (G.1.E1.D1)" = DOOR
 CONSTRUCTION = "Sgl Lyr Unins Mtl Door"
         = 1
 HEIGHT
            = 7.5
 WIDTH
            = 12
"EL3 North Wall (G.1.E2)" = EXTERIOR-WALL
 CONSTRUCTION = "EL3 EWall Construction"
 LOCATION
             = SPACE-V2
 SHADING-SURFACE = YES
"EL3 West Wall (G.1.E3)" = EXTERIOR-WALL
 CONSTRUCTION = "EL3 EWall Construction"
 LOCATION = SPACE-V3
 SHADING-SURFACE = YES
```

```
"EL3 Roof (G.1.E4)" = EXTERIOR-WALL
 CONSTRUCTION = "EL3 Roof Construction"
 LOCATION = TOP
 SHADING-SURFACE = YES
"EL3 South Wall (G.1.I1)" = INTERIOR-WALL
 NEXT-TO = "2-Storey South 1st Flr"
 CONSTRUCTION = "Garage Int Wall"
        = -14.3183
 Х
 Υ
          = 0
 Ζ
          = 0
 HEIGHT
           = 8.5
 WIDTH
           = 14.3183
 AZIMUTH
            = 180
"EL3 FIr (G.1.U1)" = UNDERGROUND-WALL
 CONSTRUCTION = "EL3 UFCons (G.1.U2)"
 LOCATION = BOTTOM
"EL4 Ground FIr" = FLOOR
 Χ
        = 52.3183
 Υ
          = 204.91
 AZIMUTH
            = 90
             = "EL4 Floor Polygon"
 POLYGON
           = POLYGON
 SHAPE
 FLOOR-HEIGHT = 8.5
 SPACE-HEIGHT = 8.5
 C-DIAGRAM-DATA = *SFAM1-2 Garage1 Diag Data*
"EL4 Spc (G.1)" = SPACE
 SHAPE
          = POLYGON
 ZONE-TYPE = UNCONDITIONED
 PEOPLE-SCHEDULE = "EL1 Occ-1 Sch"
 LIGHTING-SCHEDUL = ( "EL1 ILt-1 Sch" )
 INF-METHOD = AIR-CHANGE
 INF-FLOW/AREA = 0.2125
 PEOPLE-HG-LAT = 140
 PEOPLE-HG-SENS = 210
 LIGHTING-W/AREA = (0.685)
 AREA/PERSON = 10000
           = "EL4 Floor Polygon"
 POLYGON
 C-SUB-SRC-BTUH = (0, 0, 0)
 C-SUB-SRC-KW = (0, 0, 0)
 C-ACTIVITY-DESC = *Residential (Garage)*
"EL4 South Wall (G.1.E1)" = EXTERIOR-WALL
 CONSTRUCTION = "EL4 EWall Construction"
 LOCATION = SPACE-V1
 SHADING-SURFACE = YES
"EL4 North Wall (G.1.E2)" = EXTERIOR-WALL
 CONSTRUCTION = "EL4 EWall Construction"
 LOCATION = SPACE-V3
 SHADING-SURFACE = YES
```

```
"EL4 North Door (G.1.E2.D1)" = DOOR
 CONSTRUCTION = "Sgl Lyr Unins Mtl Door"
 Х
          = 1
 HEIGHT
             = 7.5
 WIDTH
             = 12
"EL4 West Wall (G.1.E3)" = EXTERIOR-WALL
 CONSTRUCTION = "EL4 EWall Construction"
 LOCATION
              = SPACE-V4
 SHADING-SURFACE = YES
"EL4 Roof (G.1.E4)" = EXTERIOR-WALL
 CONSTRUCTION = "EL4 Roof Construction"
 LOCATION = TOP
 SHADING-SURFACE = YES
"EL4 Fir (G.1.U1)" = UNDERGROUND-WALL
 CONSTRUCTION = "EL4 UFCons (G.1.U2)"
 LOCATION = BOTTOM
"EL5 Ground FIr" = FLOOR
         = 66.3183
 Χ
 Υ
          = 204.91
 AZIMUTH
             = 90
             = "EL5 Floor Polygon"
 POLYGON
            = POLYGON
 SHAPE
 FLOOR-HEIGHT = 8.5
 SPACE-HEIGHT = 8.5
 C-DIAGRAM-DATA = *SFAM1-2 Dwelling Diag Data*
"2-Storev North 1st FIr" = SPACE
 SHAPE
          = POLYGON
 ZONE-TYPE = CONDITIONED
 PEOPLE-SCHEDULE = "EL2 Occ-2 Sch"
 LIGHTING-SCHEDUL = ( "EL1 ILt-1 Sch" )
 EQUIP-SCHEDULE = ("EL2 Msc-2 Sch", "EL2 Ckg-2 Sch", "EL2 Off-2 Sch",
    "EL2 SCR-2 Sch", "EL5 GndFlr 5 MtrsPrc Elc Sch")
 SOURCE-SCHEDULE = "EL5 GndFlr 5 CookPrc Gas Sch"
 SOURCE-TYPE = GAS
 SOURCE-POWER = 33397.3
 INF-METHOD = AIR-CHANGE
 INF-FLOW/AREA = {0.0495833 * #pa("Infiltration ACH") / 0.35}
 PEOPLE-HG-LAT = 140
 PEOPLE-HG-SENS = 210
 EQUIP-LATENT = (0.15, 0, 0, 0, 0.04)
 EQUIP-SENSIBLE = (0.85, 1, 1, 1, 0.33)
 SOURCE-SENSIBLE = 0.227974
 LIGHTING-W/AREA = (
{3.614 - #pa("Ltg W Reduced per Residence") / local("AREA")} )
 EQUIPMENT-W/AREA = (0.196, 0, 7.321, 0.062, 0.276)
 AREA/PERSON = 332.453
 POLYGON
              = "EL5 Floor Polygon"
 EQUIP-PWR-FT = (&D, &D, &D, "DEER Refrigerator Power FT")
 EQUIP-RATED-T = (&D, &D, &D, 90)
 C-SUB-SRC-BTUH = (0, 17.3728, 9.7778)
 C-SUB-SRC-KW = (0, 0.06, 0.216)
```

```
C-ACTIVITY-DESC = *Residential (Living)*
"EL5 South Wall (G.1.E1)" = EXTERIOR-WALL
 CONSTRUCTION = "EL5 EWall Construction"
 LOCATION = SPACE-V1
 SHADING-SURFACE = YES
"EL5 South Win (G.1.E1.W1)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 1.56565
 Υ
         = 3.5
 HEIGHT
           = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 South Win (G.1.E1.W2)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
         = 6.93499
 Υ
         = 3.5
 HEIGHT
           = 4
           = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 South Win (G.1.E1.W3)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Х
      = 12.3043
 Υ
         = 3.5
 HEIGHT = 4
           = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 South Win (G.1.E1.W4)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Х
        = 17.6737
         = 3.5
 Υ
          = 4
= 2 °
 HEIGHT
            = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 South Win (G.1.E1.W5)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Х
         = 23.043
```

```
= 3.5
 HEIGHT
           = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 South Win (G.1.E1.W6)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
        = 28.4124
 Х
 Υ
          = 3.5
 HEIGHT
            = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 South Win (G.1.E1.W7)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
         = 33.7817
 Υ
          = 3.5
 HEIGHT
            = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 South Win (G.1.E1.W8)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Х
         = 39.1511
 Υ
          = 3.5
 HEIGHT
            = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 East Wall (G.1.E2)" = EXTERIOR-WALL
 CONSTRUCTION = "EL5 EWall Construction"
 WIDTH
           = 14.3183
 LOCATION
             = SPACE-V2
 SHADING-SURFACE = YES
"EL5 East Win (G.1.E2.W1)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
          = 3
 Υ
          = 3.5
 HEIGHT
            = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
```

```
"EL5 East Door (G.1.E2.D1)" = DOOR
 CONSTRUCTION = "Other Wd Door"
 Х
          = 8
 HEIGHT
           = 6.7
 WIDTH
            = 3
"EL5 North Wall (G.1.E3)" = EXTERIOR-WALL
 CONSTRUCTION = "EL5 EWall Construction"
 LOCATION
             = SPACE-V3
 SHADING-SURFACE = YES
"EL5 North Win (G.1.E3.W1)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
          = 1.56565
 Υ
          = 3.5
 HEIGHT
           = 4
          = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 North Win (G.1.E3.W2)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Х
          = 6.93499
 Υ
          = 3.5
 HEIGHT
           = 4
           = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 North Win (G.1.E3.W3)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
         = 12.3043
 Υ
          = 3.5
 HEIGHT
            = 4
           = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 North Win (G.1.E3.W4)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
          = 17.6737
 Υ
          = 3.5
 HEIGHT
            = 4
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 North Win (G.1.E3.W5)" = WINDOW
```

```
GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 23.043
 Χ
 Υ
          = 3.5
 HEIGHT
            = 4
            = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 North Win (G.1.E3.W6)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Х
        = 28.4124
 Υ
          = 3.5
 HEIGHT
           = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 North Win (G.1.E3.W7)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 33.7817
 Χ
 Υ
          = 3.5
 HEIGHT
            = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 North Win (G.1.E3.W8)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 39.1511
 Χ
 Υ
          = 3.5
 HEIGHT
           = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 West Wall (G.1.E4)" = EXTERIOR-WALL
 CONSTRUCTION = "EL5 EWall Construction"
 WIDTH
           = 14.3183
 LOCATION
            = SPACE-V4
 SHADING-SURFACE = YES
"EL5 West Win (G.1.E4.W1)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH
 Χ
        = 3
 Υ
          = 3.5
 HEIGHT
```

```
WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 West Door (G.1.E4.D1)" = DOOR
 CONSTRUCTION = "Other Wd Door"
          = 8
 HEIGHT
             = 6.7
 WIDTH
            = 3
"EL5 Fir (G.1.I1)" = INTERIOR-WALL
 NEXT-TO = "EL5 CrS (G.1)"
 CONSTRUCTION = "Floor abv Crawl Space"
 LOCATION = BOTTOM
"EL5 West Wall (G.1.I2)" = INTERIOR-WALL
 NEXT-TO = "EL4 Spc (G.1)"
 CONSTRUCTION = "Garage Int Wall"
 Χ
          = -14.3182
 Υ
          = 0
 Ζ
          = 0
 HEIGHT
             = 8.5
 WIDTH
           = 14.3183
 AZIMUTH
            = 180
"EL5 CrS (G.1)" = SPACE
 Z
        = -3
 HEIGHT
            = 3
            = POLYGON
 SHAPE
 ZONE-TYPE
             = UNCONDITIONED
 INF-METHOD = AIR-CHANGE
 INF-FLOW/AREA = 0.075
           = "EL5 Floor Polygon"
 POLYGON
"EL5 FIr (G.1.U1)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Floor"
 U-EFFECTIVE = 0.001
 LOCATION
              = BOTTOM
"EL5 South Wall (G.1.U2)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Wall"
 U-EFFECTIVE = 0.43
              = SPACE-V1
 LOCATION
"EL5 East Wall (G.1.U3)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Wall"
 U-EFFECTIVE = 0.43
 LOCATION
             = SPACE-V2
"EL5 North Wall (G.1.U4)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Wall"
 U-EFFECTIVE
              = 0.43
 LOCATION
              = SPACE-V3
"EL5 West Wall (G.1.U5)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Wall"
```

```
U-EFFECTIVE = 0.43
 LOCATION
             = SPACF-V4
"EL5 Top FIr" = FLOOR
 Χ
          = 66.3183
 Υ
          = 204.91
         = 8.5
 Ζ
 AZIMUTH
             = 90
 POLYGON
             = "EL5 Floor Polygon"
 SHAPE = POLYGON
 FLOOR-HEIGHT = 8.5
 SPACE-HEIGHT = 8.5
 C-DIAGRAM-DATA = *SFAM1-2 Dwelling Diag Data*
"2-Storey North 2nd FIr" = SPACE
 SHAPE
            = POLYGON
 ZONE-TYPE = CONDITIONED
 PEOPLE-SCHEDULE = "EL2 Occ-1 Sch"
 LIGHTING-SCHEDUL = ("EL1 ILt-1 Sch")
 EQUIP-SCHEDULE = ("EL2 Msc-1 Sch", "EL2 Ckg-1 Sch", "EL2 Off-2 Sch")
 INF-METHOD
              = AIR-CHANGE
 INF-FLOW/AREA = {0.0495833 * #pa("Infiltration ACH") / 0.35}
 PEOPLE-HG-LAT = 140
 PEOPLE-HG-SENS = 210
 LIGHTING-W/AREA = (1.78)
 EQUIPMENT-W/AREA = (0,0,1.83)
 AREA/PERSON = 332.453
 POLYGON = "EL5 Floor Polygon"
 C-SUB-SRC-BTUH = (0, 0, 0)
 C-SUB-SRC-KW = (0, 0, 0)
 C-ACTIVITY-DESC = *Residential (Bedroom)*
"EL5 South Wall (T.2.E5)" = EXTERIOR-WALL
 CONSTRUCTION = "EL5 EWall Construction"
 LOCATION
             = SPACE-V1
 SHADING-SURFACE = YES
"EL5 South Win (T.2.E5.W1)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
          = 1.56565
 Χ
 Υ
          = 3.5
 HEIGHT
            = 4
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 South Win (T.2.E5.W2)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
          = 6.93499
 Χ
 Υ
          = 3.5
 HEIGHT
            = 4
          = 2.23805
 WIDTH
```

```
WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 South Win (T.2.E5.W3)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 12.3043
 Χ
         = 3.5
 HEIGHT
           = 4
           = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 South Win (T.2.E5.W4)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
        = 17.6737
 Χ
 Υ
         = 3.5
 HEIGHT
            = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 South Win (T.2.E5.W5)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
        = 23.043
 Υ
         = 3.5
 HEIGHT
           = 4
          = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 South Win (T.2.E5.W6)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Х
        = 28.4124
 Υ
         = 3.5
 HEIGHT
           = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 South Win (T.2.E5.W7)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Х
         = 33.7817
 Υ
         = 3.5
 HEIGHT
           = 4
           = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
```

```
FRAME-CONDUCT = 4.09
"EL5 South Win (T.2.E5.W8)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
     = 39.1511
 Х
 Υ
         = 3.5
 HEIGHT
           = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 East Wall (T.2.E6)" = EXTERIOR-WALL
 CONSTRUCTION = "EL5 EWall Construction"
 LOCATION = SPACE-V2
 SHADING-SURFACE = YES
"EL5 East Win (T.2.E6.W1)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
         = 3
 Υ
         = 3.5
 HEIGHT
           = 4
           = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 North Wall (T.2.E7)" = EXTERIOR-WALL
 CONSTRUCTION = "EL5 EWall Construction"
 LOCATION = SPACE-V3
 SHADING-SURFACE = YES
"EL5 North Win (T.2.E7.W1)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
     = 1.56565
 Υ
         = 3.5
 HEIGHT
           = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 North Win (T.2.E7.W2)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
         = 6.93499
 Υ
         = 3.5
 HEIGHT
            = 4
           = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
```

```
"EL5 North Win (T.2.E7.W3)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
         = 12.3043
 Υ
          = 3.5
 Y
HEIGHT = 4
= 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 North Win (T.2.E7.W4)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
          = 17.6737
          = 3.5
 Υ
 HEIGHT
          = 4
= 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 North Win (T.2.E7.W5)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Х
          = 23.043
 Υ
          = 3.5
 HEIGHT
           = 4
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 North Win (T.2.E7.W6)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
         = 28.4124
 Υ
          = 3.5
 HEIGHT
            = 4
           = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 North Win (T.2.E7.W7)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
          = 33.7817
 Υ
          = 3.5
 HEIGHT
            = 4
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 North Win (T.2.E7.W8)" = WINDOW
```

```
GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
          = 39.1511
 Υ
          = 3.5
             = 4
 HEIGHT
            = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 West Wall (T.2.E8)" = EXTERIOR-WALL
 CONSTRUCTION = "EL5 EWall Construction"
 LOCATION = SPACE-V4
 SHADING-SURFACE = YES
"EL5 West Win (T.2.E8.W1)" = WINDOW
 GLASS-TYPE = "EL5 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
          = 3
 Χ
 Υ
          = 3.5
 HEIGHT
            = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL5 Fir (T.2.13)" = INTERIOR-WALL
 NEXT-TO = "2-Storey North 1st Flr"
 CONSTRUCTION = "EL5 IFIr Construction"
 LOCATION = BOTTOM
"EL5 UnderRf (T.2.I4)" = INTERIOR-WALL
 NEXT-TO = "EL5 Under Roof (T.3)"
 CONSTRUCTION = "EL5 AFIr Construction"
 LOCATION = TOP
"EL5 Under Roof (T.3)" = SPACE
          = 0
 Χ
 Υ
          = 0
 Ζ
          = 8.5
 AZIMUTH = 0
HEIGHT = 7.60933
VOLUME = 5333.74
SHAPE = POLYGON
 ZONE-TYPE = UNCONDITIONED
 INF-METHOD = RESIDENTIAL
 RES-INF-CST = 0
 RES-INF-WND = 0.3
RES-INF-TEMP = 0.5
 POLYGON = "EL5 Roof Polygon 1"
 LOCATION = FLOOR-V1
"EL5 Roof (T.3.E9)" = EXTERIOR-WALL
 CONSTRUCTION = "EL5 Roof Construction"
 Χ
          = 2
          = -2
 Υ
```

```
= 0
 AZIMUTH = 90
 TILT
           = 25
 POLYGON = "EL5 Roof Polygon 1 Wall 1"
 SHADING-SURFACE = YES
"EL5 Soffet (T.3.E10)" = EXTERIOR-WALL
 CONSTRUCTION = "EL5 EWall Construction"
 Χ
          = 0
 Υ
          = 0
 Ζ
          = 0
 AZIMUTH = 90
 TILT = 180
 POLYGON = "EL5 Roof Polygon 1 Wall 2"
"EL5 Gable (T.3.E11)" = EXTERIOR-WALL
 CONSTRUCTION = "EL5 EWall Construction"
 Χ
         = 2
 Υ
          = 42.9548
 Ζ
         = 0
 AZIMUTH
             = 0
 TILT
         = 90
 POLYGON
              = "EL5 Roof Polygon 1 Wall 3"
 SHADING-SURFACE = YES
"EL5 Roof (T.3.E12)" = EXTERIOR-WALL
 CONSTRUCTION = "EL5 Roof Construction"
 Χ
          = -30.6365
 Υ
          = 44.9548
          = 0
 AZIMUTH
            = -90
 TILT
 POLYGON = "EL5 Roof Polygon 1 Wall 4"
 SHADING-SURFACE = YES
"EL5 Soffet (T.3.E13)" = EXTERIOR-WALL
 CONSTRUCTION = "EL5 EWall Construction"
 Χ
          = -28.6365
 Υ
          = 42.9548
 Ζ
         = 0
 AZIMUTH
             = -90
 TILT
          = 180
 POLYGON = "EL5 Roof Polygon 1 Wall 5"
"EL5 Gable (T.3.E14)" = EXTERIOR-WALL
 CONSTRUCTION = "EL5 EWall Construction"
 Χ
          = -30.6365
 Υ
          = 0
 Ζ
         = 0
 AZIMUTH
             = 180
         = 90
 TILT
              = "EL5 Roof Polygon 1 Wall 6"
 POLYGON
 SHADING-SURFACE = YES
"EL6 Ground FIr" = FLOOR
 Χ
        = 109.273
```

```
= 219.228
 AZIMUTH
            = 90
             = "EL6 Floor Polygon"
 POLYGON
 SHAPE = POLYGON
 FLOOR-HEIGHT = 8.5
SPACE-HEIGHT = 8.5
 C-DIAGRAM-DATA = *SFAM1-2 Garage2 Diag Data*
"EL6 Spc (G.1)" = SPACE
 SHAPE = POLYGON
 ZONE-TYPE = UNCONDITIONED
 PEOPLE-SCHEDULE = "EL1 Occ-1 Sch"
 LIGHTING-SCHEDUL = ("EL1 ILt-1 Sch")
 INF-METHOD = AIR-CHANGE
 INF-FLOW/AREA = 0.2125
 PEOPLE-HG-LAT = 140
 PEOPLE-HG-SENS = 210
 LIGHTING-W/AREA = (0.685)
 AREA/PERSON = 10000
 POLYGON
             = "EL6 Floor Polygon"
 C-SUB-SRC-BTUH = (0,0,0)
 C-SUB-SRC-KW = (0,0,0)
 C-ACTIVITY-DESC = *Residential (Garage)*
"EL6 South Wall (G.1.E1)" = EXTERIOR-WALL
 CONSTRUCTION = "EL6 EWall Construction"
 LOCATION = SPACE-V1
 SHADING-SURFACE = YES
"EL6 South Door (G.1.E1.D1)" = DOOR
 CONSTRUCTION = "Sal Lyr Unins Mtl Door"
 Х
          = 1
 HEIGHT
            = 7.5
 WIDTH
             = 12
"EL6 East Wall (G.1.E2)" = EXTERIOR-WALL
 CONSTRUCTION = "EL6 EWall Construction"
 LOCATION = SPACE-V2
 SHADING-SURFACE = YES
"EL6 North Wall (G.1.E3)" = EXTERIOR-WALL
 CONSTRUCTION = "EL6 EWall Construction"
 LOCATION = SPACE-V3
 SHADING-SURFACE = YES
"EL6 Roof (G.1.E4)" = EXTERIOR-WALL
 CONSTRUCTION = "EL6 Roof Construction"
 LOCATION = TOP
 SHADING-SURFACE = YES
"EL6 West Wall (G.1.I1)" = INTERIOR-WALL
 NEXT-TO = "2-Storey North 1st Fir"
 CONSTRUCTION = "Garage Int Wall"
          = -14.3183
 Χ
 Υ
          = 0
 Ζ
          = 0
```

```
= 8.5
= 14.3183
 HEIGHT
 WIDTH
 AZIMUTH
            = 180
"EL6 FIr (G.1.U1)" = UNDERGROUND-WALL
 CONSTRUCTION = "EL6 UFCons (G.1.U2)"
 LOCATION
            = BOTTOM
"EL7 Ground FIr" = FLOOR
 Υ
     = 94.9548
 AZIMUTH
            = 360
 POLYGON
              = "EL7 Floor Polygon"
 SHAPE
            = POLYGON
 FLOOR-HEIGHT = 8.5
 SPACE-HEIGHT = 8.5
 C-DIAGRAM-DATA = *SFAM2 Diag Data*
"1-Storey South (S Side)" = SPACE
 SHAPE
          = POLYGON
 ZONE-TYPE = CONDITIONED
 PEOPLE-SCHEDULE = "EL2 Occ-2 Sch"
 LIGHTING-SCHEDUL = ("EL1 ILt-1 Sch")
 EQUIP-SCHEDULE = ("EL2 Msc-2 Sch", "EL2 Ckg-2 Sch", "EL2 Off-2 Sch",
    "EL2 SCR-2 Sch", "EL7 ZnGrp 2 MtrsPrc Elc Sch")
 SOURCE-SCHEDULE = "EL7 ZnGrp 2 CookPrc Gas Sch"
 SOURCE-TYPE = GAS
 SOURCE-POWER = 33397.2
 INF-METHOD = AIR-CHANGE
 INF-FLOW/AREA = {0.0495833 * #pa("Infiltration ACH") / 0.35}
 PEOPLE-HG-LAT = 140
 PEOPLE-HG-SENS = 210
 EQUIP-LATENT = (0.15, 0, 0, 0, 0.04)
 EQUIP-SENSIBLE = (0.85, 1, 1, 1, 0.33)
 SOURCE-SENSIBLE = 0.227974
 LIGHTING-W/AREA = (
{4.292 - #pa("Ltg W Reduced per Residence") / local("AREA")} )
 EQUIPMENT-W/AREA = (0.391, 0, 7.321, 0.124, 0.552)
 AREA/PERSON = 279.563
             = "EL7 Space Polygon 1"
 POLYGON
 EQUIP-PWR-FT = (&D, &D, &D, "DEER Refrigerator Power FT")
 EQUIP-RATED-T = (&D, &D, &D, 90)
             = FLOOR-V2
 LOCATION
 C-SUB-SRC-BTUH = (0, 34.7456, 19.5555)
 C-SUB-SRC-KW = (0, 0.12, 0.432)
 C-ACTIVITY-DESC = *Residential (Living)*
"EL7 East Wall (G.S1.E1)" = EXTERIOR-WALL
 CONSTRUCTION = "EL7 EWall Construction"
 LOCATION = SPACE-V1
 SHADING-SURFACE = YES
"EL7 East Win (G.S1.E1.W1)" = WINDOW
 GLASS-TYPE = "EL7 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH
               = 0
 Х
          = 1
```

```
= 3.5
 HEIGHT
           = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL7 East Win (G.S1.E1.W2)" = WINDOW
 GLASS-TYPE = "EL7 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
        = 5.5
 Х
 Υ
          = 3.5
 HEIGHT
            = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL7 East Win (G.S1.E1.W3)" = WINDOW
 GLASS-TYPE = "EL7 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
         = 10
 Υ
          = 3.5
 HEIGHT
           = 4
           = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL7 East Win (G.S1.E1.W4)" = WINDOW
 GLASS-TYPE = "EL7 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Х
        = 14.5
 Υ
          = 3.5
 HEIGHT
            = 4
          = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL7 West Wall (G.S1.E2)" = EXTERIOR-WALL
 CONSTRUCTION = "EL7 EWall Construction"
 LOCATION = SPACE-V3
 SHADING-SURFACE = YES
"EL7 West Win (G.S1.E2.W1)" = WINDOW
 GLASS-TYPE = "EL7 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH
               = 0
 Χ
         = 1
 Υ
          = 3.5
 HEIGHT
            = 4
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL7 West Win (G.S1.E2.W2)" = WINDOW
```

```
GLASS-TYPE = "EL7 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH
               = 0
          = 5.5
 Χ
 Υ
          = 3.5
 HEIGHT
            = 4
            = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL7 West Win (G.S1.E2.W3)" = WINDOW
 GLASS-TYPE = "EL7 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Х
         = 10
 Υ
          = 3.5
 HEIGHT
           = 4
          = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL7 West Win (G.S1.E2.W4)" = WINDOW
 GLASS-TYPE = "EL7 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 14.5
 Χ
 Υ
          = 3.5
 HEIGHT
           = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL7 South Wall (G.S1.E3)" = EXTERIOR-WALL
 CONSTRUCTION = "EL7 EWall Construction"
 LOCATION
             = SPACE-V4
 SHADING-SURFACE = YES
"EL7 South Win (G.S1.E3.W1)" = WINDOW
 GLASS-TYPE = "EL7 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH
               = 0
          = 2
 Χ
 Υ
          = 3.5
 HEIGHT
            = 4
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL7 South Door (G.S1.E3.D1)" = DOOR
 CONSTRUCTION = "Other Wd Door"
         = 8
 HEIGHT
             = 6.7
 WIDTH
            = 3
"EL7 Fir (G.S1.I1)" = INTERIOR-WALL
 NEXT-TO = "EL7 South Perim CrS (G.S1)"
```

```
CONSTRUCTION = "Floor aby Crawl Space"
 LOCATION
             = BOTTOM
"EL7 North Wall (G.S1.I2)" = INTERIOR-WALL
 NEXT-TO = "1-Storev South (North Side)"
 CONSTRUCTION = "EL7 IWall Construction"
 LOCATION = SPACE-V2
"EL7 South Wall (G.S1.I3)" = INTERIOR-WALL
 NEXT-TO = "EL7 South Perim Spc (G.S3)"
 CONSTRUCTION = "Garage Int Wall"
 LOCATION = SPACE-V5
"EL7 UnderRf (G.S1.I4)" = INTERIOR-WALL
 NEXT-TO = "EL7 Under Roof (G.5)"
 CONSTRUCTION = "EL7 AFIr Construction"
 LOCATION = TOP
"EL7 South Perim CrS (G.S1)" = SPACE
 Ζ
 HEIGHT
             = 3
 SHAPE
            = POLYGON
 ZONE-TYPE = UNCONDITIONED
 INF-METHOD
              = AIR-CHANGE
 INF-FLOW/AREA = 0.075
 POLYGON = "EL7 Space Polygon 1"
 LOCATION
             = FLOOR-V2
"EL7 FIr (G.S1.U1)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Floor"
 U-EFFECTIVE = 0.001
 LOCATION
              = BOTTOM
"EL7 East Wall (G.S1.U2)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Wall"
 U-EFFECTIVE = 0.43
 LOCATION
             = SPACE-V1
"EL7 West Wall (G.S1.U3)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Wall"
 U-EFFECTIVE = 0.43
 LOCATION
              = SPACE-V3
"EL7 South Wall (G.S1.U4)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Wall"
 U-EFFECTIVE = 0.43
 LOCATION
              = SPACE-V4
"1-Storey South (North Side)" = SPACE
 SHAPE
            = POLYGON
 ZONE-TYPE
              = CONDITIONED
 PEOPLE-SCHEDULE = "EL2 Occ-1 Sch"
 LIGHTING-SCHEDUL = ( "EL1 ILt-1 Sch" )
 EQUIP-SCHEDULE = ("EL2 Msc-1 Sch", "EL2 Ckg-1 Sch", "EL2 Off-2 Sch")
 INF-METHOD = AIR-CHANGE
 INF-FLOW/AREA = {0.0495833 * #pa("Infiltration ACH") / 0.35}
```

```
PEOPLE-HG-LAT = 140
 PEOPLE-HG-SENS = 210
 LIGHTING-W/AREA = (2.114)
 EQUIPMENT-W/AREA = (0, 0, 1.83)
 AREA/PERSON = 279.563
 POLYGON = "EL7 Space Polygon 2"
LOCATION = FLOOR-V3
 C-SUB-SRC-BTUH = (0,0,0)
 C-SUB-SRC-KW = (0, 0, 0)
 C-ACTIVITY-DESC = *Residential (Bedroom)*
"EL7 East Wall (G.N2.E4)" = EXTERIOR-WALL
 CONSTRUCTION = "EL7 EWall Construction"
 LOCATION = SPACE-V1
 SHADING-SURFACE = YES
"EL7 East Win (G.N2.E4.W1)" = WINDOW
 GLASS-TYPE = "EL7 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
          = 1
 Υ
          = 3.5
 HEIGHT
           = 4
           = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL7 East Win (G.N2.E4.W2)" = WINDOW
 GLASS-TYPE = "EL7 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH
 Х
        = 5.5
 Υ
          = 3.5
 HEIGHT
            = 4
          = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL7 East Win (G.N2.E4.W3)" = WINDOW
 GLASS-TYPE = "EL7 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH
                = 0
 Χ
        = 10
 Υ
          = 3.5
 HEIGHT
           = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL7 East Win (G.N2.E4.W4)" = WINDOW
 GLASS-TYPE = "EL7 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
        = 14.5
 Υ
          = 3.5
 HEIGHT
             = 4
```

```
WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL7 North Wall (G.N2.E5)" = EXTERIOR-WALL
 CONSTRUCTION = "EL7 EWall Construction"
 LOCATION
             = SPACE-V2
 SHADING-SURFACE = YES
"EL7 North Win (G.N2.E5.W1)" = WINDOW
 GLASS-TYPE = "EL7 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Χ
         = 2
 Υ
          = 3.5
 HEIGHT
            = 4
           = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL7 North Door (G.N2.E5.D1)" = DOOR
 CONSTRUCTION = "Other Wd Door"
         = 8
 HEIGHT
             = 6.7
 WIDTH
             = 3
"EL7 West Wall (G.N2.E6)" = EXTERIOR-WALL
 CONSTRUCTION = "EL7 EWall Construction"
 LOCATION = SPACE-V4
 SHADING-SURFACE = YES
"EL7 West Win (G.N2.E6.W1)" = WINDOW
 GLASS-TYPE = "EL7 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH
         = 1
 Χ
 Υ
         = 3.5
 HEIGHT
            = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL7 West Win (G.N2.E6.W2)" = WINDOW
 GLASS-TYPE = "EL7 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH
 Χ
        = 5.5
 Υ
          = 3.5
 HEIGHT
            = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL7 West Win (G.N2.E6.W3)" = WINDOW
 GLASS-TYPE = "EL7 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
```

```
FRAME-WIDTH
                = 0
 Х
         = 10
 Υ
          = 3.5
 HEIGHT
           = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL7 West Win (G.N2.E6.W4)" = WINDOW
 GLASS-TYPE = "EL7 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 14.5
 Х
 Υ
          = 3.5
 HEIGHT
           = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL7 FIr (G.N2.I5)" = INTERIOR-WALL
 NEXT-TO = "EL7 North Perim CrS (G.N2)"
 CONSTRUCTION = "Floor abv Crawl Space"
 LOCATION = BOTTOM
"EL7 North Wall (G.N2.I6)" = INTERIOR-WALL
 NEXT-TO = "EL7 North Perim Spc (G.N4)"
 CONSTRUCTION = "Garage Int Wall"
 LOCATION = SPACE-V3
"EL7 UnderRf (G.N2.I7)" = INTERIOR-WALL
          = "EL7 Under Roof (G.5)"
 CONSTRUCTION = "EL7 AFIr Construction"
 LOCATION = TOP
"EL7 North Perim CrS (G.N2)" = SPACE
 Z
     = -3
 HEIGHT
           = 3
 SHAPE
           = POLYGON
 ZONE-TYPE
             = UNCONDITIONED
 INF-METHOD = AIR-CHANGE
 INF-FLOW/AREA = 0.075
 POLYGON = "EL7 Space Polygon 2"
 LOCATION = FLOOR-V3
"EL7 Fir (G.N2.U5)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Floor"
 U-EFFECTIVE = 0.001
 LOCATION
             = BOTTOM
"EL7 East Wall (G.N2.U6)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Wall"
 U-EFFECTIVE = 0.43
 LOCATION
              = SPACE-V1
"EL7 North Wall (G.N2.U7)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Wall"
```

```
U-EFFECTIVE = 0.43
 LOCATION
             = SPACF-V2
"EL7 West Wall (G.N2.U8)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Wall"
 U-EFFECTIVE = 0.43
 LOCATION = SPACE-V4
"EL7 South Perim Spc (G.S3)" = SPACE
 SHAPE = POLYGON
 ZONE-TYPE = UNCONDITIONED
 PEOPLE-SCHEDULE = "EL1 Occ-1 Sch"
 LIGHTING-SCHEDUL = ("EL1 ILt-1 Sch")
 INF-METHOD = AIR-CHANGE
 INF-FLOW/AREA = 0.2125
 PEOPLE-HG-LAT = 140
 PEOPLE-HG-SENS = 210
 LIGHTING-W/AREA = (0.685)
 AREA/PERSON = 10000
 POLYGON
            = "EL7 Space Polygon 3"
 LOCATION
             = FLOOR-V1
 C-SUB-SRC-BTUH = (0,0,0)
 C-SUB-SRC-KW = (0, 0, 0)
 C-ACTIVITY-DESC = *Residential (Garage)*
"EL7 East Wall (G.S3.E7)" = EXTERIOR-WALL
 CONSTRUCTION = "Garage Ext Wall"
           = SPACE-V1
 LOCATION
 SHADING-SURFACE = YES
"EL7 West Wall (G.S3.E8)" = EXTERIOR-WALL
 CONSTRUCTION = "Garage Ext Wall"
 LOCATION = SPACE-V3
 SHADING-SURFACE = YES
"EL7 West Door (G.S3.E8.D1)" = DOOR
 CONSTRUCTION = "Sgl Lyr Unins Mtl Door"
          = 1
 HEIGHT
             = 7.5
            = 12
 WIDTH
"EL7 South Wall (G.S3.E9)" = EXTERIOR-WALL
 CONSTRUCTION = "Garage Ext Wall"
 LOCATION = SPACE-V4
 SHADING-SURFACE = YES
"EL7 UnderRf (G.S3.I8)" = INTERIOR-WALL
 NEXT-TO = "EL7 Under Roof (G.5)"
 CONSTRUCTION = "EL7 AFIr Construction"
 LOCATION = TOP
"EL7 Fir (G.S3.U9)" = UNDERGROUND-WALL
 CONSTRUCTION = "EL7 UFCons (G.S3.U10)"
 LOCATION = BOTTOM
"EL7 North Perim Spc (G.N4)" = SPACE
```

```
SHAPE
           = POLYGON
 ZONE-TYPE = UNCONDITIONED
 PEOPLE-SCHEDULE = "EL1 Occ-1 Sch"
 LIGHTING-SCHEDUL = ( "EL1 ILt-1 Sch" )
 INF-METHOD
              = AIR-CHANGE
 INF-FLOW/AREA = 0.2125
 PEOPLE-HG-LAT = 140
 PEOPLE-HG-SENS = 210
 LIGHTING-W/AREA = (0.685)
 AREA/PERSON = 10000
             = "EL7 Space Polygon 4"
 POLYGON
 LOCATION
              = FLOOR-V5
 C-SUB-SRC-BTUH = (0, 0, 0)
 C-SUB-SRC-KW = (0, 0, 0)
 C-ACTIVITY-DESC = *Residential (Garage)*
"EL7 East Wall (G.N4.E10)" = EXTERIOR-WALL
 CONSTRUCTION = "Garage Ext Wall"
 LOCATION = SPACE-V1
 SHADING-SURFACE = YES
"EL7 East Door (G.N4.E10.D1)" = DOOR
 CONSTRUCTION = "Sql Lyr Unins Mtl Door"
          = 1
             = 7.5
 HEIGHT
 WIDTH
            = 12
"EL7 North Wall (G.N4.E11)" = EXTERIOR-WALL
 CONSTRUCTION = "Garage Ext Wall"
             = SPACE-V2
 LOCATION
 SHADING-SURFACE = YES
"EL7 West Wall (G.N4.E12)" = EXTERIOR-WALL
 CONSTRUCTION = "Garage Ext Wall"
 LOCATION
             = SPACE-V3
 SHADING-SURFACE = YES
"EL7 UnderRf (G.N4.19)" = INTERIOR-WALL
 NEXT-TO = "EL7 Under Roof (G.5)"
 CONSTRUCTION = "EL7 AFIr Construction"
             = TOP
 LOCATION
"EL7 FIr (G.N4.U10)" = UNDERGROUND-WALL
 CONSTRUCTION = "EL7 UFCons (G.N4.U11)"
 LOCATION = BOTTOM
"EL7 Under Roof (G.5)" = SPACE
          = 0
 Χ
 Υ
          = 0
 Ζ
         = 8.5
 AZIMUTH
            = 0
             = 7.60933
 HEIGHT
 VOLUME
            = 5734.07
           = POLYGON
 SHAPE
 ZONE-TYPE
              = UNCONDITIONED
 INF-METHOD = RESIDENTIAL
```

```
RES-INF-CST = 0
 RES-INF-WND = 0.3
 RES-INF-TEMP = 0.5
 POLYGON = "EL7 Roof Polygon 1"
 LOCATION
              = FLOOR-V1
"EL7 Roof (G.5.E13)" = EXTERIOR-WALL
 CONSTRUCTION = "EL7 Roof Construction"
 Χ
          = 2
 Υ
          = -2
 Ζ
          = 0
 AZIMUTH
             = 90
 TILT
          = 25
 POLYGON = "EL7 Roof Polygon 1 Wall 1"
 SHADING-SURFACE = YES
"EL7 Soffet (G.5.E14)" = EXTERIOR-WALL
 CONSTRUCTION = "EL7 EWall Construction"
 Χ
          = 0
 Υ
          = 0
 Ζ
          = 0
 AZIMUTH
             = 90
 TILT
          = 180
 POLYGON
             = "EL7 Roof Polygon 1 Wall 2"
"EL7 Roof (G.5.E15)" = EXTERIOR-WALL
 CONSTRUCTION = "EL7 Roof Construction"
 Χ
          = 2
 Υ
          = 58.9548
          = 0
 AZIMUTH = 0
 TILT
           = 25
 POLYGON = "EL7 Roof Polygon 1 Wall 3"
 SHADING-SURFACE = YES
"EL7 Soffet (G.5.E16)" = EXTERIOR-WALL
 CONSTRUCTION = "EL7 EWall Construction"
          = 0
 Χ
 Υ
          = 56.9548
 Ζ
          = 0
 AZIMUTH
           = 0
          = 180
 TILT
 POLYGON = "EL7 Roof Polygon 1 Wall 4"
"EL7 Roof (G.5.E17)" = EXTERIOR-WALL
 CONSTRUCTION = "EL7 Roof Construction"
 Χ
          = -12.3183
 Υ
          = 58.9548
 Ζ
          = 0
 AZIMUTH
              = 90
 TILT
           = 25
 POLYGON
               = "EL7 Roof Polygon 1 Wall 5"
 SHADING-SURFACE = YES
"EL7 Soffet (G.5.E18)" = EXTERIOR-WALL
 CONSTRUCTION = "EL7 EWall Construction"
```

```
= -14.3183
 Υ
          = 56.9548
 Ζ
          = 0
 AZIMUTH
            = 90
 TILT
           = 180
 POLYGON = "EL7 Roof Polygon 1 Wall 6"
"EL7 Gable (G.5.E19)" = EXTERIOR-WALL
 CONSTRUCTION = "EL7 EWall Construction"
          = -12.3183
 Υ
          = 70.9548
 Ζ
          = 0
 AZIMUTH
             = 0
       = 90
 TILT
 POLYGON = "EL7 Roof Polygon 1 Wall 7"
 SHADING-SURFACE = YES
"EL7 Roof (G.5.E20)" = EXTERIOR-WALL
 CONSTRUCTION = "EL7 Roof Construction"
 Χ
          = -30.6365
 Υ
          = 72.9548
 Z
         = 0
 AZIMUTH
              = -90
 TILT = 25
 POLYGON = "EL7 Roof Polygon 1 Wall 8"
 SHADING-SURFACE = YES
"EL7 Soffet (G.5.E21)" = EXTERIOR-WALL
 CONSTRUCTION = "EL7 EWall Construction"
 Χ
          = -28.6365
 Υ
          = 70.9548
 Ζ
          = 0
 AZIMUTH
           = -90
 TILT
           = 180
 POLYGON = "EL7 Roof Polygon 1 Wall 9"
"EL7 Roof (G.5.E22)" = EXTERIOR-WALL
 CONSTRUCTION = "EL7 Roof Construction"
 Χ
          = -30.6365
 Υ
          = 12
 Ζ
          = 0
 AZIMUTH = 180
 TILT
          = 25
 POLYGON
             = "EL7 Roof Polygon 1 Wall 10"
 SHADING-SURFACE = YES
"EL7 Soffet (G.5.E23)" = EXTERIOR-WALL
 CONSTRUCTION = "EL7 EWall Construction"
 Χ
          = -28.6365
 Υ
          = 14
 Z
         = 0
 AZIMUTH
             = 180
          = 180
 TILT
 POLYGON
             = "EL7 Roof Polygon 1 Wall 11"
"EL7 Roof (G.5.E24)" = EXTERIOR-WALL
```

```
CONSTRUCTION = "EL7 Roof Construction"
 Х
          = -16.3183
 Υ
          = 12
 Ζ
          = 0
 AZIMUTH
              = -90
 TII T
           = 25
 POLYGON
              = "EL7 Roof Polygon 1 Wall 12"
 SHADING-SURFACE = YES
"EL7 Soffet (G.5.E25)" = EXTERIOR-WALL
 CONSTRUCTION = "EL7 EWall Construction"
          = -14.3183
          = 14
 Υ
 Ζ
          = 0
 AZIMUTH
              = -90
 TILT
           = 180
 POLYGON = "EL7 Roof Polygon 1 Wall 13"
"EL7 Gable (G.5.E26)" = EXTERIOR-WALL
 CONSTRUCTION = "EL7 EWall Construction"
 Χ
          = -16.3183
 Υ
          = 0
 Ζ
          = 0
 AZIMUTH
              = 180
          = 90
 TILT
 POLYGON
              = "EL7 Roof Polygon 1 Wall 14"
 SHADING-SURFACE = YES
"EL8 Ground FIr" = FLOOR
 Χ
          = -42.6365
 Υ
          = 204.91
 AZIMUTH
             = 90
 POLYGON
              = "EL8 Floor Polygon"
 SHAPE
            = POLYGON
 FLOOR-HEIGHT = 8.5
 SPACE-HEIGHT = 8.5
 C-DIAGRAM-DATA = *SFAM2-2 Diag Data*
"1-Storey North (West Side)" = SPACE
         = POLYGON
 SHAPE
 ZONE-TYPE
              = CONDITIONED
 PEOPLE-SCHEDULE = "EL2 Occ-2 Sch"
 LIGHTING-SCHEDUL = ("EL1 ILt-1 Sch")
 EQUIP-SCHEDULE = ("EL2 Msc-2 Sch", "EL2 Ckg-2 Sch", "EL2 Off-2 Sch",
    "EL2 SCR-2 Sch", "EL8 ZnGrp 2 2 MtrsPrc Elc Sch")
 SOURCE-SCHEDULE = "EL8 ZnGrp 2 2 CookPrc Gas Sch"
 SOURCE-TYPE = GAS
 SOURCE-POWER = 33397.2
 INF-METHOD
              = AIR-CHANGE
 INF-FLOW/AREA = {0.0495833 * #pa("Infiltration ACH") / 0.35}
 PEOPLE-HG-LAT = 140
 PEOPLE-HG-SENS = 210
 EQUIP-LATENT = (0.15, 0, 0, 0, 0.04)
 EQUIP-SENSIBLE = (0.85, 1, 1, 1, 0.33)
 SOURCE-SENSIBLE = 0.227974
 LIGHTING-W/AREA = (
```

```
{4.292 - #pa("Ltg W Reduced per Residence") / local("AREA")} )
 EQUIPMENT-W/AREA = (0.391, 0, 7.321, 0.124, 0.552)
 AREA/PERSON = 279.563
 POLYGON = "EL8 Space Polygon 1"
 EQUIP-PWR-FT = ( &D, &D, *DEER Refrigerator Power FT" )
 EQUIP-RATED-T = (&D, &D, &D, 90)
 LOCATION
             = FLOOR-V2
 C-SUB-SRC-BTUH = (0, 34.7456, 19.5555)
 C-SUB-SRC-KW = (0, 0.12, 0.432)
 C-ACTIVITY-DESC = *Residential (Living)*
"EL8 South Wall (G.W1.E1)" = EXTERIOR-WALL
 CONSTRUCTION = "EL8 EWall Construction"
 LOCATION = SPACE-V1
 SHADING-SURFACE = YES
"EL8 South Win (G.W1.E1.W1)" = WINDOW
 GLASS-TYPE = "EL8 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH
               = 0
 Χ
          = 1
 Υ
          = 3.5
 HEIGHT
            = 4
            = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL8 South Win (G.W1.E1.W2)" = WINDOW
 GLASS-TYPE = "EL8 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH
 Х
        = 5.5
 Υ
          = 3.5
 HEIGHT
             = 4
 WIDTH
             = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL8 South Win (G.W1.E1.W3)" = WINDOW
 GLASS-TYPE = "EL8 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH
                = 0
 Χ
         = 10
 Υ
          = 3.5
 HEIGHT
             = 4
 WIDTH
             = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL8 South Win (G.W1.E1.W4)" = WINDOW
 GLASS-TYPE = "EL8 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
        = 14.5
 Χ
 Υ
          = 3.5
 HEIGHT
             = 4
```

```
WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL8 North Wall (G.W1.E2)" = EXTERIOR-WALL
 CONSTRUCTION = "EL8 EWall Construction"
 LOCATION
            = SPACE-V3
 SHADING-SURFACE = YES
"EL8 North Win (G.W1.E2.W1)" = WINDOW
 GLASS-TYPE = "EL8 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
        = 1
 Χ
 Υ
          = 3.5
 HEIGHT
           = 4
           = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL8 North Win (G.W1.E2.W2)" = WINDOW
 GLASS-TYPE = "EL8 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 5.5
 Χ
 Υ
          = 3.5
 HEIGHT
            = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL8 North Win (G.W1.E2.W3)" = WINDOW
 GLASS-TYPE = "EL8 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH
      = 10
 Χ
 Υ
         = 3.5
 HEIGHT
            = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL8 North Win (G.W1.E2.W4)" = WINDOW
 GLASS-TYPE = "EL8 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH
 Χ
        = 14.5
 Υ
         = 3.5
 HEIGHT
            = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL8 West Wall (G.W1.E3)" = EXTERIOR-WALL
 CONSTRUCTION = "EL8 EWall Construction"
 LOCATION = SPACE-V4
```

```
SHADING-SURFACE = YES
"EL8 West Win (G.W1.E3.W1)" = WINDOW
 GLASS-TYPE = "EL8 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 2
 Χ
 Υ
          = 3.5
 HEIGHT
           = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL8 West Door (G.W1.E3.D1)" = DOOR
 CONSTRUCTION = "Other Wd Door"
          = 8
           = 6.7
 HEIGHT
 WIDTH
            = 3
"EL8 Fir (G.W1.I1)" = INTERIOR-WALL
 NEXT-TO = "EL8 West Perim CrS (G.W1)"
 CONSTRUCTION = "Floor abv Crawl Space"
 LOCATION = BOTTOM
"EL8 East Wall (G.W1.I2)" = INTERIOR-WALL
 NEXT-TO = "1-Storey North (East Side)"
 CONSTRUCTION = "EL8 IWall Construction"
 LOCATION = SPACE-V2
"EL8 West Wall (G.W1.I3)" = INTERIOR-WALL
 NEXT-TO = "EL8 West Perim Spc (G.W3)"
 CONSTRUCTION = "Garage Int Wall"
 LOCATION = SPACE-V5
"EL8 UnderRf (G.W1.I4)" = INTERIOR-WALL
 NEXT-TO = "EL8 Under Roof (G.5)"
 CONSTRUCTION = "EL8 AFIr Construction"
 LOCATION = TOP
"EL8 West Perim CrS (G.W1)" = SPACE
 Z = -3
         = 3
= POLYGON
 HEIGHT
 SHAPE
 ZONE-TYPE = UNCONDITIONED
 INF-METHOD = AIR-CHANGE
 INF-FLOW/AREA = 0.075
 POLYGON = "EL8 Space Polygon 1"
LOCATION = FLOOR-V2
 LOCATION
"EL8 FIr (G.W1.U1)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Floor"
 U-EFFECTIVE = 0.001
 LOCATION
              = BOTTOM
"EL8 South Wall (G.W1.U2)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Wall"
```

```
U-EFFECTIVE = 0.43
 LOCATION
             = SPACF-V1
"EL8 North Wall (G.W1.U3)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Wall"
 U-EFFECTIVE = 0.43
 LOCATION = SPACE-V3
"EL8 West Wall (G.W1.U4)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Wall"
 U-EFFECTIVE = 0.43
 LOCATION
              = SPACE-V4
"1-Storey North (East Side)" = SPACE
 SHAPE
          = POLYGON
 ZONE-TYPE = CONDITIONED
 PEOPLE-SCHEDULE = "EL2 Occ-1 Sch"
 LIGHTING-SCHEDUL = ("EL1 ILt-1 Sch")
 EQUIP-SCHEDULE = ("EL2 Msc-1 Sch", "EL2 Ckg-1 Sch", "EL2 Off-2 Sch")
 INF-METHOD
               = AIR-CHANGE
 INF-FLOW/AREA = {0.0495833 * #pa("Infiltration ACH") / 0.35}
 PEOPLE-HG-LAT = 140
 PEOPLE-HG-SENS = 210
 LIGHTING-W/AREA = (2.114)
 EQUIPMENT-W/AREA = (0,0,1.83)
 AREA/PERSON = 279.563
 POLYGON
           = "EL8 Space Polygon 2"
 LOCATION
             = FLOOR-V3
 C-SUB-SRC-BTUH = (0,0,0)
 C-SUB-SRC-KW = (0,0,0)
 C-ACTIVITY-DESC = *Residential (Bedroom)*
"EL8 South Wall (G.E2.E4)" = EXTERIOR-WALL
 CONSTRUCTION = "EL8 EWall Construction"
 LOCATION
             = SPACE-V1
 SHADING-SURFACE = YES
"EL8 South Win (G.E2.E4.W1)" = WINDOW
 GLASS-TYPE = "EL8 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH
               = 0
          = 1
 Χ
 Υ
          = 3.5
 HEIGHT
            = 4
             = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL8 South Win (G.E2.E4.W2)" = WINDOW
 GLASS-TYPE = "EL8 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH
                = 0
          = 5.5
 Χ
 Υ
          = 3.5
 HEIGHT
            = 4
 WIDTH
            = 2.23805
```

```
WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL8 South Win (G.E2.E4.W3)" = WINDOW
 GLASS-TYPE = "EL8 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 10
 Χ
          = 3.5
 HEIGHT
            = 4
           = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL8 South Win (G.E2.E4.W4)" = WINDOW
 GLASS-TYPE = "EL8 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
        = 14.5
 Χ
 Υ
         = 3.5
 HEIGHT
            = 4
 WIDTH
            = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL8 East Wall (G.E2.E5)" = EXTERIOR-WALL
 CONSTRUCTION = "EL8 EWall Construction"
 LOCATION = SPACE-V2
 SHADING-SURFACE = YES
"EL8 East Win (G.E2.E5.W1)" = WINDOW
 GLASS-TYPE = "EL8 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 2
 Х
 Υ
         = 3.5
 HEIGHT
           = 4
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL8 East Door (G.E2.E5.D1)" = DOOR
 CONSTRUCTION = "Other Wd Door"
        = 8
 HEIGHT
            = 6.7
 WIDTH
            = 3
"EL8 North Wall (G.E2.E6)" = EXTERIOR-WALL
 CONSTRUCTION = "EL8 EWall Construction"
 LOCATION
             = SPACE-V4
 SHADING-SURFACE = YES
"EL8 North Win (G.E2.E6.W1)" = WINDOW
 GLASS-TYPE = "EL8 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH
               = 0
```

```
= 1
 Υ
         = 3.5
 HEIGHT
           = 4
          = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL8 North Win (G.E2.E6.W2)" = WINDOW
 GLASS-TYPE = "EL8 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
         = 5.5
 Υ
          = 3.5
 HEIGHT
           = 4
 WIDTH
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL8 North Win (G.E2.E6.W3)" = WINDOW
 GLASS-TYPE = "EL8 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Х
          = 10
 Υ
          = 3.5
 HEIGHT
           = 4
           = 2.23805
 WIDTH
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL8 North Win (G.E2.E6.W4)" = WINDOW
 GLASS-TYPE
              = "EL8 Window Type #1 GT"
 SHADING-SCHEDULE = "DEER Res ShadeSch"
 FRAME-WIDTH = 0
 Х
         = 14.5
 Υ
         = 3.5
 HEIGHT
            = 4
           = 2.23805
 WIN-SHADE-TYPE = FIXED-INTERIOR
 FRAME-CONDUCT = 4.09
"EL8 FIr (G.E2.I5)" = INTERIOR-WALL
 NEXT-TO = "EL8 East Perim CrS (G.E2)"
 CONSTRUCTION = "Floor abv Crawl Space"
 LOCATION = BOTTOM
"EL8 East Wall (G.E2.I6)" = INTERIOR-WALL
 NEXT-TO = "EL8 East Perim Spc (G.E4)"
 CONSTRUCTION = "Garage Int Wall"
 LOCATION = SPACE-V3
"EL8 UnderRf (G.E2.I7)" = INTERIOR-WALL
 NEXT-TO = "EL8 Under Roof (G.5)"
 CONSTRUCTION = "EL8 AFIr Construction"
 LOCATION = TOP
"EL8 East Perim CrS (G.E2)" = SPACE
```

```
= -3
 HEIGHT
            = 3
 SHAPE
             = POLYGON
 ZONE-TYPE
              = UNCONDITIONED
 INF-METHOD = AIR-CHANGE
 INF-FLOW/AREA = 0.075
 POLYGON = "EL8 Space Polygon 2"
 LOCATION
              = FLOOR-V3
"EL8 FIr (G.E2.U5)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Floor"
 U-EFFECTIVE = 0.001
 LOCATION
              = BOTTOM
"EL8 South Wall (G.E2.U6)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Wall"
 U-EFFECTIVE = 0.43
 LOCATION
              = SPACE-V1
"EL8 East Wall (G.E2.U7)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Wall"
 U-EFFECTIVE = 0.43
 LOCATION
              = SPACE-V2
"EL8 North Wall (G.E2.U8)" = UNDERGROUND-WALL
 CONSTRUCTION = "Crawl Space Wall"
 U-EFFECTIVE = 0.43
              = SPACE-V4
 LOCATION
"EL8 West Perim Spc (G.W3)" = SPACE
 SHAPE
            = POLYGON
 ZONE-TYPE
              = UNCONDITIONED
 PEOPLE-SCHEDULE = "EL1 Occ-1 Sch"
 LIGHTING-SCHEDUL = ("EL1 ILt-1 Sch")
 INF-METHOD
               = AIR-CHANGE
 INF-FLOW/AREA = 0.2125
 PEOPLE-HG-LAT = 140
 PEOPLE-HG-SENS = 210
 LIGHTING-W/AREA = (0.685)
 AREA/PERSON = 10000
              = "EL8 Space Polygon 3"
 POLYGON
 LOCATION
              = FLOOR-V1
 C-SUB-SRC-BTUH = (0,0,0)
 C-SUB-SRC-KW = (0,0,0)
 C-ACTIVITY-DESC = *Residential (Garage)*
"EL8 South Wall (G.W3.E7)" = EXTERIOR-WALL
 CONSTRUCTION = "Garage Ext Wall"
 LOCATION
              = SPACE-V1
 SHADING-SURFACE = YES
"EL8 North Wall (G.W3.E8)" = EXTERIOR-WALL
 CONSTRUCTION = "Garage Ext Wall"
 LOCATION
              = SPACE-V3
 SHADING-SURFACE = YES
```

```
"EL8 North Door (G.W3.E8.D1)" = DOOR
 CONSTRUCTION = "Sgl Lyr Unins Mtl Door"
 Х
          = 1
 HEIGHT
             = 7.5
 WIDTH
            = 12
"EL8 West Wall (G.W3.E9)" = EXTERIOR-WALL
 CONSTRUCTION = "Garage Ext Wall"
 LOCATION
             = SPACE-V4
 SHADING-SURFACE = YES
"EL8 UnderRf (G.W3.I8)" = INTERIOR-WALL
 NEXT-TO = "EL8 Under Roof (G.5)"
 CONSTRUCTION = "EL8 AFIr Construction"
 LOCATION = TOP
"EL8 FIr (G.W3.U9)" = UNDERGROUND-WALL
 CONSTRUCTION = "EL8 UFCons (G.W3.U10)"
 LOCATION = BOTTOM
"EL8 East Perim Spc (G.E4)" = SPACE
 SHAPE
          = POLYGON
 ZONE-TYPE = UNCONDITIONED
 PEOPLE-SCHEDULE = "EL1 Occ-1 Sch"
 LIGHTING-SCHEDUL = ( "EL1 ILt-1 Sch" )
 INF-METHOD = AIR-CHANGE
 INF-FLOW/AREA = 0.2125
 PEOPLE-HG-LAT = 140
 PEOPLE-HG-SENS = 210
 LIGHTING-W/AREA = (0.685)
 AREA/PERSON = 10000
 POLYGON
           = "EL8 Space Polygon 4"
            = FLOOR-V5
 LOCATION
 C-SUB-SRC-BTUH = (0,0,0)
 C-SUB-SRC-KW = (0,0,0)
 C-ACTIVITY-DESC = *Residential (Garage)*
"EL8 South Wall (G.E4.E10)" = EXTERIOR-WALL
 CONSTRUCTION = "Garage Ext Wall"
 LOCATION = SPACE-V1
 SHADING-SURFACE = YES
"EL8 South Door (G.E4.E10.D1)" = DOOR
 CONSTRUCTION = "Sgl Lyr Unins Mtl Door"
 Х
          = 1
 HEIGHT
             = 7.5
 WIDTH
            = 12
"EL8 East Wall (G.E4.E11)" = EXTERIOR-WALL
 CONSTRUCTION = "Garage Ext Wall"
 LOCATION = SPACE-V2
 SHADING-SURFACE = YES
"EL8 North Wall (G.E4.E12)" = EXTERIOR-WALL
 CONSTRUCTION = "Garage Ext Wall"
 LOCATION = SPACE-V3
```

```
SHADING-SURFACE = YES
"EL8 UnderRf (G.E4.I9)" = INTERIOR-WALL
 NEXT-TO = "EL8 Under Roof (G.5)"
 CONSTRUCTION = "EL8 AFIr Construction"
 LOCATION = TOP
"EL8 FIr (G.E4.U10)" = UNDERGROUND-WALL
 CONSTRUCTION = "EL8 UFCons (G.E4.U11)"
 LOCATION = BOTTOM
"EL8 Under Roof (G.5)" = SPACE
          = 0
 Χ
 Υ
          = 0
 Ζ
          = 8.5
 AZIMUTH = 0
          = 7.60933
= 5734.07
= POLYGON
 HEIGHT
 VOLUME
 SHAPE
 ZONE-TYPE = UNCONDITIONED
 INF-METHOD = RESIDENTIAL
 RES-INF-CST = 0
 RES-INF-WND = 0.3
 RES-INF-TEMP = 0.5
 POLYGON = "EL8 Roof Polygon 1"
 LOCATION = FLOOR-V1
"EL8 Roof (G.5.E13)" = EXTERIOR-WALL
 CONSTRUCTION = "EL8 Roof Construction"
 Χ
          = 2
 Υ
          = -2
 Ζ
          = 0
 AZIMUTH
           = 90
 TILT
          = 25
 POLYGON = "EL8 Roof Polygon 1 Wall 1"
 SHADING-SURFACE = YES
"EL8 Soffet (G.5.E14)" = EXTERIOR-WALL
 CONSTRUCTION = "EL8 EWall Construction"
         = 0
 Χ
 Υ
          = 0
 Ζ
          = 0
 AZIMUTH = 90
 TILT
         = 180
 POLYGON = "EL8 Roof Polygon 1 Wall 2"
"EL8 Roof (G.5.E15)" = EXTERIOR-WALL
 CONSTRUCTION = "EL8 Roof Construction"
 Χ
          = 2
 Υ
          = 58.9548
 Ζ
         = 0
 AZIMUTH
             = 0
 TILT
        = 25
 POLYGON
              = "EL8 Roof Polygon 1 Wall 3"
 SHADING-SURFACE = YES
```

```
"EL8 Soffet (G.5.E16)" = EXTERIOR-WALL
 CONSTRUCTION = "EL8 EWall Construction"
 Χ
          = 0
 Υ
          = 56.9548
 Ζ
         = 0
 AZIMUTH
             = 0
 TILT
        = 180
 POLYGON
             = "EL8 Roof Polygon 1 Wall 4"
"EL8 Roof (G.5.E17)" = EXTERIOR-WALL
 CONSTRUCTION = "EL8 Roof Construction"
         = -12.3183
 Υ
          = 58.9548
 Z
         = 0
 AZIMUTH = 90
 TILT = 25
 POLYGON = "EL8 Roof Polygon 1 Wall 5"
 SHADING-SURFACE = YES
"EL8 Soffet (G.5.E18)" = EXTERIOR-WALL
 CONSTRUCTION = "EL8 EWall Construction"
          = -14.3183
 Υ
          = 56.9548
 Ζ
         = 0
 AZIMUTH = 9
TILT = 180
            = 90
 POLYGON = "EL8 Roof Polygon 1 Wall 6"
"EL8 Gable (G.5.E19)" = EXTERIOR-WALL
 CONSTRUCTION = "EL8 EWall Construction"
          = -12.3183
 Χ
 Υ
          = 70.9548
 Ζ
          = 0
 AZIMUTH
             = 0
 TILT = 90
 POLYGON = "EL8 Roof Polygon 1 Wall 7"
 SHADING-SURFACE = YES
"EL8 Roof (G.5.E20)" = EXTERIOR-WALL
 CONSTRUCTION = "EL8 Roof Construction"
 Χ
          = -30.6365
 Υ
          = 72.9548
 Ζ
          = 0
 AZIMUTH = -90
 TILT
 POLYGON = "EL8 Roof Polygon 1 Wall 8"
 SHADING-SURFACE = YES
"EL8 Soffet (G.5.E21)" = EXTERIOR-WALL
 CONSTRUCTION = "EL8 EWall Construction"
          = -28.6365
 Υ
          = 70.9548
 Z
         = 0
 AZIMUTH
             = -90
 TILT = 180
 POLYGON = "EL8 Roof Polygon 1 Wall 9"
```

```
"EL8 Roof (G.5.E22)" = EXTERIOR-WALL
 CONSTRUCTION = "EL8 Roof Construction"
         = -30.6365
 Χ
 Υ
          = 12
 Ζ
         = 0
 AZIMUTH = 180
 TILT = 25
 POLYGON
             = "EL8 Roof Polygon 1 Wall 10"
 SHADING-SURFACE = YES
"EL8 Soffet (G.5.E23)" = EXTERIOR-WALL CONSTRUCTION = "EL8 EWall Construction"
         = -28.6365
 Υ
         = 14
 Z
         = 0
 AZIMUTH = 180
 TILT = 180
 POLYGON = "EL8 Roof Polygon 1 Wall 11"
"EL8 Roof (G.5.E24)" = EXTERIOR-WALL
 CONSTRUCTION = "EL8 Roof Construction"
         = -16.3183
 Υ
         = 12
 Z
         = 0
 AZIMUTH = -90
 TILT = 25
 POLYGON = "EL8 Roof Polygon 1 Wall 12"
 SHADING-SURFACE = YES
"EL8 Soffet (G.5.E25)" = EXTERIOR-WALL
 CONSTRUCTION = "EL8 EWall Construction"
 Χ
     = -14.3183
 Υ
          = 14
 Ζ
         = 0
 AZIMUTH
            = -90
 TILT = 180
 POLYGON
             = "EL8 Roof Polygon 1 Wall 13"
"EL8 Gable (G.5.E26)" = EXTERIOR-WALL
 CONSTRUCTION = "EL8 EWall Construction"
         = -16.3183
 Υ
          = 0
 Ζ
         = 0
 AZIMUTH = 180
 TILT
       = 90
 POLYGON = "EL8 Roof Polygon 1 Wall 14"
 SHADING-SURFACE = YES
$ **
$ **
         Performance Curves
$ **
```

```
"SA-10-HH - Cool Cap f(T)" = CURVE-FIT
           = BI-QUADRATIC-T
 TYPE
 INPUT-TYPE = COEFFICIENTS
 COEFFICIENTS = (2.432, -0.05654, 0.0006515, 0.003925, -2.167e-006,
    -0.0001448)
"SA-10-HH - Sens Cap f(T)" = CURVE-FIT
           = BI-QUADRATIC-T
 INPUT-TYPE = COEFFICIENTS
 COEFFICIENTS = (-1.812, 0.1503, -0.001537, -0.01766, -2.667e-006,
    0.0002113)
"SA-10-HH - EIR f(T)" = CURVE-FIT
 TYPE = BI-QUADRATIC-T
 INPUT-TYPE = COEFFICIENTS
 COEFFICIENTS = (-0.5725, 0.04007, -0.0003497, -0.0003909, 8.108e-005,
    -3.726e-005)
"SA-10-HH - Coil BF f(T)" = CURVE-FIT
 TYPE = BI-QUADRATIC-T
 INPUT-TYPE = COEFFICIENTS
 OUTPUT-MIN
              = 0
 OUTPUT-MAX = 2.22222
 COEFFICIENTS = (40.3, -1.115, 0.00788, 1e-012, 1e-012, 1e-012)
"SA-10-HH - EIR f(PLR)" = CURVE-FIT
 TYPE = CUBIC
 INPUT-TYPE = COEFFICIENTS
 COEFFICIENTS = (0.0001178, 1.236, -0.3143, 0.07817)
"SA-10-HH - C-Loss f(PLR)" = CURVE-FIT
          = QUADRATIC
 TYPE
 INPUT-TYPE = COEFFICIENTS
 COEFFICIENTS = (0.8014, 0.2374, -0.03938)
"SA-10-HH - BF f(Flow)" = CURVE-FIT
           = LINEAR
 TYPE
 INPUT-TYPE = COEFFICIENTS
 OUTPUT-MIN
                = 0
 OUTPUT-MAX
                = 1
 COEFFICIENTS = (1,0)
"SA-18-LH - Cool Cap f(T)" = CURVE-FIT
 TYPE = BI-QUADRATIC-T
 INPUT-TYPE = COEFFICIENTS
 COEFFICIENTS = (0.5411, -0.00111, 0.0002031, 0.005392, -1.543e-005,
    -0.0001181)
"SA-18-LH - Sens Cap f(T)" = CURVE-FIT
 TYPE
           = BI-QUADRATIC-T
 INPUT-TYPE = COEFFICIENTS
 COEFFICIENTS = (3.967, -0.03484, -9.125e-005, -0.006183, -6.452e-006,
    6.631e-005)
"SA-18-LH - EIR f(T)" = CURVE-FIT
```

```
TYPE = BI-QUADRATIC-T
 INPUT-TYPE = COEFFICIENTS
 COEFFICIENTS = (-0.1722, 0.006723, -1.844e-005, 0.01161, 9.654e-005,
    -0.0001838)
"SA-18-LH - Coil BF f(T)" = CURVE-FIT
 TYPE = BI-QUADRATIC-T
 INPUT-TYPE = COEFFICIENTS
 OUTPUT-MIN = 0
 OUTPUT-MAX = 6.94444
 COEFFICIENTS = (-42.01, 1.317, -0.01018, 0.102, 3.278e-006, -0.001452)
"SA-18-LH - EIR f(PLR)" = CURVE-FIT
 TYPE = CUBIC
 INPUT-TYPE = COEFFICIENTS
 COEFFICIENTS = (1.527e-015, 0.73, 0.27, 1e-012)
"SA-18-LH - C-Loss f(PLR)" = CURVE-FIT
 TYPE = QUADRATIC
 INPUT-TYPE = COEFFICIENTS
 COEFFICIENTS = (0.8439, 0.1794, -0.02327)
"SA-18-LH - BF f(Flow)" = CURVE-FIT
 TYPE = LINEAR
 INPUT-TYPE = COEFFICIENTS
 OUTPUT-MIN = 0.3536
 OUTPUT-MAX
              = 1
 COEFFICIENTS = (-1.143, 2.143)
$ ************
$ **
$ **
         Electric & Fuel Meters
$ **********
 Electric Meters
"EM1" = ELEC-METER
 TYPE = UTILITY
"EM2" = ELEC-METER
 TYPE = UTILITY
$
  Fuel Meters
"FM1" = FUEL-METER
 TYPE = NATURAL-GAS
"FM2" = FUEL-METER
```

```
TYPE = NATURAL-GAS
  Master Meters
"MASTER-METERS 1" = MASTER-METERS
 MSTR-ELEC-METER = "EM1"
 MSTR-FUEL-METER = "FM1"
$ *************
$ **
    HVAC Circulation Loops / Plant Equipment
$ **
$
      Pumps
  Heat Exchangers
$
  Circulation Loops
"DHW SF2 Res Loop (1)" = CIRCULATION-LOOP
 TYPE = DHW
 DESIGN-HEAT-T = 135
 PROCESS-FLOW = (
{0.466833 - (0.466833 * (#pa("DHW Therms Saved")/2310))},
    {0.116833 - (0.116833 * (#pa("DHW Therms Saved")/2310))},
    {0.416333 - (0.416333 * (#pa("DHW Therms Saved")/2310))},
    {0.0538333 - (0.0538333 * (#pa("DHW Therms Saved")/2310))},
    {0.0566667 - (0.0566667 * (#pa("DHW Therms Saved")/2310))} )
 PROCESS-SCH = ("DHW SF2 R-Lp Prc1 Sch", "DHW SF2 R-Lp Prc2 Sch",
    "DHW SF2 R-Lp Prc3 Sch", "DHW SF2 R-Lp Prc4 Sch",
    "DHW SF2 R-Lp Prc5 Sch")
 PROCESS-T = (105, 105, 105, 135, 135)
"DHW SF2-2 Res Loop (2)" = CIRCULATION-LOOP
 TYPE
       = DHW
 DESIGN-HEAT-T = 135
 PROCESS-FLOW = (
{0.466833 - (0.466833 * (#pa("DHW Therms Saved")/2310))},
    {0.116833 - (0.116833 * (#pa("DHW Therms Saved")/2310))},
```

```
{0.416333 - (0.416333 * (#pa("DHW Therms Saved")/2310))},
    {0.0538333 - (0.0538333 * (#pa("DHW Therms Saved")/2310))},
    {0.0566667 - (0.0566667 * (#pa("DHW Therms Saved")/2310))} )
 PROCESS-SCH = ("DHW SF2-2 R-Lp Prc1 Sch", "DHW SF2-2 R-Lp Prc2 Sch",
     "DHW SF2-2 R-Lp Prc3 Sch", "DHW SF2-2 R-Lp Prc4 Sch",
     "DHW SF2-2 R-Lp Prc5 Sch")
 PROCESS-T = (105, 105, 105, 135, 135)
"DHW SF1 Res Loop (3)" = CIRCULATION-LOOP
 TYPE = DHW
 DESIGN-HEAT-T = 135
 PROCESS-FLOW = (
{0.466833 - (0.466833 * (#pa("DHW Therms Saved")/2310))},
    {0.116833 - (0.116833 * (#pa("DHW Therms Saved")/2310))},
    {0.416333 - (0.416333 * (#pa("DHW Therms Saved")/2310))}.
    {0.0538333 - (0.0538333 * (#pa("DHW Therms Saved")/2310))},
    {0.0566667 - (0.0566667 * (#pa("DHW Therms Saved")/2310))} )
 PROCESS-SCH = ("DHW SF1 R-Lp Prc1 Sch", "DHW SF1 R-Lp Prc2 Sch",
    "DHW SF1 R-Lp Prc3 Sch", "DHW SF1 R-Lp Prc4 Sch",
     "DHW SF1 R-Lp Prc5 Sch")
 PROCESS-T = (105, 105, 105, 135, 135)
"DHW SF1-2 Res Loop (4)" = CIRCULATION-LOOP
        = DHW
 TYPE
 DESIGN-HEAT-T = 135
 PROCESS-FLOW = (
{0.466833 - (0.466833 * (#pa("DHW Therms Saved")/2310))},
    {0.116833 - (0.116833 * (#pa("DHW Therms Saved")/2310))},
    {0.416333 - (0.416333 * (#pa("DHW Therms Saved")/2310))},
    {0.0538333 - (0.0538333 * (#pa("DHW Therms Saved")/2310))}.
    {0.0566667 - (0.0566667 * (#pa("DHW Therms Saved")/2310))} )
 PROCESS-SCH = ("DHW SF1-2 R-Lp Prc1 Sch", "DHW SF1-2 R-Lp Prc2 Sch",
    "DHW SF1-2 R-Lp Prc3 Sch", "DHW SF1-2 R-Lp Prc4 Sch",
     "DHW SF1-2 R-Lp Prc5 Sch")
 PROCESS-T = (105, 105, 105, 135, 135)
  Chillers
  Boilers
  Domestic Water Heaters
"DHW SF2 Res Wtr Htr (1)" = DW-HEATER
 TYPE = GAS
```

```
TANK-VOLUME = 40
 CAPACITY
             = 0.05
 HEAT-INPUT-RATIO = {1/(#pa("DHW EF")*0.4443+0.5038)}
 HIR-FPLR = "DEER DHW HIR-FPLR Curve"
 TANK-UA
             = 8.90087
 LOCATION
              = ZONE
               = "1-Storey South (S Side) Zn"
 ZONE-NAME
               = "DHW SF2 Res Loop (1)"
 DHW-LOOP
 C-TYPE
 C-CATEGORY
                = 1
 C-ENERGY-FACTOR = 0.57
 C-TANK-EXT-RVAL = 12
"DHW SF2-2 Res Wtr Htr (2)" = DW-HEATER
 TYPE
           = GAS
 TANK-VOLUME = 40
 CAPACITY
             = 0.05
 HEAT-INPUT-RATIO = {1/(#pa("DHW EF")*0.4443+0.5038)}
 HIR-FPLR = "DEER DHW HIR-FPLR Curve"
 TANK-UA
             = 8.90087
 LOCATION
              = ZONE
               = "1-Storey North (W Side) Zn"
 ZONE-NAME
 DHW-LOOP
               = "DHW SF2-2 Res Loop (2)"
 C-TYPE
            = 1
 C-CATEGORY
                = 1
 C-ENERGY-FACTOR = 0.57
 C-TANK-EXT-RVAL = 12
"DHW SF1 Res Wtr Htr (3)" = DW-HEATER
 TYPE
            = GAS
 TANK-VOLUME = 40
             = 0.05
 CAPACITY
 HEAT-INPUT-RATIO = {1/(#pa("DHW EF")*0.4443+0.5038)}
 HIR-FPLR
           = "DEER DHW HIR-FPLR Curve"
 TANK-UA
             = 8.90087
 LOCATION
             = ZONE
              = "2-Storey South 1st Flr Zn"
 ZONE-NAME
 ELEC-METER
              = "EM2"
              = "FM2"
 FUEL-METER
               = "DHW SF1 Res Loop (3)"
 DHW-LOOP
 C-TYPE
            = 1
 C-CATEGORY
                = 1
 C-ENERGY-FACTOR = 0.57
 C-TANK-EXT-RVAL = 12
"DHW SF1-2 Res Wtr Htr (4)" = DW-HEATER
 TYPE
           = GAS
 TANK-VOLUME = 40
 CAPACITY
             = 0.05
 HEAT-INPUT-RATIO = {1/(#pa("DHW EF")*0.4443+0.5038)}
 HIR-FPLR
           = "DEER DHW HIR-FPLR Curve"
 TANK-UA
            = 8.90087
 LOCATION
              = ZONE
              = "2-Storey North 1st Flr Zn"
 ZONE-NAME
              = "EM2"
 ELEC-METER
 FUEL-METER
               = "FM2"
```

```
DHW-LOOP = "DHW SF1-2 Res Loop (4)"
C-TYPE = 1
 C-CATEGORY = 1
 C-ENERGY-FACTOR = 0.57
 C-TANK-EXT-RVAL = 12
 Heat Rejection
 Tower Free Cooling
  Photovoltaic Modules
$ Electric Generators
$ Thermal Storage
  Ground Loop Heat Exchangers
 Compliance DHW (residential dwelling units)
$ **
$ **
        Steam & Chilled Water Meters
```

```
Steam Meters
$
       Chilled Water Meters
$ **
$ **
          HVAC Systems / Zones
$ **
"S1 Svs (PVVT)" = SYSTEM
 TYPE
         = PVVT
 HEAT-SOURCE = FURNACE
 ZONE-HEAT-SOURCE = NONE
 BASEBOARD-SOURCE = NONE
 RETURN-UA = 87.8625
 MAX-SUPPLY-T = 120
 MIN-SUPPLY-T = 40
ECONO-LIMIT-T = 70
 ECONO-LOCKOUT = YES
 SUPPLY-FLOW = 2289.5
 MIN-OUTSIDE-AIR = 0
 OA-CONTROL = FIXED
 DUCT-AIR-LOSS = {0.134 * #pa("Sup&Ret Duct Leakage (pct)")/40}
 VENT-METHOD = AIR-CHANGE
 VENT-TEMP-SCH = "DEER Res Nat Vent Temp Sch"
 NATURAL-VENT-AC = 3
 NATURAL-VENT-SCH = "DEER Res Nat Vent On Sch"
 OPEN-VENT-SCH = "DEER Res Nat Vent Open Sch"
 DUCT-UA
           = 154.199
 FAN-SCHEDULE = "S1 Sys1 (PVVT) Fan Sch"
 FAN-CONTROL = FAN-EIR-FPLR
 SUPPLY-DELTA-T = 1.1534
 SUPPLY-KW/FLOW = 0.000365
 FAN-PLACEMENT = BLOW-THROUGH
 RETURN-EFF = 0.5
 FAN-EIR-FPLR = "Residential Fix Vol-Fan EIR"
 INDOOR-FAN-MODE = INTERMITTENT
 MIN-FLOW-RATIO = 0.9989
 HMIN-FLOW-RATIO = 0.9989
 COOLING-CAPACITY = 69463.1
 COOL-CAP-FT
{if(#pa("SEER")<15) then
 #SI("SA-10-HH - Cool Cap f(T)", "SYSTEM", "COOL-CAP-FT")
#SI("SA-18-LH - Cool Cap f(T)", "SYSTEM", "COOL-CAP-FT")
endif}
 COOLING-EIR
```

```
(if(#pa("SEER")<15) then
 -0.0207*#pa("SEER")+0.5223
else
 -0.0125*#pa("SEER")+0.4496
endif}
 COOL-EIR-FT
{if(#pa("SEER")<15) then
#SI("SA-10-HH - EIR f(T)", "SYSTEM", "COOL-EIR-FT")
#SI("SA-18-LH - EIR f(T)", "SYSTEM", "COOL-EIR-FT")
endif}
 COOL-EIR-FPLR
{if(#pa("SEER")<15) then
#SI("SA-10-HH - EIR f(PLR)", "SYSTEM", "COOL-EIR-FPLR")
#SI("SA-18-LH - EIR f(PLR)", "SYSTEM", "COOL-EIR-FPLR")
endif}
 COOL-SH-CAP
                   = 51479.1
 COOL-SH-FT
                 =
{if(#pa("SEER")<15) then
 #SI("SA-10-HH - Sens Cap f(T)", "SYSTEM", "COOL-SH-FT")
#SI("SA-18-LH - Sens Cap f(T)", "SYSTEM", "COOL-SH-FT")
endif}
 COIL-BF
               = {if(#pa("SEER")<15) then
 0.18
else
 0.0576
endif}
 COIL-BF-FFLOW =
(if(#pa("SEER")<15) then
#SI("SA-10-HH - BF f(Flow)", "SYSTEM", "COIL-BF-FFLOW")
#SI("SA-18-LH - BF f(Flow)", "SYSTEM", "COIL-BF-FFLOW")
endif}
 COIL-BF-FT
{if(#pa("SEER")<15) then
#SI("SA-10-HH - Coil BF f(T)", "SYSTEM", "COIL-BF-FT")
#SI("SA-18-LH - Coil BF f(T)", "SYSTEM", "COIL-BF-FT")
endif}
 COOL-CTRL-RANGE = 0
 MIN-UNLOAD-RATIO = {if(#pa("SEER")<15) then
else
 0.71663
endif}
 MIN-HGB-RATIO = {if(\#pa("SEER")<15) then}
 1
else
 0.71663
endif}
 CRANKCASE-HEAT = 0
 HEATING-CAPACITY = -108377
 HEAT-CAP-FT
                = "RESYS-Heat-Cap-fEDB&OAT"
 HEAT-EIR-FT
                 = "RESYS-Heat-EIR-fEDB&OAT"
```

```
HEAT-EIR-FPLR = "RESYS-Heat-EIR-fPLR"
 FURNACE-AUX
                = 0
 FURNACE-HIR = \{1/(0.005163*\#pa("AFUE")+ 0.4033)\}
 FURNACE-HIR-FPLR = "Furnace-HIR-fPLR"
 COIL-BF-FPLR = "RESYS-Bypass-Factor-fPLR"
 COOL-CLOSS-FPLR =
{if(#pa("SEER")<15) then
#SI("SA-10-HH - C-Loss f(PLR)", "SYSTEM", "COOL-CLOSS-FPLR")
#SI("SA-18-LH - C-Loss f(PLR)", "SYSTEM", "COOL-CLOSS-FPLR")
endif}
 HEAT-CLOSS-MIN = 0.01
 COOL-CLOSS-MIN = 0.01
 DUCT-AIR-LOSS-OA = 0.1
 SIZING-OPTION = NON-COINCIDENT
 DUCT-ZONE
               = "EL2 Roof Zone 1"
 MSTR-ELEC-METER = "EM2"
 MSTR-FUEL-METER = "FM2"
 CONTROL-ZONE = "2-Storev South 1st Flr Zn"
 AIR/TEMP-CONTROL = TWO-SPEED
 COOL-STAGES = (
{if(#pa("SEER")<15) then
0.9989
else
0.7166
endif<sub>1</sub>, 1)
 HEAT-STAGES = (0.9989.1)
"2-Storey South 1st Flr Zn" = ZONE
 TYPE
            = CONDITIONED
 DESIGN-HEAT-T = 72
 HEAT-TEMP-SCH = "DEER Res TStat Heating Sch"
 DESIGN-COOL-T = 75
 COOL-TEMP-SCH = "DEER Res TStat Cooling Sch"
 SIZING-OPTION = ADJUST-LOADS
            = "2-Storey South 1st Flr"
 SPACE
"EL2 CrZ (G.1)" = ZONE
 TYPE = UNCONDITIONED
 SPACE
             = "EL2 CrS (G.1)"
"EL2 Roof Zone 1" = ZONE
 TYPE = UNCONDITIONED
 DESIGN-HEAT-T = 52
 DESIGN-COOL-T = 60
 SIZING-OPTION = ADJUST-LOADS
           = "EL2 Under Roof (T.3)"
 SPACE
"2-Storey South 2nd Flr Zn" = ZONE
            = CONDITIONED
 DESIGN-HEAT-T = 72
 HEAT-TEMP-SCH = "DEER Res TStat Heating Sch"
 DESIGN-COOL-T = 75
 COOL-TEMP-SCH = "DEER Res TStat Cooling Sch"
 SIZING-OPTION = ADJUST-LOADS
 SPACE
            = "2-Storey South 2nd FIr"
```

```
"EL1 Zn (G.1)" = ZONE
 TYPE
            = UNCONDITIONED
 DESIGN-HEAT-T = 72
DESIGN-COOL-T = 75
 SIZING-OPTION = ADJUST-LOADS
 SPACE
            = "EL1 Spc (G.1)"
"EL3 Zn (G.1)" = ZONE
 TYPE
           = UNCONDITIONED
 DESIGN-HEAT-T = 72
DESIGN-COOL-T = 75
 SIZING-OPTION = ADJUST-LOADS
 SPACE
           = "EL3 Spc (G.1)"
"S2 Sys (PVVT)" = SYSTEM
           = PVVT
 TYPE
 HEAT-SOURCE = FURNACE
 ZONE-HEAT-SOURCE = NONE
 BASEBOARD-SOURCE = NONE
 RETURN-UA = 21.9656
 MAX-SUPPLY-T = 120
 MIN-SUPPLY-T = 40
 ECONO-LIMIT-T = 70
 ECONO-LOCKOUT = YES
 SUPPLY-FLOW = 1144.75
 MIN-OUTSIDE-AIR = 0
 OA-CONTROL = FIXED
 DUCT-AIR-LOSS = {0.15 * #pa("Sup&Ret Duct Leakage (pct)")/40}
 VENT-METHOD = AIR-CHANGE
 VENT-TEMP-SCH = "DEER Res Nat Vent Temp Sch"
 NATURAL-VENT-AC = 3
 NATURAL-VENT-SCH = "DEER Res Nat Vent On Sch"
 OPEN-VENT-SCH = "DEER Res Nat Vent Open Sch"
 DUCT-UA
              = 118.614
 FAN-SCHEDULE = "S2 Sys2 (PVVT) Fan Sch"
 FAN-CONTROL = FAN-EIR-FPLR
 SUPPLY-DELTA-T = 1.1534
 SUPPLY-KW/FLOW = 0.000365
 FAN-PLACEMENT = BLOW-THROUGH
 RETURN-EFF
               = 0.5
 FAN-EIR-FPLR = "Residential Fix Vol-Fan EIR"
 INDOOR-FAN-MODE = INTERMITTENT
 MIN-FLOW-RATIO = 0.9989
 HMIN-FLOW-RATIO = 0.9989
 COOLING-CAPACITY = 34731.5
 COOL-CAP-FT
{if(#pa("SEER")<15) then
 #SI("SA-10-HH - Cool Cap f(T)", "SYSTEM", "COOL-CAP-FT")
#SI("SA-18-LH - Cool Cap f(T)", "SYSTEM", "COOL-CAP-FT")
endif}
 COOLING-EIR
(if(#pa("SEER")<15) then
 -0.0207*#pa("SEER")+0.5223
else
```

```
-0.0125*#pa("SEER")+0.4496
endif}
 COOL-EIR-FT
{if(#pa("SEER")<15) then
 #SI("SA-10-HH - EIR f(T)", "SYSTEM", "COOL-EIR-FT")
#SI("SA-18-LH - EIR f(T)", "SYSTEM", "COOL-EIR-FT")
endif}
 COOL-EIR-FPLR =
{if(#pa("SEER")<15) then
#SI("SA-10-HH - EIR f(PLR)", "SYSTEM", "COOL-EIR-FPLR")
#SI("SA-18-LH - EIR f(PLR)", "SYSTEM", "COOL-EIR-FPLR")
endif}
 COOL-SH-CAP
                  = 25739.5
 COOL-SH-FT
{if(#pa("SEER")<15) then
 #SI("SA-10-HH - Sens Cap f(T)", "SYSTEM", "COOL-SH-FT")
#SI("SA-18-LH - Sens Cap f(T)", "SYSTEM", "COOL-SH-FT")
endif}
 COIL-BF
               = 0.18
 COIL-BF-FFLOW =
{if(#pa("SEER")<15) then
 #SI("SA-10-HH - BF f(Flow)", "SYSTEM", "COIL-BF-FFLOW")
#SI("SA-18-LH - BF f(Flow)", "SYSTEM", "COIL-BF-FFLOW")
endif}
 COIL-BF-FT
{if(#pa("SEER")<15) then
#SI("SA-10-HH - Coil BF f(T)", "SYSTEM", "COIL-BF-FT")
#SI("SA-18-LH - Coil BF f(T)", "SYSTEM", "COIL-BF-FT")
endif}
 COOL-CTRL-RANGE = 0
 MIN-UNLOAD-RATIO = {if(#pa("SEER")<15) then
 1
else
 0.71663
endif}
 MIN-HGB-RATIO = \{if(\#pa("SEER")<15) then
else
 0.71663
endif}
 CRANKCASE-HEAT = 0
 HEATING-CAPACITY = -54188.3
 HEAT-CAP-FT
                = "RESYS-Heat-Cap-fEDB&OAT"
               = "RESYS-Heat-EIR-fEDB&OAT"
 HEAT-EIR-FT
 HEAT-EIR-FPLR = "RESYS-Heat-EIR-fPLR"
 FURNACE-AUX
                  = 0
 FURNACE-HIR
                  = \{1/(0.005163*\#pa("AFUE")+ 0.4033)\}
 FURNACE-HIR-FPLR = "Furnace-HIR-fPLR"
 COIL-BF-FPLR = "RESYS-Bypass-Factor-fPLR"
 COOL-CLOSS-FPLR =
{if(#pa("SEER")<15) then
```

```
#SI("SA-10-HH - C-Loss f(PLR)", "SYSTEM", "COOL-CLOSS-FPLR")
 #SI("SA-18-LH - C-Loss f(PLR)"."SYSTEM"."COOL-CLOSS-FPLR")
endif}
 HEAT-CLOSS-MIN = 0.01
 COOL-CLOSS-MIN = 0.01
 DUCT-AIR-LOSS-OA = 0.1
 SIZING-OPTION = NON-COINCIDENT
               = "EL7 Roof Zone 1"
 DUCT-ZONE
 MSTR-ELEC-METER = "EM1"
 MSTR-FUEL-METER = "FM1"
 CONTROL-ZONE = "1-Storey South (S Side) Zn"
 AIR/TEMP-CONTROL = TWO-SPEED
 COOL-STAGES = (0.9989, 1)
 HEAT-STAGES = (0.9989, 1)
"EL7 Roof Zone 1" = ZONE
 TYPE
            = UNCONDITIONED
 DESIGN-HEAT-T = 52
DESIGN-COOL-T = 60
 SIZING-OPTION = ADJUST-LOADS
 SPACE
            = "EL7 Under Roof (G.5)"
"1-Storey South (S Side) Zn" = ZONE
         = CONDITIONED
 TYPE
 DESIGN-HEAT-T = 72
 HEAT-TEMP-SCH = "DEER Res TStat Heating Sch"
 DESIGN-COOL-T = 75
 COOL-TEMP-SCH = "DEER Res TStat Cooling Sch"
 SIZING-OPTION = ADJUST-LOADS
 SPACE
             = "1-Storev South (S Side)"
"EL7 South Perim CrZ (G.S1)" = ZONE
       = UNCONDITIONED
 TYPE
            = "EL7 South Perim CrS (G.S1)"
 SPACE
"1-Storey South (N Side) Zn" = ZONE
           = CONDITIONED
 DESIGN-HEAT-T = 72
 HEAT-TEMP-SCH = "DEER Res TStat Heating Sch"
 DESIGN-COOL-T = 75
 COOL-TEMP-SCH = "DEER Res TStat Cooling Sch"
 SIZING-OPTION = ADJUST-LOADS
            = "1-Storey South (North Side)"
 SPACE
"EL7 North Perim CrZ (G.N2)" = ZONE
 TYPE = UNCONDITIONED
 SPACE
            = "EL7 North Perim CrS (G.N2)"
"EL7 South Perim Zn (G.S3)" = ZONE
            = UNCONDITIONED
 DESIGN-HEAT-T = 72
 DESIGN-COOL-T = 75
 SIZING-OPTION = ADJUST-LOADS
           = "EL7 South Perim Spc (G.S3)"
 SPACE
```

```
"EL7 North Perim Zn (G.N4)" = ZONE
 TYPF
            = UNCONDITIONED
 DESIGN-HEAT-T = 72
 DESIGN-COOL-T = 75
 SIZING-OPTION = ADJUST-LOADS
 SPACE
            = "EL7 North Perim Spc (G.N4)"
"S3 Sys (PVVT)" = SYSTEM
 TYPE
            = PVVT
 HEAT-SOURCE = FURNACE
 ZONE-HEAT-SOURCE = NONE
 BASEBOARD-SOURCE = NONE
 RETURN-UA = 87.8625
 MAX-SUPPLY-T = 120
 MIN-SUPPLY-T = 40
 ECONO-LIMIT-T = 70
 ECONO-LOCKOUT = YES
 SUPPLY-FLOW = 2289.5
 MIN-OUTSIDE-AIR = 0
 OA-CONTROL = FIXED
 DUCT-AIR-LOSS = {0.134 * #pa("Sup&Ret Duct Leakage (pct)")/40}
 VENT-METHOD = AIR-CHANGE
 VENT-TEMP-SCH = "DEER Res Nat Vent Temp Sch"
 NATURAL-VENT-AC = 3
 NATURAL-VENT-SCH = "DEER Res Nat Vent On Sch"
 OPEN-VENT-SCH = "DEER Res Nat Vent Open Sch"
             = 154.199
 DUCT-UA
 FAN-SCHEDULE = "S3 Sys3 (PVVT) Fan Sch"
 FAN-CONTROL = FAN-EIR-FPLR
 SUPPLY-DELTA-T = 1.1534
 SUPPLY-KW/FLOW = 0.000365
 FAN-PLACEMENT = BLOW-THROUGH
 RETURN-EFF = 0.5
 FAN-EIR-FPLR = "Residential Fix Vol-Fan EIR"
 INDOOR-FAN-MODE = INTERMITTENT
 MIN-FLOW-RATIO = 0.9989
 HMIN-FLOW-RATIO = 0.9989
 COOLING-CAPACITY = 69463.1
 COOL-CAP-FT
{if(#pa("SEER")<15) then
#SI("SA-10-HH - Cool Cap f(T)", "SYSTEM", "COOL-CAP-FT")
#SI("SA-18-LH - Cool Cap f(T)", "SYSTEM", "COOL-CAP-FT")
endif}
 COOLING-EIR
{if(#pa("SEER")<15) then
 -0.0207*#pa("SEER")+0.5223
-0.0125*#pa("SEER")+0.4496
endif}
 COOL-EIR-FT
{if(#pa("SEER")<15) then
#SI("SA-10-HH - EIR f(T)", "SYSTEM", "COOL-EIR-FT")
#SI("SA-18-LH - EIR f(T)", "SYSTEM", "COOL-EIR-FT")
endif}
```

```
COOL-EIR-FPLR =
{if(#pa("SEER")<15) then
 #SI("SA-10-HH - EIR f(PLR)", "SYSTEM", "COOL-EIR-FPLR")
#SI("SA-18-LH - EIR f(PLR)", "SYSTEM", "COOL-EIR-FPLR")
endif}
 COOL-SH-CAP
                 = 51479.1
 COOL-SH-FT
                 =
{if(#pa("SEER")<15) then
#SI("SA-10-HH - Sens Cap f(T)", "SYSTEM", "COOL-SH-FT")
#SI("SA-18-LH - Sens Cap f(T)", "SYSTEM", "COOL-SH-FT")
endif}
 COIL-BF
              = 0.18
 COIL-BF-FFLOW =
{if(#pa("SEER")<15) then
#SI("SA-10-HH - BF f(Flow)", "SYSTEM", "COIL-BF-FFLOW")
#SI("SA-18-LH - BF f(Flow)", "SYSTEM", "COIL-BF-FFLOW")
endif}
 COIL-BF-FT
{if(#pa("SEER")<15) then
#SI("SA-10-HH - Coil BF f(T)", "SYSTEM", "COIL-BF-FT")
#SI("SA-18-LH - Coil BF f(T)", "SYSTEM", "COIL-BF-FT")
endif}
 COOL-CTRL-RANGE = 0
 MIN-UNLOAD-RATIO = {if(#pa("SEER")<15) then
else
 0.71663
endif}
 MIN-HGB-RATIO = {if(\#pa("SEER")<15) then}
 1
else
 0.71663
endif}
 CRANKCASE-HEAT = 0
 HEATING-CAPACITY = -108377
 HEAT-CAP-FT
               = "RESYS-Heat-Cap-fEDB&OAT"
               = "RESYS-Heat-EIR-fEDB&OAT"
 HEAT-EIR-FT
 HEAT-EIR-FPLR = "RESYS-Heat-EIR-fPLR"
 FURNACE-AUX
                  = 0
 FURNACE-HIR
                 = \{1/(0.005163*#pa("AFUE")+ 0.4033)\}
 FURNACE-HIR-FPLR = "Furnace-HIR-fPLR"
 COIL-BF-FPLR = "RESYS-Bypass-Factor-fPLR"
 COOL-CLOSS-FPLR =
{if(#pa("SEER")<15) then
 #SI("SA-10-HH - C-Loss f(PLR)", "SYSTEM", "COOL-CLOSS-FPLR")
#SI("SA-18-LH - C-Loss f(PLR)", "SYSTEM", "COOL-CLOSS-FPLR")
endif}
 HEAT-CLOSS-MIN = 0.01
 COOL-CLOSS-MIN = 0.01
 DUCT-AIR-LOSS-OA = 0.1
 SIZING-OPTION = NON-COINCIDENT
```

```
DUCT-ZONE = "EL5 Roof Zone 1"
 MSTR-ELEC-METER = "EM2"
 MSTR-FUEL-METER = "FM2"
 CONTROL-ZONE = "2-Storey North 1st Flr Zn"
 AIR/TEMP-CONTROL = TWO-SPEED
 COOL-STAGES = (0.9989, 1)
 HEAT-STAGES = (0.9989, 1)
"2-Storey North 1st Flr Zn" = ZONE
 TYPE
        = CONDITIONED
 DESIGN-HEAT-T = 72
 HEAT-TEMP-SCH = "DEER Res TStat Heating Sch"
 DESIGN-COOL-T = 75
 COOL-TEMP-SCH = "DEER Res TStat Cooling Sch"
 SIZING-OPTION = ADJUST-LOADS
 SPACE
           = "2-Storey North 1st Flr"
"EL5 CrZ (G.1)" = ZONE
         = UNCONDITIONED
 TYPE
 SPACE
           = "EL5 CrS (G.1)"
"EL5 Roof Zone 1" = ZONE
         = UNCONDITIONED
 DESIGN-HEAT-T = 52
 DESIGN-COOL-T = 60
 SIZING-OPTION = ADJUST-LOADS
         = "EL5 Under Roof (T.3)"
"2-Storey North 2nd Flr Zn" = ZONE
 TYPE
           = CONDITIONED
 DESIGN-HEAT-T = 72
 HEAT-TEMP-SCH = "DEER Res TStat Heating Sch"
 DESIGN-COOL-T = 75
 COOL-TEMP-SCH = "DEER Res TStat Cooling Sch"
 SIZING-OPTION = ADJUST-LOADS
 SPACE
           = "2-Storey North 2nd Flr"
"EL4 Zn (G.1)" = ZONE
 TYPE
           = UNCONDITIONED
 DESIGN-HEAT-T = 72
DESIGN-COOL-T = 75
SIZING-OPTION = ADJUST-LOADS
 SPACE
          = "EL4 Spc (G.1)"
"EL6 Zn (G.1)" = ZONE
 TYPE
           = UNCONDITIONED
 DESIGN-HEAT-T = 72
 DESIGN-COOL-T = 75
 SIZING-OPTION = ADJUST-LOADS
           = "EL6 Spc (G.1)"
 SPACE
"S4 Sys (PVVT)" = SYSTEM
         = PVVT
 TYPE
 HEAT-SOURCE = FURNACE
 ZONE-HEAT-SOURCE = NONE
 BASEBOARD-SOURCE = NONE
```

```
RETURN-UA
                = 21.9656
 MAX-SUPPLY-T = 120
 MIN-SUPPLY-T = 40
 ECONO-LIMIT-T = 70
 ECONO-LOCKOUT = YES
 SUPPLY-FLOW = 1144.75
 MIN-OUTSIDE-AIR = 0
 OA-CONTROL = FIXED
 DUCT-AIR-LOSS = {0.15 * #pa("Sup&Ret Duct Leakage (pct)")/40}
 VENT-METHOD
                  = AIR-CHANGE
 VENT-TEMP-SCH = "DEER Res Nat Vent Temp Sch"
 NATURAL-VENT-AC = 3
 NATURAL-VENT-SCH = "DEER Res Nat Vent On Sch"
 OPEN-VENT-SCH = "DEER Res Nat Vent Open Sch"
 DUCT-UA
             = 118.614
 FAN-SCHEDULE = "S4 Sys4 (PVVT) Fan Sch"
 FAN-CONTROL
                  = FAN-EIR-FPLR
 SUPPLY-DELTA-T = 1.1534
 SUPPLY-KW/FLOW = 0.000365
 FAN-PLACEMENT = BLOW-THROUGH
                = 0.5
 RETURN-EFF
 FAN-EIR-FPLR = "Residential Fix Vol-Fan EIR"
 INDOOR-FAN-MODE = INTERMITTENT
 MIN-FLOW-RATIO = 0.9989
 HMIN-FLOW-RATIO = 0.9989
 COOLING-CAPACITY = 34731.5
 COOL-CAP-FT
{if(#pa("SEER")<15) then
#SI("SA-10-HH - Cool Cap f(T)", "SYSTEM", "COOL-CAP-FT")
#SI("SA-18-LH - Cool Cap f(T)", "SYSTEM", "COOL-CAP-FT")
endif}
 COOLING-EIR
{if(#pa("SEER")<15) then
-0.0207*#pa("SEER")+0.5223
else
-0.0125*#pa("SEER")+0.4496
endif}
 COOL-EIR-FT
{if(#pa("SEER")<15) then
#SI("SA-10-HH - EIR f(T)", "SYSTEM", "COOL-EIR-FT")
#SI("SA-18-LH - EIR f(T)", "SYSTEM", "COOL-EIR-FT")
endif}
 COOL-EIR-FPLR
{if(#pa("SEER")<15) then
#SI("SA-10-HH - EIR f(PLR)", "SYSTEM", "COOL-EIR-FPLR")
#SI("SA-18-LH - EIR f(PLR)", "SYSTEM", "COOL-EIR-FPLR")
endif}
 COOL-SH-CAP
                 = 25739.5
 COOL-SH-FT
{if(#pa("SEER")<15) then
#SI("SA-10-HH - Sens Cap f(T)", "SYSTEM", "COOL-SH-FT")
#SI("SA-18-LH - Sens Cap f(T)", "SYSTEM", "COOL-SH-FT")
```

```
endif}
 COIL-BF
              = 0.18
 COIL-BF-FFLOW =
{if(#pa("SEER")<15) then
 #SI("SA-10-HH - BF f(Flow)", "SYSTEM", "COIL-BF-FFLOW")
#SI("SA-18-LH - BF f(Flow)", "SYSTEM", "COIL-BF-FFLOW")
endif}
 COIL-BF-FT
{if(#pa("SEER")<15) then
#SI("SA-10-HH - Coil BF f(T)", "SYSTEM", "COIL-BF-FT")
#SI("SA-18-LH - Coil BF f(T)", "SYSTEM", "COIL-BF-FT")
endif}
 COOL-CTRL-RANGE = 0
 MIN-UNLOAD-RATIO = {if(#pa("SEER")<15) then
 1
else
 0.71663
endif}
 MIN-HGB-RATIO = {if(\#pa("SEER")<15) then}
 1
else
 0.71663
endif}
 CRANKCASE-HEAT = 0
 HEATING-CAPACITY = -54188.3
 HEAT-CAP-FT
               = "RESYS-Heat-Cap-fEDB&OAT"
               = "RESYS-Heat-EIR-fEDB&OAT"
 HEAT-EIR-FT
 HEAT-EIR-FPLR = "RESYS-Heat-EIR-fPLR"
 FURNACE-AUX
                  = 0
 FURNACE-HIR
                 = \{1/(0.005163*#pa("AFUE")+ 0.4033)\}
 FURNACE-HIR-FPLR = "Furnace-HIR-fPLR"
 COIL-BF-FPLR = "RESYS-Bypass-Factor-fPLR"
 COOL-CLOSS-FPLR =
{if(#pa("SEER")<15) then
 #SI("SA-10-HH - C-Loss f(PLR)", "SYSTEM", "COOL-CLOSS-FPLR")
#SI("SA-18-LH - C-Loss f(PLR)", "SYSTEM", "COOL-CLOSS-FPLR")
endif}
 HEAT-CLOSS-MIN = 0.01
 COOL-CLOSS-MIN = 0.01
 DUCT-AIR-LOSS-OA = 0.1
 SIZING-OPTION = NON-COINCIDENT
 DUCT-ZONE
                 = "EL8 Roof Zone 1"
 MSTR-ELEC-METER = "EM1"
 MSTR-FUEL-METER = "FM1"
 CONTROL-ZONE = "1-Storey North (W Side) Zn"
 AIR/TEMP-CONTROL = TWO-SPEED
 COOL-STAGES
                  = (0.9989, 1)
 HEAT-STAGES
                  = (0.9989, 1)
"EL8 Roof Zone 1" = ZONE
             = UNCONDITIONED
 TYPE
 DESIGN-HEAT-T = 52
 DESIGN-COOL-T = 60
```

```
SIZING-OPTION = ADJUST-LOADS
 SPACE = "EL8 Under Roof (G.5)"
"1-Storey North (W Side) Zn" = ZONE
 TYPE
          = CONDITIONED
 DESIGN-HEAT-T = 72
 HEAT-TEMP-SCH = "DEER Res TStat Heating Sch"
 DESIGN-COOL-T = 75
 COOL-TEMP-SCH = "DEER Res TStat Cooling Sch"
 SIZING-OPTION = ADJUST-LOADS
 SPACE = "1-Storey North (West Side)"
"EL8 West Perim CrZ (G.W1)" = ZONE
 TYPE = UNCONDITIONED
 SPACE = "EL8 West Perim CrS (G.W1)"
"1-Storey North (E Side) Zn" = ZONE
 TYPE
          = CONDITIONED
 DESIGN-HEAT-T = 72
HEAT-TEMP-SCH = "DEER Res TStat Heating Sch"
 DESIGN-COOL-T = 75
 COOL-TEMP-SCH = "DEER Res TStat Cooling Sch"
 SIZING-OPTION = ADJUST-LOADS
 SPACE = "1-Storey North (East Side)"
"EL8 East Perim CrZ (G.E2)" = ZONE
 TYPE = UNCONDITIONED
 SPACE = "EL8 East Perim CrS (G.E2)"
"EL8 West Perim Zn (G.W3)" = ZONE
          = UNCONDITIONED
 DESIGN-HEAT-T = 72
 DESIGN-COOL-T = 75
 SIZING-OPTION = ADJUST-LOADS
 SPACE = "EL8 West Perim Spc (G.W3)"
"EL8 East Perim Zn (G.E4)" = ZONE
 TYPE = UNCONDITIONED
 DESIGN-HEAT-T = 72
 DESIGN-COOL-T = 75
 SIZING-OPTION = ADJUST-LOADS
 SPACE = "EL8 East Perim Spc (G.E4)"
$ ***********
$ **
$ **
          Metering & Misc HVAC
$ *****************
     Equipment Controls
$
```

```
Load Management
$
$ **
$ **
            Utility Rates
$ **
$ *************
    Ratchets
$
$
       Block Charges
"Cust 1 Elec TOU S2-OnPk" = BLOCK-CHARGE
 BLOCK-SCH = "Cust 1 Elec TOU Sched"
SCH-FLAG = 2.2
 BLOCK1-TYPE = ENERGY
 BLOCKS-1 = (1)
COSTS-1 = (1)
"Cust 2 Elec TOU S2-OnPk" = BLOCK-CHARGE
 BLOCK-SCH = "Cust 2 Elec TOU Sched"
 SCH-FLAG = 2.2
 BLOCK1-TYPE = ENERGY
 BLOCKS-1 = (1)
COSTS-1 = (1)
  Utility Rates
$
"DEER Demand Rate - EM1" = UTILITY-RATE
 TYPE = ELECTRICITY
 ELEC-METERS = ("EM1")
 BLOCK-CHARGES = ("Cust 1 Elec TOU S2-OnPk")
"DEER Demand Rate - EM2" = UTILITY-RATE
 TYPE = ELECTRICITY
 ELEC-METERS = ("EM2")
 BLOCK-CHARGES = ("Cust 2 Elec TOU S2-OnPk")
$ **************
```

\$	**	
\$ \$	** Output Reporting * **	*
Φ \$	**************	*****
Ψ		
\$		
\$	Loads Non-Hourly Reporting	
\$		
	0.400.050007	
Ľ	OADS-REPORT VERIFICATION = (ALL-VERIFICATION	1
	SUMMARY = (ALL-SUMMARY)	,
	(7.22 331111111111111111111111111111111111	
\$		
\$	Systems Non-Hourly Reporting	
\$		
s	YSTEMS-REPORT	
_	VERIFICATION = (ALL-VERIFICATION)
	SUMMARY = (ALL-SUMMARY)	,
φ		
\$ \$	Plant Non-Hourly Reporting	
\$		
Ψ		
Ρ	LANT-REPORT	
	VERIFICATION = (ALL-VERIFICATION)
	SUMMARY = (ALL-SUMMARY)	
\$		
\$	Economics Non-Hourly Reporting	
\$		
_	20101400 DEDODE	
E	CONOMICS-REPORT	`
	VERIFICATION = (ALL-VERIFICATION SUMMARY = (ALL-SUMMARY))
	30MMANT = (ALL-30MMANT)	
\$		
\$ \$ \$	Hourly Reporting	
\$		
"E	008 Hourly Rpt (double meters)" = HOURLY	-REPORT
	LIBRARY-ENTRY "D08 Hourly Rpt (double	meters)"
		,
*		

\$ THE END \$------END .. COMPUTE .. STOP ..