

=g ↑ Customized Bill
Analysis ┘ p• R @fairfield08└ rda_services└ Demand Response└ PDP-2010└ PDP
Bill Snapshot Tool_v3.xls‼ Opt Out_Affirm Form
SummaryRpt↑ Customized Bill Analysis♂ Rate Inputs Processor♬ Data Input
(1)♬ Data Input
(2)Y ┘ Y ┘ Y ┘ ┐ Y ┘ └ Y ┘ ┘ Y ┘ | Y ┘ – ┘

















SB_GT&S_0779310



|: f1>ﾍþ ┐ S •←├ ₡ □┤ i y =□□K ₀ᵥ;|@0□.#@□□暹 02 ₴□· ▯ □ ▯ 5e
焙~<畴}~38Sd □ ₀┴♀ ┐ > ◀ rhR= · ▯ ' 0□ •/; ≥[ś· ~□{ق^c
ﾛs 稫σ□ɠ 2□D□Ţ o st?□>↕0 V ﻩ 6|罟├ ▯ ├□cA5?y엷im ♬ □□ﾍ: u □S~┐
L t□□□ □^?妹Wp %♬ □7e☼ _L~· ▯|□km□'□閹Swmℐl□d □C· { <├ 2
帟 e· ?Ô ⌊ N Ғ (C?□1 □'ə 齐Gqʏ! □8w· P □ □□ □E~ |q ┘ & m□
□ □□; ,□ oWj 쨀 · ˊ♂: u
WEs┘ ♂' [□ 1□ 9□ □├ G渐 ☼ NwJ 엥▯ ;□d O=¶[→←ĸ꿗 ♂□□ □□□ 业 !
□#X uf _艚ψ□rR· 矗戟O T □f Ⓠ " N ف ﾙ7□dY7l ₹ɪ揍 < Ω┘ ? ¶
□↕} IEND B` 3 ♂□ □ □ A □ @ □@ □
□♀ □┤ □□□ S ♬ Customer Name:
Account #:↕ Service Agreement: ♬ Rate Schedule:┘ A10S┼ Service Address:◀ Service Location:♀ PG&E Office:┴ Business Description:k ADMINISTRATION OF HUMAN RESOURCE PROGRAMS (EXCEPT EDUCATION, PUBLIC HEALTH, AND VETERANS' AFFAIRS PROGRAMS) 1 PDP Bills for Summer 2009 -- With No Load Changes
Total
Billing└ May┘ June┘ July– August┘ Sept└ Oct– Summer– Annual☼ Max Demand (kW)↕ Energy Usage (kWh) This TOU bill is based on your├ Time-of-Use (TOU) Billing% current rate, or otherwise applicable Time-Of-Use (TOU) rate schedule.
PDP Events*♂ PDP Credits♂ PDP Charges This PDP bill is based on your┴ PDP Billing - Default! 2009 usage, assuming no change or shift in energy usage behavior.♀ Show_50%_CRC
Summer % Chng
Annual % Chng♂ Time-of-Use
Rate (TOU)┼ Peak Day Pricing
Rate (PDP)
QUICK LOOK= Your annual bill is expected to increase on Peak Day Pricing.• Monthly♂ Billing ($)< The volatility of your monthly bill is expected to increase.– Notes:R * These totals are based on 12 PDP events. The number of could range from 9 to 15,G depending on weather, CAISO declared emergencies and electricity costs.♬ RATE SCHEDULE:) Applicable Summer TOU / PDP Rate Schedule! Options for optimizing PDP on the E19S Rate└ TOU└ PDP TOU / PDP← Peak Load Shift / Reduction↕ Peak Event ($/kWh)┐ --h You can reduce peak load, or shift energy to time periods when costs are lower outside of on-peak hours.
Demand ($/kW)♬ PDP Peak Adder← Extended Peak Period Option• On-Peak♀ (2 - 6pm on b You can choose an extended 6-hour peak event periods in exchange for lower applicable PDP charges. Part-Peak♂ event days)• Maximum↑ Every-Other Event Optione You can choose to have PDP charges apply to every other PDP event, with exposure to half the charges.¶ Energy ($/kWh usage)♬ Demand Credits♀ (All summer)7 The InterACT "What If" Analysis Tool will allow you to □ Off-Peak5 perform comprehensive rate analyses, with the options7 above, various time periods and # of PDP day scenarios.♬ Energy Credits+ DISCLAIMER: For discussion purposes only. □HE RATES AND RATE ANALYSIS ARE PROVIDED BY PG&E FOR THE LIMITED PURPOSE OF ASSISTING USERS AND THEIR AUTHORIZED REPRESENTATIVES TO REVIEW AND MANAGE THEIR USE OF ELECTRICITY. ALL USERS AND THEIR AUTHORIZED REPRESENTATIVES HEREBY ACKNOWLEDGE AND□GREE THAT THE RATE ANALYSIS IS AN ESTIMATE OF ENERGY COSTS AND NOT A REPRESENTATION, WARRANTY OR GUARANTEE FROM PG&E THAT A USER WILL HAVE TO PAY THE MONIES SET FORTH IN THE RATE ANALYSIS OR RECEIVE ANY POTENTIAL ENERGY SAVINGS SET FORTH THEREIN. Z □ y\ ♀
· □ k .^ A └_ ┐ _ >└ x` ♂┘ a #| ~b ◀– c 6•
d 5□ c□┴ c□ ┴ ┐
□┼ –┼ ═ @ –└ ♂┐ S v Ł ┤ +
┐ ♀ ┐ d ☼ ┐ ◀ ┐ ┼ □
□P?_ ┐ * ┐ + ┐ ┐ □ %┐┘ ┐ E¶ ┴ ┐
┐ & □ п' □ п(□ п) □ пM n♬ \ \ F r e s n o 0 1 \ 7 0 5 p - 3 A s 0 4 6 ┘¶
☼ ┐ ┼□d • X┐┐ ┐ X┐┘ L e t t e r (8 . 5 " x

1 1 ")

R I C O H A f i c i o 3 2 4 5 C

P C L
6 L P T 1 :













SB_GT&S_0779318

```
␣ −          ┼␣                    ├ H
        7┐   ▯ ◀␣ ] → ┴ ↕     │ ◀`      4c=└            ▯ ☼ ┘␣  ♀
␣ −┘
      ♂␣    ┘ ┘     ◘ ◘
          ◘   M   ◘   ┼ ┼   M   ◘ˋ            ◘ ?┐  ┐    ┼␣        ┐
    • ♀ 4 )   ◀␣ ] → ┴ ↕ │ − ◀       p┬ =└                ◘┼   −
═ @   −└   P◘¶ P◘

└ P◘ Z◘ a◘ a◘ j◘ k◘¶     ┴       ┐      ┐       "    ↕        ┘     p┬
  □ 3 ┐ └ ↕ ┐      ┼┐    ┐┼┼      'ˡ Ŀe└X                              ○
盼3┼     ┘ ♂ ¶ d┼◘            2┼┘   ╲┐ 3┼   •┼♀       │    ◘ M
┼┼                          M R◘♀ R◘
          R◘♀ R◘   • ┐       ◘     ◘                    n] └      <?xml version="1.0"
encoding="UTF-8" standalone="yes"?>
<a:spPr
xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:ln><a:noFill/></a:ln></a:spPr>S
◘♀ S◘   •          4┼   └┼♀ └    − −      3┼   Q┼◘              Q┼‼  ┐    ♂
  ;  ↑  ↑    − Q┼‼ ┐┐     ♂  ;  ¶ ¶    − Q┼◘ └          −┼◘            3┼   _
┼┐    •┼♀       │    ◘ M
┼┼                  ┴     ♂┼┐    f┼− か
␣                  ┐          ┐
␣ @      @
                                                @
            └   @          "␣
  @                            @                    `
      ┼¶              ┐    M M <    ♀┼┐  ┼ R◘♀ R◘   ♀          R◘♀ R◘   ♬
      ◘ p ◘                    ĥØ     <?xml version="1.0" encoding="UTF-8"
standalone="yes"?>
<a:spPr xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:solidFill><a:srgbClr
val="0082AA"/></a:solidFill></a:spPr>S◘♀ S◘   ♬          4┼   E┼┐    S◘♀ S◘   ♀
  4┼   └┼♀ └    − −      3┼   Q┼◘            Q┼‼  ┐    ♂  ;          − Q┼
‼ ┐┐     ♂  ;  ¶ ¶    − Q┼◘ └          −┼◘          3┼   _┼┐    •┼♀
│    ◘ M
┼┼                  4     ♂┼┐    f┼− か␣            ␣              ┐
␣ @      @
                                                @
            └   @          "␣
  @                            @                    `
      ┼¶              ┐    M M <    ♀┼┐  ┼ R◘♀ R◘   ♀          R◘♀ R◘   ♬
      ◘ p ◘                  V'砸     <?xml version="1.0" encoding="UTF-8"
standalone="yes"?>
<a:spPr xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:solidFill><a:srgbClr
val="FAA534"/></a:solidFill></a:spPr>S◘♀ S◘   ♬          4┼   E┼┐    S◘♀ S◘   ♀
  4┼   D┼┘ ←    $┼┐ ┐  %┼  ┐┐
␣              0 ◘ @6   3┼   O┼¶ ┐ ┐                    &┼┐  ! Q┼◘
  4┼   $┼┐ └  %┼  ┐┐
␣                M @6   3┼   O┼¶ ┐ ┐                    &┼┐  ! Q┼◘
  4┼   F┼┐    A┼↕    ┼     t     ♬
·  3┼   O┼¶ ┐ ┐ ♀          ☼     ☼     ┼↕                    3┼
┼◘            b┼↕
· ◘♀ R◘            R◘♀ R◘   ┘          V◘♀ V◘   d ┐
쯘  ┼  ┐ └                          ◘    &┼┐ # !┼┐    •┼♀              ┘ ┤
  ◘↑   ◘                  0 u镬      ◘→   ◘              ĂSц     <?xml version="1.0"
encoding="UTF-8" standalone="yes"?>
<a:txPr
xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr/><a:lstStyle/><a:p><a:p
```

Pr><a:defRPr sz="1400" b="1" i="0" baseline="0"/></a:pPr><a:endParaRPr lang="en-US"/></a:p></a:txPr> ◘ ◘
X┘ ┐8. ◘(◘ ¶ X┘ ┘8Q ┘ R ?S◘♀
S◘ ┘ 4┼ ┼↕ 3┼ ┼*
┼ ┐ └
◘ &┼┐ $!╪┐ •┼♀ ┘ ┤ !╪┐ •┼♀ ┤ R◘♀ R◘ ┘
◘↑ ◘ Sv镬 ◘↑ ◘ Sv
镬 ◘→ ◘ • 6↕ – <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:txPr xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1200" b="1" i="0" baseline="0"/></a:pPr><a:endParaRPr lang="en-US"/></a:p></a:txPr>S◘♀ S◘ ┘ 4┼ 5┼ 2┼┘ └ 3┼ •┼♀ | ◘
M
┼┼
M R◘♀ R◘ • ◘↑ ◘ 6↕n] └ S◘♀ S◘ •
4┼ ¶┼¶ 3┼ ┤┼– "┼
☼ 4┼ S◘♀ S◘ 4┼ %┼ ┐┐ ⌴ ┼B
ЧZ 3┼ O┼¶ ┐ ┐ &┼┐ " Q┼◘ '┼– ┘
R◘♀ R◘ ┐ | ◘| ◘ ^Ă2h <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:txPr xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr></a:pPr><a:endParaRPr lang="en-US"/></a:p></a:txPr>S◘♀ S◘ ┐ 4┼ %┼
┐┐ r B
ЧZ 3┼ O┼¶ ┐ ┐ ‼ ┬ &┼┐ " Q┼◘
┼
└ T O U '┼– ┘ | R◘♀ R◘ ┐ | | ◘< ◘
◘ ◘ r← <
?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr></a:pPr><a:r><a:rPr lang="en-US"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S◘♀ S◘ ┐ 4┼ %┼
┐┐ ♂ 2 r B
ЧZ 3┼ O┼¶ ┐ ┐ ‼ ┬ &┼┐ " Q┼◘
┼
└ T O U '┼– ┘ ┘ R◘♀ R◘ ┐ | ┘ ◘< ◘
◘ ◘ r← <
?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr></a:pPr><a:r><a:rPr lang="en-US"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S◘♀ S◘ ┐ 4┼ %┼
┐┐ # r B
ЧZ 3┼ O┼¶ ┐ ┐ ‼ ┬ &┼┐ " Q┼◘
┼
└ T O U '┼– ┘ └ R◘♀ R◘ ┐ | └ ◘< ◘
◘ ◘ r← <
?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr></a:pPr><a:r><a:rPr lang="en-US"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S◘♀ S◘ ┐ 4┼ %┼
┐┐ – „ r B

ꟾZ 3┼ O┼¶ ┐ ┐ ‼ ┬ &┼┐ " Q┼◘
┼
└ T O U '┼– ┘ ┐ R◘♀ R◘ ┐ │ ┐ ◘< ◘
◘ ◘ r← <
?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr></a:pPr><a:r><a:rPr lang="en-US"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S◘♀ S◘ ┐ 4┼ %┼
┐┐ !┘] r B
ꟾZ 3┼ O┼¶ ┐ ┐ ‼ ┬ &┼┐ " Q┼◘
┼
└ T O U '┼– ┘ R◘♀ R◘ ┐ │ ◘< ◘
◘ ◘ r← <
?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr></a:pPr><a:r><a:rPr lang="en-US"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S◘♀ S◘ ┐ 4┼ %┼
┐┐ ♀ r B
ꟾZ 3┼ O┼¶ ┐ ┐ ‼ ┬ &┼┐ " Q┼◘
┼
└ T O U '┼– ┘ R◘♀ R◘ ┐ │ ◘< ◘
◘ ◘ r← <
?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr></a:pPr><a:r><a:rPr lang="en-US"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S◘♀ S◘ ┐ 4┼ %┼
┐┐
␣ ┼B◘ ꟾZ 3┼ O┼¶ ┐ ┐ &┼┐ # Q┼◘
'┼– ┘ R◘♀ R◘ ┐ │ ◘? ◘ a.♂ + <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:txPr xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/></a:pPr><a:endParaRPr lang="en-US"/></a:p></a:txPr>S◘♀ S◘ ┐ 4┼ %┼ ┐┐ ♬ '
r B◘ ꟾZ 3┼ O┼¶ ┐ ┐ ‼ ┴ &┼┐ # Q┼◘
┼
└ P D P '┼– ┘ │ R◘♀ R◘ ┐ │ │ ◘< ◘
◘n ◘ d 5Z <
?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/></a:pPr><a:r><a:rPr lang="en-US" cap="all" baseline="0"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S◘♀ S◘ ┐ 4┼ %┼
┐┐ ♀ ◘ r B◘ ꟾZ 3┼ O┼¶ ┐ ┐ ‼ ┴ &┼┐ # Q┼◘
┼
└ P D P '┼– ┘ ┘ R◘♀ R◘ ┐ │ ┘ ◘< ◘
◘n ◘ d 5Z <
?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/></a:pPr><a:r><a:rPr lang="en-US" cap="all" baseline="0"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S◘♀ S◘ ┐ 4┼ %┼

```
 ┐┐
          ◘    r            B◘  ЧZ  3┼    O┼¶  ┐  ┐              ‼     ┴     &┼┐  #  Q┼◘

┼
    └  P  D  P  '┼–  ┘      └  R◘♀  R◘    ┐  │  └       ◘<   ◘
                                                          ◘n   ◘                  d  5Z     <
?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-
5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all"
baseline="0"/></a:pPr><a:r><a:rPr lang="en-US" cap="all"
baseline="0"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S◘♀  S◘    ┐            4┼    %┼
 ┐┐          E●
⌴r            B◘  ЧZ  3┼    O┼¶  ┐  ┐              ‼     ┴     &┼┐  #  Q┼◘
┼
    └  P  D  P  '┼–  ┘      ┐  R◘♀  R◘    ┐  │  ┐       ◘<   ◘
                                                          ◘n   ◘                  d  5Z     <
?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-
5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all"
baseline="0"/></a:pPr><a:r><a:rPr lang="en-US" cap="all"
baseline="0"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S◘♀  S◘    ┐            4┼    %┼
 ┐┐          ˆ   2
         r            B◘  ЧZ  3┼    O┼¶  ┐  ┐              ‼     ┴     &┼┐  #  Q┼◘

┼
    └  P  D  P  '┼–  ┘        R◘♀  R◘    ┐  │          ◘<   ◘
                                                          ◘n   ◘                  d  5Z     <
?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-
5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all"
baseline="0"/></a:pPr><a:r><a:rPr lang="en-US" cap="all"
baseline="0"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S◘♀  S◘    ┐            4┼    %┼
 ┐┐          f┐   '
   r            B◘  ЧZ  3┼    O┼¶  ┐  ┐              ‼     ┴     &┼┐  #  Q┼◘
┼
    └  P  D  P  '┼–  ┘        R◘♀  R◘    ┐  │          ◘<   ◘
                                                          ◘n   ◘                  d  5Z     <
?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-
5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all"
baseline="0"/></a:pPr><a:r><a:rPr lang="en-US" cap="all"
baseline="0"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S◘♀  S◘    ┐            4┼     ◘D   ◘
                  ♬  ſy☼S☼┐  ┐          ↑♂'  E    ?i0    :    ?↑  ♂f    □◘          →
쁌   ◘¶    ◘                    ⌴       ◘      ◘
      X|  ┐8[            S◘♀  S◘
           4┼      ┐♬          –          ┐      e┼┐  ┐  ┘┐☼              └   M  a  y  ┘┐☼
  └   M  a  y  ┘┐◀              ┘   J  u  n  e  ┘┐◀              ┘   J  u  n  e  ┘┐◀  ┐          ┘
J  u  l  y  ┘┐◀  ┐          ┘   J  u  l  y  ┘┐┴  └          –   A  u  g  u  s  t  ┘┐┴  └          –
A  u  g  u  s  t  ┘┐◀  ┘          ┘   S  e  p  t  ┘┐◀  ┘          ┘   S  e  p  t  ┘┐☼  |          └
  O  c  t  ┘┐☼  |          └   O  c  t  e┼┐      └┐♬            d
⌴  R└┐♬              ¿^ɬBÄ└┐♬              +  VoY0□└┐♬              铥  Ꮒ□└┐♬  ┐          F
⌴@└┐♬  ┐          ش↑   B  I└┐♬  └          n|  $⏀└┐♬  └          ᥱj  ى p└┐♬  ┘          f  )
烁@└┐♬  ┘          ᴛ♀X  +p└┐♬  |          C□    R└┐♬  |              R;
⌴┐  └    ◘&   ◘                                                <3              ◘*   ◘
ᴛ        X┐   |8v  |      e  n  -  U  S          ◘↑    ◘                  ┘        X┐    ⌴  쀬  ☼  ┘
⌴   ┘
```



i"K癵 □□6r co4 Ay ├
□e o └ PK└┘¶ – ◘ ! 1é aC┐ ♂ _rels/.rels jð♀
· ω̄q₾├ No ^K●
[ILc˜&m□ 0XFo;.:. >□0 x –□♂ e碘▯ X} ωđ□ `□ 펴a G2
□↑↑KI Z) 4 (□□` c tB{A□: f@ ` 3 n└껼ₙ ˋ ˊ ₒ UM□jÛx R0☼T♀ ,ϰЖ□@
□ ◀‼}W B
□┤5v☼ └ PK└┘¶ – ◘ ! ىO ┐ • ┼ drs/shapexml.xml UQo 0┼~ `
□┼¶ T□ FJ└\0 □ -A H° }>₈▯ g{□ 6 ├ pY ~ K(1 ɒ
%yFO ̨ Æ떭W╤ b 4 ┼Hˋ Ę ⁄6
┐S칈j ꓤ醙 ˝□jv „ 0 | ´ f□}□ 晋 ┼ ▽ 7UZ5~T(G˚9Э KU塠k[Ƙ dzoDZ`<s• sw! ⁃ →c瓟
□ 8 æнrf□ ♂´ a V├ lJIZ m ♀_ &u S"Y└|ڤ 鐓□‼ Lf4↑□硌♂ʒ □_P
□ @ H ㎛ , □p 泩 Ê ┤)#2[$ ◘<
p ⇐;┘
z ♭ \]M ` j¶◘₈<ι (Ȼ♬bJ□ ┼.Q!
C 砒DBjF Dvn wo+ ? @ Q 37ðƸ澎xp = 1 ₆ (;ğ 9t!¶3□□
.턯흠=[腑 ÎW◘G◘ U 卸□Ob□ !h^UT7└☼ ' • ◀]扤♬ ₭◀┼P >s 74 o
쓯}W剩 _n k□┐ J(h끸-%ₕ – LJ?) ` ' [s- ; □\kŸ′₀↑┐n‹ry□l{ •ش Ek* ˚QÉxb
ⅆ-I ┘□ └ PK└┘¶ – ◘ ! 32Z ‼ ☼ drs/downrev.xmlT ₆└1┼ · ! ˙ 쯼
뜸 XA E□ K↕ ₥ ĸ s& ▽ ├O:] r A< (# L`□┐□ ɾ(–←
塒 y*mk┬j ᵑ| fƧ Ả├B R╪4□ ▯₆JWP鸙,M (W–‼J ◌ R 累fp 祋] □ø□秣□]8| ₒ3
香7_ ♂·♀p □K ₉ₒ=5 玲▯ ` 5 ┘z柈
;¶ ₆ =┴읱 옫▯ L|←
1□ DZ(♬猜 └ PK ┐- ¶ – ◘ ! Z倎
⁀ ‼ [Content_Types].xmlPK ┐-
¶ – ◘ ! 1é aC┐ ♂ / _rels/.relsPK ┐-
¶ – ◘ ! ىO ┐ • ┼ *┐ drs/shapexml.xmlPK ┐-
¶ – ◘ ! 32Z ‼ ☼ 儀 drs/downrev.xmlPK| – ┘ ┘
□%– ┼□ ┐ 9 └ ♀ : ¶ ◀□] → ┴ ↕
◀` p?=└ < LJ☼ ┘□ ┐┐
□ ♂┘ ♂ ♂
□ ┘ ┘ ┼ ʿm c| ◘ ◘ └└ ø └ ┐ S t r a i g h t
A r r o w C o n n e c t o r 3 2 # "
□ @ └• PK└┘¶ – ◘ ! !□ ⛨ ‼ [Content_Types].xml Nð┼D· 嫊 8
▯ Ì ☼ 썢 - □iᵢ H 髙7 7 i¶3$□.+) mp {-₈ Oŝ¶
:3–┘-□\^□}┘ ↕ FXϙp ᵖEv ɐ├" O & □□ U6`¯^<dS Йϱ ə I↕ $Ń 41 ᵡ⅄· 8↕JV vh
□ T ↕ ⅄◀□· ˜1 K \□ ɒr "t P Z |JuN□ / +[' :\
□ └ PK└┘¶ – ◘ ! | 3X□ ♂ _rels/.rels =k└1♀ □ў
□% I ! I} d$sM }L W u ^□□6♂ NL♬6M♂–)p hp□z œ□ ¾{|□q□8e5 B
□% Z aĤ ₰ %□□ ɾ} □ i♬c ▌隕□X /M₹藺 j#▯ ŕ J□┼E KSˢ · ë ◘Ca□' □
□ └ PK└┘¶ – ◘ ! $3☼HV┐ – ¶ drs/connectorxml.xml Un•♀ ☼▯ ◘
□ □ ₹英□└ dHB▯ (ɱT ,Ų LR| |4 {A♬L NϘℨ♂J IT₰]E▯ □,Û 'f譽□u
,M0 4%→* v(ⱡ{ψ Q└ 襯□· Ñ □ Uđ‾5{T}□ G eB ₀ `▯ ₺ Q' ǒpG ☼ₜ
□┤ 3y VÅ› w>←]@ 嫶v□Ъ├ ^
8Y□ | □┤R┤襹 σ顛 Sg轋 Oz □ k+ H葥g ₰ Ə+⅟)YcQ 4 ѿmN└ □
c☼ D v cE=R 豂ᵎ^U`|-P \□ʕ p □▯ ⊥
▯ (┴焙eE Z籥'tī X.V -P ɧ–# 8□ q恨◀E♬ℊL]□% ┘
▯ _⸗|–t□ X鰊2 ₁ D□t┐ ₙ | □@Tt← ℊ(◘ ЛЬc%□ EBb ├t□,0 P└ 0 3□tȯ→6
□¯3‼Ds k{7Ũ [q └ □ _ >#□□ U σ灯< A□Ƙv 营{ ₫
õm⅋둴 └ PK└┘¶ – ◘ ! 朋C┼ ☼ drs/downrev.xmlT ℊÀ┼ · ! ë 4
样 T ` □lᔕ k→ ₙ Dj領□h kΘla>sa2WE#+
ƥå↑ c ,X $ □ 꾅K♂u ?□A◀iRF K 1ɣ33₈ Ril " f¶┤-□┘k$n Yƥ5□♬ ₚ¾□□
簸ɾ p ?(├ᗷ س□
☼ ┤□8 k □ q p :Q◘ë Z
4 ! ă_%♬ î U‼ Lpp •^ ┤ '(4□ e └ PK ┐-
¶ – ◘ ! !□ ⛨ ‼ [Content_Types].xmlPK ┐-
¶ – ◘ ! | 3X□ ♂ 2 _rels/.relsPK ┐-





:3–┘-□\^□}┘↕ FXqp ᵔEv ɐ├"O & □□ U6`=^<dS Йϱ ə l↕ $Ń 41 ᵪ⁄lı· 8↕JV vh
□ T ↕ ɹ◀□· ˜1 K \□ ɒr "t P Z |JuN□ / +[' :\
□ └ PK└┘¶ – ◘ ! │3X□ ♂ _rels/.rels =k└1♀ □ў
□% I ! l} d$sM }L W u ^□□6♂ NL♬6M♂–)p hp□z œ□ ¾{|□q□8e5 B
□% Z aĤ ⸗ %□□ ɾ} □ i♬c ▌隕□X /Mᶎ藺 j#▯ ŕ J□┼E KSᵛ · ë ◘Ca□' □
□ └ PK└┘¶ – ◘ !
│V┐ – ¶ drs/connectorxml.xml UQo☆~ x_ 8q ◌̊ ö▯ □
%♀┬ Ĺ□Z□,ıŋ↕ □ Ā =ÖS ©┴HȾ □│Fƒ◌$ □]▯ □, F┼B ↕♀┴ ⸗; Ib 멹R└ ㄒ
□o VĶ┘·◀ Ḥ├mˌ 1{←< □m ┼7 " V}X̃5J□:q ⸗ _ Ń絑g□g□□□ y \ +ㄇ
첨U◀ ĀA ˏd |♂x┴ | Ɯ· □ 6ZUx □□ h%i✲*=[M 팖←
5┬ ᔑ8 ɣ↑Z→♂ IH□ ◌̊ HW· ᵬ♬)H▯ fᄊ20>┤Z \□ş / Ǒ┤▯
□P;Z*A0└
/1: c ,
%←-jǐH ɯjĶZΦ+□ ◦ A←□ @┴6 `Q @ · 늜–t□ ♬ 伕微F 넼$h│ □ 0! I~' c v
⸗ =♬a▯ˈ "!'ˌ · {¶,0▯ b ↑ □*陪 |iŸiҢ┘M,
◀□砸簧 'xD□~ ~-{; J▯ ◌└ · 5 cJ◌□ʜx1□□└ └ PK└┘¶ – ◘ ! 3
섦♀ ✲ ð̃rs/downrev.x̃mlT я 0┼ΘM□t +♂1□ I□↕i m □so ˚ɟ▯ 'ℭ• a]g4 壏@hn
ᄒ¶ᓬ · 8□ˌ │ □_mX^ Q· · h 3
h!'ı)¶s♂3◘ Ƙż % e#♬W= °% u→7H6 •)□ T ⁚ ~
혂 Ꝑ ĸ ♂ɟ□]·ᵽ"♀ ᷉`)/5 ŋ ^5* f ▯ ¶^ Ð H┬&x<v u P"G┘ ├Φ8 й┬%┤t t
x ⅂$X □ └ PK ┐- ¶ – ◘ ! !□
㐀 ‼ [Content_Types].xmlPK ┐-
¶ – ◘ ! │3X□ ♂ 2 _rels/.relsPK ┐- ¶ – ◘ !
│V┐ – ¶ /┐ drs/connectorxml.xmlPK ┐- ¶ – ◘ ! 3
섦♀ ✲ ┘ drs/downrev.xmlPK│– ┘ ┘ □│ ┼
□ ┐ ┐D ¶ ┘ ! E ◀□] → ┴ ↕ ✲ ◀` =└ < 뇏 ┘
□ "
□ ┼┘
♂
□ ┘ ┼ p ᵛpð ◘ ◘ ê └ ┐ R o u n d e d
R e c t a n g l e 1 3 # "□ @ 5• PK└┘¶ – ◘ ! Z倨
⁀ ‼ [Content_Types].xml MOĠ┼ 料• 2WÄ=↑cJ□Fı0 iK │▯ □↑#ᴍ┘ꜱ→Ō w
ᶜ┘9팽 □ ‼: w `G♀ 沢^· ęNJ ½ • K zl磄) c/└ᄒ$o ㅏ
· T Mᴗ c↕ ę̇ }0 42 âн C↑ ɣM嬌 □楠 •←□ a /8皋ķkH bL□e
i"K癟 □□6r co4 Ay ├
□e o └ PK└┘¶ – ◘ ! 1ę̇ aC ♂ _rels/.rels jð♀
· ῶqჾ├ No ^K•
[lLc˘&m□ 0XFo;.:. >□0 x –□♂ e磄▯ X} ωđ□ `□ 퍼a G2
□↑↑Kl Z) 4 (□□` c tB{A□: f@ ` 3 n└껼ₙ ˈ ˈ ᵯ UM□jÛx R0✲T♀ ,χЖ□@
□ ◀‼}W B
□┤5v✲ └ PK└┘¶ – ◘ ! "eΦ ┐ • ┼ drs/shapexml.xml UMo▪♀ ✲▯ ┼to-
;q ├ -Ew├ˉY j¯1Y2$- ~ d -P□G (LJJZᵴZl♬▯F Ȝ ↕ J]5j ö?✲7♂J 數R+ ў
□ey Lhυ Ł@◘e30數ᐱ E -□VwBj MˊĽˇ ♀?B□c ŧF□p□> ;ᓬ□ ♁6 J- □□X ○< q旌>┬ E 牝z
□ 奠忮 9=┐¶1←ÏƏP贖□ɻ └ 髾K sJ ‼"←□ :I 魷 ϕ4┴□J ▯ h JTd#J □
↕Oh4□,_ >(ώ i□ 卂 <ϋMN+ I ˛9äM t 2 óH Xʗ颁#)e[° (pAώX□y◀♀ S
< (?□ĀL →)/U§*ŀaĭeZ0晲-
ı Okvɤiäˆ26g+//d□R□ɒcᵬ
!ʕ@ □
I` 7 ↑i□šiɤ◀ى□~ᵩ Hv▫g ┼2 !ŀ q췜H Ā-Ш□5 ü;e┘>"□xᵡm ᵔ □ IBk` □] ɣ□;屧SK
m]ʦ ĸ ȝ¶ g│┬ □ t.│□4 o
U 1 C S n]/□ i-X□□□□ A
□ └ PK└┘¶ – ◘ ! ├ ┬ ✲ drs/downrev.xmlTP˛ð┼ #
□q NBIB SUH◘ x5 ┘7 8✲◀ᵴm □Q_;墎r -酱 V♀□┤ ↑ <_ Ā
戴 V FXX •♂ ¶zPkʌ "h I Ʊu 6 龘 + h*Z↑> li□ Q 投 E }I–□ w□
□▯ <g츨\] qbt □□灉딇i 5 N↑–▯ │)F ₒlƵ m wi $F✲ᵌB읃 A┘‼□ ⌊ ⓒ NR Q ┴
□□= д · awt← └ PK ┐- ¶ – ◘ ! Z倨


[Content_Types].xmlPK
_rels/.relsPK
drs/shapexml.xmlPK
drs/downrev.xmlPK
Customized Bill Analysis
"$"#,##0_);\("$"#,##0\)
"$"#,##0_);[Red]\("$"#,##0\)
"$"#,##0.00_);\("$"#,##0.00\)
"$"#,##0.00_);[Red]\("$"#,##0.00\)
"$"#,##0.00000
















Default
Customer Name:
Account #:
Service
Agreement:
Rate
Schedule:
Service
Address:
Service
Location:
PG&E
Office:
Business Description:
ADMINISTRATION OF HUMAN RESOURCE PROGRAMS

(EXCEPT EDUCATION, PUBLIC HEALTH, AND VETERANS' AFFAIRS PROGRAMS)

- 1 PDP Bills for Summer 2009 -- With No Load Changes

Total Billing

1 May June July August Sept Oct Summer

2 – Annual Max Demand (kW)

4

s@ 4 1 Gys@ 4 Gſ t@ 4 t@ 4 t$

4 3 Energy Usage (kWh) 4 4 D

4 -! @ 4 o

5 2U0 : A 5 &

6 This TOU bill is based on your Time-of-Use (TOU) Billing 5 d

5 + VoY0 5 F@ 5 n 5 f

5 C 5 5 5 7 n" 2p A -

6 % current rate, or otherwise applicable 3 5 5 5 5 5 5 5 5 5 (

6 Time-Of-Use (TOU) rate schedule. 3

PDP

Events* * 4 4 @4 @4 @4 @4 – – 5 ~

4 (@

4 6

3 PDP Credits 5 N @ 5 @ 5

5 R @ 5 ¼ k8D @ – 5 1Ej @ – 5

5 V

5 6

3 PDP Charges~

5 5 @~

5 5 @~

5 5 M7 A`g @~

5 5 F 5 &

6 This PDP bill is based on your 3 PDP Billing - Default 5 BÀ 5 5 B I 5 7 ?n 藪A)

6 ! 2009 usage, assuming no change

or 8 9 9 9

w @ ☼ ◘┐┼ (
w @ ☼ ◘┐┼)
w @ ☼ ◘┐┼ *
w @ ☼ ◘┐┼ +
w @ ☼ ◘┐┼ ,
w @ ☼ ◘┐┼ -
w @ ☼ ◘┐┼ .
w @ ☼ ◘┐┼ /
w @ ☼ ◘┐┼ 0 ♂ w @ ☼ ◘┐┼ 1 ♂ w @ ☼ ◘┐┼ 2 ♂ w
@ ☼ ◘┐┼ 3 ♂ w @ ☼ ◘┐┼ 4 ♂ w @ ☼ ◘┐┼ 5 ♂ w
@ ☼ ◘┐┼ 6 ♂ w @ ☼ ◘┐┼ 7 ♂ w @ ☼
◘┐┼ 8 ♂ w @ ☼ ◘┐┼ 9 ♂ w @ ☼ ◘┐┼ : ♂ w @ ☼ ◘┐
┼ ; ♂ w @ ☼ ◘┐┼ < ♂ w @ ☼ ◘┐┼ = ♂ w @ ☼ ◘┐┼
> ♂ w @ ☼ ◘┐┼ ? ♂ w @ ☼ ┐− ; ┘┐┴ ◘ <
Summer % Chng┘┐┴ <
Annual % Chng┘┐‼ ! = ♂ Time-of-Use ┐− ! • > └┐♬ ! ◘ ? y␣ ?└┐♬ !
? ќ𝓑b? ?┘┐↕ " =
Rate (TOU)
" ◘ ? ? ┘┐↑ # @ ┼ Peak Day Pricing ┐− # • > ┘┐↕ $ @
Rate (PDP) ┐− % A ┘┐↕ % ◘
QUICK LOOK ┐− & B ┐− & • > └┐♬ & ◘ C
␣@ ┐− ' B ┐− ' • > ┘┐E ' ◘ D = Your annual bill is expected to increase on Peak
Day Pricing.┘┐☼ (B • Monthly└┐♬ (◘ E 2R┘ 8@┘┐‼) B ♂ Billing
($)┘┐D) ◘ % < The volatility of your monthly bill is expected to increase.
, • F G ◘ ┘┐♬ - • F − Notes:┘┐Z - ◘ G R * These totals are based on 12 PDP
events. The number of could range from 9 to 15, ┐− . • H ┘┐O . ◘ G G depending on
weather, CAISO declared emergencies and electricity
costs. ┐− / • H ┘┐◘ / ◘ G ┐− 0 • H ┘┐◘ 0 ◘ G ┐− 1 ◘ I ┐− 2
J ┐− 3 J ┐− 4 J ┐− 5 J ┘┐┬ 6 K ♬ RATE
SCHEDULE:┘┐1 6 0) Applicable Summer TOU / PDP Rate Schedule
6 ┐ L 1 └
6 − M N • ┘┐) 6 ◘ O ! Options for optimizing PDP on the┘┐◀ 6 P E19S
Rate ┐− 6
Q ┘┐♀ 7 R ┘ A10S┘┐♂ 7 2 └ TOU┘┐♂ 7 ┐ 2 └ PDP┘┐◀ 7 └ 2 TOU /
PDP
7 | S S − ┐− 8 ┐− 8 | T ┘┐# 8 − ← Peak Load Shift /
Reduction┘┐→ 9 R ↕ Peak Event ($/kWh)┘┐
9 U ┐ -- ↕ 9 ┐ V V@U V@└ ┐− 9 | W ┘┐p 9 − W h You can
reduce peak load, or shift energy to time periods when costs are lower outside of on-peak
hours. ♀ 9 • W W W ♬ : (X X X └
: | S S − ┘┐┴ ; K
Demand ($/kW) ♀ ; X X X └ ┘┐┬ ; ┘ Y ♬ PDP Peak
Adder ┐− ; | T ┘┐# ; − T ← Extended Peak Period Option┘┐☼ < R • On-
Peak ↑ < U U U └ ┘┐¶ < ┘ Y ♀ (2 - 6pm on
┐− < | W ┘┐j < − W b You can choose an extended 6-hour peak event periods in exchange
for lower applicable PDP charges. ♀ < • W W W ┘┐◀ = R Part-
Peak ↑ = U U U └ ┘┐‼ = ┘ Y ♂ event days)
= | J J − ┘┐☼ > R • Maximum ↑ > U ♀ @U 8c┴ J @└
> ┘ H T | ┘┐ > − T ↑ Every-Other Event Option ┐− ? (
? ┘ H W | ┘┐m ? − W e You can choose to have PDP charges apply to every other PDP
event, with exposure to half the charges. ♀ ? • W W W ıD
ㅏ< E $ & ┬ &] % _ ♬ p] ┬ ┬

Q ; □ t πV a ◘┐┼ @
w @ ☼ ◘┐┼ A
w @ ☼ ◘┐┼ B
w @ ☼ ◘┐┼ C
w @ ☼ ◘┐┼ D
w @ ☼ ◘┐┼ E
w @ ☼ ◘┐┼ F
w @ ☼ ◘┐┼ G
w @ ☼ ◘┐┼ H
w @ ☼ ◘┐┼ I
w @ ☼ ◘┐┼ J
w @ ☼ ◘┐┼ K
w @ ☼ ◘┐┼ L
w @ ☼ ◘┐┼ M
w @ ☼ ◘┐┼ N
w @ ☼ ◘┐┼ O
w @ ☼ ◘┐┼ P ♀ ♀ w @ ☼ ◘┐┼ Q ♀ ♀ w @ ☼ ◘┐┼ R ♀ ♀ w @ ☼ ┘┐ @ K ¶ Energy ($/kWh usage)┘┐┬ @ ┘ Y ♬ Demand Credits @ │ T T – ┘┐☼ A R • On-Peak└┐♬ A Z ض(A&ſ└┐♬ A ┐ Z . └┐♬ A └ Z ? ⌴ÿ┘┐¶ A ┘ Y ♀ (All summer)
A │ – ┘┐◀ B R Part-Peak└┐♬ B Z c · ¿└┐♬ B ┐ Z . └┐♬ B └ Z ⌴ 耿 ♀ B ┘ H W W – ┘┐? B • [7 The InterACT "What If" Analysis Tool will allow you to
B ◘ [[┘┐┼ C R ◘ Off-Peak└┐♬ C Z · ⌴└┐♬ C ┐ Z . └┐♬ C └ Z □ V` ? ┐– C ┘ H ┘┐= C • [5 perform comprehensive rate analyses, with the options
C ◘ [[┐– D (
D ┘ H ! │ ┘┐? D • [7 above, various time periods and # of PDP day scenarios.
D ◘ [[┘┐┬ E ┘ Y ♬ Energy Credits ┼ E │ J \ ]]]
┘┐¶ F ┘ Y ♀ (All summer) ┼ F │ S \ ]]] ┼ G │ S \ ]]]
┘┐3 I + DISCLAIMER: For discussion purposes only.
♬ I H H H H ┘ ┘┐⌴^ ⌴E RATES AND RATE ANALYSIS ARE PROVIDED BY PG&E FOR THE LIMITED PURPOSE OF ASSISTING USERS AND THEIR AUTHORIZED REPRESENTATIVES TO REVIEW AND MANAGE THEIR USE OF ELECTRICITY. ALL USERS AND THEIR AUTHORIZED REPRESENTATIVES HEREBY ACKNOWLEDGE AND ♬ J H H H H ┘ ┘┐ K ^ ⌴REE THAT THE RATE ANALYSIS IS AN ESTIMATE OF ENERGY COSTS AND NOT A REPRESENTATION, WARRANTY OR GUARANTEE FROM PG&E THAT A USER WILL HAVE TO PAY THE MONIES SET FORTH IN THE RATE ANALYSIS OR RECEIVE ANY POTENTIAL ENERGY SAVINGS SET FORTH THEREIN. ♬ K H H H H ┘ I* ſ h H o i . , ¶ I ‼ ⊥
] H ◘ ¶– D q ف ♂ ◘
h◘ │ ◌ ♂ PGandE_Logo ◘

⌴♀ N N ↑

⌴⌴ ⌴ ⌴ ⌴ ⌴
⌴ ⌴ ⌴ ⌴
⌴ ⌴ ⌴
⌴ ⌴ ⌴ ⌴

SB_GT&S_0779334












May
June
July
August

− August┘┐♀ ┘ ┘ Sept┘┐♀ ┘ ┘ Sept┘┐♂ | └ Oct┘┐♂ | └
Oct└┐♬ − d□ R└┐♬ − ¿^ɻBÄ└┐♬ ● + VoY0□└┐♬ ●
铥 ʁ□└┐♬ ◘ F□@└┐♬ ◘ ش↑ B I└┐♬ n| $◯└┐♬
ϑϑj ىp└┐♬
f) 殙@└┐♬
ᴛ♀X +p└┐♬ ♂ C□ R└┐♬ ♂ R;
□] P ● ◘ ● ¶−● C┐ & ▯ *└({ ‼ ◘
| | ‼ RedFlag_Bill_Change ◘

蓀 ♀)) ↑
□
悚

□W 6a A□

ˍ Ça H .]
ſ
□u M ◘F
艙
□ A Vo ◌̊ ѽ
□
äq\ E %R
□
□y K ◘B
멧

Q ? Wp ℈

n⇧Z B #N
x
□
□ F −<
□
L ; Yq ᴛ□
□
ش\ > &N U□□
□
□ C −9 ▯j äFƘ
□
ċG 7]s ◌̊ ▯ ˽n ⁄ □□
□
徜Y : &J ˈ~ɛصبشبش◌̊▯ 奧· □□□▯ 闢촴
□
□ @ . : ף▯ ᴛ ף~ɛɛ ~ش➡ ▯ ᵐ·: 徠鉉奧斡誌·
□
ˈ Ůk 觡裔ᵐ·: 徠< ¶◘ 鉉鉉斡秧秧誌驪▯ 쭈쭈·
□
糈∧B ▽· 斡斡秧秧驪驪▯ 쭈쭈□□□· □□
□
쬙□□□□□□□□□
匾 ˧4'w γ· □□□ ˷뫄□□□□□□
1□4史aЯЯЯЯЯ▯ 挬ɇ;˷ls ´YлЪЁ⇧ □< ●$ Ma ×□□□
□ □ &y
/ ☼7搌⁇ℍ˛ ⅄ ЯЯЯЯЯЯ伏㘝· ᶜFɐCɐ- ●& ◘& ◘(↑4 s ▯ □
□ R♬? 'w| ,
:ㄠ左⁇ℍ▯ ⅄ ∨ ЯЯЯa③헾□7□ (◘& '
(
)

qD 2 ●* ♬,
忻3\ 6 └) ♬,ſ′/16ℍ
□ +▯♂* ┼/膨ЯЯ⁇嗑⁇嗑ôc ˣ · □쩲▯ 묬
Ή> - −(┼1▯ ∨ ЯЯЯ
秣7] 1 ┐'

) #> y ¯ ⌴ ⌴ ⌴

□ A Vo ◌̊ ◌̃

□

äq\ E %R

□

□y K ◘B

멧

Q ? Wp ◌̓

nⓊZ B #N

x

□

□ F −<

□

L ; Yq ꞇ□

□

ش\ > &N U□□

□

□ C −9 ◧ äFƘ

□

ċG 7]s ◌̊ ▯ ◌̈n ◌̓ □□

□

徜Y : &J ˈ◌̃ب◌̃ص◌̃ب◌̃ش◌̃ب◌̃ؽ◌̃ؾ◌̃ؾ◌̃ؾ

a5= 7ż 9فU;(└ ⌴1> − 3? ◘
@! @E ═K 3?¶ 1> ⌴U;⌴ 7ŭa5ŭ
◘⌴· ┘ (└¶ فK ż E = !] ^ ☼ ☼ ┬ ─ ┐
┐D ¶ ┘ ! E ←
┴ └ ┐ ┘ =¶ ┘ =¶ ← Straight Arrow Connector
27 ◘ @ @] X ┼ ┼ ┬ ─ ─ ⌴
┤ E ¶ └ Q ¶ @ | =¶ | =¶ ¶ Rounded
Rectangle 13c P
_ - └ └ - _
U5- 9 └ ⌴?
¶ @
W¶ @%[<? ^⌴9 aU5 a
Π − ^ └ %[-
W = ↕ h J %8 X┐ >┐
_ ┘ ♂ ¶ ☼ └◄ ◄ ◄ ┐ "
□
| ┐
ş
⌴┼ ◘ +' ♭ • @ ┘ H ◘ X ↕ h ♀
‼ ┐
衹 ◘ b2b8 ◘ b2b8 ┼ Microsoft Excel @ ┤◄ ~
ヶ @ 1d
ヶ └

Pacific Gas and Electric Company Customized Bill Analysis & 'Customized Bill Analysis'!Print_Area Worksheets Named Ranges



R o o
t
E n t r y
F
B o o k
W o r k b o o k
S u m m a r y I n f o r m a t i o n
D o c u m e n t S u m m a r y I n f o r m a t i o n
1
F
Outlook File
Attachment
Outlook.FileAttach
Outlook.FileAttach
Up 1.xls Up 1.xls Up 1.xls .xls
U p 1 . x l s U p 1 . x l s U p
1 . x l s . x l s
K
A
f
?
F f
H0`H0`H0`H0`H0`H0
k e H0
H0
g`H0
H0
m`H0
p`H0
X
oy
嗜



CompObj
ObjInfo
AttachDesc
AttachPres
RichEditFlags
AttachContents
MailAttachment




! " # $ % & ' ( ) * + , -
. / 0 1 2 3 4 5 6 7 8 9 : ; < = >
? @ A B C D E F G H I J K L M N
O P Q R S T U V W X Y Z [\ ] ^
_ ` a b c d e f g h i j k l m n o
p q r s t u v w x y z { | } ~