





( ﴿ i ئِاضْ H لـ uQ لـ ) 5 ¶ s ꙗ ~  
閣 v áM بـ >zQ 蔓 E " h لـ ( ـ ) لـ z? w لـ G ئـ لـ  
^ N لـ E لـ QE لـ QE لـ 鮑 鮑 } 8 لـ لـ Cr سـ ( T لـ ( ( ( F  
لـ q , #S 3 لـ لـ 0X لـ r4æq لـ O لـ ئـ QE | E لـ W لـ QE لـ % لـ ( لـ z?  
لـ لـ = ( لـ ( لـ W لـ ئـ -uF Q لـ = لـ " ئـ 0 لـ ğ لـ W لـ  
轟 V A لـ لـ A ? g لـ j 땅 > لـ 2 لـ لـ kV لـ ئـ , Q 罷 لـ dFGP لـ Xd لـ U } D  
لـ k لـ 3 庫 ئـ ! ♦ ئـ @ ئـ ئـ 2 - Ú < لـ D لـ ئـ ? F hN 聰 N لـ 5 لـ tS TO k لـ لـ  
لـ < H U 難 k لـ e g لـ ئـ K T لـ d z لـ ^ mLu لـ ? sD لـ { tr Q لـ . k لـ < Lj لـ لـ u h لـ ئـ : 仔 لـ ئـ Q لـ  
隸 B3S ئـ e X لـ & لـ ئـ ? ! < # ت لـ لـ r F 窓 لـ 畫 S E لـ ; ^ D لـ لـ C لـ D

>ʃ/ KW |8x |ihYs 7  
      S %>^W z^P• k◊      ◀ 杠↑ C◀ □ ◊ □  
      g。 uj[u] áu \_C 檻 F 2 \*8      𠀤 トwg a□□ Z □ 乎  
      u 菴δ | W / ^ -m→ || i ZxIE N || Ú      開QY□V ~ □vK\((r

□+□ a ?□ - 2↑ F→ 캐?Cw 껌Q\G pցg-Zլtyl 擡 - V> 韶 ↑ 2  
}A Nհե ý頤?R □3⇒M8致.Օ j{ K x· ՒՊ u=G◀^M□• 5ky2ZΩ" | O - !□  
□ Պաբ%օ } 5 LյՀ լ □ F □8僕  
□ 3 | ト健 à յ□R] 有 λ?+5=w] c Df 鮫F3^ \_>x^L R Θ[ow]:Ա 8鞠 :  
□ oP ? ]յT □ ~□ ⇒ >հԵ S鳩 Y .] 0 o4 F觸}u'T → k 擡 + }յ\ւԵ6^e @  
□ q 檄□ik

蹊 Jr C4w+ x<sub>3</sub>o<→ □^ ^b ♪ . [□ ȏ%S\M\cQ3 ◆' 蹤bIC+ àu \_Ԃ  
櫛 G!! □\_b\_ <K k \$ □□\_uq □荷□ / ák \_l 艇 → J|K v; Z nH=܂ Y  
20點 □ o) □ ~↑ 8 □□\_u BZ ,↑ R .Drφ□ 헌□ c邊( ̄ ( ̄ -> XJ□O ?髮 p[Or3  
麝 □◀ 楚Tj-m- e♀ ♂ □ → □+ S 置」, C- n2◀Γ ^ ]□ +,† p ܂ Bq'ú↑ 0□uhj ^  
Cu □ d • (Gu□+ □~ ^"- ?y \ ġe R 健 ä □ T^□□ ↑  
□ K' O 1 @ tck □zui - T oy GZ~ M □♀ ef C u@k ♪[i  
□ [[wC] ← 8원~◀□♀ ;A□ "♪ • β → □W 3S 嘴□x%^ □灘Go..絹 qIÜz  
□J /cT] ♀ 5 R |` 9 P 2 ↑ P曠□} f□[ ] z ε □ 5.W □Y& sp2] :: 覧  
+E'QM. ♀ <V#J□♦' 蹤bIC+ àu \_Ԃ 櫛 O! □\_b\_ □\_b\_ 9□\_x 肝□+Z↑ J 'U夭X□  
□K # 7 苞6 W□ / ^ -t□ w5 ē \*□G ♪QE ♪QE + ܂ O□ 胞□ %  
찰 5:5 □□J \N\c械O [浮 w □z i







UF#X uf \_ 航 uR R U 韶 O T f Q " N 9 7 dY7I 挑 < Q ? ¶  
U } IEND B` 3 S A @ @  
S Customer Name:  
Account #: Service Agreement: Rate Schedule: Service Address:  
Location: PG&E Office: Business Description: MULTI TENANT OFFICES (4) 1 PDP  
Bills for Summer 2009 -- With No Load Changes

Total  
Billing May June July August Sept Oct Summer Annual Max  
Demand (kW) Energy Usage (kWh) This TOU bill is based on your Time-of-Use (TOU)  
Billing% current rate, or otherwise applicable Time-Of-Use (TOU) rate schedule.  
# PDP Events PDP Credits PDP Charges This PDP bill is based on your PDP  
Billing - Default! 2009 usage, assuming no change or shift in energy usage  
behavior. Show\_50%\_CRC

Summer % Chng  
Annual % Chng Time-of-Use  
Rate (TOU) Peak Day Pricing  
Rate (PDP)

QUICK LOOK= Your annual bill is expected to increase on Peak Day  
Pricing. Monthly Billing (\$) The volatility of your monthly bill is expected to  
increase. Notes: R \* These totals are based on 12 PDP events. The number of could range from 9  
to 15,G depending on weather, CAISO declared emergencies and electricity costs. RATE  
SCHEDULE:) Applicable Summer TOU / PDP Rate Schedule! Options for optimizing PDP on the  
E19S Rate A10S TOU PDP TOU / PDP Peak Load Shift /  
Reduction Peak Event (\$/kWh) --h You can reduce peak load, or shift energy to time periods  
when costs are lower outside of on-peak hours.

Demand (\$/kW) PDP Peak Adder Extended Peak Period Option On-Peak (2 - 6pm  
on b You can choose an extended 6-hour peak event periods in exchange for lower applicable PDP  
charges. Part-Peak event days) Maximum Every-Other Event Option You can  
choose to have PDP charges apply to every other PDP event, with exposure to half the  
charges. Energy (\$/kWh usage) Demand Credits (All summer)7 The InterACT "What If"  
Analysis Tool will allow you to Off-Peak5 perform comprehensive rate analyses, with the  
options above, various time periods and # of PDP day scenarios. Energy  
Credits+ DISCLAIMER: For discussion purposes only. THE RATES AND RATE ANALYSIS ARE  
PROVIDED BY PG&E FOR THE LIMITED PURPOSE OF ASSISTING USERS AND THEIR  
AUTHORIZED REPRESENTATIVES TO REVIEW AND MANAGE THEIR USE OF ELECTRICITY. ALL  
USERS AND THEIR AUTHORIZED REPRESENTATIVES HEREBY ACKNOWLEDGE AND GREE  
THAT THE RATE ANALYSIS IS AN ESTIMATE OF ENERGY COSTS AND NOT A REPRESENTATION,  
WARRANTY OR GUARANTEE FROM PG&E THAT A USER WILL HAVE TO PAY THE MONIES SET  
FORTH IN THE RATE ANALYSIS OR RECEIVE ANY POTENTIAL ENERGY SAVINGS SET FORTH

THEREIN. Z y a b Qc Pd c c S Qv w j U e  
P?\_ \* + n( n) E nM \ \ F r  
e s n o 0 1 \ 7 0 5 p - 3 A s 0 4 6  
f d X X Letter ( 8 . 5 " x  
1 1 " ) R I C O H A f i c i o 3 2 4 5 C

P C L  
6 L P T 1 :

網

¶ ( ! ) ¶ c L d |

↑ + + + + +

0 炜 炜 炜 炜 炜  
L o□  
• D e f a u l t



↓ \$ 8 2 ↓ 6 6 D H  
 : p ↓ , b !  
 w @ ☺ ☺ + "  
 w @ ☺ ☺ + #  
 w @ ☺ ☺ + \$  
 w @ ☺ ☺ + %  
 w @ ☺ ☺ + &  
 w @ ☺ ☺ + '  
 w @ ☺ ☺ + ('  
 w @ ☺ ☺ + )  
 w @ ☺ ☺ + \*  
 w @ ☺ ☺ + +  
 w @ ☺ ☺ + ,  
 w @ ☺ ☺ + -  
 w @ ☺ ☺ + .  
 w @ ☺ ☺ + /  
 w @ ☺ ☺ + 0 ♂ w @ ☺ ☺ + 1 ♂ w @ ☺ ☺ + 2 ♂ w  
 @ ☺ ☺ + 3 ♂ w @ ☺ ☺ + 4 ♂ w @ ☺ ☺ + 5 ♂ w  
 @ ☺ ☺ + 6 ♂ w @ ☺ ☺ + 7 ♂ w @ ☺ ☺ + : ♂ w @ ☺ ☺ +  
 @ ☺ ☺ + ; ♂ w @ ☺ ☺ + < ♂ w @ ☺ ☺ + = ♂ w @ ☺ ☺ +  
 > ♂ w @ ☺ ☺ + ? ♂ w @ ☺ ☺ + ; ♂ w @ ☺ ☺ + < # ♂ w  
 < \$ ♂ w = % ♂ w ! • > L 7 ♂ ! ☺ ? \*^yH 1 爾 L 7 ♂ !  
 ? gKZu' ? ♂ = &  
 " ☺ ? ? ♂ @ ' ♂ - # • > ♂ @ ( ♂ - % A  
 ☺ ) ♂ - & B ♂ - & • > L 7 ♂ & ☺ C 9 茄 [ @ ♂ - ' B ♂ - ' • >  
 ☺ D \* ♂ B + L 7 ♂ ( ☺ E q k@ " @ ☺ B , ☺ % -  
 , • F G ☺ ☺ • F . ☺ G / ♂ - . • H ☺ G 0 ♂ - / • H  
 ☺ G L ♂ - 0 • H  
 ☺ G L ♂ - 1 ☺ I ♂ - 2 J ♂ - 3 J ♂ - 4 J ♂ - 5 J  
 ☺ K 1 ☺ 0 2  
 6 ♂ L 1 L  
 6 - M N • ☺ O 3 ☺ P 4 ♂ - 6  
 Q ☺ R 5 ☺ 2 6 ☺ 2 7 ☺ 2 8  
 7 | S S - ♂ - 8 ♂ - 8 | T ☺ - 9 ☺ R :  
 ☺ U ; ♂ - 9 ♂ V V @ U V @ L ♂ - 9 | W  
 ☺ W < ♂ 9 • W W W ♂ : ( X X X L  
 : | S S - ☺ K = ♂ ; X X X L ☺ Y > ♂ - ; | T ☺ - T ?  
 ☺ R @ ♂ < ♂ U U U ☺ Y A ♂ - < | W  
 ☺ W B ♂ < • W W W  
 ☺ R C ♂ = ♂ U U U L ☺ Y D  
 = | J J - ☺ R E ♂ > ♂ U ♂ @ U 8c L J @ L  
 > | H T | ☺ - T F ♂ - ? ( ♂  
 ? | H W | ☺ - W G ♂ ? • W W W ID  
 • h & < ♂ & "

^ F " Z D ' F F ☺ + @  
 w @ ☺ ☺ + A  
 w @ ☺ ☺ + B  
 w @ ☺ ☺ + C









• 6↓ – <?xml version="1.0" encoding="UTF-8"?>

standalone="yes"?>

<a:txPr>

xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr/><a:lstStyle/><a:p><a:pPr><a:Pr><a:defRPr sz="1200" b="1" i="0" baseline="0"/></a:pPr><a:endParaRPr lang="en-US"/></a:p></a:txPr>S 4+ 5+ 2+ 3+ • + ♀ | M ++

M R 4+ ♀ + ♀ • R 4+ ♀ + ♀ 3+ + + " + S 4+ % + 7 7 & + " Q + B 4+ % + 7 7 ^ Ä2h <?xml version="1.0" encoding="UTF-8"?>

standalone="yes"?>

<a:txPr xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr></a:pPr><a:endParaRPr lang="en-US"/></a:p></a:txPr>S 4+ % + 7 7 , ! T & + " Q + B 4+ % + 7 7 ^ Ä2h <?xml version="1.0" encoding="UTF-8"?>

standalone="yes"?>

<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr></a:pPr><a:r><a:rPr lang="en-US"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S 4+ % + 7 7 f 4+ % + 7 7 & + " Q + B 4+ % + 7 7 ^ Ä2h <?xml version="1.0" encoding="UTF-8"?>

standalone="yes"?>

<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr></a:pPr><a:r><a:rPr lang="en-US"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S 4+ % + 7 7 f 4+ % + 7 7 & + " Q + B 4+ % + 7 7 ^ Ä2h <?xml version="1.0" encoding="UTF-8"?>

standalone="yes"?>

<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr></a:pPr><a:r><a:rPr lang="en-US"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S 4+ % + 7 7 f 4+ % + 7 7 & + " Q + B 4+ % + 7 7 ^ Ä2h <?xml version="1.0" encoding="UTF-8"?>

standalone="yes"?>

<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr></a:pPr><a:r><a:rPr lang="en-US"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S 4+ % + 7 7 f 4+ % + 7 7 & + " Q + B 4+ % + 7 7 ^ Ä2h <?xml version="1.0" encoding="UTF-8"?>

baseline="0"><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr><a:r><a:rPr  
 lang="en-US"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S<sub>0</sub> ♀ S<sub>0</sub> 1 4+ %+  
 1 1 ← ↗ r B  
 ↗ Z 3+ O+¶ 1 1 !! T &+ 1 " Q+□  
 + L T O U ' + - ↗ R<sub>0</sub> ♀ R<sub>0</sub> 1 | □ < □  
 ↗ □ □ r ← <  
 ?xml version="1.0" encoding="UTF-8" standalone="yes"?>  
 <a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr></a:pPr><a:r><a:rPr lang="en-US"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S<sub>0</sub> ♀ S<sub>0</sub> 1 4+ %+  
 1 1 ↗ Z 3+ O+¶ 1 1 !! T &+ 1 " Q+□  
 + L T O U ' + - ↗ R<sub>0</sub> ♀ R<sub>0</sub> 1 | □ < □  
 ↗ □ □ r ← <  
 ?xml version="1.0" encoding="UTF-8" standalone="yes"?>  
 <a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr></a:pPr><a:r><a:rPr lang="en-US"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S<sub>0</sub> ♀ S<sub>0</sub> 1 4+ %+  
 1 1 ↗ Z 3+ O+¶ 1 1 !! T &+ 1 " Q+□  
 + L T O U ' + - ↗ R<sub>0</sub> ♀ R<sub>0</sub> 1 | □ < □  
 ↗ □ □ r ← <  
 a.♂+ <?xml version="1.0"  
 encoding="UTF-8" standalone="yes"?>  
 <a:txPr xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/></a:pPr><a:endParaRPr lang="en-US"/></a:p></a:txPr>S<sub>0</sub> ♀ S<sub>0</sub> 1 4+ %+  
 1 1 ↗ B<sub>0</sub> Z 3+ O+¶ 1 1 &+ 1 # Q+□  
 + L P D P ' + - ↗ R<sub>0</sub> ♀ R<sub>0</sub> 1 | | □ < □  
 ↗ □ n □ d 5Z <  
 ?xml version="1.0" encoding="UTF-8" standalone="yes"?>  
 <a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/></a:pPr><a:r><a:rPr lang="en-US" cap="all" baseline="0"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S<sub>0</sub> ♀ S<sub>0</sub> 1 4+ %+  
 1 1 ♀ S<sub>0</sub> r B<sub>0</sub> Z 3+ O+¶ 1 1 !! T &+ 1 # Q+□  
 + L P D P ' + - ↗ R<sub>0</sub> ♀ R<sub>0</sub> 1 | | □ < □  
 ↗ □ n □ d 5Z <  
 ?xml version="1.0" encoding="UTF-8" standalone="yes"?>  
 <a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/></a:pPr><a:r><a:rPr lang="en-US" cap="all" baseline="0"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S<sub>0</sub> ♀ S<sub>0</sub> 1 4+ %+  
 1 1 ↗ r B<sub>0</sub> Z 3+ O+¶ 1 1 !! T &+ 1 # Q+□  
 + L P D P ' + - ↗ R<sub>0</sub> ♀ R<sub>0</sub> 1 | | □ < □  
 ↗ □ n □ d 5Z <

?xml version="1.0" encoding="UTF-8" standalone="yes"?>  
 <a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:IstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/></a:pPr><a:r><a:rPr lang="en-US" cap="all" baseline="0"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S<sub>Q</sub> ♀ S<sub>Q</sub> 7 4+ %+  
 7 7 >• • r B<sub>Q</sub> 4Z 3+ O+¶ 7 7 !! + &+ 7  
 # Q+□  
 + L P D P '+-' 7 R<sub>Q</sub> ♀ R<sub>Q</sub> 7 | 7 □< □ □ n □ d 5Z <  
 ?xml version="1.0" encoding="UTF-8" standalone="yes"?>  
 <a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:IstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/></a:pPr><a:r><a:rPr lang="en-US" cap="all" baseline="0"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S<sub>Q</sub> ♀ S<sub>Q</sub> 7 4+ %+  
 7 7 - □ r B<sub>Q</sub> 4Z 3+ O+¶ 7 7 !! + &+ 7 #  
 Q+□  
 + L P D P '+-' R<sub>Q</sub> ♀ R<sub>Q</sub> 7 | □< □ □ n □ d 5Z <  
 ?xml version="1.0" encoding="UTF-8" standalone="yes"?>  
 <a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:IstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/></a:pPr><a:r><a:rPr lang="en-US" cap="all" baseline="0"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S<sub>Q</sub> ♀ S<sub>Q</sub> 7 4+ %+  
 7 7 O r B<sub>Q</sub> 4Z 3+ O+¶ 7 7 !! + &+ 7 # Q+□  
 + L P D P '+-' R<sub>Q</sub> ♀ R<sub>Q</sub> 7 | □< □ □ n □ d 5Z <  
 ?xml version="1.0" encoding="UTF-8" standalone="yes"?>  
 <a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:IstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/></a:pPr><a:r><a:rPr lang="en-US" cap="all" baseline="0"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S<sub>Q</sub> ♀ S<sub>Q</sub> 7 4+ %D  
 7 7 4+ □ D □  
 ♫ ly S<sub>Q</sub> 7 ↑σ' E ?iO : ?↑ σf □ →  
 X| 7 8[ S<sub>Q</sub> ♀ S<sub>Q</sub>  
 4+ 7  
 L M a y 7 ↗ J u n e 7 ↗ M a y 7 ↗  
 July 7 ↗ J u l y 7 ↗ A u g u s t 7 ↗  
 A u g u s t 7 ↗ S e p t 7 ↗ S e p t 7 ↗  
 O c t 7 ↗ O c t e 7 ↗ Q 7 ↗ +○Φ  
 怀 7  
 Ä 7 7 □@ 7 M 7 x x  
 7 2 H?@Ä 7 R°W Ä 7  
 7 H/3 7 N @e 7 □& □  
 <3 □\* □ X 7 7 8v 7 e n -  
 U S □ 7 □ 7 X 7 7 8v 7 e n -  
 7 A 7 d ? - □ 7 ? 7 è ä 7 M C j 0 4  
 3 3 9 1 7 0 0 0 0 [ 1 ] R e d F l a g \_ B i l l C h a n g e M C j  
 0 4 3 3 9 1 7 0 0 0 0 [ 1 ] + 7 • C & 0 7 ( 7  
 7 ] & 7 □ 7 • 7 7 7 < 7 7





!! [Content\_Types].xml MOG 料•2WÄ=↑cjUFj0 iK | ॥ ॥ #M' s→ō w  
9행 □ !! : w `G♀ 沢^ueNj ½ • K zl塘) c/L \$o h  
UT Mç c↓ ¼ 42 âH C↑ YM嬌 □前 •←□ a /8梶bKH bLpe  
i"K癟 □□6r co4 Ay +  
ue o PK ↳ - □ ! 1x aC ♂ \_rels/.rels jō  
□ 〇qz No ^K•  
[ILc`&m□ 0XFo;::>□0 x - □♂ e藉□X} wd □、□ Ha G2□↑↑KI Z ) 4 (□C` c tB{A  
□: f@ ` 3 n^罷n r UM□jUx R0□Tf ,xK@ □ ◀! }W B  
□ 5v 运 ' IK~↑ iH/Ec,• 0□ e♂ H d □ T F sp 岩8 \$ 0 F 0 9 □ B 4□↑ 鮎 Hwd  
□\$ Z J kC ♂ dt□ "[설□ ى ;□↑ K#K ½ □ Bw " \* 0\* e p葵8 □!! CI □2□q  
□ 摺 濕 □> 812OF] Kø . q懶 • -ixatF)q□ ~, ö] wÚ □ 9 p's j R d#  
Op' 4- □□}Q 8U 門 0 w | 2: 7 Pr\_ ⓧ  
\_H fq: Q@ aBø `fk □□tca P Y Y| □T□!□9 9 □ u 켈 ⓧ !• 30#Kz  
Ru • □ 9 KH □ ?O□ xø □/  
\\ □m 8 □  
vy3n "B• tx□ -  
Z鬱 □ 7 □b↑ t;x} n.q G] □ Wæ% 5 u!錯校 S↑ + p& h-�?Y= 5T 懒@□  
7IF □ B n + □qOu/□ |  
  
PK ↳ - □ ! 8G' ♂ drs/downrev.xmlIT OO\_ 1+ ü&~ fL ↑ iY A  
!  
yIp u". - {g#- < □o: 7 &{舘, n i:Uø □ QX%jg5 □ 0 ]  
]軒n□ a 8 1n• -Yj#Bø E p, 9允 & eJc 註漏p { LM□U' 2□ □ < 謝  
Rø □ □-↑ a闊XY: n Za^PAGø gø y n□Fø # 物w□ЙmQz+  
PK ↳ - □ ! Z僕  
!! [Content\_Types].xmlPK -  
PK ↳ - □ ! 1x aC ♂ / \_rels/.relsPK -  
PK ↳ - □ ! wr □ • + \* drs/shapexml.xmlPK -  
PK ↳ - □ ! 8G' ♂ drs/downrev.xmlPK -  
+ + ; □♀ ? □ < □  
] → ± □ ♀ □ ; □♀ ? □ < □  
@ ♂  
Z ↳ + P m c | □ □ LL Ø ↳ S t r a  
ight Arrow Connector 2 0 # "  
@ • PK ↳ - □ ! ! □ ! ! [Content\_Types].xml Nø+D□ 燥 8  
! 横 - □ H 7 7 □ 3\$□+) mp {-øOøP  
:3- - □qH FXφ Ev e"O & □ U6'->dS ñø e II \$N 41 □n□8 JV vh  
T ↳ □ □ "1 K □ or "t P Z |JuN□ / +[ ' :  
PK ↳ - □ ! 3Xp ♂ \_rels/.rels =kL 1♀ □ y  
% ! ! } d\$sM }L W u ^□6 NL 6M -)p hpUz oe □ %{□qU8e5 B□% Z aH  
% □ □ ? □ □ ijc █ 賽□X /Mø 蘭 jø E KSø e CaU' □  
PK ↳ - □ ! □ U - □ drs/connectorxml.xml UMo.♀ 炫+t□E  
英□ de L A □I&E G> Y Y D{ bKU □S □ø%Fø8 □ XUø A Bø5L7TlbO 露S  
• H \$OS 0ø cUp!! r øo D4q □ □ Ar Y □ }h8ø □ B BB  
· ýHsN>Xø YN >g □ G □ Fi So □ Hø Tzr 酉[ V □ s ZY•  
P8 □ D7 - %z83 □ Fn □ □ 9 □ □ 舞 b Z □ 8U □ F Z □ ,0j . TøG s0ø  
T\$LUm< zpy T•(r v3 講 □ 6K= 5Niøf-(< 植\_T □ ~ □ {□?R  
淡h+Tøs-→ O Mae m røM, ش  
8 =yC3P齋 □ 2 □Z □ G 5D ↳ □=R Jwøhx 타  
PK ↳ - □ ! ! A ♂ drs/downrev.xmlIT ↳ ! □ ! "(| A  
ljw 韶 9□ 根n □ 9  
c{ □ □ {nx} K XU ↳ aa myV □ E □ i1 □ □ m\$w \$ PVø4U □ UD  
□t△2 + h □ B □ T qbr硅.k- □ □ 8  
:m況 \$F □ Dk pø 惣ø



5↑ 58 y↑ Z→♂ IHU HWU6J)HtH f20>| Z \u2020 / Ū- ॥

□P;Z\*A0<sup>L</sup>

/1: c ,

%←-jH wjkZΦ+□ A←□ @↑6 `Q @ □-t□ 伎微F 非\$h| □ 0! l~' c v

=n a!" □碱簾 'xD□~ ~{; Jl □ 5CJ JlJx1□□L PK□PK - □ ! 3

锚♀ □ drs/downrev.xmlIT я 0θMlt +♂1e I□i m □so .Jl 'c•a]g4 城@hn

锚♀ 8Θ | □\_mX^ Q□U h 3

h'l)¶s 3□ Kz % e#W= % u→7H6 •)□ T :~

秦 P K ♂□p "♀ 5\* f □¶^ D Ht&x<v u P"G↓PK8 ū% t tx

\$X □ L PK g - PK - □ ! !

[Content\_Types].xmlPK

2 \_rels/.relsPK

drs/connectorxml.xmlPK

drs/downrev.xmlPK

D ¶ ! E ◀□ ] → ± □ ◀` Q=+ < 높

R e c t a n g l e 1 3 # " □ @ 5• PKPK - □ ! Z僕

[Content\_Types].xml MOG+ 料•2WÄ=↑cJ□Fj0 iK | □ #Ms→O w

9평 □ !: w 'G♀ 沢^ueNJ ½ • K zl(糖) c/L \$o ↳

M c↓ 80 42 âh C↑ YM嬌 □前 •←□ a /8梶bkh bLþe

K癟 □6r co4 Ay +

e o □ PKPK - □ ! 1♂aC ♂ \_rels/.rels jø

□ 𩇱 No ^K

[ILc`&m 0XFo;::>□0 x - □♂ e‰□X} wd□` □ a G2□↑↑KI Z ) 4 (□C` c tB{A

f@ 3 n□ 韓 r UΜ□jÚx R0□T♀ ,xK□@ □ ! }W B

5vPKPK - □ ! "eΦ ♂ • + drs/shapexml.xml UMo.♀ □ + to-

;q -Ew+Y j - 1Y2\$- ~ d -P□G ( LJJZ, Zl□F 3 □ Jj5j ö?7 J 數R+ ý

ey Lhu r@□e30數 E -VwBj M'Lv ♀?Bc tF□p> ;q □ 6 J- □□Xq q旌>T E 牛□ 美

权 9= ¶ 1- iΘP續□ 麗K sJ !! - □ :I 鮎 \$4□J □ h JTd#J □

Oh4□, >(ω i□ 孔 <qMN+ I 9äM t 2 óH X頒#)e]º (pAóX□y◀♀ S

< (?AL → )/U§\*t ařeZ0覘-

Okvriä 26g//dLR□bc

!u@ □

I` 7 ↑ išix◀q~iHvg + 2 !-q崩H Ā-Ш□5 ü;e >"□xm □ IBk` II x□;屢SK

m]ts k 3¶ g| T □ t, □ 4 o

U 1 C S n □ i-X□□□□ A

PKPK - □ ! + drs/downrev.xmlITP, δ+ #

q NBIB SUH□ x5 □ 7 80◀qsm □Q;增r - 酱 V♀ □ < Ā

轍 V FXX • ♂ ¶zPkA "h | Tu 6 餽 + h\*Z> li □ Q 枝 E }I- □ w□□□ <g

출] qbt S□灑媒i 5 N↑-□ | )F ozm wi \$F♀♀B을 A^!! □ l NR Q □□□ = д

awt- PK g - PK - □ ! Z僕

[Content\_Types].xmlPK

\_rels/.relsPK

drs/shapexml.xmlPK

drs/downrev.xmlPK

E ◀□ ] → ± □ ◀` =+ < h ? | □ □

倒

C C • D D • || || - ! " □ □ ! "

B B •

This figure displays a complex musical score with multiple staves, each representing a different instrument or voice. The staves are arranged vertically, and the music includes various notes, rests, and dynamic markings such as 'p' (piano), 'f' (fortissimo), and 'ff' (fortississimo). The score also features several text annotations and symbols, including 'Customized Bill Analysis', 'Calibri1', and 'Arial'. The overall layout is dense and intricate, reflecting a highly detailed musical composition.



Account #:

Agreement:  &  Rate

Schedule: ♩ ♪ L \$ % % % - ♩ ♪ □ + + + + ♂ ♩

L U ↑ ♫ ( + Service

Address: █ — ♫ ) | █ □ ♫ █ ) \* ♫ ♫ □ % + + \* ♂ ♪ ♭ + ☀ (◀ Service

**Location:** ० - १ ) | ० १ ) \* २ ३ ४ ५ ६ ७ ८ ९ ० % १ २ ३ ४ ५ ६ ७ ८ ९ ० \* ♂ ० १ २ ३ ४ ५ ६ ७ ८ ९ ० + ( ♀ PG&

Office: ( - + ) | - □ + - ) \* - □ + - ( - □ + □ % + - + - ♂ - -

**MULTI TENANT OFFICES (4)**

- 1 PDP Bills for

Summer 2009 -- With No Load Changes + !! - . . . / - + ! ! 0

## Total Billing

1 May- June July 2

August 29 - September 2 - October 2 - Summer - May Remained

Detailed description: This is a dual-axis line chart. The left vertical axis is labeled 'Consumption (kWh)' with major tick marks at 0, 100, and 200. The right vertical axis is labeled 'Peak Load (MW)' with major tick marks at 0, 5, and 10. The horizontal axis represents the months of the year, from January to December. There are two data series: a solid blue line representing consumption and a dashed red line representing peak load. Both series show a similar seasonal pattern, with peaks occurring in the summer months (July/August) and troughs in the winter months (January/February).

Month	Consumption (kWh)	Peak Load (MW)
Jan	~100	~2.5
Feb	~100	~2.5
Mar	~120	~3.0
Apr	~140	~3.5
May	~160	~4.0
Jun	~180	~4.5
Jul	~190	~5.0
Aug	~190	~8.5
Sep	~180	~6.0
Oct	~160	~4.5
Nov	~140	~3.5
Dec	~120	~3.0

6 This TOU bill is based on your current rate, or otherwise applicable Time-Of-Use (TOU) rate schedule.

# PDP

Events\* → 4 4 @4 +@4 □@4 □@4 - - → • 5 ~

→ □ 4 (@

→ 4 6

↓ !! ← 3 ♂ PDP Credits ← 5 R WDы@ ← 5

7 n @ ← 5 ♂ @ ← 5 OO

(@ @ ← | 5 J X[!| @ ← - 5 ^ !! ¶ @ - ← • 5 ← □ 5 □ %xUTd

@

← 5 6

↓ !! 3 ♂ PDP Charges~

5 ← 5 ◀

< @ ← 5 rh m @~

↓ 5 □ A ← 5 1 ↴ ` @~

- 5 - • 5 ← □ 5 - UH @ - 5 &

6 This PDP bill is based on your 3 + PDP Billing - Default 5 +Φ

怀 ← 5 7 □@ ← 5 x × N ← 5 ← 5 | 5

□ ← 5 ↑ d, N @ - • 5 ← □ 5 ( ← 7 no K!□)

6 ! 2009 usage, assuming no change

or 1 □ 8 □ 9 □ 9 □ 9 □ 9 □ 9 □ 9 □ 9 □ 9 □ 9

□ | 9 □ - 9 - • 9 □ 9 □ 9 □ 9 □ 9 □ 9 □ 9 □ 9

6 shift in energy usage

behavior: : Show\_50%\_CRC ↑ 5 5 5 5 5 5 5 5 5 5

ID: 5 5 5 5 5 5 5 5 5 5

, ↓ , F > ↓ D E L q  
t ↑ ↗ m | 勉 □ 7 +  
w @ ☺ □ 7 + !  
w @ ☺ □ 7 + "  
w @ ☺ □ 7 + #  
w @ ☺ □ 7 + \$  
w @ ☺ □ 7 + %  
w @ ☺ □ 7 + &  
w @ ☺ □ 7 + '  
w @ ☺ □ 7 + (   
w @ ☺ □ 7 + ) \*  
w @ ☺ □ 7 + +  
w @ ☺ □ 7 + ,  
w @ ☺ □ 7 + -  
w @ ☺ □ 7 + .  
w @ ☺ □ 7 + /  
w @ ☺ □ 7 + 0 ♂ w @ ☺ □ 7 + 1 ♂ w @ ☺ □ 7 + 2 ♂ w  
w @ ☺ □ 7 + 3 ♂ w @ ☺ □ 7 + 4 ♂ w @ ☺ □ 7 + 5 ♂ w  
w @ ☺ □ 7 + 6 ♂ w @ ☺ □ 7 + 7 ♂ w @ ☺ □ 7 +

☐ + 8 ♂ w @ ☐ ☐ + 9 ♂ w @ ☐ ☐ + : ♂ w @ ☐ ☐ +  
 + ; ♂ w @ ☐ ☐ + < ♂ w @ ☐ ☐ + = ♂ w @ ☐ ☐ +  
 > ♂ w @ ☐ ☐ + ? ♂ w @ ☐ ☐ - ; ☐ ☐ + ☐ <

Summer % Chng <  
 Annual % Chng ! ! = ♂ Time-of-Use ! • > L ʃ ! ☐ ? \*yH ʃ 麼 L ʃ !  
 ? ☐ Z u` ? ☐ " = ☐

Rate (TOU)

" ☐ ? ? ☐ # @ + Peak Day Pricing ! - # • > ☐ \$ @

Rate (PDP) ! - % A ☐ # % ☐

QUICK LOOK ! - & B ! - & • > L ʃ & ☐ C 9

芮[ ☐ @ ! - ' B ! - ' • > ☐ E ' ☐ D = Your annual bill is expected to increase on Peak Day Pricing. ☐ ( B • Monthly L ʃ ( ☐ E q k@ " @ ! ! ) B ♂ Billing (\$ ) ☐ D ) ☐ % < The volatility of your monthly bill is expected to increase.

, • F G ☐ - • F - Notes: ☐ Z - ☐ G R \* These totals are based on 12 PDP events. The number could range from 9 to 15, ! - . • H ☐ O . ☐ G G depending on weather, CAISO declared emergencies and electricity costs.

! - / • H ☐ ☐ / ☐ G ! - 0 • H ☐ ☐ 0 ☐ G ! - 1 ☐ I ! - 2  
 J ! - 3 J ! - 4 J ! - 5 J ☐ T 6 K ☐ RATE

SCHEDULE: ☐ 1 6 0 ) Applicable Summer TOU / PDP Rate Schedule

6 ☐ L 1 ☐

6 - M N • ☐ ) 6 ☐ O ! Options for optimizing PDP on the ☐ 6 P E19S

Rate ! - 6

Q ☐ ☐ 7 R ☐ A10S ☐ ♂ 7 2 ☐ TOU ☐ ♂ 7 ☐ 2 ☐ PDP ☐ 7 ☐ 2 ☐ TOU /  
 PDP

7 | S S - ! - 8 ! - 8 | T ☐ # 8 - ← Peak Load Shift /

Reduction ! - 9 R ☐ Peak Event (\$/kWh) ☐

9 U ☐ -- ☐ 9 V V@U V@ ☐ ! - 9 | W ☐ p 9 - W h You can

reduce peak load, or shift energy to time periods when costs are lower outside of on-peak

hours. ☐ 9 • W W W ☐ : ( X X X ☐

: | S S - ☐ ; K

Demand (\$/kW) ☐ ; X X X ☐ ☐ ; Y ☐ PDP Peak

Adder ! - ; | T ☐ # ; - T ← Extended Peak Period Option ☐ < R • On-

Peak ☐ < U U ☐ ☐ ☐ < Y ☐ (2 - 6pm on

! - < | W ☐ j < - W b You can choose an extended 6-hour peak event periods in exchange for lower applicable PDP charges. ☐ < • W W W ☐ = R Part-

Peak ☐ = U U ☐ ☐ ☐ !! = Y ♂ event days)

= | J J - ☐ > R • Maximum ☐ > U ☐ @U 8c ☐ J @

> | H T | ☐ > - T ☐ Every-Other Event Option ! - ? (

? ☐ H W | ☐ m ? - W e You can choose to have PDP charges apply to every other PDP event, with exposure to half the charges. ☐ ? • W W W ID

h < E \$ & T & ] % - ☐ p ] T T

Q ; E t πV a ☐ + @

w @ ☐ ☐ + A

w @ ☐ ☐ + B

w @ ☐ ☐ + C

w @ ☐ ☐ + D

w @ ☐ ☐ + E

w @ ☐ ☐ + F

w @ ☐ ☐ + G

w @ ☐ ☐ + H

w @ ☐ ☐ + I

w @ ☐ ☐ + J

w @ ☒ + K  
w @ ☒ + L  
w @ ☒ + M  
w @ ☒ + N  
w @ ☒ + O  
w @ ☒ + P ♀ ♀ w @ ☒ ☐ + Q ♀ ♀ w @ ☒ ☐ + R ♀ ♀  
w @ ☒ ↗ @ K ¶ Energy (\$/kWh usage) ↗ T @ ↗ Y ↗ Demand Credits  
@ | T T - ↗ A R • On-  
Peak ↗ A Z ↗( A&I ↗ A ↗ Z . ↗ A ↗ Z ? ↗ Y ↗ A ↗ Y ♀ (All summer)  
A | - ↗ B R Part-Peak ↗ B Z c  
☒ ↗ B ↗ Z . ↗ B ↗ Z ☐ 耿 ♀ B ↗ H W W - ↗ ? B • [ 7 The InterACT "What If" Analysis Tool will allow you to  
B ☒ [ [ ↗ C R ☒ Off-Peak ↗ C Z ☐ ↗ C ↗ Z ☐ V ? ↗ C ↗ H ↗ = C • [ 5 perform comprehensive rate analyses, with the options  
C ☒ [ [ ↗ D ( ↗ H ! | ↗ ? D • [ 7 above, various time periods and # of PDP day scenarios.  
D ☒ [ [ ↗ E ↗ Y ↗ Energy Credits + E | J \ ] ] ] ↗ F ↗ Y ♀ (All summer) + F | S \ ] ] ] + G | S \ ] ] ] ↗ 3 | + DISCLAIMER: For discussion purposes only.

THE LIMITED PURPOSE OF ASSISTING USERS AND THEIR AUTHORIZED REPRESENTATIVES TO REVIEW AND MANAGE THEIR USE OF ELECTRICITY. ALL USERS AND THEIR AUTHORIZED REPRESENTATIVES HEREBY ACKNOWLEDGE AND AGREE THAT THE RATE ANALYSIS IS AN ESTIMATE OF ENERGY COSTS AND NOT A REPRESENTATION, WARRANTY OR GUARANTEE FROM PG&E THAT A USER WILL HAVE TO PAY THE MONIES SET FORTH IN THE RATE ANALYSIS OR RECEIVE ANY POTENTIAL ENERGY SAVINGS SET FORTH THEREIN.

貳志統、蚪炙 賊賊賊賊走鱗鰐  
， + + + , \* ) ' & ~ v 携  
y }; ;  
q n o p p o m o p n f g  
褪破 " !! 濑 Ō Z  
X j η q r s s r s t t o ;  
F ) @ 簪 6 c  
us-  
q q q r r r r q n m  
sh q  
b m  
q q r r r t s o v Zmo N

蠻 餅□ 헷 ^ h□ □ □ 𩔁袁鑑 L u  
 蠻 q q r r r s s p ~ 𩔁x b m 杖UUU FU □. 諺□ □  
 蠻 \$ □□ ~ h□ □ j I  
 s! p!! r+ r+ ql |  
 蠻 q q r r q s t p )□ □ -i I s! □ UUU( 錦A 離□  
 蠻 韻□& □4 韻 ~ h□ □ □j s o q n n w!!  
 蠻 q q r r q s t p +□ □ īm m s! □ UU □ □! □  
 蠻 頭□& □4 헷 ^ h□ □ □k t pL s s o wL  
 蠻 q I k j l r v p o -□ □ m p 姮 □UUU □#  
 e\$ □% □% □ 鏡 T h□ □ □n t o p r o y!  
 .  
 登 𩔁 C J D " l o r p 2□ □ īp i j □ □ UUUU  
 \$ □ 𩔁 栖□ 啟□! □E 𩔁 h□ □ □j s oL r s o u!  
 登 □□□, v% r u 8□ □ +□ 14□ □ 륶□□ □) □擎□□9 王 : □  
 E h□ □ □b l j l k k v! □  
 b m  
 登 国 o 9□ □ j N □UUU r3  
 ' □ □ □& 奔□ □- 驚 □ h□ □ □ ξ μ 。 7 6 v  
 登 □ □ □ s n 0□ □ a i H □ □UUU[UUU/ □) 쥬□ré  
 j+ □□H f h□ □ □  
 登 □□□ 𩔁 p □  
 況UUU繩□ h□ □ □ □ ie p □  
 b m  
 登 𩔁DZ □ □ ϕ 3□ □ im <□출□UUU\ m+ 術□#□ 賣□  
 σ h□ □ □ □ jh p  
 登 Tp r " % }& }& } y n w =□  
 e p  
 登 Tq i m p p l n m r n U □, 痒□O 杏□çG 闲薄豚□ T b h□  
 Q P V V S }" t! □  
 b m  
 登 𩔁 r- l 2 □ □ P □ □ īq m t s s r r o q r w  
 m □ H □ □ \_ □ h□ □ □b j g j j k v!  
 登 s n y~ □ □ P □ □ īr j p j f l r  
 p! n! q! t n! 𩔁\* □" 錦薪□ 豔\* □ h□ □ □ j q n! t! v q x!  
 登 r! l G □ □ K □ □ īq h " , , 嘆嘲\* 2 n k Oj-  
 盒\* 盒+ □/ 工! , h□ □ □ l t o! r! u p w!  
 b m  
 登 t h! € □ □ 捻 F □ □ Oj k o  
 V n q 3m0 □ 鬪□ U' U' □ 嫌□ T h□ □  
 n v r t s o w! 맷  
 b m  
 登 𩔁 f ? □ □ ~u =□ □ cl ^ 4□ □ □P I q r! 爾□ z  
 켐薪! □ 𩔁 錦□ h□ □ □ c j g i f l {□









t      ♫  
 3+ O+¶ 4+ ♫ 4+ +↑ L  
 +□ 4+ +↑ L  
 3+ &+! # H+! 3+ •+  
 &+! \$ H+! •+  
 4+ !+! 4+ •+ 5+ 2+ L 3+ •+  
 | □  
 +♀ 4+ ♪+¶  
 ♫ \$+! 4+ %+→ 4+  
 0 3+ O+¶ 4+ %+→ 4+  
 + 4+ %+→ 4+  
 3+ O+¶ 4+ %+→ 4+  
 r TOU'+- 4+ %+→ 4+  
 !! T &+! " Q+□  
 TOU'+- 4+ %+→ 4+  
 r TOU'+- 4+ %+→ 4+  
 !! T &+! " Q+□  
 TOU'+- 4+ %+→ 4+  
 !! T &+! " Q+□  
 TOU'+- 4+ %+→ 4+  
 r TOU'+- 4+ %+→ 4+  
 !! T &+! " Q+□  
 4+ %+→ 4+ ♫  
 &+! # Q+□  
 PDP'+- 4+ %+→ 4+  
 !! &+! # Q+□  
 PDP'+- 4+ %+→ 4+  
 r 3+ O+¶ 4+ %+→ 4+  
 &+! # Q+□  
 PDP'+- 4+ %+→ 4+  
 !! &+! # Q+□  
 PDP'+- 4+ %+→ 4+  
 r 3+ O+¶ 4+ %+→ 4+  
 &+! # Q+□  
 June ♫ May ♫ June ♫  
 June ♫ July ♫ August ♫  
 - August ♫ Sept ♫ Oct ♫  
 Oct ♫ - Q\_ 7 @ L\_ M\_ x x@ L\_  
 A\_ • 7 @ L\_ M\_ x x@ L\_  
 2 H?@A\_ R°W A\_  
 ] P • □ • ¶ - C\_ & I\_ \* { ! RedFlag\_Bill\_Change □

藤 ♫ )) ↑  
 使



) ♂) ♀)  
-R3f; eCIII□buG  
□T>□,Щ' ( )  
( ♂\* ♂\*  
,Ö1Γ9, A冀山@Xq算

.} k- @JQ□ J是@鎌井獻立△21日改

¶ lk1 2 ▲\□! W□脣音銀鑰攘捺丛彈亨翌□! 6番(

( ) ♀\* ♀\*Ö/A6?齋□\*GMΓb  
X樓, k□↑ P金￥銀菱捺丛高畠□T<□□+c'

□e (v \$|

( ) ♂\* ♀\*č,3T; ▲□□ □  
( ♂\* ♀+í, Y0ä8 r@□□ ö  
□@t□'Z禦冠弐・□=□č4 □ 0 ♀\*

皓 -| HIL □ □8r□!副是試絲擁鉛□T B□,H'  
□e| (u @ ; y □ □O

) ♂\*í,y0B6>瘞□j|ψ□  
誇q@ " > :Ö3Ö-f-i2帳□Lcč□  
徽 ó z < □ d □\ □W~□d YNüJöHEZ@K>□ ?□□□

□ [ □ □ □□c □Q~□Co□□5d□  
Э@

豐  
□ jnOdTwXd SQYs清□□  
盈  
□ W o , ¼ □□+□ an, h o統體  
□ kc 準演□ § § d □rq 菊国涉憂言喜  
□ ö  
□ ~ 港栗憧, □ 8m² □ □; □

ɔuh □ ɔ A □ □z □

JQ 痘

餐 z e 職□  
闕

□ ls 隘

\*

↑ \* H ↑ RedFlag\_Volatility  
| / 蔡 ♀ ) ) ↑  
使

] P □ □ □ □ 9-• 1h ( •

□W 6a A□

Ca H .]

[

□u M □F

□

□ A Vo öC

□

äq \ E %R

□

□y K □B

met

Q ? Wp j-

nñZ B #N

x

□

□ F -<

□



W o , ¼      ॥०+॥ अं ह ॥

餐 Z 餓 脏

\*

二十一

↵ = \$ H ♂ □ ¶  
 T-• [ \$ H ♂ □ ¶ P  
 ↵ = 0( L 0 -  
 U5 0 9(L □ ?  
 ?n| ? ? □  
 □ 9↑ + U5↑ +  
 9♂ -♀  
 (L on] X

↵ = 9 L ♀ : ¶ p | = \$ = ¶ Rounded Rectangle 16 P  
 -9L 9L -  
 v5- 99L □ - N?  
 '@N'@'N?> □ 9L v5L  
 S -> 9L -N ] ^ ♂ ↵ = ¶ + = ¶ ← Straight Arrow Connector  
 32 □ @ @] X ♀ \$ p | = \$ = ¶ ↑ = ¶ Rounded Rectangle 17c  
 □ < -1 ↵ , L , ↵ < - < □  
 X5< 7I 9cV; ↵ 7> -6? □  
 @= @Z □ Z 6?, 7> ↵ V; ♀ 9 7 ↵ X5 ↵  
 □ ♀ -  
 ↵ , L , ↵ Z IZ < = ] ^

↵ = ? ↵ ←  
 20 □ @ @] X ↵ ↵ = ¶ + = ¶ ← Straight Arrow Connector  
 ↵ = -3 Ä( L Ä - = □  
 a5= 73 9U; ( L 1> -3? □  
 @! @E ↵ K 3? ¶ 1> □ U; □ 7üa5ü  
 □ . ( L ↵ K R E = ! ] ^ ↵ ↵ T-  
 ↵ D ¶ ↵ ! E ←

↵ = ¶ + = ¶ ← Straight Arrow Connector  
 27 □ @ @] X + ↵ = ¶ + = ¶ ← Straight Arrow Connector  
 ↵ = E ¶ ↵ T-  
 Rectangle 13c P ¶ I = ¶ ( ↵ = ¶ Rounded

U5- 9 L □ ?  
 ¶ @  
 W¶ @%[ <? ^ □ 9 aU5 a  
 □ - ^ L % [-  
 W = ↵ h J %8 X ↵ >



| 7

□ ♀ - 8 ☰ @ ☐ +  
| ♀ ? 1 株 \$ ☐ I + t  
Company Analysis & 'Customized Bill Pacific Gas and Electric  
Analysis!Print\_Area ♀ + ↴ + 1 + | Customized Bill  
Named Worksheets ↴  
Ranges ↴

# t E n t r y

F

R o o

1

SB\_GT&S\_0779437

6

## B o o k

```
graph TD; A[Work book] --> B[Summary Information]; A --> C[Document Summary Information]; B --> D[8];
```

u wj s cB KQ V0 3 f 氦體X k/gA u u u Z' u u u 'H0 i z ts  
u ~w |q yO UV Yc oQ V2 5 f 氦\ o1jE銳色艦燭愁  
像 vc r^ kWzcnNr[EjS<'H0 n x ing kd hY [u u V YV YY Y  
販a r3mG u u u e 狂秋Q' H0%\$\$ t y u u u u u 鴻u6ol u u u  
暢 u u 'H0%\$\$↑↑ y P u u u u h x7qK蠶燭 u u u  
蝶, eN6%\$\$↑↑ } P y b . y s Z ~ y t p m |7qK  
u u u  
蠶 U>%\$\$↑↑ } y u p k }f w' sZ mT hO bJ ]E YA{U=wQ9sN7qK  
u u  
碰 Y%\$\$↑↑ W

C C d C C o W W W W

&– ☀ | IconOnly | Tahoma ~

R o o t

```
graph TD; Root["E n t r y  
F 33 ↴ 33"] --> ObjInfo["O b j I n f o"]; Root --> AttachDesc["A t t a c h D e s c"]; Root --> AttachPres["A t t a c h P r e s"]; Root --> RichEditFlags["R i c h E d i t F l a g s"]; Root --> AttachContents["A t t a c h C o n t e n t s"]; ObjInfo --> ObjDesc["C o m p O b j"]; ObjDesc --> ObjInfo;
```

L Mail Attachment

7

C

■ 韓國語字母表