

! 1Ē aG / _rels/.relsPK - ! O ?1
drs/shapexml.xmlPK
! -zN(F drrs/downrev.xmlPK| -
+ - ^L- f ~L q <] → ± ↓ ↑ <:F!! 4 =L
Customized Bill Analysis
2009 Summer Usage Data< ↑ ' H / dE 8 뽁• 2
G gj O + + 8] '8c □ □ Ü L
Down Arrow 1 5 # " @ ♀ PKL - ! Z候
[Content_Types].xml MOG+ 料• 2WÄ=↑ cJUF]0 iK | #M S → Ö w
w`G♀ 沢^· eNJ ½ • K z(磗) c/L \$o
M cĭ Ē 0 42 âr C↑ YM嬌 □榭 •← a /8彙kH bL□e
i"K癩 □□6r co4 Ay
Le o PKL - ! 1Ē aG _rels/.rels jð♀
ωqǎ No ^K•
[ILc~&m 0XFo;.:> x -□ e 礪 X} wd □ 퍼a G2
↑↑KI Z) 4 (□□` c tB{AU: f@ ` 3 nL 결 UMjÚx R0T♀ ,xЖ□@
W B 5v PKL - ! | ±
É + drrs/shapexml.xml UQo 0+~ ` .V2 Q 8 LA36 UZ &y 掾· n
섶pm:%
□u' 8 F L□(qz← ? ũ猖 ^BH C j jyó → j o tō □{Da -fMq
↑ q + h,U D Z• [□<4M è
□gB VDzJ وش ېD8 + X/ V A | 4- e 8 o&L陷UA) | a
p: □Í → H□ \$ P □ 7Lj>6 'PKu] ↑ 15
x e^ SA 4 ledž吐 `G□ □[□□ ن lhc qu1+□ -aP| Y uz xA| {↓ □ T•
Ft ± ◀ ((*ZVso ♀ Q4 y> cB\ و
V!! ixē - O↑XĐ+ □=7 2e· &D_T)r ~. }+ } G#U. 膊 ±- | 7 a (a작 9↑
4
wL G+C0□樞 9L↑ k;
'A/A PKL - ! ↑ u- 8 drrs/downrev.xml MOδ♀ · Ì+K
eIB♀ H □ik | \$ □ ÜCC 현 H 夥 H 'É□+)Dm 鬪 fā H♂L· Mp □ I)□
-5e T S !!
□ D□ ZT-7 b#oK ,?5 + 黥 *سوا \$
秧□H m86 胼□_ Èǎ y, □ نشUVI□ a+□ □ Lcl□ay i •{ □ ~↓ □ 鯧 ?9□L PK -
! Z候 [Content_Types].xmlPK -
! 1Ē aG / _rels/.relsPK - ! | ±
* drrs/shapexml.xmlPK -
! ↑ u- 8 drrs/downrev.xmlPK| -
+ H
7 7 뽁 <] → ± ↓ | ◀ P =L 뽁 8 2 ♀
□ □
□ M □ + + M □° □ ? 7 + □ 7 -
♀ 4) <] → ± ↓ | - ◀ T=L □ + -
@ -L P□ P□
P□ Z□ a□ a□ j□ k□ □ ± 7 7 " ↑ J T
□ 3 7 L ↓ 7 + 7 + + LeL X °
聆3+ 7 8 9 d+□ 2+J 7 3+ •+♀ | □ M
+ + M R□♀ R□ n] L <?xml version="1.0"
encoding="UTF-8" standalone="yes"?>
<a:spPr
xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:ln><a:noFill/></a:ln></a:spPr>S

4+ 9+9 3+ +-+ "+
 4+ S+ S+ 4+ %+ +-+ B
 yZ 3+ O+ 9+ 9+ &+ " Q+ +
 R+ R+ | | ^Å2h <?xml version="1.0" encoding="UTF-8"
 standalone="yes"?>

<a:txPr xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000"
 vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all"
 baseline="0"><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr></a:pPr><a:endParaRPr
 lang="en-US"/></a:p></a:txPr>S+ S+ 4+ %+

9+ K+ r B
 yZ 3+ O+ 9+ 9+ !! T &+ " Q+
 + L T O U '+- ' | R+ R+ | | < <
 r- <

?xml version="1.0" encoding="UTF-8" standalone="yes"?>

<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000"
 vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all"
 baseline="0"><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr></a:pPr><a:r><a:rPr
 lang="en-US"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S+ S+ 4+ %+

9+ d• r B
 yZ 3+ O+ 9+ 9+ !! T &+ " Q+
 + L T O U '+- ' ' R+ R+ | | < <
 r- <

?xml version="1.0" encoding="UTF-8" standalone="yes"?>

<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000"
 vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all"
 baseline="0"><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr></a:pPr><a:r><a:rPr
 lang="en-US"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S+ S+ 4+ %+

9+ • r B
 yZ 3+ O+ 9+ 9+ !! T &+ " Q+
 + L T O U '+- ' L R+ R+ | L < <
 r- <

?xml version="1.0" encoding="UTF-8" standalone="yes"?>

<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000"
 vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all"
 baseline="0"><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr></a:pPr><a:r><a:rPr
 lang="en-US"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S+ S+ 4+ %+

9+ - d• r B
 yZ 3+ O+ 9+ 9+ !! T &+ " Q+
 + L T O U '+- ' 9+ R+ R+ | 9+ < <
 r- <

?xml version="1.0" encoding="UTF-8" standalone="yes"?>

<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000"
 vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all"
 baseline="0"><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr></a:pPr><a:r><a:rPr
 lang="en-US"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S+ S+ 4+ %+

9+ !• r B
 yZ 3+ O+ 9+ 9+ !! T &+ " Q+
 + L T O U '+- ' R+ R+ | < <
 r- <

?xml version="1.0" encoding="UTF-8" standalone="yes"?>

<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-

5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr></a:pPr><a:r><a:rPr lang="en-US"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S□ ♀ S□ ⌈ 4† %†
⌈ ⌈ ϕ r B !! † &†⌈ " Q†□
† L T O U †- † R□ ♀ R□ ⌈ | □ < □ □ □ r- <

?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"><a:solidFill><a:schemeClr val="bg1"/></a:solidFill></a:defRPr></a:pPr><a:r><a:rPr lang="en-US"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S□ ♀ S□ ⌈ 4† %†
⌈ ⌈ +B□ yZ 3† O†⌈ ⌈ ⌈ &†⌈ # Q†□
†- † R□ ♀ R□ ⌈ | □ ? □ a.♂+ <?xml version="1.0" encoding="UTF-8" standalone="yes"?>

<a:txPr xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/></a:pPr><a:endParaRPr lang="en-US"/></a:p></a:txPr>S□ ♀ S□ ⌈ 4† %†
⌈ ⌈ ♪ □ r B□ yZ 3† O†⌈ ⌈ ⌈ !! † &†⌈
Q†□
† L P D P †- † | R□ ♀ R□ ⌈ | | □ < □ □ n □ d 5Z <

?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/></a:pPr><a:r><a:rPr lang="en-US" cap="all" baseline="0"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S□ ♀ S□ ⌈ 4† %†
⌈ ⌈ ♀ *• r B□ yZ 3† O†⌈ ⌈ ⌈ !! † &†⌈
Q†□
† L P D P †- † † R□ ♀ R□ ⌈ | † □ < □ □ n □ d 5Z <

?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/></a:pPr><a:r><a:rPr lang="en-US" cap="all" baseline="0"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S□ ♀ S□ ⌈ 4† %†
⌈ ⌈ d• r B□ yZ 3† O†⌈ ⌈ ⌈ !! † &†⌈ # Q†□
† L P D P †- † † R□ ♀ R□ ⌈ | † □ < □ □ n □ d 5Z <

?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/></a:pPr><a:r><a:rPr lang="en-US" cap="all" baseline="0"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S□ ♀ S□ ⌈ 4† %†
⌈ ⌈ E• r B□ yZ 3† O†⌈ ⌈ ⌈ !! † &†⌈ # Q†□
† L P D P †- † † R□ ♀ R□ ⌈ | † □ < □ □ n □ d 5Z <

?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/></a:pPr><a:r><a:rPr lang="en-US" cap="all" baseline="0"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S□ ♀ S□ ⌈ 4† %†
⌈ ⌈ E• r B□ yZ 3† O†⌈ ⌈ ⌈ !! † &†⌈ # Q†□
† L P D P †- † † R□ ♀ R□ ⌈ | † □ < □ □ n □ d 5Z <

?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/></a:pPr><a:r><a:rPr lang="en-US" cap="all" baseline="0"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S♀ S 4+ %+ &+ #
P D P 4- R♀ R | < n d 5Z <

?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/></a:pPr><a:r><a:rPr lang="en-US" cap="all" baseline="0"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S♀ S 4+ %+ &+ #
P D P 4- R♀ R | < n d 5Z <

?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:richFrt xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main"><a:bodyPr rot="-5400000" vert="horz"/><a:lstStyle/><a:p><a:pPr><a:defRPr sz="1400" b="1" i="0" cap="all" baseline="0"/></a:pPr><a:r><a:rPr lang="en-US" cap="all" baseline="0"/><a:t>xxx</a:t></a:r></a:p></a:richFrt>S♀ S 4+ D
X| 8[S♀ S 4+ May June July August September October
U P- s:Ru逃 S 8 .Y X1 |8v| en - U S X1 8

A |d • p + ? - Green Check Bill Chan
j 0 4 4 1 3 1 0 0 0 0 0 [1] ge M C j 0 4 4 1 3 1 0 0 0 0 0 [1] & ± ↑ □ • ◀ □ • □ < □ □

A |d ? - Red Flag Volatility M C j 0 4
3 3 9 1 7 0 0 0 0 [1] 3 3 9 1 7 0 0 0 0 [1]] & ± ↑ □ □ ◀ =L • □ □ < □ □

R e c t a n g l e 1 2 # " 8] 'pb □ □ ê L R o u n d e d
! Z候

(!! [Content_Types].xml MOG+ 料•2WÄ=†cJUFj0 iK | □ □#M^s → Ö w
 9평 □ !!: w `G♀ 沢^· eNJ ½ • K z(磗) c/L 孚\$0 ㅓ
 · T M♭ c† Ę }0 42 âH C† YM嬌 □榭 •←□ a /8象kH bL□e
 i"K癩 □□6r co4 Ay †
 Le o L PKLJ ¶ - □ ! 1Ě aG ♂ _rels/.rels jð♀
 · wqǎ† No ^K•
 [ILc~&m□ 0XFo;.:>□0 x -□♂ e磗□ X} wd□ `□ 퍼a G2
 □↑↑KI Z) 4 (□□' c tB{AU: f@ ` 3 nL 쫓n ' UM□jÜx R0♀ T♀ ,xᄃ□@
 □ ◀!! }W B
 □ 5vǎ L PKLJ ¶ - □ ! †ㅓ ~ i• † drs/shapexml.xml Un.♀ ᄃ □ :
 □ ♀k ㄱbL ♀IK E9N
 =0\$4I□X o| 9pm→%s→ pY > z l)1 Q %yNO □ 錯r 4 ↑ HFe ㅓ.♂ S· 詁h t_ |□iv
 □ fa □L 9_s□J V □ □V J% d†8♂' | `<_◀'Q ç0 ä 7 ㅓg KH 'x□
 ㅓ } j') h >:◀9MU^ 3Hq7 ← A ㅓ ♂□t e V9 lJ ㅓF - ㅓ m ㅓ σZ d >m□Y□
 N †
 5 ↑ p K†, 3 @ e lǎ fir R r Σ¶ Z襁□□X@<M (-öJ K
 □; " B9q!ᄃ↑e ㅓE.8♂S dż J" Z s→ 頌←~ ^ ㅓúð• □H~ u0LΓ†* g &•&rs K-
 □ jcÆ^ (†rP□. 磗C - ' • ◀q橋ᄃ m e# +†= ◊
 7% □iL !!x9繪dup 駢V ¶L
 <% ㅓ ♂c Δ^<Q□*8→ Z3□ 2 \□o•! A³nx→□→8 ᄃ : '□
 □ L PKLJ ¶ - □ ! ᄃ ↑ ᄃ drs/downrev.xml\ ᄃ† E□5H쫓JR□ u □ ¶e#
 □ 暈M♂s ó A8 5 A8
 H]→X f ㅓLq k{ % t0K// ◀◀ □ _□↑ □□秉*· '5z {,mM 徭W
 * ◊ a ljd□
 -h□V. □□□=□ □□□1 □ Xr祥 □ .üc첼Y 5= q♀ 4 □□€ P G_ /□0□(:
 □HL? L PKLJ ¶ - □ ! Z候
(!! [Content_Types].xmlPK ¶ -
 ¶ - □ ! 1Ě aG ♂ / _rels/.relsPK ¶ -
 ¶ - □ ! †ㅓ ~ i• † * ㅓ drs/shapexml.xmlPK ¶ -
 ¶ - □ ! ᄃ ↑ ᄃ f drs/downrev.xmlPK | - ㅓ ㅓ
 □←- †ㅓ • [\$ H ♂ □ ◀□] → † ↑
 ◀ ' =L < 情 J□ "
 □
 □
 ♂
 □ J + 'm □ □ ê L ㅓ R o u n d e
 d R e c t a n g l e 1 6 # "□ @ 0• PKLJ ¶ - □ ! Z候
(!! [Content_Types].xml MOG+ 料•2WÄ=†cJUFj0 iK | □ □#M^s → Ö w
 9평 □ !!: w `G♀ 沢^· eNJ ½ • K z(磗) c/L 孚\$0 ㅓ
 · T M♭ c† Ę }0 42 âH C† YM嬌 □榭 •←□ a /8象kH bL□e
 i"K癩 □□6r co4 Ay †
 Le o L PKLJ ¶ - □ ! 1Ě aG ♂ _rels/.rels jð♀
 · wqǎ† No ^K•
 [ILc~&m□ 0XFo;.:>□0 x -□♂ e磗□ X} wd□ `□ 퍼a G2
 □↑↑KI Z) 4 (□□' c tB{AU: f@ ` 3 nL 쫓n ' UM□jÜx R0♀ T♀ ,xᄃ□@
 □ ◀!! }W B
 □ 5vǎ L PKLJ ¶ - □ ! ㅓO ㅓ • † drs/shapexml.xml UQo 0†~
 □†¶ T□ FJL^0 □ -A H° }>ᄃ □ g{□ 6 † pY ~ K(1 p
 %yFO ㅓᄃWㅓ b 4 †H`E ㅓ6
 ㅓ S첼j ㅓ醜 □jv " 0 | ' f□} □ ㅓ + ㅓ 7UZ5~T(G°9ᄃ KU塀k[ㅓ dzoDZ`<s• sw! ← -c脛
 □ 8 æhf□ ♂' a V† lJIZ m ♀_ &u S"YL | ㅓ 鏢!! Lf41 □ 硌♂3 □_P
 □ @ H ㅓ , ㅓp 注 Ê †)#2[\$ □<
 p < ;
 z ㅓ JM ` j¶ □ ä<1 (ᄃ♂bJ□ †.Q!
 C 硌DBjF Dvn wo+ ? @ Q 37ᄃT滲xp = 1 (;ᄃ 9t!¶ 3□□
 .땡흠=[刪 lW□G□ U 卸□Ob□ !h^UT7Lᄃ ' • ◀]捩 ㅓ k††P >s 74 o

U ◀!! }W B
U 5v... PK... ! wr ... + drs/shapexml.xml U" .+ +
运 ' IK~iH/Ec, •0!eH dU T F sp 峇8 \$ 0 B ...
U s J J akC dt. "[... ;U K#K + 1/2 + UB " * 0*.e p...
U 2q U 擢 滙_u> 12OF] K q... -ixatF)q ~, ö] wU } ps j R d#
Op| 4→ U}Q 8U 門 0 | 2: I Pr-
_>H t;q: Q@ aB`fk U T tA P Y Y U T U 9 9 U u 썩 !.3o#Kz
U Ru • U kH ◀ `?O| x T/
\ um ㅈ .
vy3n ~B•tx -
Z... 7IF B t;x} p,q G] k Wæ%5 u!... S! + p& h-4T?Y 5T 櫛@U
+ U qOu/.

U PK... ! 8G' drs/downrev.xmlT OO 1+ú&~ fL ↑iY A
!
yl_p i" - [g#-< Uo: 7 &{... n i:U... QX%jg5 0]
+]... a 8 1n• -Y#BQ E p, & e... LM 2 U < 楊
U ^ - R... U-↑a... XY: ... n Za^AG... g y nUF...# 特w...mQz+
U PK... ! Z候
(!! [Content_Types].xmlPK -
U - ! 1 aG / _rels/.relsPK -
U - ! wr • + * drs/shapexml.xmlPK -
U - ! 8G' drs/downrev.xmlPK | -
U =- + U ; U ? U ◀
U] → + ↑ U ◀ P~L < U U

U @ Z + P`m c| ... L S tra
i g h t A r r o w C o n n e c t o r 2 0 # "
U @ • PK... ! [Content_Types].xml Nō+D• 嫌 8
U ㅈ ㅈ - [Content_Types].xml Nō+D• 嫌 8
:3- -U^U} ↑ FXφ Ev e"O & UU U6'^<dS Uq e I] \$N 41 } 8] JV vh
U T ↑ U... 1 K U pr "t P Z |JuU / +[' :\
U PK... ! |3X... _rels/.rels =k^1 U y
U % ! ! } d\$sM }L W u ^U6 NL6M(-)p hpz æ 3/|UqU8e5 B
U % Z aH , %U } U i]c | 隕UX /M 蘭 j# r J U+E KS • ë U CaU' U
U PK... ! U - U drs/connectorxml.xml UMo.♀ U +t UE
英 U de U A U &E G> Y y D(f ьKU ◀S • %F8 + U U A B U 5 7 T 1 b S
U • H \$rSOS c: p!r)o^D4q UU Ar Y U-}h8 U B BB
• yHsN>ē Á YN >r g } G U F] \$ o U 璦 H y T z r 璦 V } s>ZY•
U P8 η^D7 - U %z83 } + U Fnu' U 璦 b Z U 8 U U F Z ◀ ,oj、 T'G U s0e
U U T\$U m<L zpy T•(r u3 璦 6K= 5N U i f (< 璦_T ~ {U?R E
璦 h + T ps -> Ö Mae m r M, ض
8 = U y C 3 P 璦 U Z U G k D S T U = R J w U x 타
U PK... ! !Á U drs/downrev.xmlT U + • ! U " (| A U -
• U j i w 璦 U W 9 U 璦 n L 9
c{ ↑ U {x} K XU } aa __myV U E U i U U → m\$w 璦 P V 4 U 璦 U D
U U t Δ 2 + h U B U T, qbr 璦.k- U U 8
:m 璦 \$ F ↑ Dk p- 璦

U % 璦 q + 8\ p i \$ U U 'r [U PK... ! ! U
U !! [Content_Types].xmlPK -
U - ! |3X... 2 _rels/.relsPK - U - !
U U - U / drs/connectorxml.xmlPK -
U - ! !Á U drs/downrev.xmlPK | -
U + U U ? U U U] → + ↑
U ◀ <a=L < U U "

dr/dwnrev.xmlT я 0+EMUt +♂1□ Iu↑i m usο °z□ 'c•alg4 城@hn
h'i)¶s♂3□ Kz % e#¶W= °% u-7H6 •)□ T ∴~
휴 P κ ♂j□]f"♀ □)5 η ^5* f □ ¶^ Đ H_T &x<v u P"G_ ↓ Φ8 й_T %|t t
x 1\$X □ L PK 1- ¶ - □ ! !□
[Content_Types].xmlPK 1-
! |3X□ ♂ 2 _rels/.relsPK 1- ¶ - □ !
|V_ - ¶ h drs/connectorxml.xmlPK 1- ¶ - □ ! 3
dr/dwnrev.xmlPK | - ↓ ↓ □ | +
□ 1 D ¶ ↓ ! E ◀□] → ⊥ ↓ ♂ ◀ d=L < ㄴ ↓
□ + ↓
□ ♂
□ + p 'pb □ □ ê L 1 R o u n d e d
R e c t a n g l e 1 3 # "□ @ 5• PKLJ ¶ - □ ! Z候
[Content_Types].xml MOG+ 料•2WÄ=†cJ□Fj0 iK | □ □ ↑#M↓S → Ö w
9평 □ !!: w `G♀ 沢^• eNJ ½ • K z(磗) c/L ¶ \$o ♪
• T M_ c↑ Ę }0 42 ân C† yM嬌 □ 榭 • ← □ a /8巢kH bL□e
i"K痲 □□6r co4 Ay ↓
le o L PKLJ ¶ - □ ! 1Ě aG ♂ _rels/.rels jð♀
• ωq_† No ^K•
[ILc~&m□ OXFo;.:>□0 x -□♂ e磗□ X} ωd□ `□ P#a G2
□ ↑↑KI Z) 4 (□□` c iB{AU: f@ ` 3 nL 쫘n ` UM□jUx R0x T♀ ,x*□@
□ ◀!! }W B
□ 5v_ L PKLJ ¶ - □ ! "eφ 1 • + drs/shapexml.xml UMo.♀ ♂ □ +to-
:q ↓ -Ew†Y j1Y2\$- ~ d -PUG (LJJZ, ZI¶ F 3 ↓ J]5j ö?x 7♂J 數R+ y
ley Lhu [@e30麵 E -UVWbj M'L ♀ ?Buc †Fup□ > ;¶ □ □ 6 J- □ □ X ◊ < q旌 > † E 轆z
□ 奠仗 9= ¶ 1†ĚP檣 □ L 髮K sJ !! " ← □ :! 鱿 ¶ 4+ □ J □ h JTd#J □
↑ Oh4□, _ >(ω i□ 汎 <üMN+ 1,9äm t 2 óH X頒#)e[° (pÁwX□y◀♀ S
< (?□AL →)/U\$*lařeZ0呢-
ıOkvxiä~26g+//d□R□bc_
!u. @ □
I' 7 ↑ iüšix◀□□~♀ Hv+g +2 !+ q렘H Ā-□□5 ü;e' >"□x'm 〚 □ IBk' □] x□;震SK
m]ts κ 3¶ g|_ □ t. | □ 4 o
U 1 C S n j/□ i-X□□□□ A
□ L PKLJ ¶ - □ ! ↓ T ♂ drs/downrev.xmlTP, 0† #
□ q NBIB SUH□ x5 ↓ 7 8◊ ◀ sm □ □ ;垮r -蓄 V♀ □ ↑ < _ Ä
靱 V FXX • ♂ ¶ zPkA "h | Tu 6 齷 + h*Z† > li□ Q 投 E }| - □ w□
□ □ <g츨\ qbt □ □ 濼뵤i 5 N† -□ |)F olz m wi \$F♀ B온 A! □ | @ NR Q ⊥
□ □ = d • awt- L PK 1- ¶ - □ ! Z候
[Content_Types].xmlPK 1-
¶ - □ ! 1Ě aG ♂ / _rels/.relsPK 1-
¶ - □ ! "eφ 1 • + *¶ drs/shapexml.xmlPK 1-
¶ - □ ! ↓ T ♂ 焠 drs/downrev.xmlPK | - ↓ ↓
□ * - + □ - □
† E ◀□] → ⊥ ↓ + ◀ @f=L < h ? | □ ↑
□ ♂ ↓ □
□ L ♂ ↓ > ↑ - @ □ ♂ ¶ ♂ ◊ L ◀
C C • ◀ ◀ 1 倒 !! !! - ! " □ □ ! " B B •
♫ ♫ 1 ♂ ♂ 1 + + 1 ◀ ◀ 1 • 7

X1 X1 T r + r r U r □ } ♀ " d
} ♀
I+± } ♀ ♂ ♂ ♀± } ♀ ♀ ♀ ± } ♀
\$ ±
S ♀ □+ ♀ w @ ✕ □+ ♀ w @ ✕ □+ r ♀
w @ ✕ □+ L ♀ w @ ✕ □+ J ♀ w @ ✕ □+ | ♀ w
@ ✕ □+ - ♀ w @ ✕ □+ • ♀ w @ ✕ □+ □ ♀ w
□+ ♀ A
♀ w □+ ♂ ♀ w □+ ♀ ♀ w □+ ♀ w □+
♀ A □+ ♀ w □+ ♀ w □+ ♀ w □+ ♀ w
□+ ! ♀ w @ ✕ □+ ♀ w @ ✕ □+ @ ✕
□+ ± ♀ A □+ T ♀ w @ ✕ □+ | ♀ w @ ✕ □+
↑ ♀ w @ ✕ □+ | ♀ w @ ✕ □+ → ♀ w @ ✕ □+
← ♀ w @ ✕ □+ ♀ w @ ✕ □+ ♀ w @ ✕ □+
♀ w @ ✕ □+ ♀ w @ ✕ □+ ↓ T | | | | | - ↑
- | ↑ J r T □ | ♀ Customer Name: ♀ □ → ← J r - J T r
L J r ↑
!

Account #: ↓
" # \$ % % % - J r → ♂ ! ↓ Service
Agreement: r - ♂ & J r □ ♂ r ' ♀ ♂ L \$ % % % - J r T ♀ ! ♀ Rate
Schedule: ♀ ♀ L \$ % % % - ♀ ♀ □ ± ± ± ± ♂ ♀
L J r ↑ ♀ (+ Service
Address: r - ♀) | r □ ♀ r) * ♀ ♀ □ % ± ± * ♂ J r | ✕ (◀ Service
Location: r - ✕) | r □ ✕ r) * ♀ ✕ □ % ± ± * ♂ J r | ♀ | (♀ PG&E
Office: r - +) | r □ + r) * J r □ + L (♀ + □ % ± ± ± ♂ J r ◀ ()
± Business Description: J r] ◀) U INSTRUMENT MANUFACTURING FOR MEASURING AND
TESTING ELECTRICITY AND ELECTRICAL SIGNALS | r □ ◀ r) * J r ◀ L ()
♀ ◀ □ + ± ± ± ♂ r - ↓ , J r 9 !! - 1 PDP Bills for Summer 2009 -- With No
Load Changes + !! r / - J r ± !! □ 0
Total Billing r - !!
1 J r ♂ ♀ 2 L May J r ♀ ♀ r 2 J June J r ♀ ♀ L 2 J July J r ♀ ♀ J 2 -
August J r ♀ ♀ | 2 J Sept J r ♂ ♀ - 2 L Oct J r ♀ ♀ □ 2 - Summer J r ♀ ♀
2 - Annual ♀ ± L J r | T 3 ✕ Max Demand
(kW) L r ♀ T 4 O"z(@ L r ♀ T r 4 2Y @ L r ♀ T L 4 ◀ r □ ' @ L r ♀ T J 4 2
Y @ L r ♀ T | 4 例 @ L r ♀ T - 4 Я @ r - T • 5 L r ♀ T □ 4
例 @ r - T 4 J r → + 3 ↓ Energy Usage
(kWh) L r ♀ | 4 μ A ♀ A L r ♀ | r 4 Š r N ♀ A L r ♀ | L 4 I ♀ O-A L r ♀ | J 4 fff
恩 ♀ A L r ♀ | | 4 q~j~登 L r ♀ | - 4 □ 2 ◀ ◀ A r - | • 5 L r ♀ | □ 4 □ :>A r - |

5 | & |
 6 This TOU bill is based on your | ! | 3 | Time-of-Use (TOU)
 Billing | | 5 | 1HU | | 5 U P- | | 5 | @ | | s:Ru
 | | 5 | `S8Y | | - 5 | # | | - | • 5 | | | 5 F+Z | |
 7 % 4h3A | |
 6 % current rate, or otherwise applicable → | 3 5 5 5 5 5 5 5 5 | (|
 6 Time-Of-Use (TOU) rate schedule. | | → 3
 # PDP
 Events* * → 4 4 @4 †@4 □@4 □@4 - | - → • 5 ~
 → □ 4 (@
 → 4 6
 | | ! | 3 ♂ PDP
 Credits | | 5 ^)4 R @ | | ← 5 Y | = @ | | ← 5 | | P{& @ | | ← 5
 - | | @ | | ← | 5 Y | | @ | | ← - 5 | S
 □ @ | | ← • 5 | | ← □ 5 | P |
 ← 5 6
 | | ! | 3 ♂ PDP Charges
 5 | | | 5 | | 3 @ | | L 5 j <d' @ | | | 5 é
 | | | 5 @ | | -s- @ | |
 - 5 | | | • 5 | | □ 5 f_& | | - 5 | | &
 6 This PDP bill is based on your | | 3 | PDP Billing - Default** | | 5 u \$>
 | | 5 | | | 5 | } | | | 5 | -T | | | 5 | | &
 | | - 5 S 8 .Y | | - • 5 | | □ 5
 | | A | | 7 t | |)
 6 ! 2009 usage, assuming no change or | | 8 | PDP Billing - 50%
 CRC | | 9 u \$> | | | 9 | } | | | 9 | -T
 | | | | 9 | | & | | - 9 S 8 .Y | | - • 9 | | □ 9
 | | A | | 9 M
 A | | '
 6 shift in energy usage
 behavior. | | | : ♀ Show_50%_CRC | | 5 5 5 5 5 5 5 5 5 ID
 | | | | |

, | , F > | D E L
 t | | , | m ? @ | | +
 w | | @ | | | | + | !
 w | | @ | | | | + | "
 w | | @ | | | | + | #
 w | | @ | | | | + | \$
 w | | @ | | | | + | %
 w | | @ | | | | + | &
 w | | @ | | | | + | '
 w | | @ | | | | + | (
 w | | @ | | | | + |)
 w | | @ | | | | + | *
 w | | @ | | | | + | +
 w | | @ | | | | + | ,
 w | | @ | | | | + | -
 w | | @ | | | | + | .
 w | | @ | | | | + | /
 w | | @ | | | | + | 0 ♂ w | | @ | | | | + | 1 ♂ w | | @ | | | | + | 2 ♂ w
 | | @ | | | | + | 3 ♂ w | | @ | | | | + | 4 ♂ w | | @ | | | | + | 5 ♂ w
 | | @ | | | | + | 6 ♂ w | | @ | | | | + | 7 ♂ w | | @ | | | | + |
 | | + | ; ♂ w | | @ | | | | + | < ♂ w | | @ | | | | + | = ♂ w | | @ | | | | + |

> Summer % Chng Annual % Chng 90 Z? Rate (TOU) " Rate (PDP) QUICK

LOOK B C D ? Your annual bill is expected to be neutral on Peak Day Pricing (B • Monthly Billing (\$)) B Billing (\$) % < The volatility of your monthly bill is expected to increase.

, • F G - • F - Notes: Z - G R * These totals are based on 12 PDP events. The number of could range from 9 to 15, H O . G G depending on weather, CAISO declared emergencies and electricity costs. / • H] / G U ** Unless otherwise specified by the customer, the Capacity Reservation Charge level 0 • H T 0 G L will default to 50% of the last summer's average peak-period maximum demand. 1 2 J 3 J 4 J 5 J 6 K

⌘ RATE SCHEDULE: 1 6 0) Applicable Summer TOU / PDP Rate Schedule

6 L 1 6 - M N • 6 O ! Options for optimizing PDP on the 6 P E19S Rate 6 Q 7 R E19S 7 2 L TOU 7 2 L PDP 7 L 2 TOU / PDP

7 | S S - 8 8 | T # 8 - ← Peak Load Shift / Reduction 9 R ↑ Peak Event (\$/kWh) 9 U -- ↑ 9 V ^@U ^@L 9 | W p 9 - W h You can reduce peak load, or shift energy to time periods when costs are lower outside of on-peak hours. ♀ 9 • W W W ⌘ : (X X X L : | S S - ; K Demand (\$/kW) ♀ ; X X X L ; Y ⌘ PDP Peak Adder ↑ ; | T # ; - T ← Capacity Reservation Charge ⌘ < R • On-Peak ↑ < U @U ↑ ↑ @L ⌘ < Y ♀ (2 - 6pm on ↑ < | W ⌘ < - W d You can choose to pay fixed charges for a portion of on-peak demand, to be protected from PDP adder. ♀ < • W W W ⌘ = R Part-Peak ↑ = U ⌘ @⌘ e@L ⌘ = Y ♂ event days) = | J J - ⌘ > R • Maximum ↑ > U ⌘ U ⌘ > | H T | ⌘ > - T ↑ - ? (? | H W | ⌘ ? - W ♀ ? • W W W ID h < E \$ & T & _ % _ ⌘ p] k b

- Q ; ⌘ t pV | ⌘+ @
- w @ ⌘ ⌘+ A
 - w @ ⌘ ⌘+ B
 - w @ ⌘ ⌘+ C
 - w @ ⌘ ⌘+ D
 - w @ ⌘ ⌘+ E
 - w @ ⌘ ⌘+ F
 - w @ ⌘ ⌘+ G
 - w @ ⌘ ⌘+ H
 - w @ ⌘ ⌘+ I

□g□ WīiCħ?L:° 0z- Óŋ ʃ → " - b wī ~ō v† s† pʃ n uWdz[ΛR"OīK□JδE□
勤 僕شPK□Dq?4<h8Σ0L/3& | b [
i& ʃ y† v† t† q
m) }UṭHīF□Cē>ħA7ŋ.

□zسر^ WشTسQ'N'f"Q□9 • c \ ^ ʃ ^) † † }† x† uō rō n6 K□6Q04+P\$~
N8P□瀟 稱□ h 1c 1∪ Z ̣ bĕ 7W^ m c ` ^ ^ x&Wō ◀ ◀ † uō rŋ r@ M6q1Φ,P"μLp
欄 以[] 2Ř z u n h f→ p xγ† † † † ◀ ◀ yʃ s† tJ Q:19q4L/Σ)π\$3^ġ
| { w/ ©đ 茲Φ !! † † † {ʃ s† < ʃ□ uM[R";θ6414+□&□u'l
s→ xOPt'<θ7Λ2X-Y&π 權 □ 摠ŋ/ŋ-g& ← !! ʃ {
s- ySġT"=ē:ħA4L/ŋ)π

錨 □ f_s7q1g.ŋ+ % ← ↓ |ʃ t zZgX9?□;q641θ/ʃ
6X3dz/ā,Ū* # ↑ ʃ v

~aYġ'A□=C8ħA4□2H
□_H_ 7Ψ4/ŋ,Ŧ) % !! z' eŋYġ'D□?□:C56□
D_s:ġ51g-Ŧ) % # → ~2 IXUzL□J□EA_?ب
A_ġ7 3dz-Ŧ(& # 7 -

τ ~τ y← y x w 6
x& 7 1 ʃ w o g ` _↓ g
□ ⊕ a?□:8138ŚBLŋ f•ŋ^ ~ u qʃ p
· 緜□>ΦOΦO ~ŋ ū'ŋ | ʃ ʃ
解 ŋ > 'XδGX7ħ/4\$| ūʃ Ū

□ 鉅 C†D†?Ī5*ŋ← ' ŷ
深 ーZŋX6TU.P□J□BQ
꺆

꺆 꺆 < ʃ

□· 緜

'@N'@iN?> . 9L v5L
s -> 9L i-N] ^ ♂
♂ T-1 1: J ; ←
♂ 耽 耽 Straight Arrow Connector 32 □ @ @] X ♀
♀ T-1 ; ♀ ? ♀
♀ Q \$ □=♀ IA=♀ ♀ Rounded Rectangle 17c
□ < -1 J c, L, L c J | - < □
X5< 7l 9cV; L 췁 7> -6? □ □
@= @Z □Z 6?, 7> 췁 V;♀ 9 7 ♀X5 ♀
♀ -
J , L, cZ IZ < =] ^

T-1 1? J ←
20 □ @ @] X ♀ 耽 耽 Straight Arrow Connector
♀ T-1 A L ♀ D ♀
♀ Q \$ □=♀ IA=♀ ♀ Rounded Rectangle 18c
□ = -zÄ-f(L(L-fÄz - = □
a5= 7z 9-fU; (L□1> -3? □
@! @E K 3?♀ 1> □U;□ 7üa5ü
□ □ · J (L ♀ K zE = !] ^ ♂ ♂ T-1
1 D ♀ J ! E ←

27 □ @ @] X + 耽 耽 Straight Arrow Connector
+ T-1 □
+ L Q ♀ T=♀ ↑ + =♀ ♀ Rounded
Rectangle 13c P
U5. 9 L□?

♀ @
W ♀ @% [<? ^□9 aU5 a
□ - ^ L %[-
W = ↑ h J %8 X1 >1
- J ♂ ♀ ♂ L ◀ ◀ 1 "

□ + \$ + ' ° • @ J H □ X ↑ h ♀
!!
襪 □ b2b8 □ b2b8 + Microsoft Excel @ 9!!
* @ 750
* L

Company Analysis & Analysis!Print_Area Named Ranges
Customized Bill
Pacific Gas and Electric
Customized Bill
Worksheets

♂ ♀ ♂ + ◀ ▶ ⑆ ⑇ ⑈ ⑉ ⑊ ⑋ ⑌ ⑍ ⑎ ⑏ ⑐ ⑑ ⑒ ⑓ ⑔ ⑕ ⑖ ⑗ ⑘ ⑙ ⑚ ⑛ ⑜ ⑝ ⑞ ⑟ ① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨ ⑩ ⑪ ⑫ ⑬ ⑭ ⑮ ⑯

```

      R o o t
Entry 1  F 33  33
!  Ole
  C o m p O b j
  |  O b j I n f o
  |  A t t a c h D e s c
  |  A t t a c h P r e s
  |  R i c h E d i t F l a g s
  |  A t t a c h C o n t e n t s
  |  M a i l A t t a c h m e n t
  C

```

♂ ♀ ♂ + ◀ ▶ ⑆ ⑇ ⑈ ⑉ ⑊ ⑋ ⑌ ⑍ ⑎ ⑏ ⑐ ⑑ ⑒ ⑓ ⑔ ⑕ ⑖ ⑗ ⑘ ⑙ ⑚ ⑛ ⑜ ⑝ ⑞ ⑟ ① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨ ⑩ ⑪ ⑫ ⑬ ⑭ ⑮ ⑯

? @ A B C D E F G H I J K L M N

O P Q R S T U V W X Y Z [\] ^

_ ` a b c d e f g h i j k l m n o

p q r s t u v w x y z { | } ~

₩ 쉼 . | @ À Á ¢ ¤ ¦ § ¨ © ª « ¬ ® ¯ ° ± ² ³ ´ µ ¶ · ¸ ¹ º » ¼ ½ ¾ ¿

₩ 쉼 . | @ À Á ¢ ¤ ¦ § ¨ © ª « ¬ ® ¯ ° ± ² ³ ´ µ ¶ · ¸ ¹ º » ¼ ½ ¾ ¿

♂ ♀
♫ ♪
+ ◀ ▶
↕ " # \$ % & ' () → ← , -