

From: Mark McNulty
Sent: 8/5/2010 11:58:28 AM
To: Lai, Peter (peter.lai@cpuc.ca.gov); [Redacted]
(/O=PG&E/OU=Corporate/cn=Recipients/cn=GJB4)
Cc: ABesa@SempraUtilities.com (ABesa@SempraUtilities.com);
steve.galanter@sce.com (steve.galanter@sce.com); Steven.Long@sce.com
(Steven.Long@sce.com); LSidibe@semprautilities.com
(LSidibe@semprautilities.com); Ramaiya, Shilpa R
(/o=PG&E/ou=Corporate/cn=Recipients/cn=SRRd)
Bcc:
Subject: Re: Question on non-DEER measures

We stated a number of times that we planned to use
SCE or PG&E WPs adjusted for CZ and I recall that Peter agreed. As an
example, SCE had CZ 10 and 15 but not our CZ 7 and we simply add that one to
their WP

----- Original Message -----

From:

[Redacted]

To: Lai, Peter

Cc: Steve.Galanter@sce.com ; Steven.Long@sce.com ;
markmcnulty@sbcglobal.net ; abesa@semprautilities.com ;
LSidibe@semprautilities.com ; Ramaiya, Shilpa R

Sent: Thursday, August 05, 2010 11:01
AM

Subject: Question on non-DEER
measures

Hi Peter-

I have a question on non-DEER workpapers which
would apply to all the IOUs.

If one or two of the IOUs have submitted a
non-DEER, non-HIM workpaper (not reviewed by the ED) which has become frozen
as part of the Phase one process and one of the other IOUs wants to offer the

exact same measure (still not a HIM), can we use the frozen workpaper (adjusting for climate zone if necessary)? Or do we have to submit the workpaper through the full Phase two review process?

Thanks

Redacted