

From: [Redacted]
Sent: 9/24/2010 9:43:03 AM
To: Osman, Ayat E. (ayat.osman@cpuc.ca.gov) [Redacted]
[Redacted]
'dmahone@h-m-g.com' (dmahone@h-m-g.com); [Redacted]
Cc: [Redacted] 'Mansi, Lonnie (LMansi@semprautilities.com)' (LMansi@semprautilities.com); 'Randall Higa (randall.higa@sce.com)' (randall.higa@sce.com); Ramaiya, Shilpa R (/o=PG&E/ou=Corporate/cn=Recipients/cn=SRRd); [Redacted]
[Redacted]
[Redacted] 'Javier Mariscal' (javier.mariscal@sce.com); 'Kathleen.A.Gumbleton@sce.com' (Kathleen.A.Gumbleton@sce.com); 'Ron Gorman (ragorman@semprautilities.com)' (ragorman@semprautilities.com); 'Kathleen Gumbleton' [Redacted]; 'Lance DeLaura (ldelaura@semprautilities.com)' (ldelaura@semprautilities.com); [Redacted]
[Redacted]
[Redacted] 'Cathy Chappell' (chappell@h-m-g.com)
Bcc:
Subject: C&S PPMs - IOU Comments for 10am meeting

Ayat and Ken,

Please find attached the latest draft of IOU Comments on the C&S PPMs for review during today's 10.00 a.m. meeting.


The "IOU Comments" column lists:

- "IOU Proposed" language
- "IOU Comments" regarding unresolved topics (e.g. "More clearly define "process" (Lonnie Mansi, Sempra)" found in IOU Comments column, Objective 1 for Building Standards Advocacy Subprogram).

I can further explain the formatting (i.e. track changes) at the beginning of the call.

Best,

[Redacted] | Evaluation Measurement & Verification | Pacific Gas & Electric Company | 245 Market Street | San Francisco, CA 94111

[Redacted] Office: 415-973-9048 | Mobile: 415-238-1397 |  please consider the environment before printing this email.