

$\Psi \leftarrow \square \rightarrow \emptyset$ $\triangleright \vdash \vdash \vdash$ \neg \vdash $\vdash \vdash \vdash$ $\vdash \vdash \vdash$ $\vdash \vdash \vdash$ $\vdash \vdash \vdash$ $\vdash \vdash \vdash$

Bonus Depreciation Rates - 2008 Additions
(blend of 95% of Bonus rate and 5% non-bonus rate): Yr1 Yr2 Yr3 Yr4
GDP 38100

Gas Meters CMP 39706[↓] Gas Modules CMP 30304[↑] CIS Mainframe Comp SW
 CMP-39104[↓] CIS Mainframe Comp HW[□] CMP39708^{!!} Networks-thru
 Dec08) Bonus Depreciation Rates - 2009 Additions[¶] Networks-after Dec08["] Deploy- Electric and
 SPUMA Models[↓] EDP 37000-1[↓] Electric Meters-2008 Adds CMP 39707[→] Electric
 Modules-2008 Adds^{!!} Networks--2008 Adds[↓] Electric Meters-2009 Adds[→] Electric Modules-
 2009 Adds[↓] Networks-2009 Adds^{!!} Qualified Additions

Total Adds | % Add↑ | Pacific Gas and Electric\$ | Rows I-K added by the Tax

Department+ SmartMeter RRQ Model rates from Jerry

Basel * ● - ♀ |● c + ● 悅 ?

□ P?_ + * + % E

&L&P&N

JTS H P L a s e r J e t 2 1 0 0
P C L 6 - , L C U T
f d x X L Letter

DINU" O

□● ☀ ↕ ' □ T vxP ↘
● - !
T H □? &
♂ D' □ ↘ - ♀ (□ T T ↗

* + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z [\] ^ _

q r s t u v w x y z { | }

a b c d e f g h i j k l m n o p q r s t u v w x y z { | }

Models: [] Bonus Depreciation Rates - 2008 Additions (blend of 95% of Bonus rate and 5% non-bonus rate): []

Qualified Additions

Total Adds- 1
↑ | % Add ↓ ↴

↑ | % Add ↴ !!
⊗ ♂ EDP 37000-1 ↴ !!
⊗ ♂ ↪ Electric Meters-2008 Adds ↴ !!
└ ┌ a2U0* ↴ ↴ ↴
└ ┌ k ↴ ↴ ↴
|
□ □ ↴
- ┌ □ ? ↴ ♂
● ⊗ ↪ ↴ -

Electric Modules-2008
CIS Mainframe Comp SW ~
CIS Mainframe Comp HW~

— ⊕ M@ —
— ⊕ ← / ↵ —
— ⊕ Y • ? —
— ⊕ ' ☎ ? —
• ⊕ —

Adds a2U0* Networks--2008
? - k -
Bonus Depreciation Rates - 2009

Bonus Depreciation Rates - 2009

♀ + ☐ T T | EDP 37000-1 ! ◀ ☀ | Electric Meters-2009 Adds~

— ◀ □ \$ □ D◀ — ↴ ↵ ↶ ↷ CMP 39707 ↴ ↵ ↶ ↷ → Electric

CMP 30304 CIS Mainframe Comp

D!! D!! CMP-39104 CIS Mainframe Comp

HW \uparrow \downarrow \leftarrow \rightarrow \perp \top \vdash \dashv \vdash \dashv
 \sqcup $? \sqcup$ \sqcap $- \sqcup$ $\sqcap H \}$ $? \sqcup \sigma$ \sqcap \bullet \otimes \sqcup \vdash \dashv \vdash \dashv
 \vdash \vdash
 \vdash $D \sqcup D \sqcap$ $- \sqcup \sqcap$ \perp $\otimes \square$ $CMP39708 \rightarrow \perp$ $\otimes \uparrow$ Networks-2009 Adds~
 \perp \perp $R \sqcup \sqcap$ $\perp \sqcup \sqcap$ \perp $W \sqcup ? \sqcap$ $\perp \sqcup \sqcap$ \perp $h \sqcup 5 \quad ? \sqcup \sqcap$ $\perp \sqcup \sqcap$ $\perp \otimes \sigma$ $? \sqcup \sqcap$
 \perp $\bullet \otimes$ $\downarrow \sqcup \sqcap$ $\square \tau$ $v \times P \downarrow \tau$
 \bullet
 $\vdash H \sqcup ? \quad \vdash$
 $D \perp \square D \perp$ $- \quad \vdash \tau \quad \square \tau \tau \tau \vdash$
 $\vdash \vdash \square \tau \tau \vdash$
 $\vdash \vdash \square \tau \tau \vdash$
 $\vdash \vdash \square \tau \tau \vdash$
 $\vdash e \rightarrow \otimes]$ Bonus Depreciation Rates - 2008 Additions (blend of 95% of Bonus rate and 5% non-bonus rate):
 $\vdash \sigma \rightarrow \gamma \otimes \perp$ $\vdash \rightarrow \square \tau \tau \vdash$
 $\vdash \sigma \leftarrow \perp \otimes \perp$ $Yr1 \vdash \sigma \leftarrow \perp \otimes \perp$ $Yr2 \vdash \sigma \leftarrow \perp \otimes \perp$ $Yr3 \vdash \sigma \leftarrow - \otimes \perp$ $Yr4 \vdash \sigma \leftarrow - \otimes \perp$
 $\bullet \otimes \perp \vdash \sigma \leftarrow \square \tau \tau \vdash$
 $\vdash \blacktriangleleft \otimes GDP\ 38100 \vdash \otimes$
 $\vdash Gas\ Meters \vdash \perp \sqcup \sqcap \vdash \perp \perp + \tau \circ$
 $\vdash \vdash n \quad ? \vdash \vdash - \perp St\$ \quad ? \vdash \sigma \bullet \otimes \perp \vdash \vdash \square \tau \tau \vdash$
 $\vdash \blacktriangleleft \otimes CMP\ 39706 \vdash \vdash \otimes \sigma \quad Gas\ Modules \vdash \vdash \perp \perp$
 $\vdash \vdash n \quad ? \vdash \vdash - \perp St\$ \quad ? \vdash \sigma \bullet \otimes \perp \vdash \vdash \square \tau \tau \vdash$
 $\vdash \vdash \square \tau \tau \vdash$
 $\vdash \blacktriangleleft \otimes CMP\ 30304 \vdash \vdash \otimes \tau CIS\ Mainframe\ Comp\ SW \sim$
 $\vdash \vdash \perp V \quad \wp \vdash \vdash \perp V \quad \wp \vdash \vdash - \perp \otimes z \quad ? \vdash \sigma \bullet \otimes \perp \vdash$
 $\vdash \vdash \square \tau \tau \vdash$
 $\vdash \blacktriangleleft \otimes CMP-39104 \vdash \vdash \otimes \perp CIS\ Mainframe\ Comp\ HW \sim$
 $\vdash \vdash M@ \vdash \vdash \perp \leftarrow / \perp \vdash \vdash \perp \vdash \vdash \gamma _ \bullet _ I \? \vdash \vdash - \perp \vdash$
 $\vdash \vdash \perp \vdash \vdash \otimes \square \tau \vdash \vdash CMP39708 \vdash \vdash \otimes \quad Networks-thru\ Dec08 \vdash \vdash \perp \perp \sqcup \sqcap \vdash$
 $\vdash \vdash + \tau \otimes \vdash \vdash \perp ; \vdash \vdash n \quad ? \vdash \vdash - \perp St\$ \quad ? \vdash \sigma \bullet \otimes \perp \vdash \vdash \square \tau \vdash$
 $\vdash \vdash \square \tau \tau \vdash$
 $IB \circ X \circ \$ \circ 7 \circ 0$
 \vdash
 $\vdash \vdash " \quad \sigma \quad \vdash \vdash \# \quad \sigma \quad \vdash \vdash \$ \quad \sigma \quad \vdash \vdash ! \quad \sigma \quad \vdash \vdash \otimes \quad \sigma$
 $\vdash \vdash \% \quad \sigma \quad \vdash \vdash & \quad \sigma \quad \vdash \vdash ' \quad \sigma \quad \vdash \vdash (\quad \sigma$
 $\sigma \quad \vdash \vdash) \quad \sigma \quad \vdash \vdash * \quad \sigma \quad \vdash \vdash + \quad \sigma$
 $\sigma \quad \vdash \vdash , \quad \sigma \quad \vdash \vdash - \quad \sigma \quad \vdash \vdash / \quad \sigma \quad \vdash \vdash 0 \quad \sigma$
 $\otimes \quad \vdash \vdash 1 \quad \square$
 $\otimes \quad \vdash \vdash 2 \quad \square$
 $\otimes \quad \vdash \vdash 3 \quad \square$
 $\otimes \quad \vdash \vdash 4 \quad \square$
 $\otimes \quad \vdash \vdash 5 \quad \square$
 $\otimes \quad \vdash \vdash 6 \quad \square$
 $\otimes \quad \vdash \vdash 7 \quad \square$
 $\otimes \quad \vdash \vdash 8 \quad \square$
 $\otimes \quad \vdash \vdash 9 \quad \square$
 $\otimes \quad \vdash \vdash : \quad \square$
 $\otimes \quad \vdash \vdash ; \quad \square$
 $\otimes \quad \vdash \vdash < \quad \square$
 $\otimes \quad \vdash \vdash = \quad \square$
 $\otimes \quad \vdash \vdash > \quad \square$
 $\otimes \quad \vdash \vdash ? \quad \square$
 $\otimes \quad \vdash \vdash @ \quad \square$

♫ J ♪ ! • ♪ L ♪ ! ♪ T T ♪
 ♪) Bonus Depreciation Rates - 2009
 Additions ♪ " ♪ Yr1 ♪ " ♪ Yr2 ♪ " ♪ Yr3 ♪ " ♪ Yr4 ♪
 ♪ " - ♪ ♪ T T ♪
 ♪ # ♪ GDP 38100 ♪ # ♪
 Gas
 Meters ♪ # ♪ + ♪ F%u ♪ # ♪]mž { ? ♪ # ♪ + ♪ y_• I ? ♪ # - + + u?
 ♪ # • ♪ # ♪ # ♪ "m+ - ♪ #
 ♪ 1? +
 D#□ D# - ♪ \$ ♪ CMP 39706 ♪ !! \$ ♪ Gas
 Modules ♪ \$ ♪ + ♪ F%u ♪ \$ ♪]mž { ? ♪ \$ ♪ + ♪ y_• I ? ♪ \$ - + + u
 ♪ \$ • ♪ \$ ♪ \$ ♪ gVH ♪ gVH - ♪ \$
 SW ♪ % ♪ + ♪ z6 ♪ % ♪ Zd; ♪ % ♪ + ♪ Zd; ♪ % - + 虬
 ♪ % • ♪ % ♪ % ♪ * - ♪ p • - ♪ %
 CIS Mainframe Comp
 D\$□ D\$ - ♪ % ♪ CMP 30304 ♪ % ♪ CIS Mainframe Comp
 HW ♪ & ♪ + ♪ N@ ♪ 0@ ♪ & ♪ + ♪ & ♪ 摊 + ♪ - &
 ♪ ? ♪ & - ♪ H } ? ♪ & • ♪ + ♪ & ♪ 摊 + ♪ - &
 Networks-after Dec08~
 D&□ D& - ♪ ' ♪ CMP39708 ♪ ' ♪ ¶ Networks-after Dec08~
 R ♪ ' ♪ W! ? ♪ ' ♪ h 5 ? ♪ ' - + ♪ ? ♪
 • ♪ • ♪ vxP ♪
 H ♪ ? &
 D'□ D' - ♪ (♪ T T ♪

)	□	T	T
*	□	T	T
+	□	T	T
,	□	T	T
-	□	T	T
.	□	T	T
/	□	T	T
0	□	T	T
1	□	T	T
2	□	T	T
3	□	T	T
4	□	T	T
5	□	T	T
6	□	T	T
7	□	T	T
8	□	T	T
9	□	T	T
:	□	T	T
;	□	T	T
<	□	T	T
=	□	T	T
>	□	T	T
?	□	T	T
@	□	T	T
	ID	C	□
		h	
		+	A
	⊗	□	+
		B	□

A	□	T	T
B	□	T	T
C	□	T	T
D	□	T	T
E	□	T	T
F	□	T	T
G	□	T	T
H	□	T	T
I	□	T	T
J	□	T	T
K	□	T	T
L	□	T	T
M	□	T	T
N	□	T	T
O	□	T	T
P	□	T	T
Q	□	T	T
R	□	T	T
S	□	T	T
T	□	T	T
U	□	T	T
V	□	T	T
W	□	T	T
X	□	T	T
Y	□	T	T

Z	█	T	T
[█	T	T
\	█	T	T
]	█	T	T
^	█	T	T
-	█	T	T
-	█	T	T
ID	@	J	h █ █ █ █ a █
			b █
			c █
			d █
			e █
			f █
			g █
			h █
			i █
			j █
			k █
			l █
			m █
			n █
			o █
			p █
			q █
			r █
			s █
			t █
			u █
			v █
			w █
			x █
			y █
			z █
			{ █
			█
			} █
			█
a	█	T	T
b	█	T	T
c	█	T	T
d	█	T	T
e	█	T	T
f	█	T	T
g	█	T	T
h	█	T	T
i	█	T	T
j	█	T	T
k	█	T	T
l	█	T	T
m	█	T	T
n	█	T	T
o	█	T	T
p	█	T	T
q	█	T	T
r	█	T	T

A musical score page featuring a staff with various note heads and rests. The staff includes a sharp sign, a double bar line, a common time signature, a repeat sign, a bass clef, and a dynamic instruction. Below the staff is a list of symbols with their corresponding note heads and rests:

Symbol	Note Head	Rest
s	Open square	T T
t	Open square	T T
u	Open square	T T
v	Open square	T T
w	Open square	T T
x	Open square	T T
y	Open square	T T
z	Open square	T T
{	Open square	T T
	Open square	T T
}	Open square	T T

A screenshot of a Microsoft Word document. The title 'm m a r y l n f o r m a t i o n' is at the top. Below it is a table with two rows. The first row contains 'Microsoft' and 'Pacific Gas and Electric'. The second row contains 'Sheet1' and 'Worksheets'. The background shows a grid pattern.

A screenshot of the Microsoft Character Map application. The window title is "Microsoft Sans Serif" and the font name is "NANI". The character map displays a grid of characters, including various symbols like arrows, mathematical operators, and letters from multiple alphabets. A vertical toolbar on the left includes icons for "Icon Only", "Search", and "Font". The status bar at the bottom shows "K 2009 Qualified Adds" and "2". The keyboard input field shows "NANI".

```
↑    ↴
      Attach Desc
m      T ↴
          Attach Pres
      ↴    ↴
      ↴    ↴    ↴
      ↴    ↴    ↴    ↴
      ↴    ↴    ↴    ↴    ↴
      ↴    ↴    ↴    ↴    ↴    ↴
      ↴    ↴    ↴    ↴    ↴    ↴    ↴
      ↴    ↴    ↴    ↴    ↴    ↴    ↴    ↴
      ↴    ↴    ↴    ↴    ↴    ↴    ↴    ↴    ↴
      ↴    ↴    ↴    ↴    ↴    ↴    ↴    ↴    ↴    ↴
      ↴    ↴    ↴    ↴    ↴    ↴    ↴    ↴    ↴    ↴    ↴
      ↴    ↴    ↴    ↴    ↴    ↴    ↴    ↴    ↴    ↴    ↴    ↴
```