

$\Psi \blacktriangleleft \square \rightarrow \emptyset$ $\triangleright \quad L$
- E + D G

- > L + 0

Gas Meters CMP 39706[↓] Gas Modules CMP 30304[↑] CIS Mainframe Comp SW
 CMP-39104[↓] CIS Mainframe Comp HW[□] CMP39708^{!!} Networks-thru
 Dec08) Bonus Depreciation Rates - 2009 Additions[¶] Networks-after Dec08["] Deploy- Electric and
 SPUMA Models[↓] EDP 37000-1[↓] Electric Meters-2008 Adds CMP 39707[→] Electric
 Modules-2008 Adds^{!!} Networks--2008 Adds[↓] Electric Meters-2009 Adds[→] Electric Modules-
 2009 Adds[↓] Networks-2009 Adds^{!!} Qualified Additions

Total Adds | % Add↑ | Pacific Gas and Electric\$ | Rows I-K added by the Tax

Department+ SmartMeter RRQ Model rates from Jerry

Basel * ● - ♀ |● c + ● 怪 ?

&L&P&N

JTS H P L a s e r J e t 2 1 0 0
P C L 6 X X L Letter
F d

DINU" O

SMTJ + P

□ L ♫ L □ J ♫ J □ | ♫ | □ - ♫ - □ □ ↑ □ ↑ □

a2U0* □ L- ♫

k □ L- ♫

□ □ ♫

- + ♫ ? □ • ♫ J -

ト □ ♫ T □ ♫ + □ L- ♫ σ □ + a2U0* □ L- ♫ σ □ + k

□ □ ♫ σ - + ♫ ? □ • ♫ J - σ

ト □ ♫ σ □ ♫ ♫ J ~

♀ □ + ♫ ♫ ♫ J V ♫ p L- ♫ ♫ | + V ♫ p L- ♫ ♫ ♫ - + ♫ z ?

ト □ ♫ σ J - ♫

ト □ ♫ ♫ ~

L + M@ L- ♫

↓ + ← / - L- ♫

↓ + Y- • I? L- ♫

↓ + '谷' ? □ • ♫ J -

ト □ ♫ ♫ □ ♫ ↑ □ L- ♫ ♫ □ + a2U0* □ L- ♫ ♫ □ + k

□ □ ♫ σ - + ♫ ? □ • ♫ J -

ト □ • ♫ J ♫ ♫ T + T +

□ ♫ □ ♫ T + T +

□ ♫ ♫ T + T +

◀ □ L- ♫ □ L- ♫ W! ? L- ♫ □ L- ♫ h □ 5 ? L- ♫ □ L- ♫ - + ♫ ?

● ♫ J □ T N- K_T N- K - ! □

↑ □ L- ♫ □ L- ♫ W! ? L- ♫ □ L- ♫ h □ 5 ? L- ♫ □ L- ♫ - + ♫ ?

□ • ♫ J □ T JU! □ L- ♫

ト á"ûJ? □

♂ D! □ J □ Zd; J L- ♫ !! | + Zd; J L- ♫ !! - + 虹

□ J J ! | + ♫ T * - T p • - ! !!

ト ♫ "器" □

♂ D!! □ J !! - □ ♫ N@ + 0@ J L- ♫ ♫ | +

□ ? L- ♫ ♫ - + □ T H } ? □ • ♫ J | + ♫ T 撥 + □ - ! ♫

ト 韶 !!

♂ D! □ ♫ | + - □ ♫ N@ + 0@ J L- ♫ ♫ | +

□ L- ♫ R L- ♫ | + W! ? L- ♫ | + h □ 5 ? L- ♫ | + - + ♫ ?

□ • ♫ J | + □ T vxP J T

• - ! +

ト H L- ♫

♂ D+ □ J + - ♫ T □ T T +

♀ + □ T T +

♀ + □ T T +

♀ + □ T T +

□ ♫ L □ ♫ J □ ♫ → □ T T +

□ ♫ L □ ♫ J □ ♫ | + □ - ♫ - □ • ♫ J + T o ♫

□ ♫ L □ ♫ J □ ♫ | + □ - ♫ - St\$? □ • ♫ J + ♫

⊕ • ☀ ↑ ' □ ⊥ vxP ⊥
 • - ! '
 ⊤ H ☐? &
 ♂ D' □ ⊥ - ♀ (□ ⊥ ⊥ ⊤

) □ T T
 * □ T T
 + □ T T
 , □ T T
 - □ T T
 . □ T T
 / □ T T
 0 □ T T
 1 □ T T
 2 □ T T
 3 □ T T
 4 □ T T
 5 □ T T
 6 □ T T
 7 □ T T
 8 □ T T
 9 □ T T
 : □ T T
 ; □ T T
 < □ T T
 = □ T T
 > □ T T
 ? □ T T
 @ □ T T

ID • h d
 ☀ ☀ + A □
 ☀ ☀ + B □
 ☀ ☀ + C □
 ☀ ☀ + D □
 ☀ ☀ + E □
 ☀ ☀ + F □
 ☀ ☀ + G □
 ☀ ☀ + H □
 ☀ ☀ + I □
 ☀ ☀ + J □
 ☀ ☀ + K □
 ☀ ☀ + L □
 ☀ ☀ + M □
 ☀ ☀ + N □
 ☀ ☀ + O □
 ☀ ☀ + P □
 ☀ ☀ + Q □
 ☀ ☀ + R □
 ☀ ☀ + S □
 ☀ ☀ + T □
 ☀ ☀ + U □
 ☀ ☀ + V □
 ☀ ☀ + W □
 ☀ ☀ + X □
 ☀ ☀ + Y □
 ☀ ☀ + Z □

+

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z [\] ^

q	□	+	□
r	□	+	□
s	□	+	□
t	□	+	□
u	□	+	□
v	□	+	□
w	□	+	□
x	□	+	□
y	□	+	□
z	□	+	□
{	□	+	□
}	□	+	□
	□	+	□
a	□	T	T
b	□	T	T
c	□	T	T
d	□	T	T
e	□	T	T
f	□	T	T
g	□	T	T
h	□	T	T
i	□	T	T
j	□	T	T
k	□	T	T
l	□	T	T
m	□	T	T
n	□	T	T
o	□	T	T
p	□	T	T
q	□	T	T
r	□	T	T
s	□	T	T
t	□	T	T
u	□	T	T
v	□	T	T
w	□	T	T
x	□	T	T
y	□	T	T
z	□	T	T
{	□	T	T
}	□	T	T
	□	T	T
怠	□	□	□
.	□	□	□

Models: [] Bonus Depreciation Rates - 2008 Additions (blend of 95% of Bonus rate and 5% non-bonus rate): []

d @

↓ ↗ ♂ Yr1 ↓ ♂ ↓ ↗ ♂ Yr2 ↓ ♂ | ↗ ♂ Yr3 ↓ ♂
- ↗ ♂ Yr4 ↓ ♂ ↑ !! Qualified Additions ↓ ↑
Total Adds ↓ ↗
↑ | % Add ↓ !!
↗ ♂ EDP 37000-1 ↓ ↗ !
↗ ♂ Electric Meters-2008 Adds ↓ ↗

Electric Modules-2008
CIS Mainframe Comp SW~
CIS Mainframe Comp HW~

HW ? L P L + N@+ 0@+ L G P L +
 H } ? J S P • O L + P T 换 + L - P
 훨 !! D P D P - J G + L CMP39708 J → L Networks-2009 Adds~
 R L P L + J L W I ? L P L | L h □ 5 ? L P L - L O S ? L
 • L • O L P T vxP J T
 • H L P
 D L P D L - P T P T T
 • ♀ + P T T +
 ♀ + P T T +
 ♀ + P T T +
 ↗ e → O] Bonus Depreciation Rates - 2008 Additions (blend of 95% of Bonus rate and 5% non-
 bonus rate): J S → J O L ♀ → P T T +
 J S ← L O L Yr1 J S ← J O L Yr2 J S ← | O L Yr3 J S ← - O L Yr4 J S ←
 • O L ♀ ← P T T +
 ↗ G DP 38100 J ↑ O
 Gas Meters L P L + P L P L + T O
 M P | L ; n P L P L + St\$? J S • O L ♀ P T T +
 ↗ CMP 39706 J !! O Gas Modules L P L + T O
 M P | L + T Q P L ; n P L P L + St\$? J S • O L ♀
 ↗ CMP 30304 J O T CIS Mainframe Comp SW ~
 M P J L V P L P L | L V P L P L - L O z ? J S • O L
 ↗ CMP-39104 J O + CIS Mainframe Comp HW ~
 M @ L P L J L / S - P L P L | L Y • I ? L P L - L
 ↗ CMP39708 J ← O ! Networks-thru Dec08 L P L + L P L
 M P | L + T Q P L ; n P L P L + St\$? J S • O L ♀
 M P T T +
 IB o X \$ 7 0

□ + " ♂	>All + + + [□ + ! ♂
+ % ♂	□ + # ♂	□ + \$ ♂
♂	□ + & ♂	□ + ' ♂
♂	□ +) ♂	□ + * ♂
♂	□ + , ♂	□ + - ♂
♂	□ + . ♂	□ + / ♂
	□ + 1 □	□ + 0 □
	□ + 2 □	
	□ + 3 □	
	□ + 4 □	
	□ + 5 □	
	□ + 6 □	
	□ + 7 □	
	□ + 8 □	
	□ + 9 □	
	□ + : □	
	□ + ; □	
	□ + < □	
	□ + = □	
	□ + > □	
	□ + ? □	
	□ + @ □	

Bonus Depreciation Rates - 2009
 Additions Yr1 Yr2 Yr3 Yr4
 " - # GDP 38100 #
 Gas
 Meters F%u # | + y• | ?L# # - + +
 ? ? # • \$ ↑ \$ # □ T · □ T "m+ - #
 1? +
 D#□ D# ← \$ CMP 39706 \$ Gas
 Modules \$ L + F%u \$ J mž { ?L# \$ | + y• | ?L# \$ - + +
 y? ? # \$ • \$ ↑ \$ □ T gV| T gV| - \$
 SW % L + z6 % Zd; % Zd; CIS Mainframe Comp
 L % • \$ ↑ % □ T * - T p • - %
 HW & L + N@ 0@ & CMP-39104 & CIS Mainframe Comp
 L ? & - H } ? & • \$ ↑ & □ T 撤 + L- &
 L %
 D&□ D& CMP39708 Networks-after Dec08~
 L R W! h □5 ?L# ' - + \$? L
 L • \$ ↑ ' □ T vxP
 H L? &
 D'□ D'
 - (□ T T

)	□	T	T
*	□	T	T
+	□	T	T
,	□	T	T
-	□	T	T
.	□	T	T
/	□	T	T
0	□	T	T
1	□	T	T
2	□	T	T
3	□	T	T
4	□	T	T
5	□	T	T
6	□	T	T
7	□	T	T
8	□	T	T
9	□	T	T
:	□	T	T
;	□	T	T
<	□	T	T
=	□	T	T
>	□	T	T
?	□	T	T
@	□	T	T
	ID	C	□
		h	
		+	A
			□
			+
			▀
			B
			□

A	□	T	T
B	□	T	T
C	□	T	T
D	□	T	T
E	□	T	T
F	□	T	T
G	□	T	T
H	□	T	T
I	□	T	T
J	□	T	T
K	□	T	T
L	□	T	T
M	□	T	T
N	□	T	T
O	□	T	T
P	□	T	T
Q	□	T	T
R	□	T	T
S	□	T	T
T	□	T	T
U	□	T	T
V	□	T	T
W	□	T	T
X	□	T	T
Y	□	T	T

Z	█	T	T
[█	T	T
\	█	T	T
]	█	T	T
^	█	T	T
-	█	T	T
-	█	T	T
ID	@	J	h █ █ █ █ a █
			b █
			c █
			d █
			e █
			f █
			g █
			h █
			i █
			j █
			k █
			l █
			m █
			n █
			o █
			p █
			q █
			r █
			s █
			t █
			u █
			v █
			w █
			x █
			y █
			z █
			{ █
			█
			} █
			█
a	█	T	T
b	█	T	T
c	█	T	T
d	█	T	T
e	█	T	T
f	█	T	T
g	█	T	T
h	█	T	T
i	█	T	T
j	█	T	T
k	█	T	T
l	█	T	T
m	█	T	T
n	█	T	T
o	█	T	T
p	█	T	T
q	█	T	T
r	█	T	T

Microsoft
Pacific Gas and Electric
Worksheets

A screenshot of the Microsoft Word ribbon interface. The ribbon tabs visible are 'File', 'Home', 'Insert', 'Page Layout', 'References', 'Mailings', 'Review', and 'View'. The 'View' tab is selected, showing its options like 'Large icons', 'Small icons', 'Icon only', and 'List'. The main document area shows a page with text and symbols, including 'K 2009 Qualified Adds', '2', 'Basel...', 'K to J', 'O•', 'Aøb', '(', and '@'. The status bar at the bottom indicates 'Microsoft Sans Serif' as the font and '11 pt' as the size.

The screenshot shows the Microsoft Character Map application. The title bar reads "Microsoft Sans Serif" and the font name "Microsoft Sans Serif". The character map displays a grid of characters, including letters, numbers, symbols, and special characters like accented letters and mathematical symbols. The keyboard layout is shown at the bottom, and the status bar indicates "K 2009 Qualified Adds" and "2". The application interface includes a toolbar with icons for "Icon Only", "Text Only", and "Symbol Only", and a menu bar with "File", "Edit", "Format", "View", "Help", and "Character Map".

