

From: Cooke, Michelle
Sent: 4/19/2011 10:11:14 AM
To: Horner, Trina (/O=PG&E/OU=CORPORATE/CN=RECIPIENTS/CN=TNHC)
Cc:
Bcc:
Subject: RE: 2000 foot proximity letters for PG&E

i've let them know

From: Horner, Trina [mailto:TNHc@pge.com]
Sent: Tue 4/19/2011 9:56 AM
To: Cooke, Michelle
Subject: RE: 2000 foot proximity letters for PG&E

Yes, Bill just got back this morning and told me he had mentioned it to Phil but the drafts were not yet ready when he spoke with him.

The "proximity" letters are not necessarily going in the mail today or tomorrow, which I just heard late yesterday. They want to be certain the QC has been done on this first critical set that is being sent to Peninsula area customers. I have asked to be notified when they are mailed and will confirm with you. Should I also confirm directly w/ Phil or Karen?

Trina

From: Cooke, Michelle [mailto:michelle.cooke@cpuc.ca.gov]
Sent: Tuesday, April 19, 2011 9:24 AM
To: Horner, Trina
Subject: FW: 2000 foot proximity letters for PG&E

Just fyi

From: Enis, Phillip
Sent: Tuesday, April 19, 2011 9:21 AM
To: Cooke, Michelle; Miller, Karen
Cc: McMahon, Loreen
Subject: RE: 2000 foot proximity letters for PG&E

Thanks Michelle-

Had heard from Bill Stock that it was going out but did not receive a copy. I would like to see a copy so CAB and PAO can be prepared for calls. Thanks

Phil-

From: Cooke, Michelle
Sent: Tuesday, April 19, 2011 7:48 AM
To: Enis, Phillip; Miller, Karen
Cc: McMahon, Loreen
Subject: 2000 foot proximity letters for PG&E

Phil/Karen- did PG&E share with you their draft letters to residents within 2000 feet of a gas transmission pipeline? Apparently Chris Johns promised Congresswoman Speier that they would notify residents throughout their service territory that they live near a pipeline. It is not a regulatory requirement they are fulfilling here, but this legislative promise. I have a copy, so if you haven't seen it, let me know, they are schedule to drop in the mail today or tomorrow.

Also, the letters for hydrotesting went in the mail yesterday.

Michelle Cooke

Interim Deputy Executive Director for Safety

415 703 2637

mlc@cpuc.ca.gov