

From: Clark, Richard W.

Sent: 4/22/2011 11:46:06 AM

To: Redacted

Cc: Campbell, Ben (NRD) (/O=PG&E/OU=CORPORATE/CN=RECIPIENTS/CN=BCC3); Livingston, Randy (/O=PG&E/OU=CORPORATE/CN=RECIPIENTS/CN=RSL3); Horner, Trina (/O=PG&E/OU=CORPORATE/CN=RECIPIENTS/CN=TNHC); San Bruno Gas Safety (SanBrunoGasSafety@cpuc.ca.gov); Stock, William (/O=PG&E/OU=CORPORATE/CN=RECIPIENTS/CN=WCS3)

Bcc:

Subject: RE: CPSD Briefing on initial hydro test procedure

Works for me.

Doesn't work for Julie - she's out all week.

Don't know if it works for Michelle - she'll need to answer that.

From: Redacted

Sent: Friday, April 22, 2011 11:40 AM

To: Clark, Richard

W.

Cc: San Bruno Gas Safety; Campbell, Ben (NRD); Horner, Trina; Livingston, Randy; Stock, William

Subject: RE: CPSD Briefing on initial hydro test procedure

Hi Richard,

Would 1:30pm to 2:30pm on the 29th of April work for you, Julie Halligan and Michelle Cooke?

Redacted

Regulatory Relations

Redacted

From: Clark, Richard W.
[mailto:richard.clark@cpuc.ca.gov]
Sent: Friday, April 22, 2011 11:33
AM

To: Livingston, Randy; Stock, William; Redacted

Redacted

Cc: San Bruno Gas Safety; Campbell, Ben (NRD); Horner, Trina

Subject: RE: CPSD Briefing on initial hydro test procedure

Needs to be either the 25th or the 29th. Julie's out all week and I'm in DC the 26th, 27th and 28th.

From: Livingston, Randy [mailto:RSL3@pge.com]
Sent: Friday, April 22, 2011 10:30 AM
To: Stock, William;

Redacted

Cc: San Bruno Gas Safety; Campbell, Ben (NRD); Horner, Trina

Subject: RE: CPSD Briefing on initial hydro test procedure

We should target April 27 or 28th in the afternoon.

From: Stock, William
Sent: Friday, April 22, 2011 9:47 AM
To: Redacted
Cc: 'SanBrunoGasSafety@cpuc.ca.gov'; Campbell, Ben (NRD); Livingston, Randy; Horner, Trina
Subject: CPSD Briefing on initial hydro test procedure

Redacted

Please set up a meeting with CPSD and Michelle Cooke to brief them on the procedure for the first hydro test. Randy Livingston, Ben Campbell and I will attend for PG&E.

Thank you.

Bill