

ATTACHMENT B

AMENDED APPENDICES B AND C

(Amended Appendices B and C consist of one DVD and six indices. The indices are attached while the DVD has been provided to the Commission's Docket Office.)

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-1	Utility Standard Practice (USP) 4, Record Retention and Disposal	10/01/2008	GTR0002419 - GTR0002423		04/25/2011
P2-2	Guide to Record Retention	09/23/2003	GTR0002424 - GTR0002477		04/25/2011
P2-3	Records Retention and Disposal Guidance for Transmission & Distribution Systems	04/16/2010	GTR0002478 - GTR0002521		04/25/2011
P2-4	GOV-7001S: Record Retention and Disposal Standard	10/01/2010	GTR0002522 - GTR0002540		04/25/2011
P2-5	Guidance Document Policy	04/08/2008	GTR0002541 - GTR0002542		04/25/2011
P2-6	GOV-2001S: Guidance Documents Standard	07/12/2010	GTR0002543 - GTR0002550		04/25/2011
P2-7	GOV-2001P-01: Guidance Document Development and Maintenance Procedure	07/12/2010	GTR0002551 - GTR0002562		04/25/2011
P2-8	GOV-2001P-02: Guidance Document Numbering Procedure	07/16/2010	GTR0002563 - GTR0002570		04/25/2011
P2-9	D-20: Oxy-Acetylene Weld Procedure	04/06/2009	GTR0002571 - GTR0002574		04/25/2011
P2-10	D-22: Arc Welding Procedure Requirement - All Stress Levels	04/29/2009	GTR0002575 - GTR0002589		04/25/2011
P2-11	D-23.1: Direct Deposition Welding	02/20/2009	GTR0002590 - GTR0002591		04/25/2011
P2-12	D-30.2: Arc Welder Qualification for Working on Pipelines That Operate at Over 20% of SMYS	04/08/2009	GTR0002592 - GTR0002596		04/25/2011
P2-13	D-30.2 Form FD-302-A: Arc Welder Qualification Test for Piping Systems Operating at Hoop Stresses of 20% or More of the Specified Minimum Yield Strength	04/00/2007	GTR0002597 - GTR0002597		04/25/2011
P2-14	D-30.4: Welder Qualification for In-Service Welding	04/14/2009	GTR0002598 - GTR0002601		04/25/2011
P2-15	D-40: Weld Inspection	02/23/2009	GTR0002602 - GTR0002604		04/25/2011
P2-16	D-40 Form 75-53: Nondestructive Testing of Welds on Facilities Designed to Operate at 20% or More of SMYS and Piping Systems Located on Bridges and Operating at a Pressure Exceeding 200 PSIG	11/00/2006	GTR0002605 - GTR0002606		04/25/2011
P2-17	D-31: Standard of Acceptability for Welding: Nondestructive and Destructive Testing	04/29/2009	GTR0002607 - GTR0002619		04/25/2011
P2-18	D-33: Radiographic Procedure: Double-Wall Panoramic Techniques - Butt Welded Pipe	02/23/2009	GTR0002620 - GTR0002630		04/25/2011
P2-19	O-16: Corrosion Control of Gas Facilities	03/27/2009	GTR0002631 - GTR0002650		04/25/2011
P2-20	O-16 Attachment B: Form FO-16-B, CPA Follow-Up Action Plan	01/00/2009	GTR0002651 - GTR0002653		04/25/2011
P2-21	O-16 Attachment C: Cathodic Protection Station Report	01/00/2009	GTR0002654 - GTR0002656		04/25/2011
P2-22	O-16 Attachment D: Standard Cathodic Protection Maintenance Report	01/00/2009	GTR0002657 - GTR0002660		04/25/2011
P2-23	O-16 Attachment E: Interference Test Form	01/00/2009	GTR0002661 - GTR0002663		04/25/2011
P2-24	O-16 Attachment F: Cathodic Protection Area Current Requirements Worksheet	01/00/2009	GTR0002664 - GTR0002674		04/25/2011
P2-25	O-16 Attachment G: Evaluation and Mitigation Plan for Internal Corrosion Assessment	08/00/2008	GTR0002675 - GTR0002675		04/25/2011
P2-26	O-16 Attachment H: Liquid Sampling Procedure LSP-2	09/00/2007	GTR0002676 - GTR0002680		04/25/2011
P2-27	O-10.2: Installation and Monitoring of Coupon Test Stations	10/30/2008	GTR0002681 - GTR0002684		04/25/2011
P2-28	O-10.2 Form FO-10.2-A: Annual Monitoring Readings for Active Coupon Test Stations	01/00/2009	GTR0002685 - GTR0002685		04/25/2011
P2-29	WP 4133-02: Cathodic Protection Area Assessment/Resurvey	10/00/2008	GTR0002686 - GTR0002694		04/25/2011
P2-30	WP 4133-02 Attachment 3: CPA Resurvey File Review Form	10/00/2008	GTR0002695 - GTR0002695		04/25/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-31	WP 4133-03: Test Procedures for Pipe Casing	11/00/2008	GTR0002696 - GTR0002703		04/25/2011
P2-32	WP 4133-03 Attachment 1: Casing Investigation Report Form – Field Data	11/00/2008	GTR0002704 - GTR0002704		04/25/2011
P2-33	WP 4133-03 Attachment 2: Casing Investigation Report Form	11/00/2008	GTR0002705 - GTR0002705		04/25/2011
P2-34	Bulletin 275: CPA restoration, CPA Follow-UP Plan Review and Approval Process	09/02/2009	GTR0002706 - GTR0002707		04/25/2011
P2-35	Bulletin 328: Gas Numbered Document O-16, Clarification of Requirements for Over Protection of Cathodically Protected Gas Pipelines	05/06/2010	GTR0002708 - GTR0002709		04/25/2011
P2-36	A-34: Piping Design and Test Requirements	12/09/2003	GTR0002710 - GTR0002735		04/25/2011
P2-37	62-4921: Gas Pipeline Facilities Strength Test Pressure Report	02/00/2004	GTR0002736 - GTR0002736		04/25/2011
P2-38	A-34: Appendix H: Emergency Pipe Test Information Form	06/00/2003	GTR0002737 - GTR0002737		04/25/2011
P2-39	A-34.1: General Requirements Work Reportable to California Public Utilities Commission	02/25/2010	GTR0002738 - GTR0002748		04/25/2011
P2-40	A-35: Design and Test Requirements to Assemblies and Equipment	12/03/2004	GTR0002749 - GTR0002751		04/25/2011
P2-41	A-37: Hydrostatic Testing Procedure	11/22/2004	GTR0002752 - GTR0002765		04/25/2011
P2-42	EG4124: Emergency Pre-Testing Transmission Pipe	01/01/1999	GTR0002766 - GTR0002771		04/25/2011
P2-43	TD-4125S: Maximum Allowable Operating Pressure Requirements for Gas Distribution Systems and Transmission and Gathering Lines	03/31/2010	GTR0002772 - GTR0002787		04/25/2011
P2-44	TD-4125P-02: Establishment and Documentation of MAOPs, MOPs and FDPs for Pipeline Operating at Greater Than 60 psig	03/31/2010	GTR0002788 - GTR0002794		04/25/2011
P2-45	TD-4125P-02 Attachment 1: MAOP Binder Requirements	03/31/2010	GTR0002795 - GTR0002795		04/25/2011
P2-46	TD-4125P-04: Revising the MOP, MAOP, of Pipelines Operating at Greater than 60 psig	03/31/2010	GTR0002796 - GTR0002803		04/25/2011
P2-47	TD-4125P-04 Attachment 1: Uprate Written Plan Requirements	03/31/2010	GTR0002804 - GTR0002809		04/25/2011
P2-48	TD-4125P-04 Attachment 2: Records Research Procedure	03/31/2010	GTR0002810 - GTR0002812		04/25/2011
P2-49	TD-4125P-04 Attachment 3: Pipeline Features List Template	03/31/2010	GTR0002813 - GTR0002816		04/25/2011
P2-50	TD-4125P-04 Attachment 4: Station Equipment List Template	03/31/2010	GTR0002817 - GTR0002817		04/25/2011
P2-51	TD-4125P-04-F01 Attachment 5: Approval to Revise MAOP/MOP Transmission and Gathering Lines, Rev. 0	03/31/2010	GTR0002818 - GTR0002819		04/25/2011
P2-52	TD-4125P-04-F02 Attachment 6: Typical Uprate Pressure Increase Report	03/31/2010	GTR0002820 - GTR0002821		04/25/2011
P2-53	TD-4125P-04-F03 Attachment 7: Engineering Review Checklist-Form	03/31/2010	GTR0002822 - GTR0002825		04/25/2011
P2-54	TD-4125P-04 Attachment 8: Post-MAOP Revision Documentation Check List	03/31/2010	GTR0002826 - GTR0002826		04/25/2011
P2-55	TD-4125P-06: Revising Setpoints of Overpressure Protection Devices	03/31/2010	GTR0002827 - GTR0002832		04/25/2011
P2-56	TD-4125P-06 Attachment 1: Request to Revise Setpoint on Overpressure Protection Device for Gas Transmission Lines	03/31/2010	GTR0002833 - GTR0002833		04/25/2011
P2-57	TD-4125P-07: Establishing Setpoints on Overpressure Protection Devices	03/31/2010	GTR0002834 - GTR0002842		04/25/2011
P2-58	TD-4125P-07 Attachment 1: Computing Pressure Increase Due to Hydraulic Head Effect	03/31/2010	GTR0002843 - GTR0002844		04/25/2011
P2-59	S4460: Operating Maps and Operating Diagrams	03/30/2004	GTR0002845 - GTR0002847		04/25/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-60	S4460 Attachment 1: Requirements and Procedures	03/30/2004	GTR0002848 - GTR0002849		04/25/2011
P2-61	S5458: Gas Service Record	08/19/2002	GTR0002850 - GTR0002851		04/25/2011
P2-62	S5458 Form F5458-1: Gas Service Record	08/19/2002	GTR0002852 - GTR0002852		04/25/2011
P2-63	RP 4460.1: Operating Maps and Operating Diagrams, Preparation of	01/01/1998	GTR0002853 - GTR0002855		04/25/2011
P2-64	Bulletin 319: Record Retention of Gas Transmission Repairs Other Than Pipe	01/15/2010	GTR0002856 - GTR0002857		04/25/2011
P2-65	S4110: Leak Survey and Repair of Gas Transmission and Distribution Facilities	09/27/2005	GTR0002858 - GTR0002862		04/25/2011
P2-66	S4110 Attachment 1: Leak Survey and Repair Procedures	12/21/2006	GTR0002863 - GTR0002889		04/25/2011
P2-67	S4110 Attachment 2: Form 62-0612 Daily Leak Survey Log	03/00/2008	GTR0002890 - GTR0002891		04/25/2011
P2-68	S4110 Attachment 3: IGIS Survey Leak Log (Sample)	09/27/2005	GTR0002892 - GTR0002892		04/25/2011
P2-69	S4110 Attachment 4: IGIS Recheck Leak Log (Sample)	09/27/2005	GTR0002893 - GTR0002893		04/25/2011
P2-70	S4110 Attachment 5: Form 62-4060, Leak Survey, Repair, Inspection, and Gas Quarterly Incident Report (Form A)	03/00/2011	GTR0002894 - GTR0002897		04/25/2011
P2-71	S4110 Attachment 6: Gas Incident Dig-in Report Addendum (Form A1)	03/00/2011	GTR0002898 - GTR0002899		04/25/2011
P2-72	S4110 Attachment 7: Leak Survey Repair, Inspection, and Gas Quarterly Incident Report - Form F4110-7	10/00/1999	GTR0002900 - GTR0002901		04/25/2011
P2-73	TD-4110P-09: Leak Grading and Response	08/25/2010	GTR0002902 - GTR0002917		04/25/2011
P2-74	WP 4110-05: Leak Survey Procedures for Gas Transmission	05/00/2009	GTR0002918 - GTR0002942		04/25/2011
P2-75	WP 4110-05 Attachment 1: Sample Sign-Off Sheet	05/00/2009	GTR0002943 - GTR0002943		04/25/2011
P2-76	WP 4110-05 Attachment 2: Sample Frequency Table	05/00/2009	GTR0002944 - GTR0002944		04/25/2011
P2-77	WP 4110-05 Attachment 3: Sample Overview Map	05/00/2009	GTR0002945 - GTR0002945		04/25/2011
P2-78	WP 4110-05 Attachment 4: Sample Aerial Plat	05/00/2009	GTR0002946 - GTR0002946		04/25/2011
P2-79	WP 4110-05 Attachment 5: Sample Reduced Gas Distribution Plat Map	05/00/2009	GTR0002947 - GTR0002947		04/25/2011
P2-80	WP 4110-05 Attachment 6: Calendar of Leak Survey Activities	05/00/2009	GTR0002948 - GTR0002949		04/25/2011
P2-81	WP 4110-12: Subsurface Leak Investigation	03/00/2009	GTR0002950 - GTR0002954		04/25/2011
P2-82	WP4110-12 Attachment 1: Gas Leak Grades	05/23/2008	GTR0002955 - GTR0002956		04/25/2011
P2-83	Bulletin 215: Leak Survey and Repair Documentation	04/05/2006	GTR0002957 - GTR0002958		04/25/2011
P2-84	Bulletin 247: Gas and Electric M&O Record Requirements	12/31/2007	GTR0002959 - GTR0002961		04/25/2011
P2-85	Bulletin 250: Supervisory Review of Leak Survey Documents	12/21/2007	GTR0002962 - GTR0002965		04/25/2011
P2-86	Bulletin 254: Gas Leak Survey Frequency Clarification	04/15/2008	GTR0002966 - GTR0002967		04/25/2011
P2-87	Bulletin 271: Leak Survey and Field Inspections Stamp	12/15/2009	GTR0002968 - GTR0002971		04/25/2011
P2-88	Bulletin 271 Attachment 1: Leak Survey Stamp Labels	12/15/2009	GTR0002972 - GTR0002972		04/25/2011
P2-89	Bulletin 271 Attachment 2: Leak Survey and Field Inspections Stamp Full Size	12/15/2009	GTR0002973 - GTR0002973		04/25/2011
P2-90	Bulletin 282: Leak Survey Instrument Documentation Clarification	03/16/2009	GTR0002974 - GTR0002975		04/25/2011
P2-91	Bulletin 289: Substation Special Leak Survey	06/01/2009	GTR0002976 - GTR0002978		04/25/2011
P2-92	Bulletin 320: Daily Leak Survey Log Retention	03/15/2010	GTR0002979 - GTR0002980		04/25/2011
P2-93	Bulletin 325: Changes to Gas Transmission Station Maintenance and Addition of Leak Survey Form	06/16/2010	GTR0002981 - GTR0002982		04/25/2011
P2-94	Bulletin 326: Rechecks of Graded Aboveground Gas Leaks	04/06/2010	GTR0002983 - GTR0002984		04/25/2011
P2-95	TD-4110B-003: Elimination of Leak Survey Map Highlighting	07/06/2010	GTR0002985 - GTR0002986		04/25/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-96	D-G0071: Follow-Up Leak Survey for Inaccessible Locations	02/11/2000	GTR0002987 - GTR0002993		04/25/2011
P2-97	D-S0353/S4112: Physical Inspection of Pipelines, Mains and Services	04/17/2000	GTR0002994 - GTR0002999		04/25/2011
P2-98	H-70: Pressure Relief Devices	04/15/2010	GTR0003000 - GTR0003002		04/25/2011
P2-99	H-70 Attachment A: Capacity Review of Relief Devices at Pressure Limiting and Regulating Stations	04/00/2010	GTR0003003 - GTR0003006		04/25/2011
P2-100	H-70 Attachment B: Capacity Review of Relief Devices at Compressor Stations	04/00/2010	GTR0003007 - GTR0003010		04/25/2011
P2-101	H-70 Attachment C: Capacity Review of Relief Devices at Gas Gathering Receipt Points	04/00/2010	GTR0003011 - GTR0003014		04/25/2011
P2-102	S4127: Class Location Determination, Compliance, and Maintenance	02/00/2000	GTR0003015 - GTR0003031		04/25/2011
P2-103	S4127 Form F4127: Report of New Construction Along Pipelines	12/01/1999	GTR0003032 - GTR0003033		04/25/2011
P2-104	S4411: Inspection of Underground Gas Holders	08/01/1998	GTR0003034 - GTR0003043		04/25/2011
P2-105	S4430: CGT Gas Facilities Requirements	10/01/1999	GTR0003044 - GTR0003047		04/25/2011
P2-106	S4433: Gas Pressure Relief Devices - Responsibility for Annual Inspection and Verification of Capacity	03/01/1998	GTR0003048 - GTR0003050		04/25/2011
P2-107	S4446: Vault Inspection Procedure	11/30/2005	GTR0003051 - GTR0003052		04/25/2011
P2-108	S4446 Attachment 1: Vault Inspection Procedural Details	11/30/2005	GTR0003053 - GTR0003054		04/25/2011
P2-109	S4446 Attachment 2: Vault Inspection Record Form F4446-2	11/00/2005	GTR0003055 - GTR0003055		04/25/2011
P2-110	S4540: Gas Pressure Regulation Maintenance Requirements	08/00/2009	GTR0003056 - GTR0003058		04/25/2011
P2-111	S456-1: Annual Storage Well Leak Surveys	10/17/1986	GTR0003059 - GTR0003070		04/25/2011
P2-112	TD-4430P-02: Gas Transmission Stations Inspection, Testing, and Maintenance Procedures	01/01/2010	GTR0003071 - GTR0003093		04/25/2011
P2-113	TD-4430P-02 Attachment 1: Technical Maintenance Equipment Card	01/01/2010	GTR0003094 - GTR0003095		04/25/2011
P2-114	TD-4430P-02 Attachment 2: Station Inspection Schedule	01/01/2010	GTR0003096 - GTR0003104		04/25/2011
P2-115	TD-4430P-02 Attachment 3: Station Monthly Routine - Sample Log	01/01/2010	GTR0003105 - GTR0003106		04/25/2011
P2-116	TD-4430P-02 Attachment 4: Gas Facilities Station Maintenance Report	06/22/2010	GTR0003107 - GTR0003116		04/25/2011
P2-117	TD-4430P-02 Attachment 5: Sample Gas Facilities Station Maintenance Report	01/01/2010	GTR0003117 - GTR0003118		04/25/2011
P2-118	TD-4430P-02 Attachment 6: Station Fire Protection Systems/Equipment Routine	06/21/2010	GTR0003119 - GTR0003123		04/25/2011
P2-119	TD-4430P-02 Attachment 7: Inspection of Piping for Atmospheric and External Corrosion at Transmission Station Facilities	01/01/2010	GTR0003124 - GTR0003128		04/25/2011
P2-120	TD-4430P-02 Attachment 8: Valve Actuator Maintenance Record	01/01/2010	GTR0003129 - GTR0003130		04/25/2011
P2-121	TD-4430P-02 Attachment 9: Self-Contained Regulator Valve Maintenance Record	01/01/2010	GTR0003131 - GTR0003132		04/25/2011
P2-122	TD-4430P-02 Attachment 10: Self-Contained Monitor Valve Maintenance Record	01/01/2010	GTR0003133 - GTR0003134		04/25/2011
P2-123	TD-4430P-02 Attachment 11: Self-Contained Relief Valve Maintenance Record	01/01/2010	GTR0003135 - GTR0003136		04/25/2011
P2-124	TD-4430P-02 Attachment 12: Package Regulator/Relief Valve Maintenance Record	01/01/2010	GTR0003137 - GTR0003137		04/25/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-125	TD-4430B-001: Establishing Alternate Means of Control (AMC) for Inoperable Valves	08/26/2010	GTR0003138 - GTR0003140		04/25/2011
P2-126	TD-4430B-001 Attachment 1: Alternate Means of Control Form	08/26/2010	GTR0003141 - GTR0003142		04/25/2011
P2-127	TD-4430B-001 Attachment 2: Alternate Means of Control Example	08/26/2010	GTR0003143 - GTR0003144		04/25/2011
P2-128	TD-4412P-07: Patrolling Pipelines and Mains	09/00/2009	GTR0003145 - GTR0003154		04/25/2011
P2-129	TD-4412P-07 Attachment 1: Pipeline Patrol Report	09/00/2009	GTR0003155 - GTR0003157		04/25/2011
P2-130	TD-4412P-07 Attachment 2: Exposed Piping and Spans	09/00/2009	GTR0003158 - GTR0003160		04/25/2011
P2-131	TD-4412P-07 Attachment 3: Landslide Area	09/00/2009	GTR0003161 - GTR0003162		04/25/2011
P2-132	TD-H-10B-001: HPR Atmospheric Corrosion Inspection Project	08/04/2010	GTR0003163 - GTR0003171		04/25/2011
P2-133	WP 4540-01: District Regulator Station Maintenance	08/00/2009	GTR0003172 - GTR0003186		04/25/2011
P2-134	WP 4540-01 Attachment 1: District Regulator Data Sheet	12/00/2009	GTR0003187 - GTR0003188		04/25/2011
P2-135	WP 4540-01 Attachment 2: District Regulator Station Maintenance Record	12/00/2009	GTR0003189 - GTR0003190		04/25/2011
P2-136	WP 4540-01 Attachment 3: District Regulator Station Maintenance Record (HPR Type)	12/00/2009	GTR0003191 - GTR0003192		04/25/2011
P2-137	WP 4540-01 Attachment 4: Set Point Limits for District Regulator Stations	08/00/2009	GTR0003193 - GTR0003194		04/25/2011
P2-138	WP 4540-01 Attachment 5: Establishing Pressure Set Points and Checking for Lock-up for Regulators and Monitors Using the Long Line/Short Line Technique	08/00/2009	GTR0003195 - GTR0003195		04/25/2011
P2-139	WP4430-04: Gas Valve Maintenance Requirements and Procedures (with attachments)	03/00/2009	GTR0003196 - GTR0003218		04/25/2011
P2-140	WP-4430P-04 Attachment 1: Valve Maintenance Record	05/13/2009	GTR0003219 - GTR0003224		04/25/2011
P2-141	WP-4430P-04 Attachment 4: Guidelines for Using Hydraulic Wrenches and Other High-Torque Devices on Gas Transmission and Distribution Valves	05/00/2008	GTR0003225 - GTR0003230		04/25/2011
P2-142	TD-4540P-04: Pilot Operated Regulator Station Maintenance (Outlet Pressures > 60 psig)	01/01/2010	GTR0003231 - GTR0003245		04/25/2011
P2-143	TD-4540P-04 Attachment 1: Pilot Operated Regulator Station Data Sheet	01/01/2010	GTR0003246 - GTR0003247		04/25/2011
P2-144	TD-4540P-04 Attachment 2: Pilot Operated Regulator Station Maintenance Record	01/01/2010	GTR0003248 - GTR0003249		04/25/2011
P2-145	TD-4540P-04 Attachment 3: Checking Lock-Up at Regulators and Monitors Using the Long/Short Line Technique	01/01/2010	GTR0003250 - GTR0003250		04/25/2011
P2-146	TD-4540B-001: Checking Lock-Up at Regulator Stations Whose Outlet Valves are Not Rated for the Upstream MAOP	06/30/2010	GTR0003251 - GTR0003253		04/25/2011
P2-147	Bulletin 187: Gas Transmission Pipelines with Elevated 3rd Party Threats	11/06/2006	GTR0003254 - GTR0003259		04/25/2011
P2-148	Bulletin 187 Attachment 1: Using MapGuide to Report Pipelines with Elevated 3rd Party Threats	00/00/2005	GTR0003260 - GTR0003261		04/25/2011
P2-149	S4450: Operator Qualification Program	04/05/2001	GTR0003262 - GTR0003271		04/25/2011
P2-150	RMP-01: Risk Management	10/09/2001	GTR0003272 - GTR0003289		04/25/2011
P2-151	RMP-02: External Corrosion Threat Algorithm	01/00/2001	GTR0003290 - GTR0003294		04/25/2011
P2-152	RMP-03: Third Party Threat Algorithm	11/00/2001	GTR0003295 - GTR0003302		04/25/2011
P2-153	RMP-04: Ground Movement Threat Algorithm	11/00/2001	GTR0003303 - GTR0003309		04/25/2011
P2-154	RMP-04 Attachment 1: Fault Crossings 2009	00/00/2009	GTR0003310 - GTR0003318		04/25/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-155	RMP-04 Attachment 2: Levee Crossings Delta 2009	00/00/2009	GTR0003319 - GTR0003321		04/25/2011
P2-156	RMP-04 Attachment 3: DistIM Natural Forces SME 2009 Final	10/13/2009	GTR0003322 - GTR0003369		04/25/2011
P2-157	RMP-05: Design/Materials Threat Algorithm	10/00/2001	GTR0003370 - GTR0003376		04/25/2011
P2-158	RMP 06: Risk Management Procedure Integrity Management Program	05/13/2010	GTR0003377 - GTR0003475		04/25/2011
P2-159	RMP-08: Identification, Location, and Documentation of High Consequence Areas	03/01/2004	GTR0003476 - GTR0003490		04/25/2011
P2-160	RMP-09: Procedure for External Corrosion Direct Assessment	08/22/2002	GTR0003491 - GTR0003694		04/25/2011
P2-161	RMP-10: Procedure for Dry Gas Internal Corrosion Direct Assessment	12/00/2009	GTR0003695 - GTR0003757		04/25/2011
P2-162	RMP-11: Procedure for In-Line Inspections	06/10/2008	GTR0003758 - GTR0003820		04/25/2011
P2-163	RMP-12: Pipeline Public Awareness Plan	00/00/2009	GTR0003821 - GTR0003843		04/25/2011
P2-164	RMP-13: Procedure for Stress Corrosion Cracking Direct Assessment	04/27/2006	GTR0003844 - GTR0003893		04/25/2011
P2-165	WP4330-02: Removal and Control of Liquids from Pipelines and Maintenance and Operation of Associated Gas Conditioning Equipment	03/01/2008	GTR0003894 - GTR0003903		04/25/2011
P2-166	62-4648: Pipeline Patrol and Work Report	12/01/2007	GTR0003904 - GTR0003904		04/25/2011
P2-167	62-3085a: Dehydrator Station Inspection Form Glycol Dehydrator	11/01/2007	GTR0003905 - GTR0003905		04/25/2011
P2-168	62-3085b: Dehydrator Station Inspection Form Dry Desiccant Dehydrator	12/01/2007	GTR0003906 - GTR0003906		04/25/2011
P2-169	WP4300-14: Therm Billing Procedures	05/00/2008	GTR0003907 - GTR0003916		04/25/2011
P2-170	WP4300-14 Form F4300-14-1: Btu Area Change Notification	10/00/2007	GTR0003917 - GTR0003917		04/25/2011
P2-171	WP4300-14 Form F4300-14-2: Btu Area Retirement Notification	10/00/2007	GTR0003918 - GTR0003918		04/25/2011
P2-172	WP4300-14 Form F4300-14-3: Btu Area Change Checklist	10/00/2007	GTR0003919 - GTR0003920		04/25/2011
P2-173	WP4300-14 Form F4300-14-4: Btu Area Retirement Checklist	10/00/2007	GTR0003921 - GTR0003922		04/25/2011
P2-174	TD-4350S: Odorization of Natural Gas	05/25/2010	GTR0003923 - GTR0003930		04/25/2011
P2-175	TD-4350S Attachment 1: Odor Intensity Test Schedule for Gas Transmission and Distribution Systems	05/25/2010	GTR0003931 - GTR0003931		04/25/2011
P2-176	62-4650: Monthly Odorization Report	02/01/2008	GTR0003932 - GTR0003933		04/25/2011
P2-177	62-3480: Odor Intensity Report Percent Gas-in-Air	08/01/2006	GTR0003934 - GTR0003934		04/25/2011
P2-178	S4431: Operation and Maintenance Instructions Requirements for Major Gas Facilities	10/01/1999	GTR0003935 - GTR0003953		04/25/2011
P2-179	S4241: Station Protection System Impairment Procedure	10/01/1999	GTR0003954 - GTR0003959		04/25/2011
P2-180	G14272: Selecting Instrument and Control Wires, and Tagging Wires, Cables, and Conduits for GT&D Facilities	06/28/2006	GTR0003960 - GTR0003961		04/25/2011
P2-181	G14272 Attachment 1: Selecting I&C Wire and Cable	06/28/2006	GTR0003962 - GTR0003964		04/25/2011
P2-182	G14272 Attachment 2: Tagging Conventions for I&C Wire, Cable, and Conduit	06/28/2006	GTR0003965 - GTR0003966		04/25/2011
P2-183	TD-4413S: Gas Event Reporting Requirements	08/11/2010	GTR0003967 - GTR0003976		04/25/2011
P2-184	TD-4413S Attachment 1: Event Notification Matrix	08/11/2010	GTR0003977 - GTR0003978		04/25/2011
P2-185	TD-4413P-01: Procedure for Reportable Gas Incidents	08/11/2010	GTR0003979 - GTR0003987		04/25/2011
P2-186	TD-4413P-01 Attachment 1: Gas Control - Gas Incident Procedure	08/11/2010	GTR0003988 - GTR0003988		04/25/2011
P2-187	TD-4413P-02: Procedure for Reporting Safety-Related Conditions and Low-Pressure System Problems	08/11/2010	GTR0003989 - GTR0003995		04/25/2011
P2-188	TD-4413P-02 Attachment 1: Safety-Related Condition Report	08/11/2010	GTR0003996 - GTR0003996		04/25/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-189	TD-4413P-02 Attachment 2: Low-Pressure System Problem Courtesy Notification	08/11/2010	GTR0003997 - GTR0003997		04/25/2011
P2-190	TD-4413P-03: Annual and Quarterly Reporting Requirements for Gas Incidents, Events, and Activities	08/11/2010	GTR0003998 - GTR0004003		04/25/2011
P2-191	Circular Letter Ex. 642: Federal Power Commission Regulations to Govern the Preservation of Records	05/17/1951	GTR0004109 - GTR0004110		5/6/2011 - Reproduced on 5/10/11
P2-192	Standard Practice (SP) 210.4-3, Retention of Records - General Office Departments	03/01/1959	GTR0004111 - GTR0004113		5/6/2011 - Reproduced on 5/10/11
P2-193	Standard Practice (SP) 210.4-4, Retention of Records - Divisions	08/01/1959	GTR0004114 - GTR0004115		5/6/2011 - Reproduced on 5/10/11
P2-194	Standard Practice (SP) 210.4-3, Retention of Records - General Office Departments	03/01/1961	GTR0004116 - GTR0004123		5/6/2011 - Reproduced on 5/10/11
P2-195	Retention Schedule for Records in the Divisions	09/01/1964	GTR0004124 - GTR0004149		5/6/2011 - Reproduced on 5/10/11
P2-196	Standard Practice (SP) 210.4-3, Retention and Destruction of Records - General Office Departments	07/01/1968	GTR0004150 - GTR0004154		5/6/2011 - Reproduced on 5/10/11
P2-197	Memorandum Re: General Office Vital Records, Protection and Storage of	10/30/1969	GTR0004155 - GTR0004155		5/6/2011 - Reproduced on 5/10/11
P2-198	Standard Practice (SP) 210.4-5, General Office Vital Records, Protection and Storage of	11/01/1969	GTR0004156 - GTR0004157		5/6/2011 - Reproduced on 5/10/11
P2-199	Standard Practice (SP) 210.4-3, Retention and Destruction of Records - General Office Departments	11/01/1976	GTR0004158 - GTR0004165		5/6/2011 - Reproduced on 5/10/11
P2-200	Standard Practice (SP) 210.4-4, Retention and Destruction of Records - Divisions	11/01/1976	GTR0004166 - GTR0004168		5/6/2011 - Reproduced on 5/10/11
P2-201	Memorandum Re: New Standard Practice 210.4-3, Retention of Records	01/03/1977	GTR0004169 - GTR0004171		5/6/2011 - Reproduced on 5/10/11
P2-202	Standard Practice (SP) 210.4-3, Retention and Destruction of Records - General Office Departments	08/01/1977	GTR0004172 - GTR0004178		5/6/2011 - Reproduced on 5/10/11
P2-203	Standard Practice 210.4-1, Records, Accounting Preservation of	10/01/1977	GTR0004179 - GTR0004183		5/6/2011 - Reproduced on 5/10/11
P2-204	Standard Practice (SP) 210.4-3, Retaining and Destroying Records - General Office Departments	06/01/1986	GTR0004184 - GTR0004209		5/6/2011 - Reproduced on 5/10/11
P2-205	Standard Practice (SP) 210.4-4, Retaining and Destroying Records - Operating Regions	06/01/1986	GTR0004210 - GTR0004227		5/6/2011 - Reproduced on 5/10/11
P2-206	Corporate Records - Statement of Policy	06/13/1989	GTR0004228 - GTR0004229		5/6/2011 - Reproduced on 5/10/11
P2-207	Memorandum to Department Heads re: Standard Practice 210.4	07/01/1991	GTR0004230 - GTR0004230		5/6/2011 - Reproduced on 5/10/11

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-208	Standard Practice (SP) 210.4-1, Preservation of Accounting Records	07/01/1991	GTR0004231 - GTR0004238		5/6/2011 - Reproduced on 5/10/11
P2-209	Standard Practice 210.4-2, Correspondence and Records of PG&E Subsidiary Companies	01/02/1993	GTR0004239 - GTR0004240		5/6/2011 - Reproduced on 5/10/11
P2-210	Standard Practice (SP) 210.4-4, Retaining and Destroying Records - Operating Regions	01/02/1993	GTR0004241 - GTR0004257		5/6/2011 - Reproduced on 5/10/11
P2-211	Standard Practice (SP) 210.4-3, Retaining and Destroying Records - All PG&E Departments and Subsidiaries	04/01/1994	GTR0004258 - GTR0004274		5/6/2011 - Reproduced on 5/10/11
P2-212	Guide to Retention of Company Documents	04/06/1994	GTR0004275 - GTR0004330		5/6/2011 - Reproduced on 5/10/11
P2-213	Memorandum Re: Records Retention, Revision of Standard Practice 210.4-3	04/06/1994	GTR0004331 - GTR0004331		5/6/2011 - Reproduced on 5/10/11
P2-214	Corporate Records Policy Statement	05/10/1996	GTR0004332 - GTR0004333		5/6/2011 - Reproduced on 5/10/11
P2-215	CSP 4: Corporate Standard Practice 4, Record Retention	07/01/1996	GTR0004334 - GTR0004338		5/6/2011 - Reproduced on 5/10/11
P2-216	USP 4: Utility Standard Practice (USP) 4, Record Retention and Disposal	10/22/1998	GTR0004339 - GTR0004343		5/6/2011 - Reproduced on 5/10/11
P2-217	Guide to Record Retention - Electric Supply	08/23/1999	GTR0004344 - GTR0004346		5/6/2011 - Reproduced on 5/10/11
P2-218	Guide to Record Retention - Gas Supply	08/23/1999	GTR0004347 - GTR0004348		5/6/2011 - Reproduced on 5/10/11
P2-219	Guide to Record Retention - Nuclear Power Generation	08/23/1999	GTR0004349 - GTR0004349		5/6/2011 - Reproduced on 5/10/11
P2-220	USP 4: Utility Standard Practice (USP) 4, Record Retention and Disposal	10/20/2000	GTR0004350 - GTR0004354		5/6/2011 - Reproduced on 5/10/11
P2-221	USP 4: Utility Standard Practice (USP) 4, Record Retention and Disposal	10/01/2002	GTR0004355 - GTR0004359		5/6/2011 - Reproduced on 5/10/11
P2-222	Guide to Record Retention - Distribution and Customer Services	07/25/2003	GTR0004360 - GTR0004370		5/6/2011 - Reproduced on 5/10/11
P2-223	USP 4: Utility Standard Practice (USP) 4, Record Retention and Disposal	10/01/2004	GTR0004371 - GTR0004375		5/6/2011 - Reproduced on 5/10/11
P2-224	Guide to Record Retention - Human Resources	02/25/2005	GTR0004376 - GTR0004377		5/6/2011 - Reproduced on 5/10/11
P2-225	Guide to Record Retention	03/14/2005	GTR0004378 - GTR0004432		5/6/2011 - Reproduced on 5/10/11
P2-226	USP 4: Utility Standard Practice (USP) 4, Record Retention and Disposal	10/01/2006	GTR0004433 - GTR0004437		5/6/2011 - Reproduced on 5/10/11

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-227	Guide to Record Retention	05/22/2008	GTR0004438 - GTR0004491		5/6/2011 - Reproduced on 5/10/11
P2-228	USP 4: Utility Standard Practice (USP) 4, Record Retention and Disposal	10/01/2008	GTR0004492 - GTR0004496		5/6/2011 - Reproduced on 5/10/11
P2-229	Guide to Record Retention - Environmental Affairs, Safety Health, Third Party Claims, and Workers' Compensation	10/28/2009	GTR0004497 - GTR0004508		5/6/2011 - Reproduced on 5/10/11
P2-230	Records Retention and Disposal Guidance for Transmission and Distribution Systems	04/16/2010	GTR0004509 - GTR0004536		5/6/2011 - Reproduced on 5/10/11
P2-231	Utility Standard Practice (USP) 4, Records Retention and Disposal Guidance for Shared Services	04/16/2010	GTR0004537 - GTR0004545		5/6/2011 - Reproduced on 5/10/11
P2-232	Accounting and General Record Retention	06/30/2010	GTR0004546 - GTR0004579		5/6/2011 - Reproduced on 5/10/11
P2-233	GOV-7001S: Record Retention and Disposal Standard	10/01/2010	GTR0004580 - GTR0004598		5/6/2011 - Reproduced on 5/10/11
N/A	Intentionally Left Blank	N/A	Intentionally Left Blank		5/6/2011 - Reproduced on 5/10/11
P2-235†	4010: Standardization Process - Creating and Revising Gas Supply Standards	11/01/1995	GTR0004599 - GTR0004611	GTR0004599.001	5/6/2011 - Reproduced on 5/10/11
P2-236	Style Guidelines for Gas Transmission Standards Documents	06/06/1997	GTR0004612 - GTR0004614		5/6/2011 - Reproduced on 5/10/11
P2-237	D-S0420: Procedure for Authorizing Distribution Standards, Guidelines, Bulletins, and Numbered Documents	01/01/1998	GTR0004615 - GTR0004619		5/6/2011 - Reproduced on 5/10/11
P2-238	4010: CGT Standards - Requirements and Procedures	02/01/2000	GTR0004620 - GTR0004632		5/6/2011 - Reproduced on 5/10/11
P2-239	S0500: Processes for Authorized Documents	12/01/2000	GTR0004633 - GTR0004648		5/6/2011 - Reproduced on 5/10/11
P2-240	S0500: Process for Authorized Documents	07/01/2004	GTR0004649 - GTR0004663		5/6/2011 - Reproduced on 5/10/11
P2-241	Memorandum Re: Standard Document Update Initiative - Process Exemption Approval	02/16/2007	GTR0004664 - GTR0004667		5/6/2011 - Reproduced on 5/10/11
P2-242	Guidance Document Policy	04/08/2008	GTR0004668 - GTR0004669		5/6/2011 - Reproduced on 5/10/11
P2-243	GOV-2001S: Guidance Documents Standard	07/12/2010	GTR0004670 - GTR0004677		5/6/2011 - Reproduced on 5/10/11
P2-244	GOV-2001P-01: Guidance Document Development and Maintenance Procedure	07/12/2010	GTR0004678 - GTR0004689		5/6/2011 - Reproduced on 5/10/11
P2-245	GOV-2001P-02: Guidance Document Numbering Procedure	07/16/2010	GTR0004690 - GTR0004697		5/6/2011 - Reproduced on 5/10/11

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-246	TD-4125P-01-F01 Attachment 1: Establishing MAOP	03/31/2010	GTR0004698 - GTR0004698		05/20/2011
P2-247	TD-4125P-01-F02 Attachment 2: Establishing MAOP By Leak Survey	03/31/2010	GTR0004699 - GTR0004699		05/20/2011
P2-248	TD-4125P-01-F03 Attachment 3: MAOP of Gas Systems	03/31/2010	GTR0004700 - GTR0004700		05/20/2011
P2-249	TD-4125P-03 Attachment 3: Facility Upgrading Record	03/31/2010	GTR0004701 - GTR0004701		05/20/2011
P2-250	322: Clarification for Gas Transmission Stations Maintenance and Replacement of Maintenance Forms	02/01/2010	GTR0004702 - GTR0004703		05/20/2011
P2-251	G14293: CGT Station Battery Maintenance and Testing	06/01/2005	GTR0004704 - GTR0004706		05/20/2011
P2-252	G14293 Attachment 1: Station Battery Maintenance and Testing Procedures	06/01/2005	GTR0004707 - GTR0004713		05/20/2011
P2-253	G14293 Attachment 2: CGT Battery Capacity Testing Procedure	06/01/2005	GTR0004714 - GTR0004717		05/20/2011
P2-254	G14293 Attachment 3: Form F14293-3 Battery Maintenance Log Sheet	06/01/2005	GTR0004718 - GTR0004719		05/20/2011
P2-255	G14293 Attachment 4: List of Station Batteries and Testing Intervals	06/01/2005	GTR0004720 - GTR0004721		05/20/2011
P2-256	G14293 Attachment 5: Battery Discharge Test Parameters	06/01/2005	GTR0004722 - GTR0004723		05/20/2011
P2-257	G14293 Attachment 6: Sample Battery Database Input Form	06/01/2005	GTR0004724 - GTR0004724		05/20/2011
P2-258	310: Replace District Regulator Station Maintenance Forms	12/03/2009	GTR0004725 - GTR0004725		05/20/2011
P2-259	WP4540-01 Attachment 1: Form 62-6271 District Regulator Data Sheet	12/01/2009	GTR0004726 - GTR0004727		05/20/2011
P2-260	WP4540-01 Attachment 2: Form 62-6321 District Regulator Station Maintenance Record	12/01/2009	GTR0004728 - GTR0004729		05/20/2011
P2-261	WP4540-01 Attachment 3: Form 62-6321A District Regulator Station Maintenance Record (HPR Type)	12/01/2009	GTR0004730 - GTR0004731		05/20/2011
P2-262	321: Cancellation of Gas T&D Information Bulletin 317 Use of SAP "Work Ticket" to Record Pipe-to-Soil and Rectifier Measurements	01/31/2010	GTR0004732 - GTR0004732		05/20/2011
P2-263	104: Inspection for Stress Corrosion Cracking	01/14/1998	GTR0004733 - GTR0004734		05/20/2011
P2-264	FO-11.1-A: Rectifier Test and Site Evaluation Form	01/00/2009	GTR0004735 - GTR0004737		05/20/2011
P2-265	FO-11.1-B : Underground Rectifier Test and Site Evaluation Form	01/01/2009	GTR0004738 - GTR0004740		05/20/2011
P2-266	TD-H-10B-001 Attachment 1: Supplemental Information for Performing AC Inspection of HPR-Type Stations, Rev. 1	08/04/2010	GTR0004741 - GTR0004756		05/20/2011
P2-267	304: Reading Coupon Test Stations	10/09/2009	GTR0004757 - GTR0004757		05/20/2011
P2-268	304: Reading Coupon Test Stations - Job Aid	10/09/2009	GTR0004758 - GTR0004762		05/20/2011
P2-269	S4134: Selection of Steel Gas Pipeline Repair Methods	06/01/2003	GTR0004763 - GTR0004768		05/20/2011
P2-270	S4134 Attachment 1: Procedures for Repair of Steel Gas Pipelines	01/08/2004	GTR0004769 - GTR0004788		05/20/2011
P2-271	S4134 Attachment 2: Calculation to Determine the Estimated Maximum Strain in a Dent	06/04/2003	GTR0004789 - GTR0004790		05/20/2011
P2-272	285 Rev. 1: Inside Odor Investigation	05/14/2010	GTR0004791 - GTR0004794		05/20/2011
P2-273	Integrated Gas Information System (IGIS) User Guide	11/01/2002	GTR0004795 - GTR0004913		05/20/2011
P2-274	WP4710-01: Gas Pipeline Leak Response Procedures	03/01/2008	GTR0004914 - GTR0004919		05/20/2011
P2-275	245 Rev. 1: Change in Grade 1 Gas Leak Grading Criteria	03/01/2009	GTR0004920 - GTR0004922		05/20/2011
P2-276	TD-4430P-02 Attachment 13: Gas Transmission Stations Leak Survey Report	04/00/2010	GTR0004923 - GTR0004924		05/20/2011
P2-277	WP6434P-01 Rev. 2: Gas Leak and Odor Investigation	06/01/2009	GTR0004925 - GTR0004943		05/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-278	Report of Gas Leak or Interruption, CPUC File No. 420	03/17/2003	GTR0004944 - GTR0004945		05/20/2011
P2-279	271 Rev. 2 Attachment 2: Leak Survey and Field Inspections Stamp Full Size	12/15/2009	GTR0004946 - GTR0004946		05/20/2011
P2-280	271 Rev. 2 Attachment 1: Leak Survey and Field Inspections Stamp Labels	12/15/2009	GTR0004947 - GTR0004947		05/20/2011
P2-281	252 Rev. 2: Leak Survey During and After Rain and Excessive Wind	09/22/2009	GTR0004948 - GTR0004949		05/20/2011
P2-282	F-21.1: Material Specification for Caron Steel Ball Valves	09/16/2010	GTR0004950 - GTR0004975		05/20/2011
P2-283	F-21.1-F01: Buried Ball Valve Description (for SAP Ordering)	09/01/2010	GTR0004976 - GTR0004976		05/20/2011
P2-284	F-21.1-F02: Valve Inspection Checklist	09/16/2010	GTR0004977 - GTR0004979		05/20/2011
P2-285	WP4430-04 Attachment 3: Buried Valve Identification	05/01/2008	GTR0004980 - GTR0004980		05/20/2011
P2-286	WP4412-03: Marking and Locating PG&E Underground Facilities	08/00/2009	GTR0004981 - GTR0004991		05/20/2011
P2-287	WP4412-03: Marking and Locating PG&E Underground Facilities, Attachment 1	08/00/2009	GTR0004992 - GTR0004993		05/20/2011
P2-288	D-30: Welder Qualification for Under 20% of SMYS	03/26/2009	GTR0004994 - GTR0004999		05/20/2011
P2-289	FD-30-A: Arc Weld Test Report	07/01/2008	GTR0005000 - GTR0005000		05/20/2011
P2-290	FD-30-B: Oxyacetylene Weld Test Report	07/01/2008	GTR0005001 - GTR0005001		05/20/2011
P2-291	62-4648: Pipeline Patrol and Work Report	12/00/2007	GTR0005002 - GTR0005002		05/20/2011
P2-292	RMI-04: Gas Transmission Earthquake Plan and Response Procedure	10/19/2006	GTR0005003 - GTR0005016		05/20/2011
P2-293	RMI-04A: Gas Transmission Rainfall Plan and Response Instruction	06/02/2009	GTR0005017 - GTR0005024		05/20/2011
P2-294	187, Rev. 1: Gas Transmission Pipelines with Elevated 3rd Party Threats	11/06/2006	GTR0005025 - GTR0005030		05/20/2011
P2-295	WP4412-04: Field Meets and Standby - Damage Prevention	08/00/2009	GTR0005031 - GTR0005038		05/20/2011
P2-296	WP4412-05: Excavation Procedures for Damage Prevention	08/00/2009	GTR0005039 - GTR0005048		05/20/2011
P2-297	316: Regulatory Advisory Bulletin and Proposed Rulemaking Tracking Process	12/14/2009	GTR0005049 - GTR0005052		05/20/2011
P2-298	3.11: UO Compliance Program	05/01/2003	GTR0005053 - GTR0005059		05/20/2011
P2-299	Backbone Gas Transmission Maintenance Compliance Plan	09/01/2005	GTR0005060 - GTR0005095		05/20/2011
P2-300	73: Gas Supply Management Communication Guidelines for Gas Transmission Incidents	07/27/1994	GTR0005096 - GTR0005096		05/20/2011
P2-301	WP1465-02: Gas Event and Near Hit Reporting	05/01/2008	GTR0005097 - GTR0005105		05/20/2011
P2-302	WP1465-02 Attachment 1: Event or Near Hit Reporting Flow Chart	05/01/2008	GTR0005106 - GTR0005106		05/20/2011
P2-303	WP1465-02 Attachment 2: Report Form - Elements Explained	05/01/2008	GTR0005107 - GTR0005109		05/20/2011
P2-304	WP6436-15: California Public Utilities Commission (CPUC) Reportable Gas Incidents	10/01/2006	GTR0005110 - GTR0005113		05/20/2011
P2-305	Gas Reportable Incident Requirements - Brentwood	11/01/2002	GTR0005114 - GTR0005114		05/20/2011
P2-306	Gas Reportable Incident Requirements - San Jose	11/01/2002	GTR0005115 - GTR0005115		05/20/2011
P2-307	RSPA F7100.1: Incident Report Gas Distribution System DOT	03/01/1984	GTR0005116 - GTR0005117		05/20/2011
P2-308	RSPA F7100.2: Incident Report Gas Transmission and Gathering Systems DOT Form	09/00/2002	GTR0005118 - GTR0005121		05/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-309	A-36: Design and Construction Requirements Gas Lines and Related Facilities	10/01/1992	GTR0005122 - GTR0005128		05/20/2011
P2-310	WP4900: Gas Transmission and Distribution Design Change Procedure	07/01/2007	GTR0005129 - GTR0005131		05/20/2011
P2-311	F4900-1: Design Change Notice	07/01/2007	GTR0005132 - GTR0005132		05/20/2011
P2-312	G14281: Procedure for Revising Application Software for Microprocessor-Based Controls	05/01/2006	GTR0005133 - GTR0005135		05/20/2011
P2-313	G14281 Attachment 1: Responsibilities, Procedures, and Software Distribution	05/01/2006	GTR0005136 - GTR0005138		05/20/2011
P2-314	WP4100-10: Gas Clearance Procedures for Facilities Operating Over 60 PSIG	08/01/2009	GTR0005139 - GTR0005159		05/20/2011
P2-315	F4100-10-4 Attachment 4: Application for Gas Clearance	08/01/2009	GTR0005160 - GTR0005165		05/20/2011
P2-316	F4100-10-5 Attachment 5: Gas Clearance Quality Assurance Process Quarterly List	08/01/2009	GTR0005166 - GTR0005180		05/20/2011
P2-317	Pacific Gas & Electric Gas Emergency Plan	06/16/1999	GTR0005181 - GTR0005181		05/20/2011
P2-318	WP4350-02: Bulk Odorant Deliveries, Maintenance and Operating Procedures	02/01/2008	GTR0005182 - GTR0005187		05/20/2011
P2-319	Bulk Odorant Delivery Emergency Contacts	02/01/2008	GTR0005188 - GTR0005188		05/20/2011
P2-320	WP4100-11: Deactivation and/or Retirement of Underground Gas Facilities	10/00/2008	GTR0005189 - GTR0005201		05/20/2011
P2-321	4461.1: Engineering Drawing Signature Requirements	05/01/1998	GTR0005202 - GTR0005205		05/20/2011
P2-322	4460.1: Preparation of Operating Maps and Diagram	01/01/1998	GTR0005206 - GTR0005208		05/20/2011
P2-323	D-S0457: Gas Mapping Standard, 1" = 100 Plat Sheets	04/01/1999	GTR0005209 - GTR0005292		05/20/2011
P2-324	05-01: Map Correction Tracking Process	06/07/2006	GTR0005293 - GTR0005295		05/20/2011
P2-325	D-S0457: Gas Mapping Standard, 1" = 100 Plat Sheets	04/01/1999	GTR0005296 - GTR0005297		05/20/2011
P2-326	CGT Construction As-Built and Pressure Report Checklist	03/01/2003	GTR0005298 - GTR0005298		05/20/2011
P2-327	40664: Map Correction Transmittal Form	02/01/2010	GTR0005299 - GTR0005299		05/20/2011
P2-328	Patrol/Inspection Map Correction Form	01/24/2007	GTR0005300 - GTR0005301		05/20/2011
P2-329	S4000: Gas Standards Documentation Requirements	02/00/2009	GTR0005302 - GTR0005305		05/20/2011
P2-330	TD-4001P-01: Gas Document Development and Update Process	02/01/2010	GTR0005306 - GTR0005313		05/20/2011
P2-331	TD-4001P-02: Procedures for Reviewing, Updating, and Tracking Gas Documentation	08/11/2010	GTR0005314 - GTR0005323		05/20/2011
P2-332	TD-4001P-03: Gas Technical Team Procedures	02/01/2010	GTR0005324 - GTR0005328		05/20/2011
P2-333	TD-4001P-03 Attachment 2: Gas Technical Team Issues Log	02/01/2010	GTR0005329 - GTR0005330		05/20/2011
P2-334	TD-4001P-04: New Gas Product Approval	11/00/2009	GTR0005331 - GTR0005335		05/20/2011
P2-335	TD-4001P-04 Attachment 2: GasT&D New Product Approval Checklist	11/00/2009	GTR0005336 - GTR0005341		05/20/2011
P2-336	Notification of Cancellation of UO Document	03/29/2002	GTR0005342 - GTR0005342		05/20/2011
P2-337	T&D Authorized Document Development Process Stakeholder Review Checklist	12/18/2001	GTR0005343 - GTR0005347		05/20/2011
P2-338	S2333: Material Problem Reporting (MPR)	11/00/2003	GTR0005348 - GTR0005351		05/20/2011
P2-339	1510: Material Problem Report	00/00/2003	GTR0005352 - GTR0005352		05/20/2011
P2-340	2009-28: Defective Applicant Installed Equipment	09/01/2009	GTR0005353 - GTR0005354		05/20/2011
P2-341	D-S0205: Replacement of Deteriorated or Damaged Facilities	06/01/1996	GTR0005355 - GTR0005357		05/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-342	RMP-01: Risk Management, Rev. 0	11/13/2001	GTR0005358 - GTR0005370		05/20/2011
P2-343	RMP-01: Risk Management, Rev. 1	01/08/2003	GTR0005371 - GTR0005384		05/20/2011
P2-344	RMP-01: Risk Management, Rev. 2	06/29/2004	GTR0005385 - GTR0005398		05/20/2011
P2-345	RMP-01: Risk Management, Rev. 3	11/16/2004	GTR0005399 - GTR0005412		05/20/2011
P2-346	RMP-01: Risk Management, Rev. 4	06/09/2005	GTR0005413 - GTR0005426		05/20/2011
P2-347	RMP-01: Risk Management, Rev. 5	10/31/2005	GTR0005427 - GTR0005444		05/20/2011
P2-348	RMP-02: External Corrosion Threat Algorithm, Rev. 0	11/26/2001	GTR0005445 - GTR0005450		05/20/2011
P2-349	RMP-02: External Corrosion Threat Algorithm, Rev. 1	01/08/2003	GTR0005451 - GTR0005457		05/20/2011
P2-350	RMP-02: External Corrosion Threat Algorithm, Rev. 2	06/13/2005	GTR0005458 - GTR0005466		05/20/2011
P2-351	RMP-02: External Corrosion Threat Algorithm, Rev. 3	10/27/2005	GTR0005467 - GTR0005476		05/20/2011
P2-352	RMP-02: External Corrosion Threat Algorithm, Rev. 4	07/12/2006	GTR0005477 - GTR0005486		05/20/2011
P2-353	RMP-02: External Corrosion Threat Algorithm, Rev. 5	01/14/2010	GTR0005487 - GTR0005498		05/20/2011
P2-354	RMP-03: Third Party Threat Algorithm, Rev. 0	11/13/2001	GTR0005499 - GTR0005503		05/20/2011
P2-355	RMP-03: Third Party Threat Algorithm, Rev. 1	03/14/2003	GTR0005504 - GTR0005509		05/20/2011
P2-356	RMP-03: Third Party Threat Algorithm, Rev. 2	06/13/2005	GTR0005510 - GTR0005515		05/20/2011
P2-357	RMP-03: Third Party Threat Algorithm, Rev. 3	10/28/2005	GTR0005516 - GTR0005522		05/20/2011
P2-358	RMP-03: Third Party Threat Algorithm, Rev. 4	12/15/2008	GTR0005523 - GTR0005531		05/20/2011
P2-359	RMP-03: Third Party Threat Algorithm, Rev. 5	12/28/2009	GTR0005532 - GTR0005543		05/20/2011
P2-360	RMP-04: Ground Movement Threat Algorithm, Rev. 0	11/26/2001	GTR0005544 - GTR0005548		05/20/2011
P2-361	RMP-04: Ground Movement Threat Algorithm, Rev. 1	06/11/2004	GTR0005549 - GTR0005554		05/20/2011
P2-362	RMP-04: Ground Movement Threat Algorithm, Rev. 2	10/28/2005	GTR0005555 - GTR0005561		05/20/2011
P2-363	RMP-04: Ground Movement Threat Algorithm, Rev. 3	03/05/2007	GTR0005562 - GTR0005568		05/20/2011
P2-364	RMP-04: Ground Movement Threat Algorithm, Rev. 4	12/27/2008	GTR0005569 - GTR0005576		05/20/2011
P2-365	RMP-04: Ground Movement Threat Algorithm, Rev. 5	10/09/2009	GTR0005577 - GTR0005592		05/20/2011
P2-366	RMP-05: Design/Materials Threat Algorithm, Rev. 0	11/13/2001	GTR0005593 - GTR0005597		05/20/2011
P2-367	RMP-05: Design/Materials Threat Algorithm, Rev. 1	11/25/2003	GTR0005598 - GTR0005602		05/20/2011
P2-368	RMP-05: Design/Materials Threat Algorithm, Rev. 2	09/28/2005	GTR0005603 - GTR0005607		05/20/2011
P2-369	RMP-05: Design/Materials Threat Algorithm, Rev. 3	10/28/2005	GTR0005608 - GTR0005614		05/20/2011
P2-370	RMP-05: Design/Materials Threat Algorithm, Rev. 4	10/28/2009	GTR0005615 - GTR0005624		05/20/2011
P2-371	RMP-06: Gas Transmission Integrity Management Program, Rev. 0	12/09/2004	GTR0005625 - GTR0005716		05/20/2011
P2-372	RMP-06: Gas Transmission Integrity Management Program, Rev. 1	10/14/2005	GTR0005717 - GTR0005817		05/20/2011
P2-373	RMP-06: Gas Transmission Integrity Management Program, Rev. 2	01/25/2007	GTR0005818 - GTR0005925		05/20/2011
P2-374	RMP-06: Gas Transmission Integrity Management Program, Rev. 3	12/30/2008	GTR0005926 - GTR0006031		05/20/2011
P2-375	RMP-06: Gas Transmission Integrity Management Program, Rev. 4	01/26/2010	GTR0006032 - GTR0006130		05/20/2011
P2-376	RMP-06: Gas Transmission Integrity Management Program, Rev. 5	05/13/2010	GTR0006131 - GTR0006229		05/20/2011
P2-377	RMP-08: Identification, Location, and Documentation of High Consequence Areas (HCAs), Rev. 0	03/01/2004	GTR0006230 - GTR0006237		05/20/2011
P2-378	RMP-08: Identification, Location, and Documentation of High Consequence Areas (HCAs), Rev. 1	09/04/2011	GTR0006238 - GTR0006248		05/20/2011
P2-379	RMP-08: Identification, Location, and Documentation of High Consequence Areas (HCAs), Rev. 2	01/28/2005	GTR0006249 - GTR0006259		05/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-380	RMP-08: Identification, Location, and Documentation of High Consequence Areas (HCAs), Rev. 3	09/28/2005	GTR0006260 - GTR0006270		05/20/2011
P2-381	RMP-08: Identification, Location, and Documentation of High Consequence Areas (HCAs), Rev. 4	10/28/2005	GTR0006271 - GTR0006283		05/20/2011
P2-382	RMP-08: Identification, Location, and Documentation of High Consequence Areas (HCAs), Rev. 5	09/12/2007	GTR0006284 - GTR0006296		05/20/2011
P2-383	RMP-08: Identification, Location, and Documentation of High Consequence Areas (HCAs), Rev. 6	12/27/2009	GTR0006297 - GTR0006312		05/20/2011
P2-384	RMP-08: Identification, Location, and Documentation of High Consequence Areas (HCAs), Rev. 7	12/03/2009	GTR0006313 - GTR0006327		05/20/2011
P2-385	RMP-09: Procedures for External Corrosion Direct Assessment, Rev. 3	01/20/2004	GTR0006328 - GTR0006395		05/20/2011
P2-386	RMP-09: Procedures for External Corrosion Direct Assessment, Rev. 4	07/20/2005	GTR0006396 - GTR0006494		05/20/2011
P2-387	RMP-09: Procedures for External Corrosion Direct Assessment, Rev. 5	10/31/2005	GTR0006495 - GTR0006607		05/20/2011
P2-388	RMP-09: Procedures for External Corrosion Direct Assessment, Rev. 6	12/27/2007	GTR0006608 - GTR0006742		05/20/2011
P2-389	RMP-09: Procedures for External Corrosion Direct Assessment, Rev. 7	12/18/2009	GTR0006743 - GTR0006945		05/20/2011
P2-390	RMP-10: Procedure for Dry Gas Internal Corrosion Direct Assessment, Rev. 0	04/05/2010	GTR0006946 - GTR0007008		05/20/2011
P2-391	RMP-11: Procedure for In-Line Inspections, Rev. 0	07/01/2004	GTR0007009 - GTR0007058		05/20/2011
P2-392	RMP-11: Procedure for In-Line Inspections, Rev. 1	10/13/2005	GTR0007059 - GTR0007116		05/20/2011
P2-393	RMP-11: Procedure for In-Line Inspections, Rev. 2	06/10/2008	GTR0007117 - GTR0007179		05/20/2011
P2-394	RMP-12: Pipeline Public Awareness Plan, Rev. 0	05/31/2006	GTR0007180 - GTR0007199		05/20/2011
P2-395	RMP-12: Pipeline Public Awareness Plan, Rev. 1	10/03/2006	GTR0007200 - GTR0007218		05/20/2011
P2-396	RMP-12: Pipeline Public Awareness Plan, Rev. 2	10/05/2006	GTR0007219 - GTR0007238		05/20/2011
P2-397	RMP-12: Pipeline Public Awareness Plan, Rev. 4	07/18/2008	GTR0007239 - GTR0007261		05/20/2011
P2-398	RMP-12: Pipeline Public Awareness Plan, Rev. 5	01/26/2010	GTR0007262 - GTR0007284		05/20/2011
P2-399	RMP-13: Procedure for Stress Corrosion Cracking Direct Assessment, Rev. 0	01/02/2007	GTR0007285 - GTR0007334		05/20/2011
P2-400	Pipeline Survey Manual #6	08/26/1986	GTR0007335 - GTR0007483		06/03/2011
P2-401	SP 805: Lubrication of PLUG Valves on Gas Transmission and Distribution Systems	09/05/1961	GTR0007484 - GTR0007487		06/03/2011
P2-402	F-11: Gas Standard Valve Lubrication Requirements, Rev. 1	11/14/1967	GTR0007488 - GTR0007491		06/03/2011
P2-403	F-11: Lubrication of Plug Valves on Gas Transmission and Distribution Systems, Rev. 2	02/23/1972	GTR0007492 - GTR0007495		06/03/2011
P2-404	F-11: Lubrication and Maintenance Requirements	12/15/1977	GTR0007496 - GTR0007501		06/03/2011
P2-405	F-11: Valve data sheet - Lubrication and Maintenance Requirements, Rev. 0, 2, 3	09/03/1975	GTR0007502 - GTR0007522		06/03/2011
P2-406	D 086389: Valve Lubrication and Maintenance Requirements, Rev. 1 and 4	09/27/1982	GTR0007523 - GTR0007532		06/03/2011
P2-407	F-11: Valve Lubrication and Maintenance Requirements, Rev. 5	09/01/1983	GTR0007533 - GTR0007533		06/03/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-408	F-11: Lubrication and Maintenance Requirements, Rev. 6	03/02/1984	GTR0007534 - GTR0007535		06/03/2011
P2-409	F-11: Valve Lubrication and Maintenance Requirements, Rev. 7	08/23/1985	GTR0007536 - GTR0007539		06/03/2011
P2-410	F-11: Valve Lubrication and Maintenance Requirements, Rev. 8	01/09/1986	GTR0007540 - GTR0007550		06/03/2011
P2-411	F-11: Lubrication and Maintenance Requirements, Rev. 9	08/26/1988	GTR0007551 - GTR0007565		06/03/2011
P2-412	F-11: Valve Lubrication and Maintenance Requirements, Rev. 10	02/27/1990	GTR0007566 - GTR0007586		06/03/2011
P2-413	F-11: Valve Lubrication and Maintenance Requirements, Rev. 11	09/20/1991	GTR0007587 - GTR0007602		06/03/2011
P2-414	F-11: Valve Lubrication and Maintenance Requirements	01/14/1994	GTR0007603 - GTR0007611		06/03/2011
P2-415	F-11: Valve Lubrication and Maintenance Requirements (with attachments)	10/19/1999	GTR0007612 - GTR0007625		06/03/2011
P2-416	137: Valve Classification	02/01/2001	GTR0007626 - GTR0007629		06/03/2011
P2-417	S4220: Gas Valve Maintenance Requirements (with attachments)	05/00/2003	GTR0007630 - GTR0007668		06/03/2011
P2-418	WP4430-04: Gas Valve Maintenance Requirements	05/00/2003	GTR0007669 - GTR0007672		06/03/2011
P2-419	WP4430-04: Gas Valve Maintenance Requirements and Procedures	05/00/2008	GTR0007673 - GTR0007696		06/03/2011
P2-420	F4430-04-1: Attachment 1 - Valve Maintenance Record Instructions and Valve Maintenance Record	05/00/2008	GTR0007697 - GTR0007701		06/03/2011
P2-421	F4430-04-01: Valve Maintenance Record Instructions	12/00/2008	GTR0007702 - GTR0007711		06/03/2011
P2-422	F4430-04-1: Valve Maintenance Record Instructions and Valve Maintenance Record	01/00/2009	GTR0007712 - GTR0007717		06/03/2011
P2-423	F4430-04-1: Attachment 1 - Valve Maintenance Record Instructions and Valve Maintenance Record	03/00/2009	GTR0007718 - GTR0007722		06/03/2011
P2-424	WP4430-04: Gas Valve Maintenance Requirements and Procedures (with attachments)	03/00/2009	GTR0007723 - GTR0007745		06/03/2011
P2-425	WP-4430P-04 Attachment 1: Valve Maintenance Record	05/13/2009	GTR0007746 - GTR0007751		06/03/2011
P2-426	WP-4430P-04 Attachment 4: Guidelines for Using Hydraulic Wrenches and Other High-Torque Devices on Gas Transmission and Distribution Valves	05/00/2008	GTR0007752 - GTR0007757		06/03/2011
P2-427	TD-4430B-001: Establishing Alternate Means of Control (AMC) for Inoperable Valves	08/26/2010	GTR0007758 - GTR0007760		06/03/2011
P2-428	TD-4430B-001 Attachment 1: Alternate Means of Control Form	08/26/2010	GTR0007761 - GTR0007762		06/03/2011
P2-429	TD-4430B-001 Attachment 2: Alternate Means of Control Example	08/26/2010	GTR0007763 - GTR0007764		06/03/2011
P2-430	851.5: Pipeline Patrolling (with attachments)	09/01/1956	GTR0007765 - GTR0007769		06/03/2011
P2-431	SP403-2: Request for Information Concerning the Location of Underground Facilities	09/01/1956	GTR0007770 - GTR0007773		06/03/2011
P2-432	SP254-5: Standard Practice Damage to Underground Property of Others, Avoiding	09/16/1963	GTR0007774 - GTR0007774		06/03/2011
P2-433	SP254-5: Supplement Procedural Details Avoiding Damage to the Underground Property of Others	09/16/1963	GTR0007775 - GTR0007775		06/03/2011
P2-434	SP403-2: Request for Information Concerning the Location of Company-Owned Facilities	05/16/1977	GTR0007776 - GTR0007790		06/03/2011
P2-435	Pipeline Patrol and Work Report	01/00/1975	GTR0007791 - GTR0007791		06/03/2011
P2-436	Aerial Pipeline Patrol	12/28/1971	GTR0007792 - GTR0007793		06/03/2011
P2-437	SP460.2-1: Patrolling Pipelines and Mains	04/02/1975	GTR0007794 - GTR0007800		06/03/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-438	TD-H-10B-001 Attachment 1: Supplemental Information for Performing AC Inspection of HPR-Type Stations, Rev. 1	08/04/2010	GTR0007801 - GTR0007816		06/03/2011
P2-439	SP254-5: Avoiding Damage to the Underground Property of Others	09/01/1982	GTR0007817 - GTR0007819		06/03/2011
P2-440	SP460.2-1: Patrolling Pipelines and Mains	06/01/1984	GTR0007820 - GTR0007827		06/03/2011
P2-441	SP460.2-1: Patrolling Pipelines and Mains	08/00/1995	GTR0007828 - GTR0007831		06/03/2011
P2-442	D-S0214 S4412: Protection of Underground Infrastructures	07/02/1997	GTR0007832 - GTR0007839		06/03/2011
P2-443	RP 4412.1 & D-G1000: Site Delineation and Mark and Locate Surface Marking	07/02/1997	GTR0007840 - GTR0007847		06/03/2011
P2-444	S4111 \ D-S0352: Patrolling Pipelines and Mains	01/00/1998	GTR0007848 - GTR0007852		06/03/2011
P2-445	F4111a \ 62-4647: Pipeline Patrol Report	10/14/1999	GTR0007853 - GTR0007854		06/03/2011
P2-446	F4111b: Patrolling Pipelines at Highway and Railroad Crossings (S4111 Exhibit 2)	10/14/1999	GTR0007855 - GTR0007856		06/03/2011
P2-447	F4111-C: Patrolling Gas Pipelines Exposed Piping and Spans	10/14/1999	GTR0007857 - GTR0007858		06/03/2011
P2-448	F4111-D: Patrolling Gas Pipelines Landslide Area	10/14/1999	GTR0007859 - GTR0007860		06/03/2011
P2-449	S4412: Protection of Underground Infrastructure	10/00/2000	GTR0007861 - GTR0007864		06/03/2011
P2-450	G14412: Site Delineation and Mark and Locate Surface Marking	11/06/2000	GTR0007865 - GTR0007875		06/03/2011
P2-451	S4111: Patrolling Pipelines and Mains	08/01/2000	GTR0007876 - GTR0007883		06/03/2011
P2-452	IP 4412.2: Procedure for Excavating Pipelines with Power-Operated Equipment, Rev. 1	09/15/1998	GTR0007884 - GTR0007886		06/03/2011
P2-453	RP 4412.2: Procedure for Excavating Pipelines, Rev. 1	03/01/1999	GTR0007887 - GTR0007892		06/03/2011
P2-454	G14413: Procedure for Excavating Pipelines and Services	11/00/2000	GTR0007893 - GTR0007899		06/03/2011
P2-455	138: Transmission Patrolling Requirements (Compliance)	02/01/2001	GTR0007900 - GTR0007901		06/03/2011
P2-456	G14412: Site Delineation and Mark and Locate Surface Marking	12/20/2002	GTR0007902 - GTR0007917		06/03/2011
P2-457	155: Preventing Mechanical Damage to Gas Distribution Facilities (with attachment)	08/02/2002	GTR0007918 - GTR0007924		06/03/2011
P2-458	151: Preventing Mechanical Damage to Gas Transmission Lines, Rev. 0	03/26/2002	GTR0007925 - GTR0007928		06/03/2011
P2-459	G14412: Site Delineation and Mark and Locate Surface Marking	01/23/2003	GTR0007929 - GTR0007941		06/03/2011
P2-460	S4111: Patrolling Pipelines and Mains	05/00/2003	GTR0007942 - GTR0007944		06/03/2011
P2-461	S4111: Procedure for Patrolling Pipelines and Mains, Attachment 1	04/29/2003	GTR0007945 - GTR0007947		06/03/2011
P2-462	F4111-A: Pipeline Patrol Report	01/21/2003	GTR0007948 - GTR0007949		06/03/2011
P2-463	F4111-C: Patrolling Gas Pipelines Exposed Piping and Spans	01/21/2003	GTR0007950 - GTR0007951		06/03/2011
P2-464	F4111-D: Patrolling Gas Pipelines Landslide Area	01/21/2003	GTR0007952 - GTR0007953		06/03/2011
P2-465	S465-1: Odorization of Natural Gas	09/01/1982	GTR0007954 - GTR0007959		06/03/2011
P2-466	151: Preventing Mechanical Damage to Gas Transmission Lines, Rev. 1	05/04/2005	GTR0007960 - GTR0007964		06/03/2011
P2-467	151: Preventing Mechanical Damage to Gas Transmission Pipelines, Rev. 2	05/15/2007	GTR0007965 - GTR0007971		06/03/2011
P2-468	WP4412-07: Patrolling Pipelines, Stations, and Mains (with attachments)	12/00/2008	GTR0007972 - GTR0007988		06/03/2011
P2-469	S4412: Preventing Damage to Underground Facilities	08/00/2009	GTR0007989 - GTR0007992		06/03/2011
P2-470	TD-4412P-07: Patrolling Pipelines and Mains	09/00/2009	GTR0007993 - GTR0008002		06/03/2011
P2-471	TD-4412P-07 Attachment 1: Pipeline Patrol Report	09/00/2009	GTR0008003 - GTR0008005		06/03/2011
P2-472	TD-4412P-07 Attachment 2: Exposed Piping and Spans	09/00/2009	GTR0008006 - GTR0008008		06/03/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-473	TD-4412P-07 Attachment 3: Landslide Area	09/00/2009	GTR0008009 - GTR0008010		06/03/2011
P2-474	WP4412-05: Excavation Procedures for Damage Prevention	08/00/2009	GTR0008011 - GTR0008020		06/03/2011
P2-475	WP4412-05: Excavation Procedures for Damage Prevention, Attachment 1	08/00/2009	GTR0008021 - GTR0008024		06/03/2011
P2-476	WP4412-04: Field Meets and Standby - Damage Prevention	08/00/2009	GTR0008025 - GTR0008032		06/03/2011
P2-477	WP4412-03: Marking and Locating PG&E Underground Facilities	08/00/2009	GTR0008033 - GTR0008043		06/03/2011
P2-478	WP4412-03: Marking and Locating PG&E Underground Facilities, Attachment 1	08/00/2009	GTR0008044 - GTR0008045		06/03/2011
P2-479	WP4412-03: Marking and Locating PG&E Underground Facilities, Attachment 2	08/00/2009	GTR0008046 - GTR0008046		06/03/2011
P2-480	WP4412-03: Marking and Locating PG&E Underground Facilities, Attachment 3	08/00/2009	GTR0008047 - GTR0008048		06/03/2011
P2-481	SP462-1: Removal and Control of Liquids, Pipelines and Mains	03/01/1970	GTR0008049 - GTR0008059		06/03/2011
P2-482	IS 462-1: Removal and Control of Liquids, Pipelines, and Mains	03/01/1970	GTR0008060 - GTR0008069		06/03/2011
P2-483	RP4332: Removal and Control of Liquids from Gas Pipelines Maintenance and Operation of Associated Gas Conditioning Equipment	05/01/1998	GTR0008070 - GTR0008085		06/03/2011
P2-484	S4330: Natural Gas Quality	03/00/2008	GTR0008086 - GTR0008088		06/03/2011
P2-485	WP4330-02: Removal and Control of Liquids from Pipelines and Maintenance and Operation of Associated Gas Conditioning Equipment	03/01/2008	GTR0008089 - GTR0008098		06/03/2011
P2-486	62-3085a: Dehydrator Station Inspection Form Glycol Dehydrator	11/01/2007	GTR0008099 - GTR0008099		06/03/2011
P2-487	62-3085b: Dehydrator Station Inspection Form Dry Desiccant Dehydrator	12/01/2007	GTR0008100 - GTR0008100		06/03/2011
P2-488	62-4648: Pipeline Patrol and Work Report	12/01/2007	GTR0008101 - GTR0008101		06/03/2011
P2-489	62-4648: Pipeline Patrol and Work Report	12/00/2007	GTR0008102 - GTR0008102		06/03/2011
P2-490	S4350: Odor Intensity Test Schedule for Gas Transmission and Distribution Systems, Attachment 4	08/01/2006	GTR0008103 - GTR0008103		06/03/2011
P2-491	IS 465-1: Odorization of Natural Gas	09/01/1982	GTR0008104 - GTR0008108		06/03/2011
P2-492	S4350: Odorization of Natural Gas	12/01/2000	GTR0008109 - GTR0008120		06/03/2011
P2-493	S4350: Odorization of Natural Gas	09/01/2004	GTR0008121 - GTR0008123		06/03/2011
P2-494	S4350: Attachment 1, Procedures for Odorization of Natural Gas	08/26/2004	GTR0008124 - GTR0008127		06/03/2011
P2-495	62-4650: Monthly Odorization Report	03/01/2004	GTR0008128 - GTR0008128		06/03/2011
P2-496	62-3480: Odor Intensity Report Percent Gas In Air	04/01/2004	GTR0008129 - GTR0008129		06/03/2011
P2-497	62-4650: Monthly Odorization Report	06/01/2004	GTR0008130 - GTR0008130		06/03/2011
P2-498	62-3480: Odor Intensity Report Percent Gas in Air	06/01/2004	GTR0008131 - GTR0008131		06/03/2011
P2-499	S4350: Odorization of Natural Gas	08/01/2006	GTR0008132 - GTR0008134		06/03/2011
P2-500	S4350: Attachment 1, Procedures for Odorization of Natural Gas	08/01/2006	GTR0008135 - GTR0008138		06/03/2011
P2-501	62-4650: Monthly Odorization Report	08/01/2006	GTR0008139 - GTR0008139		06/03/2011
P2-502	62-3480: Odor Intensity Report Percent Gas-in-Air	08/01/2006	GTR0008140 - GTR0008140		06/03/2011
P2-503	S4412: Protection of Underground Infrastructure (with attachment)	01/06/2005	GTR0008141 - GTR0008166		06/03/2011
P2-504	S4350: Odorization of Natural Gas	02/01/2008	GTR0008167 - GTR0008173		06/03/2011
P2-505	62-4650: Monthly Odorization Report	02/01/2008	GTR0008174 - GTR0008175		06/03/2011
P2-506	TD-4350S: Odorization of Natural Gas, Rev. 2	5/25/2010	GTR0008176 - GTR0008183		06/03/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-507	TD-4350S Attachment 1: Odor Intensity Test Schedule for Gas Transmission and Distribution Systems	05/25/2010	GTR0008184 - GTR0008184		06/03/2011
P2-508	460.21-7: Investigation and Reporting of Accidents and Material Problems or Failures Involving Gas Equipment (with attachments)	11/01/1985	GTR0008185 - GTR0008192		06/03/2011
P2-509	D-S0333: Material Problem Reporting (MPR) (with attachments)	07/00/1997	GTR0008193 - GTR0008198		06/03/2011
P2-510	S2333: Material Problem Reporting (MPR)	01/00/1998	GTR0008199 - GTR0008216		06/03/2011
P2-511	S2333: Material Problem Reporting (MPR)	11/00/2003	GTR0008217 - GTR0008220		06/03/2011
P2-512	62-0113: Material Problem Report	04/00/2003	GTR0008221 - GTR0008222		06/03/2011
P2-513	1510: Material Problem Report	00/00/2003	GTR0008223 - GTR0008223		06/03/2011
P2-514	306: Limitation on GMAW Welding of Gas Transmission Piping	11/04/2009	GTR0008224 - GTR0008225		06/03/2011
P2-515	62-4806: Cathodic Protection Station Monthly Inspection Sheet (with 851.4)	03/00/1961	GTR0008226 - GTR0008227		06/10/2011
P2-516	412-1: External Corrosion Control of Buried Gas Facilities (with attachments)	02/01/1969	GTR0008228 - GTR0008239		06/10/2011
P2-517	SP 412-1: Corrosion Control of Gas Facilities	04/01/1984	GTR0008240 - GTR0008252		06/10/2011
P2-518	O-16: Corrosion Control of Gas Facilities	09/30/1991	GTR0008253 - GTR0008256		06/10/2011
P2-519	104: Inspection for Stress Corrosion Cracking	01/14/1998	GTR0008257 - GTR0008258		06/10/2011
P2-520	O-16: Corrosion Control of Gas Facilities (with attachment & appendixes), Rev. 1	06/16/1998	GTR0008259 - GTR0008269		06/10/2011
P2-521	O-16 Attachment H: Liquid Sampling Procedure LSP-2	09/00/2007	GTR0008270 - GTR0008274		06/10/2011
P2-522	O-16: Corrosion Control of Gas Facilities, Rev. 2	10/19/1998	GTR0008275 - GTR0008289		06/10/2011
P2-523	FO-16-C: Cathodic Protection Station Report	12/00/1998	GTR0008290 - GTR0008291		06/10/2011
P2-524	D-S0354 / S4126: Cathodic Protection Standards for Cased Pipeline Crossings	12/30/1998	GTR0008292 - GTR0008297		06/10/2011
P2-525	O-16: Corrosion Control of Gas Facilities (with attachments), Rev. 3	05/03/1999	GTR0008298 - GTR0008317		06/10/2011
P2-526	O-16: Corrosion Control of Gas Facilities (with attachments), Rev. 4	10/11/1999	GTR0008318 - GTR0008338		06/10/2011
P2-527	S0467: CPA Assessment/Resurvey Procedures	02/15/2000	GTR0008339 - GTR0008349		06/10/2011
P2-528	O-16: Corrosion Control of Gas Facilities, Rev. 5	05/01/2000	GTR0008350 - GTR0008370		06/10/2011
P2-529	FO-16-B: CPA Follow-Up Action Plan	07/06/2000	GTR0008371 - GTR0008371		06/10/2011
P2-530	FO-16-D: Standard Cathodic Protection Maintenance Report	07/05/2000	GTR0008372 - GTR0008374		06/10/2011
P2-531	FO-16-E: Interference Test Form	07/05/2000	GTR0008375 - GTR0008376		06/10/2011
P2-532	FO-16-F: Cathodic Protection Area Current Requirements Worksheet	07/07/2000	GTR0008377 - GTR0008378		06/10/2011
P2-533	O-16: Corrosion Control of Gas Facilities, Rev. 6	11/13/2000	GTR0008379 - GTR0008402		06/10/2011
P2-534	O-10.2: Installation and Monitoring of Coupon Test Stations, Rev. 0	12/03/2001	GTR0008403 - GTR0008407		06/10/2011
P2-535	O-11.1: Cathodic Protection Rectifiers Installation and Purchasing Data	10/18/2002	GTR0008408 - GTR0008411		06/10/2011
P2-536	O-16: Corrosion Control of Gas Facilities, Rev. 7	10/24/2002	GTR0008412 - GTR0008436		06/10/2011
P2-537	S4133: Corrosion Control of Gas Transmission Facilities	01/13/2003	GTR0008437 - GTR0008453		06/10/2011
P2-538	S4133: Corrosion Control of Gas Transmission Facilities (with forms)	03/03/2003	GTR0008454 - GTR0008475		06/10/2011
P2-539	FO-11.1-A: Rectifier Test and Site Evaluation Form	09/00/2003	GTR0008476 - GTR0008476		06/10/2011
P2-540	O-16: Corrosion Control of Gas Facilities, Rev. 8	12/04/2003	GTR0008477 - GTR0008501		06/10/2011
P2-541	FO-11.1-A: Rectifier Test and Site Evaluation	03/00/2004	GTR0008502 - GTR0008502		06/10/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-542	O-16: Corrosion Control of Gas Facilities, Rev. 9	03/29/2004	GTR0008503 - GTR0008527		06/10/2011
P2-543	FO-16-B: CPA Follow-Up Action Plan	11/00/2004	GTR0008528 - GTR0008529		06/10/2011
P2-544	FO-16-C: Cathodic Protection Station Report	11/04/2004	GTR0008530 - GTR0008531		06/10/2011
P2-545	FO-16-D: Standard Cathodic Protection Maintenance Report	11/00/2004	GTR0008532 - GTR0008534		06/10/2011
P2-546	FO-16-E: Interference Test Form	11/04/2004	GTR0008535 - GTR0008536		06/10/2011
P2-547	FO-16-F: Cathodic Protection Area Current Requirements Worksheet	11/04/2004	GTR0008537 - GTR0008538		06/10/2011
P2-548	O-16: Corrosion Control of Gas Facilities, Rev. 10	12/06/2004	GTR0008539 - GTR0008552		06/10/2011
P2-549	FO-16-C: Cathodic Protection Station Report	04/00/2005	GTR0008553 - GTR0008554		06/10/2011
P2-550	FO-16-E: Interference Test Form	04/00/2005	GTR0008555 - GTR0008557		06/10/2011
P2-551	O-16: Corrosion Control of Gas Facilities, Rev. 11	04/14/2005	GTR0008558 - GTR0008571		06/10/2011
P2-552	O-16: Corrosion Control of Gas Facilities, Rev. 11	04/14/2005	GTR0008572 - GTR0008585		06/10/2011
P2-553	S5467: Cathodic Protection Area Assessment/Resurvey Procedures for Gas Distribution	02/01/2006	GTR0008586 - GTR0008589		06/10/2011
P2-554	S5467 Attachment 1: Cathodic Protection Area Assessment/Resurvey Procedures for Gas Distribution	02/02/2006	GTR0008590 - GTR0008593		06/10/2011
P2-555	S5467 Attachment 2: Initial CPA Assessment Worksheet (for 2005 or Prior)	02/02/2006	GTR0008594 - GTR0008595		06/10/2011
P2-556	S5467 Attachment 3 & 4: Initial CPA Assessment Worksheet and CPA Field Resurvey Checklist	02/02/2006	GTR0008596 - GTR0008601		06/10/2011
P2-557	S5467 Attachment 5: CPA Resurvey File	02/02/2006	GTR0008602 - GTR0008602		06/10/2011
P2-558	S5467 Attachment 6: CPA Resurvey File Review Form	02/02/2006	GTR0008603 - GTR0008603		06/10/2011
P2-559	FO-16-B: CPA Follow-Up Action Plan	04/00/2006	GTR0008604 - GTR0008605		06/10/2011
P2-560	FO-16-D: Standard Cathodic Protection Maintenance Report	04/00/2006	GTR0008606 - GTR0008608		06/10/2011
P2-561	FO-16-F: Cathodic Protection Area Current Requirements Worksheet	04/00/2006	GTR0008609 - GTR0008610		06/10/2011
P2-562	O-16: Corrosion Control of Gas Facilities	06/02/2006	GTR0008611 - GTR0008624		06/10/2011
P2-563	FO-16-D: Standard Cathodic Protection Maintenance Report	01/01/2007	GTR0008625 - GTR0008627		06/10/2011
P2-564	FO-11.1-A: Rectifier Test and Site Evaluation	01/00/2008	GTR0008628 - GTR0008629		06/10/2011
P2-565	FO-16-E: Interference Test Form	03/00/2008	GTR0008630 - GTR0008632		06/10/2011
P2-566	O-16: Corrosion Control of Gas Facilities	05/08/2008	GTR0008633 - GTR0008652		06/10/2011
P2-567	FO-13.7.A: Request for Anode Replacement	08/00/2008	GTR0008653 - GTR0008653		06/10/2011
P2-568	O-16 Attachment G: Evaluation and Mitigation Plan for Internal Corrosion Assessment	08/00/2008	GTR0008654 - GTR0008654		06/10/2011
P2-569	WP 4133-02: Cathodic Protection Area Assessment/Resurvey	10/00/2008	GTR0008655 - GTR0008663		06/10/2011
P2-570	WP 4133-02 Attachment 3: CPA Resurvey File Review Form	10/00/2008	GTR0008664 - GTR0008664		06/10/2011
P2-571	O-10.2: Installation and Monitoring of Coupon Test Stations	10/30/2008	GTR0008665 - GTR0008668		06/10/2011
P2-572	WP 4133-03: Test Procedures for Pipe Casting	11/00/2008	GTR0008669 - GTR0008676		06/10/2011
P2-573	WP 4133-03 Attachment 1: Casing Investigation Report Form – Field Data	11/00/2008	GTR0008677 - GTR0008677		06/10/2011
P2-574	WP 4133-03 Attachment 2: Casing Investigation Report Form	11/00/2008	GTR0008678 - GTR0008678		06/10/2011
P2-575	WP4133-04: Remediating Casing Contacts	11/00/2008	GTR0008679 - GTR0008685		06/10/2011
P2-576	O-13.7: Deep Well and Shadow Bed Anode Replacement, Rev. 2	11/13/2008	GTR0008686 - GTR0008688		06/10/2011
P2-577	276: GS&FRO GS&S Section "O" Updated Corrosion Forms for O-10.2, O-71, O-72, and O-73	12/11/2008	GTR0008689 - GTR0008690		06/10/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-578	278: GS&O O-16 Revised Forms FO-16-B, FO-16-C, FO-16-D, FO-16-E, & FO-16-F	12/11/2008	GTR0008691 - GTR0008691		06/10/2011
P2-579	277: GS&S O-11.1 Cathodic Protection Rectifiers Updated/New Forms	12/12/2008	GTR0008692 - GTR0008692		06/10/2011
P2-580	275: CPA Restoration, CPA Follow-Up Plan Review and Approval Process, Rev. 0	12/15/2008	GTR0008693 - GTR0008694		06/10/2011
P2-581	O-10.2 Form FO-10.2-A: Annual Monitoring Readings for Active Coupon Test Stations	01/00/2009	GTR0008695 - GTR0008695		06/10/2011
P2-582	FO-11.1-A: Rectifier Test and Site Evaluation Form	01/00/2009	GTR0008696 - GTR0008697		06/10/2011
P2-583	FO-11.1-B: Underground Rectifier Test and Site Evaluation Form	01/01/2009	GTR0008698 - GTR0008699		06/10/2011
P2-584	O-16 Attachment B: Form FO-16-B, CPA Follow-Up Action Plan	01/00/2009	GTR0008700 - GTR0008702		06/10/2011
P2-585	O-16 Attachment C: Cathodic Protection Station Report	01/00/2009	GTR0008703 - GTR0008705		06/10/2011
P2-586	O-16 Attachment D: Standard Cathodic Protection Maintenance Report	01/00/2009	GTR0008706 - GTR0008709		06/10/2011
P2-587	O-16 Attachment E: Interference Test Form	01/00/2009	GTR0008710 - GTR0008712		06/10/2011
P2-588	O-16 Attachment F: Cathodic Protection Area Current Requirements Worksheet	01/00/2009	GTR0008713 - GTR0008723		06/10/2011
P2-589	276: GS&S Section "O" Updated Corrosion Forms for O-10.2, O-71, O-72, and O-73, Rev. 1	01/07/2009	GTR0008724 - GTR0008724		06/10/2011
P2-590	O-16: Corrosion Control of Gas Facilities, Rev. 14	03/27/2009	GTR0008725 - GTR0008744		06/10/2011
P2-591	FO-13.7-B: Anode Performance Data	05/00/2009	GTR0008745 - GTR0008752		06/10/2011
P2-592	Bulletin 275: CPA Restoration, CPA Follow-Up Plan Review and Approval Process, Rev. 1	09/02/2009	GTR0008753 - GTR0008754		06/10/2011
P2-593	304: Reading Coupon Test Stations	10/09/2009	GTR0008755 - GTR0008755		06/10/2011
P2-594	304: Reading Coupon Test Stations - Job Aid	10/09/2009	GTR0008756 - GTR0008760		06/10/2011
P2-595	321: Cancellation of Gas T&D Information Bulletin 317 Use of SAP "Work Ticket" to Record Pipe-to-Soil and Rectifier Measurements	01/31/2010	GTR0008761 - GTR0008761		06/10/2011
P2-596	Bulletin 328: Gas Numbered Document O-16, Clarification of Requirements for Over Protection of Cathodically Protected Gas Pipelines	05/06/2010	GTR0008762 - GTR0008763		06/10/2011
P2-597	TD-H-10B-001: HPR Atmospheric Corrosion Inspection Project	08/04/2010	GTR0008764 - GTR0008772		06/10/2011
P2-598	TD-H-10B-001 Attachment 1: Supplemental Information for Performing AC Inspection of HPR-Type Stations, Rev. 1	08/04/2010	GTR0008773 - GTR0008788		06/10/2011
P2-599	TD-4133B-001: Utility Procedure WP4133-02 - Use of "New" Plat Maps for Cathodic Protection Area Assessment/Resurvey Procedures for Gas Distribution	08/30/2010	GTR0008789 - GTR0008790		06/10/2011
P2-600	SP 460-1: Class Location Determination and Maintenance Pipelines Operating over 40% SMYS	11/01/1982	GTR0008791 - GTR0008804		06/10/2011
P2-601	460-1: Class Location Determination and Maintenance Pipelines Operating Over 40% SMYS	11/01/1982	GTR0008805 - GTR0008813		06/10/2011
P2-602	75-160: Report of New Construction Along Pipeline	06/18/1997	GTR0008814 - GTR0008815		06/10/2011
P2-603	4127.1: Class Location Study Requirements: Pipelines Operating Over 40% SMYS, Rev. 1	06/01/1999	GTR0008816 - GTR0008824		06/10/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-604	S4127 Form F4127: Report of New Construction Along Pipeline For Pipelines Operating at or over 20% SMYS	12/01/1999	GTR0008825 - GTR0008826		06/10/2011
P2-605	S4127: Class Location Determination, Compliance, and Maintenance, Rev. 2	02/00/2000	GTR0008827 - GTR0008843		06/10/2011
P2-606	187: Pipelines with Elevated 3rd Party Threats	09/28/2004	GTR0008844 - GTR0008849		06/10/2011
P2-607	Bulletin 187: Gas Transmission Pipelines with Elevated 3rd Party Threats, Rev. 1	11/06/2006	GTR0008850 - GTR0008855		06/10/2011
P2-608	Bulletin 187 Attachment 1: Using MapGuide to Report Pipelines with Elevated 3rd Party Threats	00/00/2005	GTR0008856 - GTR0008857		06/10/2011
P2-609	RMI-04: Gas Transmission Earthquake Plan and Response Procedure, Rev. 0	10/19/2006	GTR0008858 - GTR0008871		06/10/2011
P2-610	RMI-04A: Gas Transmission Rainfall Plan and Response Instruction, Rev. 0	06/02/2009	GTR0008872 - GTR0008879		06/10/2011
P2-611	460-4: CPUC and DOT Reportable Incidents and Conditions-Reporting	05/01/1987	GTR0008880 - GTR0008893		06/10/2011
P2-612	460-4: CPUC and DOT Reportable Incidents and Conditions-Reporting	07/01/1990	GTR0008894 - GTR0008933		06/10/2011
P2-613	D-S0355 / S4413: CPUC and DOT Reportable Incidents, Curtailments and Conditions and Low Pressure System Problem Reporting, Rev. 0	07/02/1997	GTR0008934 - GTR0008946		06/10/2011
P2-614	73: Gas Supply Management Communication Guidelines for Gas Transmission Incidents	07/27/1994	GTR0008947 - GTR0008947		06/10/2011
P2-615	TD-4413S: Gas Event Reporting Requirements, Rev. 0	08/11/2010	GTR0008948 - GTR0008957		06/10/2011
P2-616	TD-4413S Attachment 1: Event Notification Matrix	08/11/2010	GTR0008958 - GTR0008959		06/10/2011
P2-617	TD-4413P-01: Procedure for Reportable Gas Incidents	08/11/2010	GTR0008960 - GTR0008968		06/10/2011
P2-618	TD-4413P-01 Attachment 1: Gas Control - Gas Incident Procedure, Rev. 0	08/11/2010	GTR0008969 - GTR0008969		06/10/2011
P2-619	TD-4413P-02: Procedure for Reporting Safety Related Conditions and Low-Pressure System Problems, Rev. 0	08/11/2010	GTR0008970 - GTR0008976		06/10/2011
P2-620	TD-4413P-02 Attachment 1: Safety-Related Condition Report, Rev. 0	08/11/2010	GTR0008977 - GTR0008977		06/10/2011
P2-621	TD-4413P-02 Attachment 2: Low Pressure System Problem Courtesy Notification, Rev. 0	08/11/2010	GTR0008978 - GTR0008978		06/10/2011
P2-622	TD-4413P-03: Annual and Quarterly Reporting Requirements for Gas Incidents, Events and Activities, Rev. 0	08/11/2010	GTR0008979 - GTR0008984		06/10/2011
P2-623	199: CGT Incident Reporting Process	08/01/2005	GTR0008985 - GTR0008989		06/10/2011
P2-624	WP6436-15: California Public Utilities Commission (CPUC) Reportable Gas Incidents	10/01/2006	GTR0008990 - GTR0008993		06/10/2011
P2-625	WP1465-02: Gas Event and Near Hit Reporting	05/01/2008	GTR0008994 - GTR0009002		06/10/2011
P2-626	WP1465-02 Attachment 1: Event or Near Hit Reporting Flow Chart	05/01/2008	GTR0009003 - GTR0009003		06/10/2011
P2-627	WP1465-02 Attachment 2: Report Form - Elements Explained	05/01/2008	GTR0009004 - GTR0009006		06/10/2011
P2-628	Gas Reportable Incident Requirements - Brentwood	11/01/2002	GTR0009007 - GTR0009007		06/10/2011
P2-629	Gas Reportable Incident Requirements - San Jose	11/01/2002	GTR0009008 - GTR0009008		06/10/2011
P2-630	RSPA F7100.1: Incident Report Gas Distribution System DOT	03/01/1984	GTR0009009 - GTR0009010		06/10/2011
P2-631	RSPA F7100.2: Incident Report - Gas Transmission and Gathering Systems - DOT Form	03/00/1984	GTR0009011 - GTR0009012		06/10/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-632	RSPA F7100.2: Incident Report Gas Transmission and Gathering Systems DOT Form	09/00/2002	GTR0009013 - GTR0009016		06/10/2011
P2-633	SP1603: Pacific Gas and Electric Company Gas Department Standard Welding and Repairs Made by Welding on Mains Under Pressure, Rev. 2	06/17/1963	GTR0009017 - GTR0009024		06/10/2011
P2-634	D-32: Gas Standard Welding and Repairs Made by Welding on Mains Under Pressure, Rev. 1	01/01/1970	GTR0009025 - GTR0009030		06/10/2011
P2-635	D-32: Welding and Repairs Made by Welding on Mains Under Pressure, Rev. 2	04/16/1973	GTR0009031 - GTR0009036		06/10/2011
P2-636	A-65: Piping-Data Sheet Repair Requirements for Damaged or Leaking Mains, Rev. 0	04/17/1973	GTR0009037 - GTR0009038		06/10/2011
P2-637	A65: Piping Data Sheet Repairs Including Repairs Made by Welding on Mains Under Pressure Gas Standard, Rev. 3	11/14/1976	GTR0009039 - GTR0009042		06/10/2011
P2-638	A-65: Piping-Data Sheet Welding and Repairs on Line Under Pressure, Rev. 0	01/00/1977	GTR0009043 - GTR0009045		06/10/2011
P2-639	A-65: Repairs Including Repairs Made by Welding on Mains Under Pressure, Rev. 4	04/20/1984	GTR0009046 - GTR0009046		06/10/2011
P2-640	A-65: Piping-Data Sheet Repair Requirements for Damaged or Leaking Mains	03/04/1987	GTR0009047 - GTR0009048		06/10/2011
P2-641	A65: Piping-Data Sheet Repair CF Pipeline Defects Gas Standards, Rev. 7	04/15/1988	GTR0009049 - GTR0009053		06/10/2011
P2-642	A-65: Piping-Data Sheet Repair Requirements for Damaged or Leaking Mains, Rev. 3	04/00/1988	GTR0009054 - GTR0009056		06/10/2011
P2-643	A-65: Piping-Data Sheet Repair Requirements for Damaged or Leaking Mains, Rev. 4	07/26/1988	GTR0009057 - GTR0009057		06/10/2011
P2-644	A-65: Repair of Pipeline Defects, Rev. 8	07/26/1988	GTR0009058 - GTR0009062		06/10/2011
P2-645	A-65: Repair of Pipeline Defects, Rev. 0	02/24/1995	GTR0009063 - GTR0009072		06/10/2011
P2-646	A-65: Repair of Steel Pipeline Defects, Rev. 1	06/04/1998	GTR0009073 - GTR0009082		06/10/2011
P2-647	A-65: Repair of Steel Pipeline Defects, Rev. 2	10/19/1998	GTR0009083 - GTR0009092		06/10/2011
P2-648	A-65: Repairing Steel Pipeline Defects, Rev. 3	04/26/1999	GTR0009093 - GTR0009103		06/10/2011
P2-649	S4134: Selection of Steel Gas Pipeline Repair Methods (with attachments)	06/00/2002	GTR0009104 - GTR0009127		06/10/2011
P2-650	S4134: Selection of Steel Gas Pipeline Repair Methods	06/01/2003	GTR0009128 - GTR0009133		06/10/2011
P2-651	S4134 Attachment 2: Calculation to Determine the Estimated Maximum Strain in a Dent	06/04/2003	GTR0009134 - GTR0009135		06/10/2011
P2-652	S4134 Attachment 1: Procedures for Repair of Steel Gas Pipelines	01/08/2004	GTR0009136 - GTR0009155		06/10/2011
P2-653	410-1: Gas Construction, Reporting Installation/Alteration for Engineering Record	02/15/1965	GTR0009156 - GTR0009157		06/10/2011
P2-654	I.P. 410.1: Gas Construction, Reporting Installation/Alteration for Engineering Record	02/15/1965	GTR0009158 - GTR0009160		06/10/2011
P2-655	WP4900: Gas Transmission and Distribution Design Change Procedure	07/01/2007	GTR0009161 - GTR0009163		06/10/2011
P2-656	F4900-1: Design Change Notice	07/01/2007	GTR0009164 - GTR0009164		06/10/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-657	RP 14281: Procedure for Revising, Documenting, and Filing Application Software for Microprocessor-Based Controls Equipment, Rev. 1	01/01/1998	GTR0009165 - GTR0009171		06/10/2011
P2-658	G14281: Procedure for Revising Application Software for Microprocessor-Based Controls	05/01/2006	GTR0009172 - GTR0009174		06/10/2011
P2-659	G14281 Attachment 1: Responsibilities, Procedures, and Software Distribution	05/01/2006	GTR0009175 - GTR0009177		06/10/2011
P2-660	T&D Document Development Handbook	12/00/2001	GTR0009178 - GTR0009215		06/10/2011
P2-661	T&D Authorized Document Development Process Stakeholder Review Checklist	12/18/2001	GTR0009216 - GTR0009220		06/10/2011
P2-662	T&D Document Development Handbook	04/00/2002	GTR0009221 - GTR0009292		06/10/2011
P2-663	Notification of Cancellation of UO Document	03/29/2002	GTR0009293 - GTR0009293		06/10/2011
P2-664	WP4000-02: Procedures for Reviewing and Updating Gas Manuals Subject to 49 CFR 192, Sections 603 and 605	09/00/2008	GTR0009294 - GTR0009296		06/10/2011
P2-665	S4000: Gas Standards Documentation Requirements	02/00/2009	GTR0009297 - GTR0009300		06/10/2011
P2-666	WP4000-01: Gas Document Development & Update Process (with attachments)	02/00/2009	GTR0009301 - GTR0009308		06/10/2011
P2-667	WP4000-03: Gas Technical Team Procedures	02/00/2009	GTR0009309 - GTR0009312		06/10/2011
P2-668	WP4000-03 Attachment 1: Gas Transmission and Distribution Technical Team Charter	02/00/2009	GTR0009313 - GTR0009317		06/10/2011
P2-669	WP4000-03 Attachment 2: Gas Technical Team Work Procedures	02/00/2009	GTR0009318 - GTR0009319		06/10/2011
P2-670	TD-4001P-04: New Gas Product Approval	11/00/2009	GTR0009320 - GTR0009324		06/10/2011
P2-671	TD-4001P-04 Attachment 1: Gas T&D New Product Approval Flowchart	11/00/2009	GTR0009325 - GTR0009329		06/10/2011
P2-672	TD-4001P-04 Attachment 2: Gas T&D New Product Approval Checklist	11/00/2009	GTR0009330 - GTR0009335		06/10/2011
P2-673	316: Regulatory Advisory Bulletin and Proposed Rulemaking Tracking Process	12/14/2009	GTR0009336 - GTR0009339		06/10/2011
P2-674	TD-4001S: Gas Standards Documentation Requirements	01/00/2010	GTR0009340 - GTR0009344		06/10/2011
P2-675	TD-4001P-01: Gas Document Development and Update Process	01/00/2010	GTR0009345 - GTR0009351		06/10/2011
P2-676	TD-4001P-01 Attachment 1: Gas Document Development and Update Process	01/00/2010	GTR0009352 - GTR0009353		06/10/2011
P2-677	TD-4001P-02: Procedures for Reviewing, Updating, and Tracking Gas Documentation	01/00/2010	GTR0009354 - GTR0009357		06/10/2011
P2-678	TD-4001P-02: Gas T&D Document Management User Guide	10/21/2009	GTR0009358 - GTR0009382		06/10/2011
P2-679	TD-4001P-02 Attachment 2: Gas Standards Management High-Level Process Flow	08/00/2010	GTR0009383 - GTR0009383		06/10/2011
P2-680	TD-4001P-02 Attachment 3: Gas Standards Document Review & Update Program	08/00/2010	GTR0009384 - GTR0009407		06/10/2011
P2-681	TD-4001P-03: Gas Technical Team Procedures	01/00/2010	GTR0009408 - GTR0009412		06/10/2011
P2-682	TD-4001P-03 Attachment 1: Gas Transmission and Distribution Technical Team Charter	01/00/2010	GTR0009413 - GTR0009416		06/10/2011
P2-683	TD-4001P-03 Attachment 2: Gas Technical Team Issues Log	01/00/2010	GTR0009417 - GTR0009418		06/10/2011
P2-684	TD-4001S: Gas Standards Documentation Requirements	02/00/2010	GTR0009419 - GTR0009424		06/10/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-685	TD-4001P-01: Gas Document Development and Update Process	02/01/2010	GTR0009425 - GTR0009432		06/10/2011
P2-686	TD-4001P-01 Attachment 1: Gas Document Development and Update Process Flowchart	02/00/2010	GTR0009433 - GTR0009433		06/10/2011
P2-687	TD-4001P-03: Gas Technical Team Procedures	02/01/2010	GTR0009434 - GTR0009438		06/10/2011
P2-688	TD-4001P-03 Attachment 1: Gas Transmission and Distribution Technical Team Charter	02/00/2010	GTR0009439 - GTR0009443		06/10/2011
P2-689	TD-4001P-03 Attachment 2: Gas Technical Team Issues Log	02/01/2010	GTR0009444 - GTR0009445		06/10/2011
P2-690	TD-4001P-02: Procedures for Reviewing, Updating, and Tracking Gas Documentation, Rev. 1	08/11/2010	GTR0009446 - GTR0009455		06/10/2011
P2-691	4.1: UO Standard Development	07/01/1997	GTR0009456 - GTR0009460		06/10/2011
P2-692	4.1: UO Standard Development	09/01/1997	GTR0009461 - GTR0009465		06/10/2011
P2-693	4.1: UO Standard Development	12/31/1999	GTR0009466 - GTR0009471		06/10/2011
P2-694	4.1: UO Standard Development	10/01/2000	GTR0009472 - GTR0009477		06/10/2011
P2-695	4.1: UO Standard Development	07/00/2004	GTR0009478 - GTR0009483		06/10/2011
P2-696	4.1: UO Standard Development	12/00/2004	GTR0009484 - GTR0009489		06/10/2011
P2-697	S4450: Operator Qualification Program	04/05/2001	GTR0009490 - GTR0009499		06/10/2011
P2-698	Utility OQ Subtask List, Rev. 7	04/12/2006	GTR0009500 - GTR0009505		06/10/2011
P2-699	Utility OQ Subtask List, Rev. 9	05/16/2008	GTR0009506 - GTR0009508		06/10/2011
P2-700	OQ Utility Task List 2009	03/02/2009	GTR0009509 - GTR0009511		06/10/2011
P2-701	Utility OQ Subtask List, Rev. 13	11/23/2010	GTR0009512 - GTR0009514		06/10/2011
P2-702	01-00: Cast Iron Repair	10/09/2001	GTR0009515 - GTR0009515		06/10/2011
P2-703	01-01: Bell Joints and Spigot Seals	10/09/2001	GTR0009516 - GTR0009516		06/10/2011
P2-704	01-01: Bell Joints and Spigot Seals	06/23/2005	GTR0009517 - GTR0009518		06/10/2011
P2-705	01-02: Protect Cast Iron Pipeline	10/09/2001	GTR0009519 - GTR0009519		06/10/2011
P2-706	01-02: Protect Cast Iron Pipeline	03/26/2009	GTR0009520 - GTR0009521		06/10/2011
P2-707	01-03: Operations and Maintenance	10/09/2001	GTR0009522 - GTR0009522		06/10/2011
P2-708	01-03: Operations and Maintenance	06/23/2005	GTR0009523 - GTR0009524		06/10/2011
P2-709	02-00: Repair/Replace Distribution Pipeline	10/09/2001	GTR0009525 - GTR0009525		06/10/2011
P2-710	02-01: Mechanical Repairs - Steel	10/09/2001	GTR0009526 - GTR0009526		06/10/2011
P2-711	02-01: Mechanical Repairs - Steel	09/27/2010	GTR0009527 - GTR0009528		06/10/2011
P2-712	02-02: Weld Repairs	10/09/2001	GTR0009529 - GTR0009529		06/10/2011
P2-713	02-02: Weld Repairs	06/23/2005	GTR0009530 - GTR0009531		06/10/2011
P2-714	02-03: Pipe Squeezing - Steel	10/09/2001	GTR0009532 - GTR0009532		06/10/2011
P2-715	02-03: Pipe Squeezing - Steel	06/23/2005	GTR0009533 - GTR0009534		06/10/2011
P2-716	02-04: Pipe Squeezing - Plastics	10/09/2001	GTR0009535 - GTR0009535		06/10/2011
P2-717	02-04: Pipe Squeezing - Plastics	07/15/2009	GTR0009536 - GTR0009537		06/10/2011
P2-718	02-05: Pipe Squeezing - Plastics (1/2" and 1")	10/09/2001	GTR0009538 - GTR0009538		06/10/2011
P2-719	02-05: Pipe Squeezing - Plastics (1/2" and 1")	07/15/2009	GTR0009539 - GTR0009540		06/10/2011
P2-720	02-06: Abandonment or Deactivation of Pipeline Facilities	10/09/2001	GTR0009541 - GTR0009541		06/10/2011
P2-721	02-06: Abandonment or Deactivation of Pipeline Facilities	03/26/2009	GTR0009542 - GTR0009543		06/10/2011
P2-722	02-07: Pipeline Replacement	10/09/2001	GTR0009544 - GTR0009544		06/10/2011
P2-723	02-07: Pipeline Replacement	03/26/2009	GTR0009545 - GTR0009546		06/10/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-724	02-08: Distribution Composite Repair	10/05/2009	GTR0009547 - GTR0009548		06/10/2011
P2-725	02-09: F.S. Mechanical Repairs	03/16/2010	GTR0009549 - GTR0009550		06/10/2011
P2-726	03-00: Corrosion Control	10/09/2001	GTR0009551 - GTR0009551		06/10/2011
P2-727	03-01: Distribution Pipe Coatings - Tape/Paint	10/09/2001	GTR0009552 - GTR0009552		06/10/2011
P2-728	03-01: Distribution Pipe Coatings - Tape/Paint	03/26/2009	GTR0009553 - GTR0009554		06/10/2011
P2-729	03-02: Transmission Pipe Coatings - All	10/09/2001	GTR0009555 - GTR0009555		06/10/2011
P2-730	03-02: Transmission Pipe Coatings - All	06/23/2005	GTR0009556 - GTR0009563		06/10/2011
P2-731	03-03: Rectifier Reads	10/09/2001	GTR0009564 - GTR0009564		06/10/2011
P2-732	03-03: Rectifier Reads	06/23/2005	GTR0009565 - GTR0009573		06/10/2011
P2-733	03-04: Atmospheric Corrosion/Monitor	10/09/2001	GTR0009574 - GTR0009574		06/10/2011
P2-734	03-04: Atmospheric Corrosion/Monitor	06/23/2005	GTR0009575 - GTR0009582		06/10/2011
P2-735	03-04: Atmospheric Corrosion/Monitor	05/19/2009	GTR0009583 - GTR0009584		06/10/2011
P2-736	03-05: Pipe Inspection	10/09/2001	GTR0009585 - GTR0009585		06/10/2011
P2-737	03-05: Pipe Inspection	06/23/2005	GTR0009586 - GTR0009593		06/10/2011
P2-738	03-05: Pipe Inspection	03/26/2009	GTR0009594 - GTR0009595		06/10/2011
P2-739	03-06: Pipe to Soil Reads	10/09/2001	GTR0009596 - GTR0009596		06/10/2011
P2-740	03-06: Pipe to Soil Reads	06/23/2005	GTR0009597 - GTR0009599		06/10/2011
P2-741	03-07: Cathodic Protection Maintenance	10/09/2001	GTR0009600 - GTR0009600		06/10/2011
P2-742	03-07: Cathodic Protection Maintenance	06/23/2005	GTR0009601 - GTR0009602		06/10/2011
P2-743	03-08: Galvanic Anode Maintenance	10/09/2001	GTR0009603 - GTR0009603		06/10/2011
P2-744	03-08: Galvanic Anode Maintenance	06/23/2005	GTR0009604 - GTR0009605		06/10/2011
P2-745	03-09: Internal Corrosion/Monitor	10/09/2001	GTR0009606 - GTR0009606		06/10/2011
P2-746	03-09: Internal Corrosion/Monitor	06/23/2005	GTR0009607 - GTR0009616		06/10/2011
P2-747	03-10: Rectifier Maintenance	06/23/2005	GTR0009617 - GTR0009618		06/10/2011
P2-748	03-11: Testing/Inspecting for Adequate Electrical Isolation	06/23/2005	GTR0009619 - GTR0009620		06/10/2011
P2-749	04-00: Leak Test	10/09/2001	GTR0009621 - GTR0009621		06/10/2011
P2-750	04-01: Soap Test/Stand-Up Test	10/09/2001	GTR0009622 - GTR0009622		06/10/2011
P2-751	04-01: Soap Test/Stand-Up Test	06/23/2005	GTR0009623 - GTR0009624		06/10/2011
P2-752	04-01: Soap Test/Stand-Up Test	04/03/2008	GTR0009625 - GTR0009632		06/10/2011
P2-753	05-00: Locate Facilities	10/09/2001	GTR0009633 - GTR0009633		06/10/2011
P2-754	05-01: Mark and Locate Facilities	10/09/2001	GTR0009634 - GTR0009634		06/10/2011
P2-755	05-01: Mark and Locate Facilities	06/23/2005	GTR0009635 - GTR0009647		06/10/2011
P2-756	05-02: Standby Pipe	10/09/2001	GTR0009648 - GTR0009648		06/10/2011
P2-757	05-02: Standby Pipe	06/23/2005	GTR0009649 - GTR0009656		06/10/2011
P2-758	05-03: Location of Facilities without Wire	07/20/2010	GTR0009657 - GTR0009658		06/10/2011
P2-759	06-00: Tapping Pipelines Under Pressure	10/09/2001	GTR0009659 - GTR0009659		06/10/2011
P2-760	06-01: Operate Service Tee Tapping/Plugging Equipment (3/4" to 2")	10/09/2001	GTR0009660 - GTR0009660		06/10/2011
P2-761	06-01: Operate Service Tee - Tapping/Plugging Equipment (3/4" to 2")	03/26/2009	GTR0009661 - GTR0009662		06/10/2011
P2-762	06-02: Operate Top Tapping/Plugging Equipment (3/4" to 4")	10/09/2001	GTR0009663 - GTR0009663		06/10/2011
P2-763	06-02: Operate Top Tapping/Plugging Equipment (3/4" to 4")	09/05/2008	GTR0009664 - GTR0009665		06/10/2011
P2-764	06-03: Operate Split Control Tapping/Plugging Equipment (3/4" to 2")	10/09/2001	GTR0009666 - GTR0009666		06/10/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-765	06-03: Operate Split Control Tapping/Plugging Equipment (3/4" to 2")	09/05/2008	GTR0009667 - GTR0009668		06/10/2011
P2-766	06-04: Operate Split Control Tapping/Plugging Equipment (3" to 8")	10/09/2001	GTR0009669 - GTR0009669		06/10/2011
P2-767	06-04: Operate Split Control Tapping/Plugging Equipment (3" to 8")	09/05/2008	GTR0009670 - GTR0009671		06/10/2011
P2-768	06-05: Operate Split Control Tapping/Plugging Equipment (10" to 12")	10/09/2001	GTR0009672 - GTR0009672		06/10/2011
P2-769	06-05: Operate Split Control Tapping/Plugging Equipment (10" to 12")	09/05/2008	GTR0009673 - GTR0009674		06/10/2011
P2-770	06-06: Perform Hot Tapping/Branch Connection	10/09/2001	GTR0009675 - GTR0009675		06/10/2011
P2-771	06-06: Perform Hot Tapping/Branch Connection	06/23/2005	GTR0009676 - GTR0009677		06/10/2011
P2-772	06-07: TDW/Stopple 6" and Greater	10/09/2001	GTR0009678 - GTR0009678		06/10/2011
P2-773	06-07: TDW/Stopple 6" and Greater	06/23/2005	GTR0009679 - GTR0009680		06/10/2011
P2-774	06-08: Low Pressure/Semi-High Bagging Operations	10/09/2001	GTR0009681 - GTR0009681		06/10/2011
P2-775	06-08: Low Pressure/Semi-High Bagging Operations	06/23/2005	GTR0009682 - GTR0009683		06/10/2011
P2-776	06-09: Low Pressure Drilling/Threading Operations	10/09/2001	GTR0009684 - GTR0009684		06/10/2011
P2-777	06-09: Low Pressure Drilling/Threading Operations	06/23/2005	GTR0009685 - GTR0009686		06/10/2011
P2-778	06-10: Operate Riser valve Changer Equipment	10/09/2001	GTR0009687 - GTR0009687		06/10/2011
P2-779	06-10: Operate Riser valve Changer Equipment	06/23/2005	GTR0009688 - GTR0009689		06/10/2011
P2-780	06-11: Low Pressure Foaming Operations	10/09/2001	GTR0009690 - GTR0009690		06/10/2011
P2-781	06-11: Low Pressure Foaming Operations	06/23/2005	GTR0009691 - GTR0009692		06/10/2011
P2-782	06-12: Operate Pin-Off/Valve Tee	10/09/2001	GTR0009693 - GTR0009693		06/10/2011
P2-783	06-12: Operate Pin-Off/Valve Tee	06/23/2005	GTR0009694 - GTR0009695		06/10/2011
P2-784	06-13: PE Tapping Tee (Outlet sizes 1/2" to 2")	03/07/2003	GTR0009696 - GTR0009696		06/10/2011
P2-785	06-13: PE Tapping Tee (Outlet sizes 1/2" to 2")	03/26/2009	GTR0009697 - GTR0009698		06/10/2011
P2-786	06-14: PE Hot Tapping/Branch Connection (McElroy), (2" and 4")	03/07/2003	GTR0009699 - GTR0009699		06/10/2011
P2-787	06-14: PE Hot Tapping/Branch Connection (McElroy), (2" and 4")	06/23/2005	GTR0009700 - GTR0009701		06/10/2011
P2-788	06-15: PE Hot Tapping/Branch Connection (Christie), (1/2", 1" and 2")	03/07/2003	GTR0009702 - GTR0009702		06/10/2011
P2-789	06-15: PE Hot Tapping/Branch Connection (1/2", 1" and 2")	06/23/2005	GTR0009703 - GTR0009704		06/10/2011
P2-790	07-00: Purging of Pipelines	10/09/2001	GTR0009705 - GTR0009705		06/10/2011
P2-791	07-01: Air Purging	10/09/2001	GTR0009706 - GTR0009706		06/10/2011
P2-792	07-01: Air Purging	06/23/2005	GTR0009707 - GTR0009714		06/10/2011
P2-793	07-02: Gas Purging	10/09/2001	GTR0009715 - GTR0009715		06/10/2011
P2-794	07-02: Gas Purging	06/23/2005	GTR0009716 - GTR0009729		06/10/2011
P2-795	07-03: Inert Purging	10/09/2001	GTR0009730 - GTR0009730		06/10/2011
P2-796	07-03: Inert Purging	06/23/2005	GTR0009731 - GTR0009741		06/10/2011
P2-797	07-04: Air Mover Operations	10/09/2001	GTR0009742 - GTR0009742		06/10/2011
P2-798	07-04: Air Mover Operations	06/23/2005	GTR0009743 - GTR0009752		06/10/2011
P2-799	08-00: Patrolling	10/09/2001	GTR0009753 - GTR0009753		06/10/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-800	08-01: Inspect and Maintain Transmission	10/09/2001	GTR0009754 - GTR0009754		06/10/2011
P2-801	08-01: Inspect and Maintain Transmission	06/23/2005	GTR0009755 - GTR0009762		06/10/2011
P2-802	08-02: Inspect and Maintain Distribution Line	10/09/2001	GTR0009763 - GTR0009763		06/10/2011
P2-803	08-02: Inspect and Maintain Distribution Line	06/23/2005	GTR0009764 - GTR0009765		06/10/2011
P2-804	08-03: Maintain Line Markers	10/09/2001	GTR0009766 - GTR0009766		06/10/2011
P2-805	08-03: Maintain Line Markers	06/23/2005	GTR0009767 - GTR0009774		06/10/2011
P2-806	09-00: Leak Survey/Investigation	10/09/2001	GTR0009775 - GTR0009775		06/10/2011
P2-807	09-01: Conduct Survey	10/09/2001	GTR0009776 - GTR0009776		06/10/2011
P2-808	Operator Qualification Forms 09-01 6/30/04 09-01 12/01/06 09-02 6/30/04 09-03 1/10/05	Various	GTR0009777 - GTR0009783		06/10/2011
P2-809	09-01: Conduct Survey	03/24/2008	GTR0009784 - GTR0009785		06/10/2011
P2-810	09-01: Conduct Survey	02/11/2009	GTR0009786 - GTR0009787		06/10/2011
P2-811	09-02: Leak Investigation	10/09/2001	GTR0009788 - GTR0009788		06/10/2011
P2-812	09-02: Leak Investigation	06/23/2005	GTR0009789 - GTR0009790		06/10/2011
P2-813	09-03: F.S. Leak Investigation	07/20/2009	GTR0009791 - GTR0009792		06/10/2011
P2-814	09-04: Leak Survey - Health Optical Methane Detector (OMD)	01/29/2008	GTR0009793 - GTR0009794		06/10/2011
P2-815	09-05: Leak Survey - Health Remote Methane Leak Detector (RMLD)	01/29/2008	GTR0009795 - GTR0009796		06/10/2011
P2-816	09-06: Hydrogen Flame Ionization - Health DP3 & DP4	03/24/2008	GTR0009797 - GTR0009798		06/10/2011
P2-817	09-07: Hydrogen Flame Ionization - OVA-88	03/24/2008	GTR0009799 - GTR0009800		06/10/2011
P2-818	09-08: F.S. Leak Grading	10/14/2010	GTR0009801 - GTR0009802		06/10/2011
P2-819	10-00: Transmission Line Repairs	10/09/2001	GTR0009803 - GTR0009803		06/10/2011
P2-820	10-01: Transmission Line Repair Procedures by Welding	10/09/2001	GTR0009804 - GTR0009804		06/10/2011
P2-821	10-01: Transmission Line Repair Procedures by Welding	06/23/2005	GTR0009805 - GTR0009816		06/10/2011
P2-822	10-02: Testing Welds	10/09/2001	GTR0009817 - GTR0009817		06/10/2011
P2-823	10-02: Weld Inspection	06/23/2005	GTR0009818 - GTR0009826		06/10/2011
P2-824	10-03: In-Service Welding	10/09/2001	GTR0009827 - GTR0009827		06/10/2011
P2-825	10-03: In-Service Welding	06/15/2004	GTR0009828 - GTR0009829		06/10/2011
P2-826	10-04: Transmission Line Repairs - Mechanical	06/23/2005	GTR0009830 - GTR0009831		06/10/2011
P2-827	11-00: Inspect and Test Remote Control Shutdown Devices	10/09/2001	GTR0009832 - GTR0009832		06/10/2011
P2-828	11-01: Inspect/Test Compressor Remote Shutdown Devices	10/09/2001	GTR0009833 - GTR0009833		06/10/2011
P2-829	11-01: Inspect/Test Compressor Remote Shutdown Devices	06/23/2005	GTR0009834 - GTR0009851		06/10/2011
P2-830	11-02: Test Remote Control Devices	10/09/2001	GTR0009852 - GTR0009852		06/10/2011
P2-831	11-02: Test Remote Control Devices	06/23/2005	GTR0009853 - GTR0009854		06/10/2011
P2-832	12-00: Starting, Operating and Shutdown Compressor Units	10/09/2001	GTR0009855 - GTR0009855		06/10/2011
P2-833	12-01: Start/Operate Shutdown Turbine - Local	10/09/2001	GTR0009856 - GTR0009856		06/10/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-834	Qualification Forms 12-01 6/23/05 12-01 12/01/06 12-02 6/23/05 12-02 12/01/06 12-03 6/23/05 12-03 4/01/09 19-01 6/23/05 19-01 12/01/06 19-02 6/23/05 19-02 12/01/06	Various	GTR0009857 - GTR0009877		06/10/2011
P2-835	12-02: Start/Operate Turbine Motor Remote	10/09/2001	GTR0009878 - GTR0009878		06/10/2011
P2-836	12-03: Start/Operate Shutdown - Recip./Local	10/09/2001	GTR0009879 - GTR0009879		06/10/2011
P2-837	12-03: Start/Operate Shutdown - Recip./Local	10/09/2001	GTR0009880 - GTR0009914		06/10/2011
P2-838	13-00: Maintaining Gas Detection and Alarms Systems	10/09/2001	GTR0009915 - GTR0009915		06/10/2011
P2-839	13-01: Inspect/Test/Maintain Gas Detection/Alarms	10/09/2001	GTR0009916 - GTR0009916		06/10/2011
P2-840	13-01: Inspect/Test/Maintain Gas Detection/Alarms	06/23/2005	GTR0009917 - GTR0009927		06/10/2011
P2-841	13-02: Remote Systems Monitoring	10/09/2001	GTR0009928 - GTR0009928		06/10/2011
P2-842	13-02: Remote Systems Monitoring	06/23/2005	GTR0009929 - GTR0009937		06/10/2011
P2-843	14-00: Inspect and Test Pressure Regulating and Limiting Devices	10/09/2001	GTR0009938 - GTR0009938		06/10/2011
P2-844	14-01: Maintain/Operate Regulators and Monitors	10/09/2001	GTR0009939 - GTR0009939		06/10/2011
P2-845	14-01: Maintain/Operate Regulators and Monitors	06/23/2005	GTR0009940 - GTR0009941		06/10/2011
P2-846	14-02: Maintain/Operate Regulators and Monitors	06/23/2005	GTR0009942 - GTR0009943		06/10/2011
P2-847	14-02: Maintain/Operate Regulators and Monitors	04/03/2008	GTR0009944 - GTR0009958		06/10/2011
P2-848	15-00: Monitor Telemetry and/or Pressure Recording Devices	10/09/2001	GTR0009959 - GTR0009959		06/10/2011
P2-849	15-01: Electronically Monitor System Conditions	10/09/2001	GTR0009960 - GTR0009960		06/10/2011
P2-850	15-01: Electronically Monitor System Conditions	06/23/2005	GTR0009961 - GTR0009962		06/10/2011
P2-851	15-02: Monitor Distribution Recording Services	10/09/2001	GTR0009963 - GTR0009963		06/10/2011
P2-852	15-02: Monitor Distribution Recording Services	06/23/2005	GTR0009964 - GTR0009965		06/10/2011
P2-853	15-03: Monitor Telemeter and/or PD	10/09/2001	GTR0009966 - GTR0009966		06/10/2011
P2-854	15-03: Monitor Telemeter and/or PD	06/23/2005	GTR0009967 - GTR0009975		06/10/2011
P2-855	15-04: Inspect and Maintain Electronic Control and Data Systems (i.e., SCADA, RTU, PLC, HMI, MMI etc.)	06/23/2005	GTR0009976 - GTR0009977		06/10/2011
P2-856	15-04: Inspect and Maintain Electronic Control and Data Systems	04/03/2008	GTR0009978 - GTR0009994		06/10/2011
P2-857	16-00: Inspect and Test Relief Devices	10/09/2001	GTR0009995 - GTR0009995		06/10/2011
P2-858	16-01: Test/Maintain Relief Devices	10/09/2001	GTR0009996 - GTR0009996		06/10/2011
P2-859	16-01: Test/Maintain Relief Devices	06/23/2005	GTR0009997 - GTR0009998		06/10/2011
P2-860	17-00: Valve Maintenance	10/09/2001	GTR0009999 - GTR0009999		06/10/2011
P2-861	17-01: Inspect/Maintain Emergency Valves	10/09/2001	GTR0010000 - GTR0010000		06/10/2011
P2-862	17-01: Inspect/Maintain Emergency Valves	06/23/2005	GTR0010001 - GTR0010002		06/10/2011
P2-863	17-02: Remote Valve Operation (SCADA)	10/09/2001	GTR0010003 - GTR0010003		06/10/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-864	17-02: GSO Valve Operation Remote	06/23/2005	GTR0010004 - GTR0010005		06/10/2011
P2-865	17-03: GSO Manual Valve Operation	11/07/2008	GTR0010006 - GTR0010007		06/10/2011
P2-866	18-00: Vault Maintenance	10/09/2001	GTR0010008 - GTR0010008		06/10/2011
P2-867	18-01: Inspect Vault	10/09/2001	GTR0010009 - GTR0010009		06/10/2011
P2-868	18-01: Inspect Vault	06/23/2005	GTR0010010 - GTR0010011		06/10/2011
P2-869	18-01: Inspect Vault	04/03/2008	GTR0010012 - GTR0010027		06/10/2011
P2-870	PG&E Gas Operator Qualification Plan, Part I	06/29/2009	GTR0010028 - GTR0010047		06/10/2011
P2-871	PG&E Gas Operator Qualification Plan, Part II	01/14/2003	GTR0010048 - GTR0010053		06/10/2011
P2-872	PG&E Gas Operator Qualification Plan, Part III	01/03/2003	GTR0010054 - GTR0010061		06/10/2011
P2-873	PG&E Gas Operator Qualification Plan, Part IV Abnormal Operating Conditions	01/13/2003	GTR0010062 - GTR0010062		06/10/2011
P2-874	PG&E Gas Operator Qualification Plan, Part IV Change of Area Process Form	04/00/2001	GTR0010063 - GTR0010063		06/10/2011
P2-875	PG&E Gas Operator Qualification Plan, Part IV Contractor Process Flow Chart	10/03/2002	GTR0010064 - GTR0010064		06/10/2011
P2-876	PG&E Gas Operator Qualification Plan, Part IV Contractor Requirements	09/03/2002	GTR0010065 - GTR0010066		06/10/2011
P2-877	PG&E Gas Operator Qualification Plan, Part IV Covered Subtasks Identification Process	03/07/2001	GTR0010067 - GTR0010070		06/10/2011
P2-878	PG&E Gas Operator Qualification Plan, Part IV Covered Task Addition Review	01/13/2003	GTR0010071 - GTR0010072		06/10/2011
P2-879	PG&E Gas Operator Qualification Plan, Part IV Covered Task Change Review	01/13/2003	GTR0010073 - GTR0010074		06/10/2011
P2-880	PG&E Gas Operator Qualification Plan, Part IV Covered Tasks Identification Process	02/20/2001	GTR0010075 - GTR0010090		06/10/2011
P2-881	PG&E Gas Operator Qualification Plan, Part IV DOT Gas OQ Task/Change Form	04/05/2011	GTR0010091 - GTR0010092		06/10/2011
P2-882	PG&E Gas Operator Qualification Plan, Part IV Dot Gas OQ Task/Change Form	04/05/2011	GTR0010093 - GTR0010094		06/10/2011
P2-883	PG&E Gas Operator Qualification Plan, Part IV Dot Operator Qualification Rule	09/03/2002	GTR0010095 - GTR0010096		06/10/2011
P2-884	PG&E Gas Operator Qualification Plan, Part IV Established Interval Chart	04/12/2007	GTR0010097 - GTR0010097		06/10/2011
P2-885	PG&E Gas Operator Qualification Plan, Part IV Evaluators List	05/05/2011	GTR0010098 - GTR0010114		06/10/2011
P2-886	PG&E Gas Operator Qualification Plan, Part IV Justification Process	01/13/2003	GTR0010115 - GTR0010124		06/10/2011
P2-887	PG&E Gas Operator Qualification Plan, Part IV OQ Annual Review	03/16/2010	GTR0010125 - GTR0010126		06/10/2011
P2-888	PG&E Gas Operator Qualification Plan, Part IV PCC List	Various	GTR0010127 - GTR0010131		06/10/2011
P2-889	PG&E Gas Operator Qualification Plan, Part IV PG&E Academy Ad-Hoc Roster	09/00/2010	GTR0010132 - GTR0010186		06/10/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-890	PG&E Gas Operator Qualification Plan, Part IV Subsequent Qualification Year Chart	08/14/2003	GTR0010187 - GTR0010187		06/10/2011
P2-891	PG&E Gas Operator Qualification Plan, Part IV Training Server Roster Report	04/00/2001	GTR0010188 - GTR0010188		06/10/2011
P2-892	PG&E Gas Operator Qualification Plan, Part IV Change of Area Process Form	02/12/2010	GTR0010189 - GTR0010190		06/10/2011
P2-893	PG&E Gas Operator Qualification Plan, Part V Initial/Subsequent/Delete Qualification Process	03/17/2009	GTR0010191 - GTR0010192		06/10/2011
P2-894	PG&E Gas Operator Qualification Plan, Part V Location and Custodian of Skill and Developmental Evaluations	02/13/2001	GTR0010193 - GTR0010193		06/10/2011
P2-895	PG&E Gas Operator Qualification Plan, Part V Questions and Answers	03/19/2001	GTR0010194 - GTR0010201		06/10/2011
P2-896	PG&E Gas Operator Qualification Plan, Part V Talking Points	04/00/2001	GTR0010202 - GTR0010203		06/10/2011
P2-897	PG&E Gas Operator Qualification Plan, Part V Transitional Qualification Process Work Performance History Review	03/08/2001	GTR0010204 - GTR0010207		06/10/2011
P2-898	75-27: Field Pressure Test Report	12/20/1956	GTR0044819 - GTR0044820		06/20/2011
P2-899	75-27: Strength Test Pressure Report	06/30/1961	GTR0060992 - GTR0060992		06/20/2011
P2-900	75-27: Strength Test Pressure Report	04/02/1962	GTR0045490 - GTR0045491		06/20/2011
P2-901	75-27: Strength Test Pressure Report	11/27/1964	GTR0060991 - GTR0060991		06/20/2011
P2-902	SP1604: Design and Test Requirements for Gas Piping Systems	10/00/1965	GTR0117787 - GTR0117795		06/20/2011
P2-903	A-34: Piping-Data Sheet Design and Test Requirements (283621)	03/20/1974	GTR0117420 - GTR0117430		06/20/2011
P2-904	62-4921: Gas Pipeline Facilities Strength Test Pressure Report	10/00/1967	GTR0057771 - GTR0057771		06/20/2011
P2-905	62-4921: Strength Test Pressure Report	03/00/1968	GTR0046574 - GTR0046575		06/20/2011
P2-906	A-34: Design and Test Requirements for Gas Piping Systems (084509), Rev. 2	02/00/1969	GTR0047419 - GTR0047423		06/20/2011
P2-907	62-4921: Gas Pipeline Facilities Strength Test Pressure Report	02/00/1969	GTR0060988 - GTR0060988		06/20/2011
P2-908	A-34: Design and Test Requirements for Gas Piping Systems (283621)	01/00/1971	GTR0047369 - GTR0047372		06/20/2011
P2-909	A-34: Piping-Data Sheet Design and Test Requirements (283621)	02/17/1972	GTR0042610 - GTR0042613		06/20/2011
P2-910	62-4921: Gas Pipeline Facilities Strength Test Pressure Report	01/00/1972	GTR0119059 - GTR0119059		06/20/2011
P2-911	A-34: Piping-Data Sheet Design and Test Requirements (283621)	01/22/1973	GTR0042614 - GTR0042615		06/20/2011
P2-912	A-34: Piping-Data Sheet Design and Test Requirements (283621)	01/25/1973	GTR0042606 - GTR0042609		06/20/2011
P2-913	62-4921: Strength Test Pressure Report	01/00/1973	GTR0042128 - GTR0042128		06/20/2011
P2-914	A-34: Piping-Data Sheet Design and Test Requirements (283621)	02/26/1974	GTR0042600 - GTR0042605		06/20/2011
P2-915	A-34: Piping-Data Sheet Design and Test Requirements (283621)	08/21/1974	GTR0042598 - GTR0042599		06/20/2011
P2-916	A-34: Piping-Data Sheet Design and Test Requirements (283621)	08/01/1975	GTR0042594 - GTR0042595		06/20/2011
P2-917	A-34: Piping-Data Sheet Design and Test Requirements (283621)	11/15/1975	GTR0042596 - GTR0042597		06/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-918	A-34: Piping-Data Sheet Design and Test Requirements (283621)	01/13/1977	GTR0047233 - GTR0047236		06/20/2011
P2-919	A-34: Piping-Data Sheet Design and Test Requirements	01/16/1979	GTR0119069 - GTR0119070		06/20/2011
P2-920	62-4921: Gas Pipeline Facilities Strength Test Pressure Report	04/00/1979	GTR0119058 - GTR0119058		06/20/2011
P2-921	A-34: Piping-Data Sheet Design and Test Requirements	03/11/1980	GTR0119071 - GTR0119074		06/20/2011
P2-922	A-34: Piping-Data Sheet Design and Test Requirements (283621)	02/24/1982	GTR0042590 - GTR0042593		06/20/2011
P2-923	A-34: Piping Data Sheet Design and Test Requirements (087712)	01/20/1983	GTR0047312 - GTR0047319		06/20/2011
P2-924	A-34 Appendix H: Emergency Pipe Test Information Form (284300), Rev. 1	01/20/1983	GTR0047321 - GTR0047321		06/20/2011
P2-925	A-34 Appendix A: Piping-Data Sheet Design and Test Requirements (284283)	02/25/1983	GTR0047320 - GTR0047320		06/20/2011
P2-926	A-34: Piping-Data Sheet Design and Test Requirements (087948)	03/19/1984	GTR0042556 - GTR0042562		06/20/2011
P2-927	A-34 Appendix A: Piping-Data Sheet Design and Test Requirements	03/19/1984	GTR0119068 - GTR0119068		06/20/2011
P2-928	A-34: Piping-Data Sheet Design and Test Requirements (087950)	08/20/1984	GTR0042552 - GTR0042555		06/20/2011
P2-929	A-34: Piping-Data Sheet Design and Test Requirements	08/20/1984	GTR0061041 - GTR0061041		06/20/2011
P2-930	A-34: Piping-Data Sheet Design and Test Requirements	08/20/1994	GTR0061042 - GTR0061045		06/20/2011
P2-931	A-34 Appendix A: Piping-Data Sheet Design and Test Requirements (284283)	11/18/1985	GTR0042547 - GTR0042548		06/20/2011
P2-932	A-34 Appendix H: Emergency Pipe Test Information Form (284300), Rev. 2	11/20/1985	GTR0042551 - GTR0042551		06/20/2011
P2-933	A-34: Piping-Data Sheet Design and Test Requirements (087950) (with appendices)	02/25/1986	GTR0042295 - GTR0042311		06/20/2011
P2-934	62-4921: Gas Pipeline Facilities Strength Test Pressure Report	09/00/1988	GTR0117628 - GTR0117633		06/20/2011
P2-935	62-4921: Gas Pipeline Facilities Strength Test Pressure Report	07/00/1989	GTR0117634 - GTR0117644		06/20/2011
P2-936	A-34 Appendix A: Piping-Data Sheet Design and Test Requirements (284283)	11/00/1989	GTR0042549 - GTR0042550		06/20/2011
P2-937	A-34 Appendix A: Piping-Data Sheet Design and Test Requirements	03/29/1990	GTR0119066 - GTR0119067		06/20/2011
P2-938	A-34 Appendix H: Emergency Pipe Test Information Form (284300), Rev. 3	07/00/1990	GTR0047275 - GTR0047275		06/20/2011
P2-939	A-34: Piping-Data Sheet Design and Test Requirements (087950) (with appendices)	08/06/1990	GTR0042522 - GTR0042546		06/20/2011
P2-940	A-34: Piping Design and Test Requirements (087905)	11/02/1992	GTR0119060 - GTR0119065		06/20/2011
P2-941	64-4921: Gas Pipeline Facilities Strength Test Pressure Report	01/00/1994	GTR0047144 - GTR0047144		06/20/2011
P2-942	A-34: Piping Design and Test Requirements (087950) (with appendices)	02/28/1995	GTR0046840 - GTR0046862		06/20/2011
P2-943	62-4921: Gas Pipeline Facilities Strength Test Pressure Report	01/00/1998	GTR0060989 - GTR0060989		06/20/2011
P2-944	62-4921: Gas Pipeline Facilities Strength Test Pressure Report	07/00/1998	GTR0047145 - GTR0047145		06/20/2011
P2-945	A-34: Piping Design and Test Requirements (with appendices)	10/19/1998	GTR0046863 - GTR0046889		06/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-946	A-34: Piping Design and Test Requirements (with appendices)	04/27/1999	GTR0042563 - GTR0042589		06/20/2011
P2-947	62-4921: Gas Pipeline Facilities Strength Test Pressure Report	11/00/2002	GTR0060990 - GTR0060990		06/20/2011
P2-948	A-34: Piping-Data Sheet Testing of Emergency Pipe	01/03/2003	GTR0061113 - GTR0061113		06/20/2011
P2-949	A-34 Appendix H: Emergency Pipe Test Information Form	06/00/2003	GTR0118111 - GTR0118111		06/20/2011
P2-950	62-4921: Gas Pipeline Facilities Strength Test Pressure Report	06/00/2003	GTR0047146 - GTR0047146		06/20/2011
P2-951	A-34: Piping Design and Test Requirements (with appendices)	12/09/2003	GTR0118084 - GTR0118109		06/20/2011
P2-952	62-4921: Gas Pipeline Facilities Strength Test Pressure Report	02/00/2004	GTR0118110 - GTR0118110		06/20/2011
P2-953	Engineers & Estimators Manual, Upgrading Mains to a Higher Operating Pressure	00/00/1964	GTR0048671 - GTR0048673		06/20/2011
P2-954	SP1606: Mains in Transmission Capital	08/12/1965	GTR0042677 - GTR0042685		06/20/2011
P2-955	Operating and Maintenance Procedures for Major Gas Pipelines	12/30/1966	GTR0061114 - GTR0061130		06/20/2011
P2-956	SP 463-8: Maximum Operating Pressures of Pipelines and Mains Operating at or Above 20% of S.M.Y.S (incl. supplement 1 and appendix A & B)	04/15/1970	GTR0061004 - GTR0061018		06/20/2011
P2-957	SP 463-8 Appendix A, B & C	03/01/1975	GTR0061019 - GTR0061038		06/20/2011
P2-958	SP 463-8: Maximum Operating Pressures of Pipelines and Mains Operating at or Above 20% of S.M.Y.S. (incl. supplement 1 and appendix A, B & C)	05/01/1975	GTR0061084 - GTR0061108		06/20/2011
P2-959	SP 463-8 Appendix A	08/01/1975	GTR0057770 - GTR0057770		06/20/2011
P2-960	SP 463-8 Appendix A, B & C	07/01/1976	GTR0060745 - GTR0060763		06/20/2011
P2-961	SP 463-8 Appendix A, B & C	06/01/1977	GTR0060764 - GTR0060786		06/20/2011
P2-962	SP 463-6: Maximum Allowable Operating Pressures of Gas Distribution (incl. Exhibit A - Establishing MAOP)	03/01/1978	GTR0117276 - GTR0117283		06/20/2011
P2-963	SP 463-8 Appendix A, B & C	04/14/1978	GTR0060787 - GTR0060809		06/20/2011
P2-964	SP 463-8: Maximum Operating Pressures of Pipelines and Mains Operating at or Above 20% of SMYS (Including drawing 086868 and Supplement I)	04/09/1979	GTR0060810 - GTR0060843		06/20/2011
P2-965	183018: Overpressure Protection Device Setting	09/27/1978	GTR0052792 - GTR0052817		06/20/2011
P2-966	086868: MAOP of Lines Operating at or over 20% SMYS Typical, Rev. 1	04/01/1981	GTR0045972 - GTR0046003		06/20/2011
P2-967	SP 463-8 Appendix A & C	06/01/1981	GTR0046255 - GTR0046256		06/20/2011
P2-968	SP 463-8: Maximum Operating Pressures of Pipelines and Mains Operating at or Above 20% of S.M.V.S (incl. supplement and appendix A)	04/01/1982	GTR0042381 - GTR0042384		06/20/2011
P2-969	086868: MAOP of Lines Operating at or over 20% SMYS Typical	04/26/1982	GTR0060844 - GTR0060858		06/20/2011
P2-970	SP 463-8: Maximum Operating Pressures of Pipelines and Mains Operating at or Above 20% of SMYS (Including drawing 086868 and Supplement I)	04/15/1983	GTR0042351 - GTR0042380		06/20/2011
P2-971	086868: MAOP of Lines Operating at or over 20% SMYS Typical, Rev. 4	07/17/1984	GTR0044732 - GTR0044758		06/20/2011
P2-972	A-34.1: Work Reportable to the CPUC (088048), Rev. 1 and 2	08/20/1984	GTR0042262 - GTR0042265		06/20/2011
P2-973	086868: MAOP of Lines Operating at or over 20% SMYS Typical, Rev. 5	03/01/1985	GTR0043717 - GTR0043743		06/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-974	A-34.1: Piping Requirements Work Reportable to the CPUC (088048), Rev. 2	05/31/1985	GTR0042258 - GTR0042261		06/20/2011
P2-975	A-34.1: Forms I, II & III	10/11/1985	GTR0042246 - GTR0042248		06/20/2011
P2-976	A-34.1: Piping Requirements Work Reportable to the CPUC (088048)	11/05/1985	GTR0060859 - GTR0060864		06/20/2011
P2-977	A-34.1: Piping Requirements Work Reportable to the CPUC (088048)	01/28/1986	GTR0060865 - GTR0060869		06/20/2011
P2-978	A-34.1: Piping Requirements Work Reportable to the CPUC (088048) with Attachments, Rev. 5	08/28/1986	GTR0042249 - GTR0042256		06/20/2011
P2-979	A-34.1: Form II - Work Reportable to CPUC Log of Notifications	09/30/1986	GTR0042257 - GTR0042257		06/20/2011
P2-980	086868: MAOP of Lines Operating at or Over 20% SMYS Typical, Rev. 7	03/06/1987	GTR0117935 - GTR0117965		06/20/2011
P2-981	A-34.1: Piping Requirements Work Reportable to the CPUC (088048), Rev. 6	07/11/1989	GTR0042229 - GTR0042245		06/20/2011
P2-982	A-34.1: Form I-Verification of Verbal Notification to CPUC	07/11/1989	GTR0042228 - GTR0042228		06/20/2011
P2-983	A-34.1: Piping Requirements Work Reportable to the CPUC (088048), Rev. 7	07/24/1990	GTR0047276 - GTR0047281		06/20/2011
P2-984	SP 463-8: Maximum Operating Pressures of Pipelines and Mains Operating at or Above 20% of SMYS, Rev. 8	09/17/1990	GTR0117725 - GTR0117756		06/20/2011
P2-985	IS 463-8: Maximum Operating Pressures of Pipelines and Mains Operating at or over 20% of SMYS	09/17/1990	GTR0042480 - GTR0042483		06/20/2011
P2-986	A-34.1: General Requirements Work Reportable to the CPUC (088048)	02/29/1996	GTR0060870 - GTR0060886		06/20/2011
P2-987	A-34.1: General Requirements Work Reportable to the CPUC (088048), Rev. 1	10/31/1997	GTR0045295 - GTR0045300		06/20/2011
P2-988	A-34.1: General Requirements Work Reportable to the California Public Utilities Commission (088048), Rev. 2	06/04/1998	GTR0046890 - GTR0046893		06/20/2011
P2-989	D-S0430/S4125: Maximum Allowable Operating Pressure, Requirements for Distribution Systems and Transmission and Gathering Lines (incl. Exhibit 1 - Form 4125)	08/01/1998	GTR0117284 - GTR0117297		06/20/2011
P2-990	086868: MAOP of Lines Operating at or over 20% SMYS Typical, Rev. 10	09/17/1998	GTR0042409 - GTR0042431		06/20/2011
P2-991	S4125.1: Setpoints, Overpressure Protection Devices (including Form 4125.1), Rev. 1	11/01/1998	GTR0047148 - GTR0047152		06/20/2011
P2-992	086868: MAOP of Lines Operating at or over 20% SMYS Typical, Rev. 11	03/01/1999	GTR0042385 - GTR0042408		06/20/2011
P2-993	183018: Overpressure Protection Device Maximum Settings, Rev. 2	09/17/1999	GTR0048639 - GTR0048656		06/20/2011
P2-994	4125.2: Establishing Set points On Overpressure Protection Devices, Rev. 1.1	10/01/1999	GTR0046245 - GTR0046254		06/20/2011
P2-995	S4125: Maximum Allowable Operating Pressure, Requirements for Distribution Systems and Transmission and Gathering Lines (including Form 4125)	10/01/2000	GTR0042338 - GTR0042350		06/20/2011
P2-996	183018: Overpressure Protection Device Settings	02/12/2001	GTR0060887 - GTR0060900		06/20/2011
P2-997	D-S0430/S4125: Form 4125 - Request to Revise MAOP/MOP Transmission and Gathering Lines	01/01/2003	GTR0117653 - GTR0117654		06/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-998	183018: Overpressure Protection Device Settings	05/20/2003	GTR0060901 - GTR0060902		06/20/2011
P2-999	A-34.1: General Requirements Work Reportable to the California Public Utilities Commission, Rev. 3	03/31/2004	GTR0046894 - GTR0046898		06/20/2011
P2-1000	A-34.1: General Requirements Work Reportable to the California Public Utilities Commission, Rev. 4	12/06/2004	GTR0046241 - GTR0046244		06/20/2011
P2-1001	62-3237: Facility Upgrading Record	03/01/2005	GTR0046651 - GTR0046651		06/20/2011
P2-1002	86868: MAOP of Lines Operating at or over 20% SMYS Typical (including Form 4125)	03/10/2005	GTR0060903 - GTR0060932		06/20/2011
P2-1003	86868: MAOP of Lines Operating at or over 20% SMYS Typical	12/31/2007	GTR0060933 - GTR0060958		06/20/2011
P2-1004	S4125: Maximum Allowable Operating Pressure, Requirements for Distribution Systems and Transmission and Gathering Lines	01/01/2008	GTR0117903 - GTR0117914		06/20/2011
P2-1005	F4125: Request to Revise MAOP/MOP Transmission and Gathering Lines	01/01/2008	GTR0060959 - GTR0060959		06/20/2011
P2-1006	086868: MAOP of Lines Operating at or over 20% SMYS, Rev. 19	08/18/2008	GTR0117232 - GTR0117260		06/20/2011
P2-1007	183018: Overpressure Protection Device Setting, Rev. 7	09/01/2009	GTR0045454 - GTR0045470		06/20/2011
P2-1008	302: Establishing Gas System Piping Maximum Allowable Operating Pressures (MAOPs)	10/09/2009	GTR0046738 - GTR0046739		06/20/2011
P2-1009^	A-34.1: General Requirements Work Reportable to the California Public Utilities Commission, Rev. 5	02/25/2010	GTR0118112 - GTR0118122		06/20/2011
P2-1010	086868: MAOP of Lines Operating at or over 20% SMYS Typical	03/15/2010	GTR0060960 - GTR0060985		06/20/2011
P2-1011	TD-4125S: Maximum Allowable Operating Pressure Requirements for Gas Distribution Systems and Transmission and Gathering Lines, Rev. 0	03/31/2010	GTR0118140 - GTR0118155		06/20/2011
P2-1012	TD-4125P-01-F01 Attachment 1: Establishing MAOP	03/31/2010	GTR0046740 - GTR0046740		06/20/2011
P2-1013	TD-4125P-01-F02 Attachment 2: Establishing MAOP By Leak Survey	03/31/2010	GTR0046741 - GTR0046741		06/20/2011
P2-1014	TD-4125P-01-F03 Attachment 3: MAOP of Gas Systems	03/31/2010	GTR0046742 - GTR0046742		06/20/2011
P2-1015	TD-4125P-02: Establishment and Documentation of MAOPs, MOPs and FDPs for Pipeline Operating at Greater Than 60 psig, Rev. 0	03/31/2010	GTR0118156 - GTR0118162		06/20/2011
P2-1016	TD-4125P-02 Attachment 1: MAOP Binder Requirements, Rev. 0	03/31/2010	GTR0118163 - GTR0118163		06/20/2011
P2-1017	TD-4125P-04: Revising the MOP, MAOP, of Pipelines Operating at Greater than 60 psig	03/31/2010	GTR0118164 - GTR0118171		06/20/2011
P2-1018	TD-4125P-04 Attachment 1: Uprate Written Plan Requirements, Rev. 0	03/31/2010	GTR0118172 - GTR0118177		06/20/2011
P2-1019	TD-4125P-04 Attachment 2: Records Research Procedure, Rev. 0	03/31/2010	GTR0118178 - GTR0118180		06/20/2011
P2-1020	TD-4125P-04 Attachment 3: Pipeline Features List Template	03/31/2010	GTR0118181 - GTR0118184		06/20/2011
P2-1021	TD-4125P-04 Attachment 4: Station Equipment List Template	03/31/2010	GTR0118185 - GTR0118185		06/20/2011
P2-1022	TD-4125P-04-F01 Attachment 5: Approval to Revise MAOP/MOP Transmission and Gathering Lines, Rev. 0	03/31/2010	GTR0118186 - GTR0118187		06/20/2011
P2-1023	TD-4125P-04-F02 Attachment 6: Typical Uprate Pressure Increase Report	03/31/2010	GTR0118188 - GTR0118189		06/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-1024	TD-4125P-04-F03 Attachment 7: Engineering Review Checklist-Form	03/31/2010	GTR0118190 - GTR0118193		06/20/2011
P2-1025	TD-4125P-04 Attachment 8: Post-MAOP Revision Documentation Check List, Rev. 0	03/31/2010	GTR0042138 - GTR0042138		06/20/2011
P2-1026	TD-4125P-06: Revising Setpoints of Overpressure Protection Devices	03/31/2010	GTR0118194 - GTR0118199		06/20/2011
P2-1027	TD-4125P-06 Attachment 1: Request to Revise Setpoint on Overpressure Protection Device for Gas Transmission Lines:	03/31/2010	GTR0118200 - GTR0118200		06/20/2011
P2-1028	TD-4125P-07: Establishing Setpoints on Overpressure Protection Devices	03/31/2010	GTR0118201 - GTR0118209		06/20/2011
P2-1029	TD-4125P-07 Attachment 1: Computing Pressure Increase Due to Hydraulic Head Effect, Rev. 0	03/31/2010	GTR0118210 - GTR0118211		06/20/2011
P2-1030	183018: Overpressure Protection Device Setting, Rev. 8	06/09/2010	GTR0117830 - GTR0117846		06/20/2011
P2-1031	A-37.1: Pipeline Test Head (386527)	01/20/1976	GTR0118730 - GTR0118731		06/20/2011
P2-1032	A-37.1: Pipeline Test Head (386527)	08/30/1976	GTR0061617 - GTR0061617		06/20/2011
P2-1033	A-37: Hydrostatic Testing Procedure (086870), Rev. 0	04/24/1979	GTR0042266 - GTR0042282		06/20/2011
P2-1034	A-37.1: Pipeline Test Head (386527), Rev. 3	01/07/1980	GTR0047334 - GTR0047334		06/20/2011
P2-1035	A-37: Hydrostatic Testing Procedure (086870), Rev. 2	08/16/1982	GTR0042283 - GTR0042286		06/20/2011
P2-1036	A-37: Hydrostatic Testing Procedure Gas Standard (086870)	01/05/1983	GTR0047325 - GTR0047333		06/20/2011
P2-1037	A-37: Hydrostatic Testing Procedure (086870), Rev. 4	03/23/1984	GTR0048657 - GTR0048658		06/20/2011
P2-1038	A-37: Hydrostatic Testing Procedure (086870), Rev. 5	12/13/1984	GTR0042287 - GTR0042294		06/20/2011
P2-1039	A-37.1: Pipeline Test Head (386527), Rev. 4	11/28/1989	GTR0047282 - GTR0047283		06/20/2011
P2-1040	A-37: Hydrostatic Testing Procedure (086870), Rev. 6	11/29/1989	GTR0046902 - GTR0046910		06/20/2011
P2-1041	A-37: Hydrostatic Testing Procedure, Rev. 0	11/22/2004	GTR0118126 - GTR0118139		06/20/2011
P2-1042	A-35: Design and Test Requirement for Assemblies and Equipment Sheet 1 to 3 (086532), Rev. 0	01/20/1977	GTR0047322 - GTR0047324		06/20/2011
P2-1043	A-35: Design and Test Requirement for Assemblies and Equipment Sheet 1 to 3 (086532)	02/27/1984	GTR0046899 - GTR0046901		06/20/2011
P2-1044	A-35: Design and Test Requirements for Assemblies and Equipment, Rev. 0	12/03/2004	GTR0118123 - GTR0118125		06/20/2011
P2-1045	PLO 461-B: Compressor Plant Equipment Tagging and Maintenance Recordkeeping Procedures:	05/01/1977	GTR0117408 - GTR0117418		06/20/2011
P2-1046	PLO 461-B: Compressor Plant Equipment Tagging and Maintenance Recordkeeping Procedures	04/01/1979	GTR0117691 - GTR0117719		06/20/2011
P2-1047	SP464-1: Major Control Facilities: Inspection, Operation, and Maintenance	01/01/1987	GTR0047197 - GTR0047198		06/20/2011
P2-1048	I.S. 464-1: Major Control Facilities, Inspections, Operations, and Maintenance	01/01/1987	GTR0042484 - GTR0042485		06/20/2011
P2-1049	S4430: Gas Supply Gas Facilities Requirements, Rev. 0	12/01/1996	GTR0042432 - GTR0042434		06/20/2011
P2-1050	S4431: Operation and Maintenance Instructions Requirements for Major Gas Facilities, Rev. 0	12/01/1996	GTR0042435 - GTR0042437		06/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-1051	RP4431.1: Guide for the Preparation of Operation and Maintenance Instructions for Major Gas Facilities, Rev. 0	12/15/1996	GTR0042443 - GTR0042457		06/20/2011
P2-1052	S4430: Gas Supply Gas Facilities Requirements, Rev. 1	06/01/1997	GTR0042458 - GTR0042460		06/20/2011
P2-1053	S4431: Operation and Maintenance Instructions Requirements for Major Gas Facilities, Rev. 1	06/01/1997	GTR0042438 - GTR0042442		06/20/2011
P2-1054	RP 4431.1: Guide for the Preparation of Operation and Maintenance Instructions for Major Gas Facilities	06/01/1997	GTR0042461 - GTR0042475		06/20/2011
P2-1055	S4430: CGT Gas Facilities Requirements, Rev. 1.1	10/01/1999	GTR0118387 - GTR0118390		06/20/2011
P2-1056	S4431: Operation and Maintenance Instructions Requirements for Major Gas Facilities	10/01/1999	GTR0118516 - GTR0118534		06/20/2011
P2-1057	4432: Station Inspection, Testing, and Maintenance Procedures, Rev. 1	02/01/2000	GTR0044114 - GTR0044135		06/20/2011
P2-1058	144: CGT Station Maintenance Report	06/01/2001	GTR0046749 - GTR0046750		06/20/2011
P2-1059	164: Testing of Gas Transmission Monitor Valves	06/01/2003	GTR0046640 - GTR0046641		06/20/2011
P2-1060	S4432: CGT Station Inspection, Testing, and Maintenance Procedures (with attachments)	06/00/2005	GTR0117796 - GTR0117825		06/20/2011
P2-1061	WP4430-02: Gas Station Inspection, Testing, and Maintenance Procedures	09/00/2008	GTR0046687 - GTR0046706		06/20/2011
P2-1062	F4430-02-1 Attachment 1: Technical Maintenance Equipment Card	09/00/2008	GTR0046610 - GTR0046611		06/20/2011
P2-1063	WP4430-02 Attachment 2: Station Inspection Schedule	09/00/2008	GTR0044801 - GTR0044807		06/20/2011
P2-1064	F4430-02-4 Attachment 4: Gas Facilities Station Maintenance Report	09/00/2008	GTR0117221 - GTR0117222		06/20/2011
P2-1065	TD-4430P-02 Attachment 6: Station Fire Protection Systems/Equipment Routine	09/30/2009	GTR0045471 - GTR0045475		06/20/2011
P2-1066	TD-4430P-02 Attachment 7: Inspection of Piping for Atmospheric and External Corrosion at Transmission Station Facilities	09/30/2009	GTR0044109 - GTR0044113		06/20/2011
P2-1067	TD-4430P-02: Gas Transmission Stations Inspection, Testing, and Maintenance Procedures	01/01/2010	GTR0118402 - GTR0118424		06/20/2011
P2-1068	TD-4430P-02 Attachment 1: Technical Maintenance Equipment Card	01/01/2010	GTR0118425 - GTR0118426		06/20/2011
P2-1069	TD-4430P-02 Attachment 2: Station Inspection Schedule	01/01/2010	GTR0118427 - GTR0118435		06/20/2011
P2-1070	TD-4430P-02 Attachment 3: Station Monthly Routine - Sample Log	01/01/2010	GTR0118436 - GTR0118437		06/20/2011
P2-1071	TD-4430P-02 Attachment 4: Gas Facilities Station Maintenance Report	06/22/2010	GTR0118438 - GTR0118447		06/20/2011
P2-1072	TD-4330P-02 Attachment 5: Sample Gas Facilities Station Maintenance Report	01/01/2010	GTR0118448 - GTR0118449		06/20/2011
P2-1073	TD-4430P-02 Attachment 6: Station Fire Protection Systems/Equipment Routine	06/21/2010	GTR0118450 - GTR0118454		06/20/2011
P2-1074	TD-4430P-02 Attachment 7: Inspection of Piping for Atmospheric and External Corrosion at Transmission Station Facilities	01/01/2010	GTR0118455 - GTR0118459		06/20/2011
P2-1075	TD-4430P-02 Attachment 8: Valve Actuator Maintenance Record	01/01/2010	GTR0118460 - GTR0118461		06/20/2011
P2-1076	TD-4430P-02 Attachment 9: Self-Contained Regulator Valve Maintenance Record	01/01/2010	GTR0118462 - GTR0118463		06/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-1077	TD-4430P-02 Attachment 10: Self-Contained Monitor Valve Maintenance Record	01/01/2010	GTR0118464 - GTR0118465		06/20/2011
P2-1078	TD-4430P-02 Attachment 11: Self-Contained Relief Valve Maintenance Record	01/01/2010	GTR0118466 - GTR0118467		06/20/2011
P2-1079	TD-4430P-02 Attachment 12: Package Regulator/Relief Valve Maintenance Record	01/01/2010	GTR0118468 - GTR0118468		06/20/2011
P2-1080	322: Clarification for Gas Transmission Stations Maintenance and Replacement of Maintenance Forms	02/01/2010	GTR0118666 - GTR0118667		06/20/2011
P2-1081	Bulletin 325: Changes to Gas Transmission Station Maintenance and Addition of Leak Survey Form	06/16/2010	GTR0118343 - GTR0118344		06/20/2011
P2-1082	TD-4430P-02 Attachment 13: Gas Transmission Stations Leak Survey Report	04/00/2010	GTR0118668 - GTR0118669		06/20/2011
P2-1083	G14272: Selecting Instrument and Control Wires, and Tagging Wires, Cables, and Conduits for GT&D Facilities	06/28/2006	GTR0118541 - GTR0118542		06/20/2011
P2-1084	G14272 Attachment 1: Selecting I&C Wire and Cable	06/28/2006	GTR0118543 - GTR0118545		06/20/2011
P2-1085	G14272 Attachment 2: Tagging Conventions for I&C Wire, Cable, and Conduit	06/28/2006	GTR0118546 - GTR0118547		06/20/2011
P2-1086	G4293: CGT Station Battery Maintenance and Testing, with Attachments	05/01/2000	GTR0117444 - GTR0117499		06/20/2011
P2-1087	G14293: CGT Station Battery Maintenance and Testing with Attachments	10/26/2000	GTR0117500 - GTR0117554		06/20/2011
P2-1088	G14293: CGT Station Battery Maintenance and Testing	06/01/2005	GTR0118559 - GTR0118561		06/20/2011
P2-1089	G14293 Attachment 1: Station Battery Maintenance and Testing Procedures	06/01/2005	GTR0118548 - GTR0118554		06/20/2011
P2-1090	G14293 Attachment 2: CGT Battery Capacity Testing Procedure	06/01/2005	GTR0118555 - GTR0118558		06/20/2011
P2-1091	G14293 Attachment 3: Form F14293-3 Battery Maintenance Log Sheet	06/01/2005	GTR0046616 - GTR0046617		06/20/2011
P2-1092	G14293 Attachment 4: List of Station Batteries and Testing Intervals	06/01/2005	GTR0046592 - GTR0046593		06/20/2011
P2-1093	G14293 Attachment 5: Battery Discharge Test Parameters	06/01/2005	GTR0046594 - GTR0046595		06/20/2011
P2-1094	G14293 Attachment 6: Sample Battery Database Input Form	06/01/2005	GTR0046596 - GTR0046596		06/20/2011
P2-1095	855: Maintenance of Pressure Limiting and Pressure Regulating Stations Including Relief Valves	00/00/1967	GTR0058374 - GTR0058374		06/20/2011
P2-1096	62-6271: Regulator Installation Data Sheet	00/00/1967	GTR0061109 - GTR0061109		06/20/2011
P2-1097	62-6321: Regulator Maintenance and Operating Data	00/00/1967	GTR0061110 - GTR0061110		06/20/2011
P2-1098	464-2: District Regulator Station Maintenance	09/01/1982	GTR0117267 - GTR0117275		06/20/2011
P2-1099	464-2: District Regulator Station Maintenance with Attachments	08/01/1986	GTR0046576 - GTR0046591		06/20/2011
P2-1100	66: District Regulator Station Inspection, Testing, and Maintenance Work	09/23/1993	GTR0117419 - GTR0117419		06/20/2011
P2-1101	S0351: District Regulator Station Maintenance with Attachments	10/00/1994	GTR0054325 - GTR0054337		06/20/2011
P2-1102	S5351: District Regulator Station Maintenance with Attachments	08/00/2001	GTR0046759 - GTR0046775		06/20/2011
P2-1103	62-6321A: District Regulator Station Maintenance Record (HPR Type)	05/00/2008	GTR0054338 - GTR0054339		06/20/2011
P2-1104	62-6321: District Regulator Station Maintenance Record	05/00/2008	GTR0058734 - GTR0058735		06/20/2011
P2-1105	279: Set Point Limits for District Regulator Stations	12/30/2008	GTR0117826 - GTR0117829		06/20/2011
P2-1106	294: Updated District Regulator Station Maintenance Requirements	06/30/2009	GTR0117887 - GTR0117889		06/20/2011
P2-1107	S4540: Gas Pressure Regulation Maintenance Requirements	08/00/2009	GTR0118399 - GTR0118401		06/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-1108	WP4540-01: District Regulator Station Maintenance	08/00/2009	GTR0118469 - GTR0118483		06/20/2011
P2-1109	62-6271: District Regulator Data Sheet	08/00/2009	GTR0047131 - GTR0047132		06/20/2011
P2-1110	62-6321: District Regulator Station Maintenance Record	08/00/2009	GTR0047129 - GTR0047130		06/20/2011
P2-1111	62-6321A: District Regulator Station Maintenance Record (HPR Type)	08/00/2009	GTR0046751 - GTR0046752		06/20/2011
P2-1112	WP 4540-01 Attachment 4: Set Point Limits for District Regulator Stations	08/00/2009	GTR0118490 - GTR0118491		06/20/2011
P2-1113	WP 4540-01 Attachment 5: Establishing Pressure Set Points and Checking for Lock-up for Regulators and Monitors Using the Long Line/Short Line Technique	08/00/2009	GTR0118492 - GTR0118492		06/20/2011
P2-1114	310: Replace District Regulator Station Maintenance Forms	12/03/2009	GTR0118665 - GTR0118665		06/20/2011
P2-1115	WP 4540-01 Attachment 1: District Regulator Data Sheet	12/00/2009	GTR0118484 - GTR0118485		06/20/2011
P2-1116	WP 4540-01 Attachment 2: District Regulator Station Maintenance Record	12/00/2009	GTR0118486 - GTR0118487		06/20/2011
P2-1117	WP 4540-01 Attachment 3: District Regulator Station Maintenance Record (HPR Type)	12/00/2009	GTR0118488 - GTR0118489		06/20/2011
P2-1118	TD-4540P-04: Pilot-Operated Regulator Station Maintenance (Outlet Pressures > 60 psig)	01/01/2010	GTR0118493 - GTR0118507		06/20/2011
P2-1119	TD-4540P-04 Attachment 1: Pilot-Operated Regulator Station Data Sheet	01/01/2010	GTR0118508 - GTR0118509		06/20/2011
P2-1120	TD-4540P-04 Attachment 2: Pilot Operated Regulator Station Maintenance Record	01/01/2010	GTR0118510 - GTR0118511		06/20/2011
P2-1121	TD-4540P-04 Attachment 3: Checking Lock-Up at Regulators and Monitors Using the Long/Short Line Technique	01/01/2010	GTR0118512 - GTR0118512		06/20/2011
P2-1122	TD-4540B-001: Checking Lock-Up at Regulator Stations Whose Outlet Valves are not Rated for the Upstream MAOP	06/24/2010	GTR0046746 - GTR0046748		06/20/2011
P2-1123	TD-4540B-001: Checking Lock-Up at Regulator Stations Whose Outlet Valves are not Rated for the Upstream MAOP	06/30/2010	GTR0118513 - GTR0118515		06/20/2011
P2-1124	Guidelines for Sizing and Setting Relief Valves to Provide Overpressure Protection	01/17/1975	GTR0117645 - GTR0117652		06/20/2011
P2-1125	H-70: Pressure-Relief Devices (and Form 61-4344 dated 1976), Rev. 2	12/13/1985	GTR0047303 - GTR0047311		06/20/2011
P2-1126	Relief Valve Calculations Record Maintenance Responsibilities:	01/18/1996	GTR0045292 - GTR0045294		06/20/2011
P2-1127	103: GS&S H-70, Revised Forms for Capacity Review of Relief Devices (with exhibits 1 and 2)	11/10/1997	GTR0118677 - GTR0118685		06/20/2011
P2-1128	H-70: Pressure Relief Devices	02/23/1998	GTR0044101 - GTR0044108		06/20/2011
P2-1129	S4433: Gas Pressure Relief Devices - Responsibility for Annual Inspection and Verification of Capacity, Rev. 1	03/01/1998	GTR0118391 - GTR0118393		06/20/2011
P2-1130	H-70: Pressure Relief Devices (with Exhibit 1 and 2), Rev. 0	06/04/1998	GTR0046911 - GTR0046921		06/20/2011
P2-1131	H-70: Pressure Relief Devices (with Exhibit 1 and 2), Rev. 1	03/24/2000	GTR0046922 - GTR0046932		06/20/2011
P2-1132	H-70: Pressure Relief Devices, Rev. 2	12/15/2004	GTR0044097 - GTR0044100		06/20/2011
P2-1133	FH-70-A: Capacity Review of Relief Devices at Pressure Limiting and Regulating Stations	09/00/2004	GTR0046642 - GTR0046646		06/20/2011
P2-1134	FH-70-B: Capacity Review of Relief Devices at Compressor Stations	09/00/2004	GTR0118564 - GTR0118568		06/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-1135	FH-70-C: Capacity Review of Relief Devices at Gas Gathering Receipt Points	09/00/2004	GTR0046647 - GTR0046650		06/20/2011
P2-1136	223: Gas Gathering Relief Valve Capacity Verification	02/15/2007	GTR0060986 - GTR0060987		06/20/2011
P2-1137	H-70: Pressure-Relief Devices, Rev. 3	04/15/2010	GTR0118362 - GTR0118364		06/20/2011
P2-1138	H-70 Attachment A: Capacity Review of Relief Devices at Pressure Limiting and Regulating Stations	04/00/2010	GTR0118365 - GTR0118368		06/20/2011
P2-1139	H-70 Attachment B: Capacity Review of Relief Devices at Compressor Stations	04/00/2010	GTR0118369 - GTR0118372		06/20/2011
P2-1140	H-70 Attachment C: Capacity Review of Relief Devices at Gas Gathering Receipt Points	04/00/2010	GTR0118373 - GTR0118376		06/20/2011
P2-1141	G16003: Maintenance of Company-Owned Gas Regulation Equipment Serving Specific Customers	01/00/2003	GTR0046620 - GTR0046639		06/20/2011
P2-1142	G16003: Maintenance of Company-Owned Gas Regulation Equipment Serving Specific Customers with Attachments:	03/00/2006	GTR0117966 - GTR0117986		06/20/2011
P2-1143	75-300: Vault Inspection Record	09/00/1975	GTR0042884 - GTR0042885		06/20/2011
P2-1144	460.21-6: Vault Inspection Procedure	08/01/1986	GTR0042653 - GTR0042657		06/20/2011
P2-1145	D-S0446/GTS S4292: Vault Inspection Procedures, Rev. 0	11/16/1998	GTR0047153 - GTR0047156		06/20/2011
P2-1146	S4446: Vault Inspection Procedure	11/30/2005	GTR0118394 - GTR0118395		06/20/2011
P2-1147	S4446 Attachment 1: Vault Inspection Procedural Details	11/30/2005	GTR0118396 - GTR0118397		06/20/2011
P2-1148	S4446 Attachment 2: Vault Inspection Record Form F4446-2	11/00/2005	GTR0118398 - GTR0118398		06/20/2011
P2-1149	460.21-4: Routine Inspection for Gas Leakage (incl. supplements and attachments)	04/01/1966	GTR0061048 - GTR0061056		06/20/2011
P2-1150	460.21-4: SP 460.21-4 Exhibit A	09/19/1973	GTR0119075 - GTR0119076		06/20/2011
P2-1151	460.21-4: Periodic Leak Surveys of Gas Transmission and Distribution Facilities	11/17/1978	GTR0061071 - GTR0061083		06/20/2011
P2-1152	62-3117: Leak Survey, Inspection and Repair Report	04/00/1979	GTR0042651 - GTR0042652		06/20/2011
P2-1153	460.21-4: Periodic Leak Surveys of Gas Transmission and Distribution Facilities	07/30/1990	GTR0061057 - GTR0061070		06/20/2011
P2-1154	62-4060a: Leak Survey, Inspection and Repair Report for Unscheduled Repair or Response	10/00/1989	GTR0061046 - GTR0061047		06/20/2011
P2-1155	460.21-4: Periodic Leak Surveys of Gas Transmission and Distribution Facilities	12/31/1990	GTR0042213 - GTR0042227		06/20/2011
P2-1156	C-T&CS S0350 / 460.21-4 - Supplement: Periodic Leak Surveys of Gas Transmission and Distribution Facilities	01/00/1994	GTR0042204 - GTR0042212		06/20/2011
P2-1157	C-T&CS-S0350 / S4110: Periodic Leak Surveys of Gas Transmission and Distribution Facilities	07/01/1994	GTR0047169 - GTR0047170		06/20/2011
P2-1158	C-T&CS S0350 / 460.21-4 - Supplement: Periodic Leak Surveys of Gas Transmission and Distribution Facilities	07/00/1994	GTR0048659 - GTR0048665		06/20/2011
P2-1159	C-D-G0500 / 460.21-4: Special Leaks Survey	06/01/1995	GTR0046004 - GTR0046007		06/20/2011
P2-1160	D-S0350 / S4110: Periodic Leak Surveys of Gas Transmission and Distribution Facilities (incl. attachment 1)	03/00/1998	GTR0046789 - GTR0046800		06/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-1161	62-4060a: Leak Survey, Inspection and Repair Report for Unscheduled Repair or Response	10/00/1999	GTR0061618 - GTR0061619		06/20/2011
P2-1162	D-S0350 / S4110: Leak Survey and Repair of Gas Transmission and Distribution Facilities (incl. attachment 1)	01/00/1999	GTR0046801 - GTR0046819		06/20/2011
P2-1163	D-G0055: Leak Survey Auditing (with attachments)	04/01/1999	GTR0047133 - GTR0047138		06/20/2011
P2-1164	Integrated Gas Information System (IGIS) User Guide, Rev. 2.23	11/01/2002	GTR0118753 - GTR0118871		06/20/2011
P2-1165	S4110: Leak Survey and Repair of Gas Transmission and Distribution Facilities (incl. attachment 1)	05/00/2000	GTR0046820 - GTR0046839		06/20/2011
P2-1166	D-G0071: Follow-Up Leak Survey for Inaccessible Locations	02/11/2000	GTR0118349 - GTR0118355		06/20/2011
P2-1167	S4110: Leak Survey and Repair of Gas Transmission and Distribution Facilities	09/27/2005	GTR0118223 - GTR0118227		06/20/2011
P2-1168	S4110 Attachment 1: Leak Survey and Repair Procedures	09/27/2005	GTR0048674 - GTR0048700		06/20/2011
P2-1169	S4110 Attachment 1: Leak Survey and Repair Procedures	12/21/2006	GTR0118228 - GTR0118254		06/20/2011
P2-1170	62-4648: Daily Patrol and Work Report	10/00/1954	GTR0052818 - GTR0052818		06/20/2011
P2-1171	62-4648: Pipeline Patrol and Work Report	04/00/1976	GTR0047159 - GTR0047159		06/20/2011
P2-1172	S4110 Attachment 2: Form M62-0612 Daily Leak Survey Log	06/00/1998	GTR0047417 - GTR0047418		06/20/2011
P2-1173	S4110 Attachment 2: Form 62-0612 Daily Leak Survey Log	08/00/1998	GTR0047411 - GTR0047412		06/20/2011
P2-1174	S4110 Attachment 2: Form 62-0612 Daily Leak Survey Log	11/00/2005	GTR0048670 - GTR0048670		06/20/2011
P2-1175	S4110 Attachment 2: Form 62-0612 Daily Leak Survey Log	03/00/2008	GTR0118255 - GTR0118256		06/20/2011
P2-1176	S4110 Attachment 3: Leak Survey Recheck Log	01/00/1999	GTR0052775 - GTR0052775		06/20/2011
P2-1177	S4110 Attachment 3: IGIS Survey Leak Log (Sample)	09/27/2005	GTR0118257 - GTR0118257		06/20/2011
P2-1178	S4110 Attachment 4: IGIS Recheck Leak Log (Sample)	09/27/2005	GTR0118258 - GTR0118258		06/20/2011
P2-1179	62-4060: Leak Survey, Repair, Inspection and Gas Quarterly Incident Report	08/00/1998	GTR0047215 - GTR0047216		06/20/2011
P2-1180	DCS/CTS S0350/S4110 Attachment 4: Form 62-4060, Leak Survey, Repair, Inspection and Gas Quarterly Incident Report	01/00/2000	GTR0047199 - GTR0047212		06/20/2011
P2-1181	S4110 Attachment 5: Form 62-4060, Leak Survey, Repair, Inspection and Gas Quarterly Incident Report	02/15/2001	GTR0052776 - GTR0052789		06/20/2011
P2-1182	S4110 Attachment 5: Form 62-4060, Leak Survey, Repair, Inspection and Gas Quarterly Incident Report	01/00/2007	GTR0061622 - GTR0061635		06/20/2011
P2-1183	S4110 Attachment 5: Form 62-4060, Leak Survey, Repair, Inspection, and Gas Quarterly Incident Report (Form A)	03/00/2008	GTR0042129 - GTR0042131		06/20/2011
P2-1184	S4110 Attachment 5: Form 62-4060, Leak Survey, Repair, Inspection, and Gas Quarterly Incident Report (Form A)	03/00/2011	GTR0118259 - GTR0118262		06/20/2011
P2-1185	S4110 Attachment 6: Gas Dig-in Incident Report, Form A1	09/00/2005	GTR0047404 - GTR0047407		06/20/2011
P2-1186	S4110 Attachment 6: Form 61-0548, Gas Incident Dig-in Report Addendum (Form A1)	01/00/2008	GTR0047413 - GTR0047416		06/20/2011
P2-1187	61-0548: Gas Incident Dig-in Report Addendum (Form A1)	04/00/2010	GTR0061636 - GTR0061637		06/20/2011
P2-1188	S4110 Attachment 6: Gas Incident Dig-in Report Addendum (Form A1)	03/00/2011	GTR0118263 - GTR0118264		06/20/2011
P2-1189	S4110 Attachment 7: Leak Survey Repair, Inspection, and Gas Quarterly Incident Report - Form F4110-7	10/00/1999	GTR0118265 - GTR0118266		06/20/2011
P2-1190	WP 4110-12: Subsurface Leak Investigation	03/00/2009	GTR0118315 - GTR0118319		06/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-1191	WP4110-12 Attachment 1: Gas Leak Grades	05/23/2008	GTR0118320 - GTR0118321		06/20/2011
P2-1192	WP 4110-05: Leak Survey Procedures for Gas Transmission	05/00/2009	GTR0118283 - GTR0118307		06/20/2011
P2-1193	WP 4110-05 Attachment 1: Sample Sign-Off Sheet	05/00/2009	GTR0118308 - GTR0118308		06/20/2011
P2-1194	WP 4110-05 Attachment 2: Sample Frequency Table	05/00/2009	GTR0118309 - GTR0118309		06/20/2011
P2-1195	WP 4110-05 Attachment 3: Sample Overview Map	05/00/2009	GTR0118310 - GTR0118310		06/20/2011
P2-1196	WP 4110-05 Attachment 4: Sample Aerial Plat	05/00/2009	GTR0118311 - GTR0118311		06/20/2011
P2-1197	WP 4110-05 Attachment 5: Sample Reduced Gas Distribution Plat Map	05/00/2009	GTR0118312 - GTR0118312		06/20/2011
P2-1198	WP 4110-05 Attachment 6: Calendar of Leak Survey Activities	5/00/2009	GTR0118313 - GTR0118314		06/20/2011
P2-1199	TD-4110P-09: Leak Grading and Response, Rev. 0	08/25/2010	GTR0118267 - GTR0118282		06/20/2011
P2-1200	Bulletin 215: Leak Survey and Repair Documentation	04/05/2006	GTR0118322 - GTR0118323		06/20/2011
P2-1201	Bulletin 240: Gas Leak Recheck Changes	08/27/2007	GTR0046664 - GTR0046665		06/20/2011
P2-1202	Bulletin 245: Change in Grade 1 Gas Leak Grading Criteria	12/03/2007	GTR0047408 - GTR0047410		06/20/2011
P2-1203	245: Change in Grade 1 Gas Leak Grading Criteria, Rev. 1	03/01/2009	GTR0118611 - GTR0118613		06/20/2011
P2-1204	Bulletin 250: Supervisory Review of Leak Survey Documents	12/21/2007	GTR0118324 - GTR0118327		06/20/2011
P2-1205	Bulletin 252: Leak Survey During and After Rain and Excessive Wind	01/30/2008	GTR0046667 - GTR0046668		06/20/2011
P2-1206	252: Leak Survey During and After Rain and Excessive Wind, Rev. 1	08/13/2009	GTR0046669 - GTR0046670		06/20/2011
P2-1207	252: Leak Survey During and After Rain and Excessive Wind, Rev. 2	09/22/2009	GTR0118614 - GTR0118615		06/20/2011
P2-1208	Bulletin 254: Gas Leak Survey Frequency Clarification	04/15/2008	GTR0118328 - GTR0118329		06/20/2011
P2-1209	Bulletin 271: Leak Survey Stamp	10/01/2008	GTR0046681 - GTR0046682		06/20/2011
P2-1210	Bulletin 271: Leak Survey and Field Inspections Stamp, Rev. 1	11/17/2008	GTR0046683 - GTR0046686		06/20/2011
P2-1211	Bulletin 271: Leak Survey and Field Inspections Stamp, Rev. 2	12/15/2009	GTR0118330 - GTR0118333		06/20/2011
P2-1212	Bulletin 271 Attachment 1: Leak Survey Stamp Labels	12/15/2009	GTR0118334 - GTR0118334		06/20/2011
P2-1213	Bulletin 271 Attachment 2: Leak Survey and Field Inspections Stamp Full Size	12/15/2009	GTR0118335 - GTR0118335		06/20/2011
P2-1214	Bulletin 282: Leak Survey Instrument Documentation Clarification	03/16/2009	GTR0118336 - GTR0118337		06/20/2011
P2-1215	Bulletin 285: Inside Odor Investigation	04/03/2009	GTR0046726 - GTR0046729		06/20/2011
P2-1216	285: Inside Odor Investigation, Rev. 1	05/14/2010	GTR0118661 - GTR0118664		06/20/2011
P2-1217	Bulletin 289: Substation Special Leak Survey	05/01/2009	GTR0046730 - GTR0046731		06/20/2011
P2-1218	Bulletin 289: Substation Special Leak Survey, Rev. 1	06/01/2009	GTR0118338 - GTR0118340		06/20/2011
P2-1219	Bulletin 290: Outside Leak Investigation	05/18/2009	GTR0046732 - GTR0046737		06/20/2011
P2-1220	Bulletin 309: Documentation of Completed Distribution CGI's	12/01/2009	GTR0117261 - GTR0117264		06/20/2011
P2-1221	Bulletin 320: Daily Leak Survey Log Retention	03/15/2010	GTR0118341 - GTR0118342		06/20/2011
P2-1222	Bulletin 324: Documentation of Non-Leak Dig-in Damage to Gas Facilities	02/19/2010	GTR0046743 - GTR0046745		06/20/2011
P2-1223	Bulletin 326: Rechecks of Graded Aboveground Gas Leaks	04/06/2010	GTR0118345 - GTR0118346		06/20/2011
P2-1224	TD-4110B-003: Elimination of Leak Survey Map Highlighting	07/06/2010	GTR0118347 - GTR0118348		06/20/2011
P2-1225	460.21-3: Investigation Gas Leaks on Customer's Premises	07/01/1969	GTR0047220 - GTR0047225		06/20/2011
P2-1226	460.21-3: Investigating Gas Leaks on Customers' Premises	08/01/1985	GTR0117915 - GTR0117934		06/20/2011
P2-1227	62-3010: Hazard Notice	11/00/1968	GTR0045487 - GTR0045489		06/20/2011
P2-1228	Report of Gas Leak or Interruption, CPUC File No. 420	12/11/1996	GTR0047213 - GTR0047214		06/20/2011
P2-1229	Customer Service Support Field Service Procedure Gas Leak and Odor Investigation	05/00/1998	GTR0047171 - GTR0047180		06/20/2011
P2-1230	S6434: Gas Leak and Odor Response	08/00/2000	GTR0042143 - GTR0042151		06/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-1231	Customer Service Support Field Service Procedure Gas Leak and Odor Investigation	08/01/2000	GTR0047181 - GTR0047188		06/20/2011
P2-1232	S6434: Gas Leak and Odor Response (with attachment)	05/00/2002	GTR0117223 - GTR0117231		06/20/2011
P2-1233	Customer Service Support Field Service Procedure Gas Leak and Odor Investigation	05/00/2002	GTR0047189 - GTR0047196		06/20/2011
P2-1234	Report of Gas Leak or Interruption, CPUC File No. 420	03/17/2003	GTR0118562 - GTR0118563		06/20/2011
P2-1235	S6434: Gas Leak and Odor Response	08/00/2008	GTR0042132 - GTR0042137		06/20/2011
P2-1236	WP6434-01: Gas Leak and Odor Investigation	09/00/2008	GTR0046671 - GTR0046680		06/20/2011
P2-1237	WP6434-01: Gas Leak and Odor Investigation	12/00/2008	GTR0042152 - GTR0042162		06/20/2011
P2-1238	2009-42: Gas Leak Immediate Response Process	05/01/2009	GTR0047166 - GTR0047168		06/20/2011
P2-1239	WP6434P-01: Gas Leak and Odor Investigation	06/01/2009	GTR0118616 - GTR0118634		06/20/2011
P2-1240	460.2-1: Patrolling: Pipelines and Mains	02/01/1968	GTR0061131 - GTR0061139		06/20/2011
P2-1241	Pipeline Patrol and Work Report	01/00/1975	GTR0119311 - GTR0119311		06/20/2011
P2-1242	F4111a \ 62-4647: Pipeline Patrol Report	10/14/1999	GTR0046612 - GTR0046613		06/20/2011
P2-1243	F4111-A: Pipeline Patrol Report	01/21/2003	GTR0046614 - GTR0046615		06/20/2011
P2-1244	62-4648: Pipeline Patrol and Work Report	12/00/2007	GTR0046666 - GTR0046666		06/20/2011
P2-1245	SP1600: Gas Standard Weld Design, Rev. 0	03/08/1963	GTR0117776 - GTR0117781		06/20/2011
P2-1246	D-20: Piping-Data Sheet Welding Procedure and Construction Standard Gas Standard, Rev. 2	03/00/1972	GTR0042616 - GTR0042619		06/20/2011
P2-1247	D-20: Piping-Data Sheet Oxy-Acetylene Weld Procedure Gas Standard, Rev. 0	01/20/1977	GTR0118687 - GTR0118691		06/20/2011
P2-1248	D-22: Arc Welding Procedure Requirement All Stress Levels, Rev. 0	01/20/1977	GTR0042620 - GTR0042631		06/20/2011
P2-1249	D-22: Piping-Data Sheet Arc Welding Procedure - All Stress Levels Gas Standard, Rev. 1	06/00/1980	GTR0047348 - GTR0047354		06/20/2011
P2-1250	D-22: Piping-Data Sheet Arc Welding Procedure Requirement All Stress Levels, Rev. 2	08/10/1984	GTR0117431 - GTR0117443		06/20/2011
P2-1251	D-22: Piping-Data Sheet Arc Welding Procedure Requirement All Stress Levels, Rev. 4	04/15/1988	GTR0117387 - GTR0117402		06/20/2011
P2-1252	D-22: Arc Welding Procedure Requirement - All Stress Levels, Rev. 5	10/12/1992	GTR0118692 - GTR0118703		06/20/2011
P2-1253	D-22: Arc Welding Procedure Requirement - All Stress Levels, Rev. 0	05/04/1999	GTR0046937 - GTR0046949		06/20/2011
P2-1254	D-22: Arc Welding Procedure Requirement - All Stress Levels, Rev. 1	12/06/2001	GTR0046950 - GTR0046963		06/20/2011
P2-1255	D-22: Arc Welding Procedure Requirement - All Stress Levels, Rev. 2	12/09/2003	GTR0046964 - GTR0046977		06/20/2011
P2-1256	D-22: Arc Welding Procedure Requirement-All Stress Levels, Rev. 3	12/06/2004	GTR0046978 - GTR0046991		06/20/2011
P2-1257	D-20: Oxyacetylene Weld Procedure, Rev. 0	09/15/2005	GTR0046933 - GTR0046936		06/20/2011
P2-1258	D-22: Arc Welding Procedure Requirement - All Stress Levels, Rev. 4	11/15/2006	GTR0046992 - GTR0047005		06/20/2011
P2-1259	D-20: Oxy-Acetylene Weld Procedure, Rev. 1	04/06/2009	GTR0118040 - GTR0118043		06/20/2011
P2-1260	D-22: Arc Welding Procedure Requirement - All Stress Levels, Rev. 5	04/29/2009	GTR0118044 - GTR0118058		06/20/2011
P2-1261	D-23.1: Direct Deposition Welding, Rev. 0	12/03/2001	GTR0046757 - GTR0046758		06/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-1262	D-23.1: Direct Deposition Welding, Rev. 1	02/20/2009	GTR0118059 - GTR0118060		06/20/2011
P2-1263	D-31: Piping-Data Sheet Welder Qualification and Construction Standard Gas Standard, Rev. 8	03/00/1972	GTR0047377 - GTR0047399		06/20/2011
P2-1264	D-31: Piping-Data Sheet Welder Qualification and Construction Standard Gas Standard, Rev. 9	01/00/1973	GTR0117329 - GTR0117372		06/20/2011
P2-1265	D-31: Piping-Data Sheet Standards of Acceptability Non-Destructive and Destructive Testing Gas Standard, Rev. 0	01/20/1977	GTR0047260 - GTR0047269		06/20/2011
P2-1266	D-31: Piping-Data Sheet Standards of Acceptability Non-Destructive and Destructive Testing Gas Standard, Rev. 1	06/00/1979	GTR0117305 - GTR0117322		06/20/2011
P2-1267	D-31: Piping-Data Sheet Standards of Acceptability for Welding Non-Destructive and Destructive Testing Gas Standard, Rev. 2	02/10/1984	GTR0042499 - GTR0042510		06/20/2011
P2-1268	D-31: Piping-Data Sheet Standards of Acceptability for Welding Non-Destructive and Destructive Testing Gas Standards, Rev. 3	08/05/1986	GTR0047056 - GTR0047073		06/20/2011
P2-1269	D-31: Standard of Acceptability for Welding Non-Destructive and Destructive Testing, Rev. 0	11/15/1999	GTR0047074 - GTR0047086		06/20/2011
P2-1270	D-31: Standard of Acceptability for Welding: Nondestructive and Destructive Testing, Rev. 0	04/29/2009	GTR0103583 - GTR0103595		06/20/2011
P2-1271	SP1602: Welder Qualification and Construction Standard for Field Welding Natural Gas Pipelines Designed to Operate at 20% or More of the Specified Minimum Yield Strength	10/22/1963	GTR0099510 - GTR0099541		06/20/2011
P2-1272	D-30.02: Piping-Data Sheet Arc Welder Qualification for Over 20% of SMYS Gas Standard, Rev. 0	01/20/1977	GTR0047258 - GTR0047259		06/20/2011
P2-1273	D-30.2: Arc Welder Qualification for Working on Pipelines that Operate at Over 20% of SMYS (with attachment 1), Rev. 2	06/00/1979	GTR0117323 - GTR0117328		06/20/2011
P2-1274	D-30.2: Arc Welder Qualification for Working on Pipelines that Operate at Over 20% of SMYS (with attachment 1), Rev. 3	03/03/1984	GTR0042511 - GTR0042516		06/20/2011
P2-1275	D-30.2: Arc Welder Qualification for Working on Pipelines that Operate at Over 20% of SMYS (with attachment 1), Rev. 4	01/05/1988	GTR0047030 - GTR0047036		06/20/2011
P2-1276	D-30.2: Arc Welder Qualification for Working on Pipelines that Operate at Over 20% of SMYS (with Exhibit 1), Rev. 0	10/19/1998	GTR0047037 - GTR0047041		06/20/2011
P2-1277	D-30.2: Arc Welder Qualification for Working on Pipelines that Operate at Over 20% of SMYS (with Exhibit 1), Rev. 1	05/05/1999	GTR0047042 - GTR0047046		06/20/2011
P2-1278	D-30.2: Arc Welder Qualification for Working on Pipelines that Operate at Over 20% of SMYS (with Exhibit 1), Rev. 2	10/26/1999	GTR0047047 - GTR0047051		06/20/2011
P2-1279	D-30.2: Arc Welder Qualification for Working on Pipelines that Operate at Over 20% of SMYS, Rev. 3	11/30/2006	GTR0047052 - GTR0047055		06/20/2011
P2-1280	FD-30.2-A: Arc Welder Qualification Test for Piping Systems Operating at Hoop Stresses of 20% or More of the Specified Minimum Yield Strength	11/00/2006	GTR0046663 - GTR0046663		06/20/2011
P2-1281	D-30.2 Form FD-302-A: Arc Welder Qualification Test for Piping Systems Operating at Hoop Stresses of 20% or More of the Specified Minimum Yield Strength	04/00/2007	GTR0118066 - GTR0118066		06/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-1282	D-30.2: Arc Welder Qualification for Working on Pipelines That Operate at Over 20% of SMYS, Rev. 4	04/08/2009	GTR0118061 - GTR0118065		06/20/2011
P2-1283	D-30.4: Welder Qualification for In-Service Welding, Rev. 0	04/27/1999	GTR0047139 - GTR0047140		06/20/2011
P2-1284	D-30.4: Welder Qualification for In-Service Welding, Rev. 1	11/29/2001	GTR0047141 - GTR0047143		06/20/2011
P2-1285	D-30.4: Welder Qualification for In-Service Welding, Rev. 2	04/14/2009	GTR0118067 - GTR0118070		06/20/2011
P2-1286	SP1605: Standard Procedure for Inspection of Welds on Gas Piping Systems	10/28/1963	GTR0047400 - GTR0047401		06/20/2011
P2-1287	D40: Piping-Data Sheet Weld Inspection Gas Standard, Rev. 0	01/20/1977	GTR0047270 - GTR0047274		06/20/2011
P2-1288	D-40: Piping-Data Sheet Weld Inspection Gas Standard	08/00/1978	GTR0061039 - GTR0061040		06/20/2011
P2-1289	D40: Gas Standard Piping-Data Sheet Weld Inspection (with forms), Rev. 2	07/00/1979	GTR0047364 - GTR0047368		06/20/2011
P2-1290	D-40: Piping-Data Sheet Weld Inspection Gas Standard (includes 75-33 and 75-307), Rev. 3	03/06/1986	GTR0042517 - GTR0042521		06/20/2011
P2-1291	D-40: Piping-Data Sheet Weld Inspection Gas Standard, Rev. 4	11/30/1989	GTR0047299 - GTR0047302		06/20/2011
P2-1292	D-40: Weld Inspection (attachment A and B included), Rev. 0	11/10/1999	GTR0047111 - GTR0047115		06/20/2011
P2-1293	D-40: Weld Inspection (attachment A included), Rev. 1	12/06/2001	GTR0047116 - GTR0047119		06/20/2011
P2-1294	D-40: Weld Inspection, Rev. 2	11/30/2006	GTR0047120 - GTR0047122		06/20/2011
P2-1295	D-40 Form 75-53: Nondestructive Testing of Welds on Facilities Designed to Operate at 20% or More of SMYS and Piping Systems Located on Bridges and Operating at a Pressure Exceeding 200 PSIG	11/00/2006	GTR0118071 - GTR0118072		06/20/2011
P2-1296	D-40: Weld Inspection, Rev. 3	02/23/2009	GTR0103580 - GTR0103582		06/20/2011
P2-1297	D-33: Gas Standard Radiographic Procedure Double Wall Panoramic Techniques Butt Welded Pipe:085210, Rev. 0	02/00/1971	GTR0117373 - GTR0117386		06/20/2011
P2-1298	D-33: Piping-Data Sheet Radiographic Procedure Double Wall Panoramic Techniques Butt Welded Pipe, Rev. 1	09/02/1976	GTR0047087 - GTR0047099		06/20/2011
P2-1299	D-33: Radiographic Procedure: Double-Wall Panoramic Techniques-Butt Welded Pipe, Rev. 0	11/12/1999	GTR0047100 - GTR0047110		06/20/2011
P2-1300	D-33: Radiographic Procedure: Double-Wall Panoramic Techniques - Butt Welded Pipe, Rev. 1	02/23/2009	GTR0118073 - GTR0118083		06/20/2011
P2-1301	SP1601: Gas Standard Weld and Solder Test Samples for Welders Working on Pipe Lines Operating at Hoop Stresses of Less than 20% of the Specified Minimum Yield Stresses	11/22/1963	GTR0117782 - GTR0117786		06/20/2011
P2-1302	D-30: Gas Standard Procedure For Testing Welders Limited To Work On Lines Operating At Hoop Stresses Less Than 20% Of SMYS	02/12/1971	GTR0047373 - GTR0047376		06/20/2011
P2-1303	D-30: Piping-Data Sheet Welder Qualification for Under 20% of SMYS Gas Standard, Rev. 3	09/26/1976	GTR0047250 - GTR0047255		06/20/2011
P2-1304	D-30.1: Piping-Details Oxy-Acetylene Welder Qualification For Over 20% of SMYS Gas Standard, Rev. 0	01/20/1977	GTR0047256 - GTR0047257		06/20/2011
P2-1305	D-30.1: Piping-Details Oxy-Acetylene Welder Qualification For Over 20% of SMYS, Rev. 1	06/00/1979	GTR0047361 - GTR0047363		06/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-1306	D-30: Piping-Data Sheet Welder Qualification for Under 20% of SMYS Gas Standard, Rev. 7	04/18/1980	GTR0047355 - GTR0047360		06/20/2011
P2-1307	D-30: Piping-Data Sheet Welder Qualification For Under 20% of SMYS Gas Standard, Rev. 9	09/15/1983	GTR0042492 - GTR0042498		06/20/2011
P2-1308	D-30: Piping-Data Sheet Welder Qualification For Under 20% of SMYS Gas Standard, Rev. 9	02/13/1984	GTR0042486 - GTR0042491		06/20/2011
P2-1309	D-30.1: Piping-Details Oxyacetylene Welder Qualification for Over 20% of SMYS, Rev. 2	02/10/1984	GTR0047027 - GTR0047029		06/20/2011
P2-1310	D-30: Piping-Data Sheet Welder Qualification For Under 20% of SMYS Gas Standard, Rev. 10	05/15/1986	GTR0117298 - GTR0117304		06/20/2011
P2-1311	D-30: Piping-Data Sheet Welder Qualification For Under 20% of SMYS Gas Standard, Rev. 11	11/20/1987	GTR0047006 - GTR0047012		06/20/2011
P2-1312	D-30: Welder Qualification for Under 20% of SMYS (with forms), Rev. 0	05/12/1999	GTR0047013 - GTR0047020		06/20/2011
P2-1313	D-30: Welder Qualification for Under 20% of SMYS, Rev. 1	09/15/2005	GTR0047021 - GTR0047026		06/20/2011
P2-1314	FD-30-A: Arc Weld Test Report - SMAW* or GMAW*	07/00/2005	GTR0046657 - GTR0046657		06/20/2011
P2-1315	FD-30-B: Oxyacetylene Weld Test Report For Welders on Piping Systems Operating at Hoop Stresses of Less Than 20% of the Specified Minimum Yield Strength	07/00/2005	GTR0046659 - GTR0046659		06/20/2011
P2-1316	FD-30-A: Arc Weld Test Report	07/01/2008	GTR0046658 - GTR0046658		06/20/2011
P2-1317	FD-30-B: Oxyacetylene Weld Test Report	07/01/2008	GTR0046660 - GTR0046660		06/20/2011
P2-1318	D-30: Welder Qualification for Under 20% of SMYS, Rev. 2	03/26/2009	GTR0118704 - GTR0118709		06/20/2011
P2-1319	453-1: Inspection Of Gas Holders And Liquefied Hydrocarbon Vessels	06/23/1969	GTR0047217 - GTR0047219		06/20/2011
P2-1320	75-374: Gas Holder Inspection-High Pressure (Monthly)	04/29/1975	GTR0060993 - GTR0060993		06/20/2011
P2-1321	453-1: Inspection of Gas Holders and Liquefied Hydrocarbon Vessels	09/01/1982	GTR0117757 - GTR0117760		06/20/2011
P2-1322	75-360: Annual Gas Holder Inspection-High Pressure Gas External	08/17/1981	GTR0117720 - GTR0117724		06/20/2011
P2-1323	S4411: Inspection of Underground Gas Holders, Rev. 1	08/01/1996	GTR0042632 - GTR0042642		06/20/2011
P2-1324	S4411: Inspection of Underground Gas Holders, Rev. 1.1	08/01/1998	GTR0118377 - GTR0118386		06/20/2011
P2-1325	460.2-2: Physical Inspection: Pipelines, Mains, and Services	10/01/1982	GTR0117403 - GTR0117407		06/20/2011
P2-1326	D-S0353/460.2-2: Physical Inspection of Pipelines, Mains and Services	01/17/1995	GTR0042647 - GTR0042650		06/20/2011
P2-1327	D-S0353 / 460.2-2: Physical Inspection of Pipelines, Mains and Services	04/00/1995	GTR0042643 - GTR0042646		06/20/2011
P2-1328	Physical Inspection of Pipelines, Mains and Services	06/00/1995	GTR0042476 - GTR0042479		06/20/2011
P2-1329	D-S0353 / S4112: Physical Inspection of Pipelines, Mains and Services (with attachment)	06/00/1999	GTR0118725 - GTR0118729		06/20/2011
P2-1330	D-S0353/S4112: Physical Inspection of Pipelines, Mains and Services	04/17/2000	GTR0118356 - GTR0118361		06/20/2011
P2-1331	3.11: DCS Compliance Program	03/31/1997	GTR0118670 - GTR0118676		06/20/2011
P2-1332	3.11: DCS Compliance Program	01/00/2000	GTR0046776 - GTR0046781		06/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-1333	3.11: UO Compliance Program	05/01/2003	GTR0046782 - GTR0046788		06/20/2011
P2-1334	Backbone Gas Transmission Maintenance Compliance Plan	07/19/2005	GTR0045301 - GTR0045306		06/20/2011
P2-1335	Backbone Gas Transmission Maintenance Compliance Plan	09/01/2005	GTR0118575 - GTR0118610		06/20/2011
P2-1336	463.7: Pipeline History File, Establishing and Maintaining	12/15/1969	GTR0047230 - GTR0047230		06/20/2011
P2-1337	463.7: Supplement - History File Procedural Details	12/01/1969	GTR0047231 - GTR0047232		06/20/2011
P2-1338	460.1-1: Gas Dispatching Organization - General	07/15/1958	GTR0052790 - GTR0052791		06/20/2011
P2-1339	460.1-2: Gas Dispatching Organization - Division Gas Load Centers	07/15/1958	GTR0048666 - GTR0048667		06/20/2011
P2-1340	460.1-3: Gas Dispatching Organization - Terminal Stations	07/15/1958	GTR0061620 - GTR0061621		06/20/2011
P2-1341	460.1-5: Gas Dispatching Operations - Emergency Procedures	07/15/1958	GTR0060997 - GTR0060997		06/20/2011
P2-1342	460.1-6: Gas Dispatching Organization - Gas Control in an Emergency	03/01/1966	GTR0048668 - GTR0048669		06/20/2011
P2-1343	General Operating Instructions	04/00/1967	GTR0119324 - GTR0119333		06/20/2011
P2-1344	460.1-7: Gas Dispatching Operations Clearance and Shutdown Procedures	03/16/1970	GTR0049524 - GTR0049531		06/20/2011
P2-1345	460.1-6: Gas Dispatching Operations - Gas Control in an Emergency	10/01/1972	GTR0047402 - GTR0047403		06/20/2011
P2-1346	460.1-7: Gas Dispatching Operations Clearance and Shutdown Procedures	03/01/1977	GTR0044179 - GTR0044184		06/20/2011
P2-1347	460.1-2: Gas Dispatching Organization - Division Gas Load Centers	04/01/1983	GTR0060994 - GTR0060996		06/20/2011
P2-1348	460.1-3: Gas Dispatch Organization - Terminal Stations	04/01/1983	GTR0119334 - GTR0119336		06/20/2011
P2-1349	S4420: Gas Transmission Clearance Procedure, Rev. 1	09/01/1998	GTR0046597 - GTR0046599		06/20/2011
P2-1350	S4241: Station Protection System Impairment Procedure, Rev. 1.1	10/01/1999	GTR0118535 - GTR0118540		06/20/2011
P2-1351	WP4100-10: Gas Clearance Procedures for Facilities Operating Over 60 PSIG	02/00/2009	GTR0117847 - GTR0117886		06/20/2011
P2-1352	WP4100-01: Gas Clearance Procedures For Facilities Operating Over 60 PSIG	03/00/2009	GTR0044080 - GTR0044096		06/20/2011
P2-1353	F4100-10-4: Application for Gas Clearance	03/00/2009	GTR0118648 - GTR0118654		06/20/2011
P2-1354	F4100-10-5: Gas Clearance Quality Assurance Process Quarterly List	3/00/2009	GTR0046707 - GTR0046714		06/20/2011
P2-1355	WP4100-01: Gas Clearance Procedures for Facilities Operating Over 60 PSIG, Rev. 2	08/01/2009	GTR0118732 - GTR0118752		06/20/2011
P2-1356	F4100-10-4 Attachment 4: Application for Gas Clearance	08/01/2009	GTR0118655 - GTR0118660		06/20/2011
P2-1357	F4100-10-5 Attachment 5: Gas Clearance Quality Assurance Process Quarterly List	08/01/2009	GTR0046715 - GTR0046725		06/20/2011
P2-1358	F4100-10-4: Application for Gas Clearance	06/24/2010	GTR0117213 - GTR0117220		06/20/2011
P2-1359	Gas Emergency Plan Part I Basic Plan 1.0 Introduction	08/26/1998	GTR0049532 - GTR0049533		06/20/2011
P2-1360	Gas Emergency Plan Part I Basic Plan 2.0 Preparedness Policy	08/26/1998	GTR0058684 - GTR0058698		06/20/2011
P2-1361	Gas Emergency Plan Part I Basic Plan 3.0 Concept of Gas Emergency Operations	08/26/1998	GTR0118956 - GTR0118971		06/20/2011
P2-1362	Gas Emergency Plan Part I Basic Plan 4.0 Gas Emergency Response Policies	08/26/1998	GTR0058714 - GTR0058720		06/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-1363	Gas Emergency Plan Part I Basic Plan 5.0 Gas Emergency Response Procedures	08/26/1998	GTR0056266 - GTR0056273		06/20/2011
P2-1364	Gas Emergency Plan Part I Basic Plan 5.0 Gas Emergency Response Procedures	08/31/1998	GTR0052888 - GTR0052895		06/20/2011
P2-1365	Pacific Gas and Electric Company Gas Emergency Plan	06/16/1999	GTR0047147 - GTR0047147		06/20/2011
P2-1366	Gas Emergency Plan Part I Basic Plan 2.0 Preparedness Policy	06/16/1999	GTR0049536 - GTR0049550		06/20/2011
P2-1367	Gas Emergency Plan Part I Basic Plan 3.0 Concept of Gas Emergency Operations	06/16/1999	GTR0118972 - GTR0118987		06/20/2011
P2-1368	Gas Emergency Plan Part I Basic Plan 4.0 Gas Emergency Response Policies	06/16/1999	GTR0119020 - GTR0119026		06/20/2011
P2-1369	Gas Emergency Plan Part I Basic Plan 5.0 Gas Emergency Response Procedures	06/16/1999	GTR0052880 - GTR0052887		06/20/2011
P2-1370	Gas Emergency Plan Part I Basic Plan 2.0 Preparedness Policy	08/31/1999	GTR0052850 - GTR0052864		06/20/2011
P2-1371	Gas Emergency Plan Part I Basic Plan 4.0 Gas Emergency Response Policies	08/31/1999	GTR0119027 - GTR0119033		06/20/2011
P2-1372	Gas Emergency Plan Part I Basic Plan 1.0 Introduction	05/31/2000	GTR0054246 - GTR0054247		06/20/2011
P2-1373	Gas Emergency Plan Part I Basic Plan 2.0 Preparedness Policy	05/31/2000	GTR0054248 - GTR0054263		06/20/2011
P2-1374	Gas Emergency Plan Part I Basic Plan 3.0 Concept of Gas Emergency Operations	05/31/2000	GTR0118988 - GTR0119003		06/20/2011
P2-1375	Gas Emergency Plan Part I Basic Plan 4.0 Gas Emergency Response Policies	05/31/2000	GTR0119034 - GTR0119040		06/20/2011
P2-1376	Gas Emergency Plan Part I Basic Plan 5.0 Gas Emergency Response Procedures	05/31/2000	GTR0056274 - GTR0056281		06/20/2011
P2-1377	Gas Emergency Plan Part VI Appendices	11/17/2000	GTR0119055 - GTR0119057		06/20/2011
P2-1378	Gas Emergency Plan Part I Basic Plan 1.0 Introduction	08/31/2001	GTR0049534 - GTR0049535		06/20/2011
P2-1379	Gas Emergency Plan Part I Basic Plan 2.0 Preparedness Policy	08/31/2001	GTR0049551 - GTR0049565		06/20/2011
P2-1380	Gas Emergency Plan Part I Basic Plan 3.0 Concept of Gas Emergency Operations	08/31/2001	GTR0052865 - GTR0052879		06/20/2011
P2-1381	Gas Emergency Plan Part I Basic Plan 4.0 Gas Emergency Response Policies	08/31/2001	GTR0054311 - GTR0054316		06/20/2011
P2-1382	Gas Emergency Plan Part I Basic Plan 5.0 Gas Emergency Response Procedures	08/31/2001	GTR0058727 - GTR0058733		06/20/2011
P2-1383	Gas Emergency Plan Part VI Appendices	08/31/2001	GTR0049566 - GTR0049568		06/20/2011
P2-1384	Gas Emergency Plan Part I Basic Plan 1.0 Introduction	08/26/2002	GTR0058678 - GTR0058679		06/20/2011
P2-1385	Gas Emergency Plan Part I Basic Plan 2.0 Preparedness Policy	08/26/2002	GTR0058699 - GTR0058713		06/20/2011
P2-1386	Gas Emergency Plan Part I Basic Plan 3.0 Concept of Gas Emergency Operations	08/26/2002	GTR0119004 - GTR0119019		06/20/2011
P2-1387	Gas Emergency Plan Part I Basic Plan 4.0 Gas Emergency Response Policies	08/26/2002	GTR0058721 - GTR0058726		06/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-1388	Gas Emergency Plan Part I Basic Plan 5.0 Gas Emergency Response Procedures	08/26/2002	GTR0052896 - GTR0052902		06/20/2011
P2-1389	Gas Emergency Plan Part I Basic Plan 1.0 Introduction	08/15/2003	GTR0058680 - GTR0058683		06/20/2011
P2-1390	Gas Emergency Plan Part I Basic Plan 2.0 Preparedness Policy	08/15/2004	GTR0054264 - GTR0054279		06/20/2011
P2-1391	Gas Emergency Plan Part I Basic Plan 3.0 Concept of Gas Emergency Operations	08/15/2004	GTR0054280 - GTR0054294		06/20/2011
P2-1392	Gas Emergency Plan Part I Basic Plan 4.0 Gas Emergency Response Policies	08/15/2004	GTR0119041 - GTR0119047		06/20/2011
P2-1393	Gas Emergency Plan Part I Basic Plan 2.0 Preparedness Policy	08/31/2006	GTR0056250 - GTR0056265		06/20/2011
P2-1394	Gas Emergency Plan Part I Basic Plan 3.0 Concept of Gas Emergency Operations	08/31/2006	GTR0054295 - GTR0054310		06/20/2011
P2-1395	Gas Emergency Plan Part I Basic Plan 4.0 Gas Emergency Response Policies	08/31/2006	GTR0119048 - GTR0119054		06/20/2011
P2-1396	Gas Emergency Plan Part I Basic Plan 5.0 Gas Emergency Response Procedures	08/31/2006	GTR0054317 - GTR0054324		06/20/2011
P2-1397	Pacific Gas and Electric Company Gas Emergency Plan Part I Basic Plan (Full)	08/31/2008	GTR0117989 - GTR0118039		06/20/2011
P2-1398	Gas Emergency Operations Plan Manual	10/08/2010	GTR0119077 - GTR0119310		06/20/2011
P2-1399	Memorandum SCADA Alarm Policy	05/02/1994	GTR0119317 - GTR0119317		06/20/2011
P2-1400	RP 4251: SCADA RTU Installation On CGT Facilities	12/15/1997	GTR0047157 - GTR0047158		06/20/2011
P2-1401	Abnormal System Conditions Procedure	07/18/2000	GTR0119312 - GTR0119316		06/20/2011
P2-1402	Gas Scada System Alarm Limits Policy and Procedure	07/19/2000	GTR0119318 - GTR0119323		06/20/2011
P2-1403	WP 4901: SCADA RTU Installation on Gas Facilities	02/00/2008	GTR0117265 - GTR0117266		06/20/2011
P2-1404	463-2: Abandonment of Gas Mains and Services, And Cutting and Capping Inactive Services	08/01/1969	GTR0061000 - GTR0061003		06/20/2011
P2-1405	A-38: Procedure For Purging Gas Transmission & Distribution Facilities, Rev. 0	01/20/1977	GTR0047237 - GTR0047249		06/20/2011
P2-1406	SP463-2: Abandonment of Gas Mains and Services, and Cutting and Capping Inactive Services	10/01/1978	GTR0047226 - GTR0047227		06/20/2011
P2-1407	SP463-2: Supplement-Abandonment of Gas Mains and Services, and Cutting and Capping Inactive Services	10/01/1978	GTR0047228 - GTR0047229		06/20/2011
P2-1408	Record of Inactive Stub Services	04/02/1979	GTR0060998 - GTR0060999		06/20/2011
P2-1409	A-38: Procedure For Purging Gas Transmission & Distribution Facilities, Rev. 1	01/20/1978	GTR0042325 - GTR0042337		06/20/2011
P2-1410	A-38: Procedure For Purging Gas Transmission & Distribution Facilities, Rev. 2	01/05/1983	GTR0047335 - GTR0047347		06/20/2011
P2-1411	A-38: Procedure For Purging Gas Transmission & Distribution Facilities, Rev. 3	04/20/1984	GTR0047284 - GTR0047298		06/20/2011
P2-1412	463-2: Abandonment of Gas Transmission Lines, Distribution Mains, and Services, and Capping Inactive Services	08/01/1987	GTR0042658 - GTR0042661		06/20/2011
P2-1413	A-38: Procedure for Purging Gas Facilities, Rev. 4	10/09/1992	GTR0042312 - GTR0042324		06/20/2011
P2-1414	62-3007: Request for Disposition of Material	05/00/1996	GTR0117761 - GTR0117773		06/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-1415	D-S0428/S4130: Abandonment of Gas Facilities	12/00/1998	GTR0047123 - GTR0047128		06/20/2011
P2-1416	62-3007: Request for Disposition of Material	00/00/2000	GTR0044817 - GTR0044818		06/20/2011
P2-1417	G14129: Retiring Gas Transmission Valves No Longer Required for Operation	10/24/2001	GTR0046753 - GTR0046756		06/20/2011
P2-1418	S4129: Deactivation of Gas Facilities (with attachment 1, 2.1 and Chain of Custody Form)	11/02/2001	GTR0118710 - GTR0118724		06/20/2011
P2-1419	A-38: Procedures for Purging Gas Facilities, Rev. 0	04/10/2003	GTR0117890 - GTR0117902		06/20/2011
P2-1420	62-3007: Request for Disposition of Material	04/00/2005	GTR0117987 - GTR0117988		06/20/2011
P2-1421	S4129 Attachment 1: Gas Facility Deactivation Procedures	09/12/2007	GTR0047160 - GTR0047165		06/20/2011
P2-1422	WP4100-11: Deactivation and/or Retirement of Underground Gas Facilities	10/00/2008	GTR0118635 - GTR0118647		06/20/2011
P2-1423	WP4100-11 Attachment 1: Restrictions for Deactivation of GAS facilities with PCBs	10/00/2008	GTR0042139 - GTR0042139		06/20/2011
P2-1424	WP4100-11 Attachment 2: Pipeline Sampling Requirements for PCBS in Specific Countries	10/00/2008	GTR0042140 - GTR0042140		06/20/2011
P2-1425	WP4100-11 Attachment 3: Documentation for Deactivation of Distribution Gas Facilities	10/00/2008	GTR0042141 - GTR0042142		06/20/2011
P2-1426	62-3007: Request for Disposition of Material	03/00/2009	GTR0061111 - GTR0061112		06/20/2011
P2-1427	S4460: Operating Maps and Operating Diagrams	01/01/1998	GTR0046600 - GTR0046603		06/20/2011
P2-1428	RP 4460.1: Operating Maps and Operating Diagrams, Preparation of	01/01/1998	GTR0118220 - GTR0118222		06/20/2011
P2-1429	001: Establish Mapping Bulletins	01/01/1998	GTR0118686 - GTR0118686		06/20/2011
P2-1430	4461.1: Engineering Drawing Signature Requirements	05/01/1998	GTR0046604 - GTR0046607		06/20/2011
P2-1431	S4460: Operating Maps and Operating Diagrams	03/30/2004	GTR0118212 - GTR0118214		06/20/2011
P2-1432	S4460 Attachment 1: Requirements and Procedures	03/30/2004	GTR0118215 - GTR0118216		06/20/2011
P2-1433	S.P. 468-2: Gas Service Record Procedure	04/01/1981	GTR0042662 - GTR0042668		06/20/2011
P2-1434†	410.21-1: Mapping Standards, Gas Department 1" =100' Plat Sheets	03/01/1985	GTR0117555 - GTR0117627	GTR0117561.001; GTR0117566.001; GTR0117566.002	06/20/2011
P2-1435	D-S0457: Gas Mapping Standard, 1" = 100 Plat Sheets	04/01/1999	GTR0118872 - GTR0118955		06/20/2011
P2-1436	D-S0458: Gas Service Record	03/31/1999	GTR0048701 - GTR0048702		06/20/2011
P2-1437	S5458: Gas Service Record	04/11/2002	GTR0046618 - GTR0046619		06/20/2011
P2-1438	S5458: Gas Service Record	08/19/2002	GTR0118217 - GTR0118218		06/20/2011
P2-1439	S5458 Form F5458-1: Gas Service Record	08/19/2002	GTR0118219 - GTR0118219		06/20/2011
P2-1440	05-01: Map Correction Tracking Process	06/15/2005	GTR0046652 - GTR0046654		06/20/2011
P2-1441	05-01: Attachment - Map Correction Form	06/01/2005	GTR0046655 - GTR0046655		06/20/2011
P2-1442	05-01: Map Correction Tracking Process	06/07/2006	GTR0118569 - GTR0118571		06/20/2011
P2-1443	05-01: Attachment - Map Correction Form	06/07/2006	GTR0118572 - GTR0118572		06/20/2011
P2-1444	Patrol/Inspection Map Correction Form	01/24/2007	GTR0046661 - GTR0046662		06/20/2011
P2-1445	05-01: Attachment - Map Correction Form	11/17/2009	GTR0118573 - GTR0118573		06/20/2011

Chapters 2 and 2A Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

† Denotes the insertion of missing page(s) within an attachment.

^ Denotes the correction of the identification number(s) in the index of attachments.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Document Date	Bates Numbers	Bates Number of Corrected Page	Filed/Served
P2-1446	05-01: Attachment - Map Correction Transmittal Form	01/25/2010	GTR0046656 - GTR0046656		06/20/2011
P2-1447	40664: Map Correction Transmittal Form	02/01/2010	GTR0118574 - GTR0118574		06/20/2011
P2-1448	Memorandum of Understanding-Gas Transmission Construction Between OM&C, E&P - DCS Business Unit and CGT - Generation, Transmission & Supply Business Unit	00/00/1999	GTR0044808 - GTR0044816		06/20/2011
P2-1449	Memorandum of Understanding Between Gas Transmission and Distribution Engineering And G & E Distribution, Maintenance & Construction For Construction and Repair of Gas Transmission Stations and Pipelines	12/17/2003	GTR0117664 - GTR0117690		06/20/2011
P2-1450	CGT Construction As-Built and Pressure Report Checklist	03/01/2003	GTR0046609 - GTR0046609		06/20/2011
P2-1451	CGT Construction As-Built and Pressure Report Checklist	07/00/2000	GTR0046608 - GTR0046608		06/20/2011
P2-1452	CGT Specific Order Close Out Form	09/04/2003	GTR0117774 - GTR0117775		06/20/2011
P2-1453	CGT Specific Order Close Out Form	11/15/2004	GTR0117655 - GTR0117663		06/20/2011
P2-1454	Construction As-Built Process	09/00/2004	GTR0045476 - GTR0045480		06/20/2011
P2-1455	CGT Specific Order Close Out Form	01/03/2006	GTR0042203 - GTR0042203		06/20/2011
P2-1456	As-Building Process	12/01/2007	GTR0045481 - GTR0045486		06/20/2011
P2-1457	Gas T&D Custom Pipeline Design Process Map	01/27/2011	GTR0063200 - GTR0063209		06/20/2011
P2-1458‡	PG&E Life article entitled, "Big 'Memory Center' Stores Vital Files in San Francisco"	08/00/1961	GTR0239762 - GTR0239763		09/30/2011

Chapter 6C Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

^ Denotes the correction of the identification number(s) in the index of attachments.
The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Bates Numbers	Filed/Served
P3-20001	Coleman, "PG&E of California, The Centennial Story of Pacific Gas and Electric Company 1852-1952" (1952)	GTR0048344 - GTR0048354	6/20/2011
P3-20002	1967 Letter Exchange between PG&E and the CPUC	GTR0063940 - GTR0063953	6/20/2011
P3-20003	PG&E Report on Bending Test of Oxy-Acetylene Girth Weld on Line 105 (1979)	GTR0042803 - GTR0042818	6/20/2011
P3-20004	PG&E Response to CPUC Data Request #80 (December 1985)	GTR0063954 - GTR0063956	6/20/2011
P3-20005	PG&E Report on Gas Pipeline Girth Weld Testing Program (1981)	GTR0051622 - GTR0051669	6/20/2011
P3-20006 - P3-20019	1984 GPRP Category Prioritization of Pipelines by County (Sub Index 1)	See Sub-Index 1	6/20/2011
P3-20020	Bechtel Report on GPRP Transmission Line Priority Analysis (1988)	GTR0010918 - GTR0010957	6/20/2011
P3-20021 - P3-20034	GPRP Annual Progress Reports (1987-2000) (Sub Index 2)	See Sub-Index 2	6/20/2011
P3-20035	Bechtel Report on GPRP Transmission Line Risk Analysis (1985)	GTR0010846 - GTR0010873	6/20/2011
P3-20036	Bechtel Report on GPRP Transmission Line Priority Analysis (1986)	GTR0010874 - GTR0010917	6/20/2011
P3-20037	PG&E Report on Reducing Gas and Electric Vulnerability by the Year 2000 (1990)	GTR0043805 - GTR0043854	6/20/2011
P3-20038	Bechtel Review of the Transmission Priority Analysis for the GPRP (1994)	GTR0046150 - GTR0046240	6/20/2011
P3-20038_1	GPRP Priority Analysis Program	GTR0238456 - GTR0238601	9/15/2011
P3-20038_2	GPRP Transmission Pipe Database Snapshot	GTR0238602 - GTR0239376	9/15/2011
P3-20038_3	GPRP Replaced Transmission Pipe Database Snapshot	GTR0239377 - GTR0239761	9/15/2011
P3-20039	TES Report on the Characterization of PG&E Line 109 Girth Welds (1994)	GTR0057772 - GTR0057922	6/20/2011
P3-20040	EWI Report on the Inspection Criteria for Girth Welds in PG&E Line 109 (1997)	GTR0061638 - GTR0061665	6/20/2011
P3-20041	PG&E Proposal to Transition to Risk Management Program (1998)	GTR0061666 - GTR0061680	6/20/2011

Chapter 6C Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

^ Denotes the correction of the identification number(s) in the index of attachments.
The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Bates Numbers	Filed/Served
P3-20042	Letter to U.S. Department of Transportation, March 7, 2002	GTR0064206 - GTR0064207	6/20/2011
P3-20043 - P3-20050	PG&E Risk Management Annual Reports (2000-2007) (Sub Index 3)	See Sub-Index 3	6/20/2011
P3-20051	PG&E Table of Historical Gas Pipe Minimums (2000)	GTR0061597 - GTR0061597	6/20/2011
P3-20052	PG&E Top 100 List Report for 2003	GTR0065310 - GTR0065311	6/20/2011
P3-20053 - P3-20060	PG&E Annual Risk Calculation Reports (2001-2009) (Sub Index 4)	See Sub-Index 4	6/20/2011
P3-20061	PG&E Report on Risk Considerations for Hydrogen Stress Cracking (Hydrogen Embrittlement) of Hardened Areas of Pipeline Steels	GTR0052757 - GTR0052760	6/20/2011
P3-20062 - P3-20592	PG&E Risk Evaluations Associated with PSRS Records (2002-2010) (Sub Index 5)	See Sub-Index 5	6/20/2011
P3-20593 - P3-20627	PG&E Risk Mitigation Plans (Sub Index 6)	See Sub-Index 6	6/20/2011
P3-20628 - P3-21009	PG&E Integrity Management Area Reports (2004-2006) (Sub Index 7)	See Sub-Index 7	6/20/2011
P3-21010	PG&E PSRS Records Spreadsheet	GTR0116763 - GTR0117212	6/20/2011
P3-21010_1	PG&E PSRS Records Spreadsheet	GTR0235252 - GTR0235256	7/12/2011
P3-21011 - P3-21018	PG&E Baseline Integrity Assessment Plan Reports (2004-2009) (Sub Index 8)	See Sub-Index 8	6/20/2011
P3-21019 - P3-21040	PG&E Long Term Integrity Management Plan Reports (Sub Index 9)	See Sub-Index 9	6/20/2011
P3-21041	PG&E Leak Root Cause Analysis Spreadsheet	GTR0061602 - GTR0061604	6/20/2011
P3-21042 - P3-27178; P3-27249 - P3-27322	PG&E External Corrosion Direct Assessment Reports (Sub Index 10)	See Sub-Index 10	6/20/2011
P3-27179 - P3-27234	PG&E Internal Corrosion Direct Assessment Reports (Sub Index 11)	See Sub-Index 11	6/20/2011
P3-27235 - P3-27248	PG&E Stress Corrosion Cracking Direct Assessment Reports (Sub Index 12)	See Sub-Index 12	6/20/2011

Chapter 6C Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

^ Denotes the correction of the identification number(s) in the index of attachments.
The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Bates Numbers	Filed/Served
P3-27323 - P3-27390	PG&E In-Line Inspection Reports (Sub Index 13)	See Sub-Index 13	6/20/2011
P3-27391	J.E. Marr Report on the Stress Corrosion Cracking Investigative Program on PG&E Lines 300A and B (1996)	GTR0061725 - GTR0061882	6/20/2011
P3-27392	TES Report on the Inspection of Selected Sites on PG&E Lines 300 A and B for Corrosion, Pitting, and Stress Corrosion Cracking (1997)	GTR0057346 - GTR0057454	6/20/2011
P3-27393	TES Report on the External Inspection of PG&E Line 300A (1998)	GTR0044136 - GTR0044178	6/20/2011
P3-27394	SIA Report on Line 300A Metallurgical and Fitness For Service Analysis of Girth Welds (2002)	GTR0061712 - GTR0061724	6/20/2011
P3-27395	PG&E Line 300A Wrinkle Bend Burst Test Report (2004)	GTR0061883 - GTR0061897	6/20/2011
P3-27396	SIA Report on the Metallurgical & Fitness Service Analysis of PG&E Line 172A (2002)	GTR0061681 - GTR0061711	6/20/2011
P3-27397	SIA Report on the Evaluation of Leaking ERW Seam on Line 21E (2006)	GTR0057923 - GTR0057988	6/20/2011
P3-27398	Kiefner Report on the Resistance of PG&E Line L-57C to Third-Party Mechanical Damage (2006)	GTR0045274 - GTR0045291	6/20/2011

Chapter 6C Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

^ Denotes the correction of the identification number(s) in the index of attachments.
The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Bates Numbers	Filed/Served
P2-347, P2-353, P2-359, P2-365, P2-370, P2-376, P2-384, P2-389, P2-390, P2-393, P2-398, P2-399	PG&E Risk Management Procedures 1 - 6 and 8 - 13	GTR0005427 - GTR0005444, GTR0005487 - GTR0005498, GTR0005532 - GTR0005543, GTR0005577 - GTR0005592, GTR0005615 - GTR0005624, GTR0006131 - GTR0006229, GTR0006313 - GTR0006327, GTR0006743 - GTR0006945, GTR0006946 - GTR0007008, GTR0007117 - GTR0007179, GTR0007262 - GTR0007284, GTR0007285 - GTR0007334	
P3-27399 - P3-27415	PG&E Risk Management Instructions 1-7 (Sub Index 14)	See Sub-Index 14	6/20/2011
P3-27416	PG&E Enterprise Risk Management System Safety Report (2009)	GTR0106058 - GTR0106069	6/20/2011
P3-27416_1	PG&E Enterprise Risk Management System Safety Report, Attachment A1 (2009)	GTR0048635 - GTR0048635	6/20/2011
P3-27416_2	PG&E Enterprise Risk Management System Safety Report, Attachment A2 (2009)	GTR0052771 - GTR0052771	6/20/2011
P3-27416_3	PG&E Enterprise Risk Management System Safety Report, Attachment A3 (2009)	GTR0052772 - GTR0052772	6/20/2011
P3-27416_4	PG&E Enterprise Risk Management System Safety Report, Attachment A4 (2009)	GTR0052773 - GTR0052773	6/20/2011
P3-27416_5	PG&E Enterprise Risk Management System Safety Report, Attachment A5 (2009)	GTR0048636 - GTR0048636	6/20/2011
P3-27416_6	PG&E Enterprise Risk Management System Safety Report, Attachment A6 (2009)	GTR0052774 - GTR0052774	6/20/2011
P3-27416_7	PG&E Enterprise Risk Management System Safety Report, Attachment A7 (2009)	GTR0048637 - GTR0048637	6/20/2011

Chapter 6C Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

^ Denotes the correction of the identification number(s) in the index of attachments.
The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Bates Numbers	Filed/Served
P3-27416_8	PG&E Enterprise Risk Management System Safety Report, Attachment A8 (2009)	GTR0048638 - GTR0048638	6/20/2011
P3-27416_9	PG&E Enterprise Risk Management System Safety Report, Attachment A9 (2009)	GTR0061616 - GTR0061616	6/20/2011
P3-27417	PG&E Enterprise Risk Management System Safety Report (2007)	GTR0106070 - GTR0106102	6/20/2011
P3-27418^	PG&E Seismic Vulnerability Assessment of the Gas Supply Business Unit System	GTR0043944 - GTR0044079; GTR0044794 - GTR0044800; GTR0045402 - GTR0045453; GTR0046137 - GTR0046149; GTR0046555 - GTR0046573; GTR0100325 - GTR0100331	6/20/2011
P3-27419	PG&E Seismic Hazard Evaluation of Lines 101, 109, and 132 (1991)	GTR0100332 - GTR0100524	6/20/2011
P3-27420	PG&E Seismic Vulnerability Assessment of Pacific Gas and Electric Company Gas Transmission System (1993)	GTR0043855 - GTR0043943	6/20/2011
P3-27421	EQE Report on Analysis of Proposed PG&E Pipeline Configurations Potentially Impacted by a Repeat of the 1906 San Francisco Earthquake (1995)	GTR0058389 - GTR0058460	6/20/2011
P3-27422	Letter to PG&E Geosciences Dept. from William Lettis & Associates, Inc., November 9, 2005	GTR0061898 - GTR0061906	6/20/2011
P3-27423	PG&E Applied Technology Services, ATS 2010 Annual Report, March 2011	GTR0106003 - GTR0106025	6/20/2011
P2-19 - P2-26, P2-590	PG&E Gas Standard O-16, Corrosion Control of Gas Facilities	GTR0002631 - GTR0002680, GTR0008725 - GTR0008744	
P3-27506	PG&E Exemption from Rectifier Inspection Resolution No. SU-39	GTR0064202 - GTR0064205	6/20/2011
P3-27424 - P3-27431	Pre-GPRP Projects Before 1970 (Sub Index 15)	See Sub-Index 15	6/20/2011
P3-27432 - P3-27444	Pre-GPRP Projects 1970-1974 (Sub Index 16)	See Sub-Index 16	6/20/2011
P3-27445 - P3-27505	Pre-GPRP Projects 1975-1985 (Sub Index 17)	See Sub-Index 17	6/20/2011

Chapter 7 Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

This index has been amended to reflect additional attachments included in the September 30, 2011 filing. The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Bates Numbers
P7-0001	Mill Test and Inspection Report Index	GTR0240145 - GTR0240148
P7-0002 - P7-0046; P7-7175 - P7-7181	Mill Test and Inspection Report	See Mill Test and Inspection Report Index
P7-0047	X-Ray Document Index	GTR0119340 - GTR0119548
P7-0048 - P7-6935	X-Ray Documents	See X-Ray Document Index
P7-6936	Strength Test Pressure Report Index	GTR0119549 - GTR0119549
P7-6937 - P7-6966	Strength Test Pressure Report Documents	See Strength Test Pressure Report Index
P7-6967	Construction Inspector Note Document Index	GTR0119550 - GTR0119551
P7-6968 - P7-7009	Construction Inspector Note Documents	See Construction Inspector Note Document Index
P7-7010	A-Form Document Index	GTR0240149 - GTR0240155
P7-7011 - P7-7044; P7-7095 - P7-7174	A-Form Documents	See A-Form Document Index
P7-7045	Integrity Management Index	GTR0119554 - GTR0119554
P7-7046 - P7-7049	Integrity Management Documents	See Integrity Management Index
P7-7050	ATS Report Index	GTR0240156 - GTR0240157

Chapter 7 Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

This index has been amended to reflect additional attachments included in the September 30, 2011 filing. The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Bates Numbers
P7-7051 - P7-7089; P7-7182 - P7-7190	ATS Reports	See ATS Report Index
P7-7090	Material Problem Report Index	GTR0119556 - GTR0119556
P7-7091 - P7-7092	Material Problem Report Documents	See Material Problem Report Index
P7-7093	Other Weld Defect and Failure Index	GTR0119557 - GTR0119557
P7-7094	Other Weld Defect and Failure Documents	See Other Weld Defect and Failure Index

Chapter 7 - Mill Test and Inspection Report Responsive Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Date	Bates Numbers	Filed/Served
P7-0002	Purchase Order 1833128 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	8/4/1989	GTR0061937 - GTR0061937	6/20/2011
P7-0003	Purchase Order 1833128 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	8/4/1989	GTR0061938 - GTR0061938	6/20/2011
P7-0004	Purchase Order 1833128 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	8/4/1989	GTR0061939 - GTR0061939	6/20/2011
P7-0005	Purchase Order 1833128 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	8/4/1989	GTR0061940 - GTR0061940	6/20/2011
P7-0006	Purchase Order 1833128 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	8/4/1989	GTR0061941 - GTR0061941	6/20/2011
P7-0007	Purchase Order 1833128 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	8/4/1989	GTR0061942 - GTR0061942	6/20/2011
P7-0008	Purchase Order 1833128 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	8/4/1989	GTR0061943 - GTR0061943	6/20/2011
P7-0009	Purchase Order 1833128 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	8/4/1989	GTR0061944 - GTR0061944	6/20/2011
P7-0010	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061945 - GTR0061945	6/20/2011
P7-0011	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061946 - GTR0061946	6/20/2011
P7-0012	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061947 - GTR0061947	6/20/2011
P7-0013	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061948 - GTR0061948	6/20/2011
P7-0014	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061949 - GTR0061949	6/20/2011
P7-0015	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061950 - GTR0061950	6/20/2011
P7-0016	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061951 - GTR0061951	6/20/2011
P7-0017	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061952 - GTR0061952	6/20/2011

Chapter 7 - Mill Test and Inspection Report Responsive Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Date	Bates Numbers	Filed/Served
P7-0018	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061953 - GTR0061953	6/20/2011
P7-0019	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061954 - GTR0061954	6/20/2011
P7-0020	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061955 - GTR0061955	6/20/2011
P7-0021	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061956 - GTR0061956	6/20/2011
P7-0022	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061957 - GTR0061957	6/20/2011
P7-0023	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061958 - GTR0061958	6/20/2011
P7-0024	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061959 - GTR0061959	6/20/2011
P7-0025	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061960 - GTR0061960	6/20/2011
P7-0026	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061961 - GTR0061961	6/20/2011
P7-0027	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061962 - GTR0061962	6/20/2011
P7-0028	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061963 - GTR0061963	6/20/2011
P7-0029	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061964 - GTR0061964	6/20/2011
P7-0030	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061965 - GTR0061965	6/20/2011
P7-0031	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061966 - GTR0061966	6/20/2011
P7-0032	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061967 - GTR0061967	6/20/2011
P7-0033	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061968 - GTR0061968	6/20/2011

**Chapter 7 - Mill Test and Inspection Report Responsive Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)**

‡ Denotes an additional record.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Date	Bates Numbers	Filed/Served
P7-0034	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061969 - GTR0061969	6/20/2011
P7-0035	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061970 - GTR0061970	6/20/2011
P7-0036	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061971 - GTR0061971	6/20/2011
P7-0037	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061972 - GTR0061972	6/20/2011
P7-0038	Purchase Order 3978541 – Napa Pipe Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	6/1/1993	GTR0061973 - GTR0061973	6/20/2011
P7-0039	StanPac Purchase Orders 1356, 1357 – Kaiser Steel Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	12/13/1973	GTR0061929 - GTR0061929	6/20/2011
P7-0040	StanPac Purchase Orders 1356, 1357 – Kaiser Steel Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	12/13/1973	GTR0061930 - GTR0061930	6/20/2011
P7-0041	StanPac Purchase Orders 1356, 1357 – Kaiser Steel Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	12/13/1973	GTR0061931 - GTR0061931	6/20/2011
P7-0042	StanPac Purchase Orders 1356, 1357 – Kaiser Steel Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	12/13/1973	GTR0061932 - GTR0061932	6/20/2011
P7-0043	StanPac Purchase Orders 1356, 1357 – Kaiser Steel Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	12/13/1973	GTR0061933 - GTR0061933	6/20/2011
P7-0044	StanPac Purchase Orders 1356, 1357 – Kaiser Steel Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	12/13/1973	GTR0061934 - GTR0061934	6/20/2011
P7-0045	StanPac Purchase Orders 1356, 1357 – Kaiser Steel Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	12/13/1973	GTR0061935 - GTR0061935	6/20/2011
P7-0046	StanPac Purchase Orders 1356, 1357 – Kaiser Steel Corporation. Moody Tottrup Int. Inc. Mill Inspection Report.	12/13/1973	GTR0061936 - GTR0061936	6/20/2011
P7-7175‡	Napa Pipe - Purchase Order 3500079749	4/6/2002	GTR0239764 - GTR0239767	9/30/2011
P7-7176‡	Napa Pipe - Purchase Order 35002167053500386377 & Lab Stock Pipe	11/10/2003	GTR0239768 - GTR0239771	9/30/2011
P7-7177‡	Berg Steel - Purchase Orders 3500566344 and 3500567252	11/2/2004	GTR0239772 - GTR0239775	9/30/2011

**Chapter 7 - Mill Test and Inspection Report Responsive Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)**

‡ Denotes an additional record.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Document	Date	Bates Numbers	Filed/Served
P7-7178‡	Dynamic Products - Purchase Orders 3500610908, 3500611418 and 3500617918	5/17/2005	GTR0239776 - GTR0239783	9/30/2011
P7-7179‡	McJunkin - Purchase Order S160931132	1/14/2008	GTR0239784 - GTR0239786	9/30/2011
P7-7180‡	LaBarge - Purchase Order 3500738035	4/22/2008	GTR0239787 - GTR0239795	9/30/2011
P7-7181‡	LaBarge - Purchase Order 3500786605	2/23/2009	GTR0239796 - GTR0239814	9/30/2011

Chapter 7 - A-Form Document Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Date	Line/Location/Description	Bates Numbers	Filed/Served
P7-7011	5/31/1962	San Joaquin	GTR0061911 - GTR0061911	6/20/2011
P7-7012	5/31/1962	San Joaquin	GTR0061912 - GTR0061912	6/20/2011
P7-7013	5/31/1962	San Joaquin	GTR0061913 - GTR0061913	6/20/2011
P7-7014	8/2/1967	Line 181, Mile Point 1.12	GTR0061917 - GTR0061917	6/20/2011
P7-7015	8/2/1967	Line 181, Mile Point 1.12	GTR0061918 - GTR0061918	6/20/2011
P7-7016	8/2/1967	Line 181, Mile Point 1.12	GTR0061919 - GTR0061919	6/20/2011
P7-7017	8/2/1967	Line 181, Mile Point 1.12	GTR0061920 - GTR0061920	6/20/2011
P7-7018	12/18/1967	Line 108, Valve 51.0	GTR0061925 - GTR0061925	6/20/2011
P7-7019	12/18/1967	Line 108, Valve 51.0	GTR0061926 - GTR0061926	6/20/2011
P7-7020	12/6/1968	Line 132, Mile Point 3.51	GTR0061914 - GTR0061914	6/20/2011
P7-7021	12/6/1968	Line 132, Mile Point 3.51	GTR0061915 - GTR0061915	6/20/2011
P7-7022	12/6/1968	Line 132, Mile Point 3.51	GTR0061916 - GTR0061916	6/20/2011
P7-7023	2/15/1974	Line 172, Mile Point 74.57	GTR0061927 - GTR0061927	6/20/2011
P7-7024	2/15/1974	Line 172, Mile Point 74.57	GTR0061928 - GTR0061928	6/20/2011
P3-30148	10/16/1979	Line 132, San Mateo	GTR0106122 - GTR0106123	6/20/2011
P7-7025	4/10/1983	Redding DFM	GTR0061907 - GTR0061907	6/20/2011
P7-7026	4/10/1983	Redding DFM	GTR0061908 - GTR0061908	6/20/2011
P7-7027	4/10/1983	Redding DFM	GTR0061909 - GTR0061909	6/20/2011
P7-7028	4/10/1983	Redding DFM	GTR0061910 - GTR0061910	6/20/2011
P7-7029	10/27/1988	Line 132, Mile Point 30.5	GTR0061974 - GTR0061975	6/20/2011
P7-7030	1/13/1993	Sacramento DFM0613-01	GTR0062001 - GTR0062005	6/20/2011
P7-7031	1/4/1996	Line 21E, Cloverdale	GTR0061996 - GTR0062000	6/20/2011
P7-7032	6/16/1997	San Rafael DFM0401-01	GTR0061981 - GTR0061985	6/20/2011
P7-7033	4/22/1998	San Rafael DFM0402-01	GTR0061986 - GTR0061990	6/20/2011
P7-7034	9/10/2001	Line 300A, Mile Point 106.42	GTR0062011 - GTR0062015	6/20/2011

Chapter 7 - A-Form Document Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Date	Line/Location/Description	Bates Numbers	Filed/Served
P7-7035	11/22/2002	Line 300A, Mile Point 183.71	GTR0062016 - GTR0062020	6/20/2011
P7-7036	4/18/2005	Line 153, Oakland	GTR0061921 - GTR0061921	6/20/2011
P7-7037	4/18/2005	Line 153, Oakland	GTR0061922 - GTR0061922	6/20/2011
P7-7038	4/18/2005	Line 153, Oakland	GTR0061976 - GTR0061980	6/20/2011
P7-7039	9/28/2005	Folsom DFM	GTR0061923 - GTR0061923	6/20/2011
P7-7040	9/28/2005	Folsom DFM	GTR0061924 - GTR0061924	6/20/2011
P7-7041	3/6/2008	Line 21E, Windsor	GTR0061991 - GTR0061995	6/20/2011
P7-7042	9/2/2009	Line 300A, Mile Point 31.69	GTR0062021 - GTR0062025	6/20/2011
P7-7043	11/16/2009	Line 132, South San Francisco	GTR0116760 - GTR0116762	6/20/2011
P7-7044	6/17/2010	San Jose DFM0821-02	GTR0062006 - GTR0062010	6/20/2011
P7-7095‡	7/29/2011	Weld Defect and Failure Rolling Production #1 (July 29, 2011) Index	GTR0235276 - GTR0235276	7/29/2011
P7-7096‡	2/28/1971	Line 131, Mile Point 41.22 - near Sunol	GTR0235274 - GTR0235275	7/29/2011
P7-7097‡	5/12/1972	Line 107, Mile Point 14 - near Livermore	GTR0235272 - GTR0235273	7/29/2011
P7-7098‡	7/28/1977	Line 402, Mile Point 15.19 - Anderson	GTR0235264 - GTR0235265	7/29/2011
P7-7099‡	1/19/1980	Line 195, Mile Point 0.77 - near Rio Vista	GTR0235257 - GTR0235258	7/29/2011
P7-7100‡	7/22/1981	Line 107, Mile Point 18 - near Pleasanton	GTR0235270 - GTR0235271	7/29/2011
P7-7101‡	3/16/1983	Line 402, Mile Point 29.88 - Redding	GTR0235266 - GTR0235267	7/29/2011
P7-7102‡	7/29/1985	Line 131, Mile Point 7.76 - near Oakley/Antioch	GTR0235259 - GTR0235260	7/29/2011
P7-7103‡	3/8/1994	Line 168-1-3, Mile Point 0.95 - near Isleton	GTR0235261 - GTR0235261	7/29/2011
P7-7104‡	11/2/1999	Line 131, Mile Point 7.74 - near Oakley/Antioch	GTR0235262 - GTR0235263	7/29/2011
P7-7105‡	9/22/2005	Line 173, Mile Point 5.5 - Rocklin	GTR0235268 - GTR0235269	7/29/2011
P7-7106‡	8/31/2011	Weld Defect and Failure Rolling Production #2 (August 31, 2011) Index	GTR0235277 - GTR0235277	8/31/2011
P7-7107‡	1/16/1971	Line 300A, Mile Point 230.09 - Tehachapi	GTR0235278 - GTR0235279	8/31/2011
P7-7108‡	6/12/1971	Hinkley Compressor Station	GTR0235280 - GTR0235281	8/31/2011
P7-7109‡	3/23/1972	Hinkley Compressor Station	GTR0235282 - GTR0235283	8/31/2011
P7-7110‡	4/2/1972	Hinkley Compressor Station	GTR0235284 - GTR0235285	8/31/2011
P7-7111‡	4/23/1972	Hinkley Compressor Station	GTR0235286 - GTR0235287	8/31/2011
P7-7112‡	9/13/1972	Hinkley Compressor Station	GTR0235288 - GTR0235289	8/31/2011

Chapter 7 - A-Form Document Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Date	Line/Location/Description	Bates Numbers	Filed/Served
P7-7113‡	10/3/1972	Hinkley Compressor Station	GTR0235290 - GTR0235291	8/31/2011
P7-7114‡	12/12/1972	Hinkley Compressor Station	GTR0235292 - GTR0235293	8/31/2011
P7-7115‡	3/30/1973	Line 111A, Mile Point 17.1 - Kerman	GTR0235294 - GTR0235297	8/31/2011
P7-7116‡	1/15/1975	DFM 0405-01, Mile Point 5.9 - Napa	GTR0235298 - GTR0235299	8/31/2011
P7-7117‡	2/24/1977	Line 300A, Mile Point 355.77 - Kettleman	GTR0235300 - GTR0235301	8/31/2011
P7-7118‡	12/18/1978	Line 300A, Mile Point 131.37 - Newberry Springs	GTR0235302 - GTR0235303	8/31/2011
P7-7119‡	12/21/1978	Line 300A, Mile Point 205.5 - Kern	GTR0235304 - GTR0235305	8/31/2011
P7-7120‡	8/16/1979	DFM 0604-06, Mile Point 0.49 - Vacaville	GTR0235306 - GTR0235309	8/31/2011
P7-7121‡	8/3/1982	Line 126B, Mile Point 9.2 - Eureka	GTR0235310 - GTR0235311	8/31/2011
P7-7122‡	1/2/1985	Line 142S, Mile Point 0.6 - Bakersfield	GTR0235312 - GTR0235313	8/31/2011
P7-7123‡	8/10/1987	Line 111A, Mile Point 24.09 - Fresno	GTR0235314 - GTR0235315	8/31/2011
P7-7124‡	8/18/1988	Line 111A, Mile Point 24.59 - Fresno	GTR0235316 - GTR0235317	8/31/2011
P7-7125‡	3/3/1989	Line 21E, Mile Point 72.73 - Geyserville	GTR0235318 - GTR0235319	8/31/2011
P7-7126‡	1/21/1991	DREG 5496, Mile Point 1.04 - Ridgecrest	GTR0235320 - GTR0235321	8/31/2011
P7-7127‡	1/22/1991	DFM 6612-01, Mile Point 2.5 - Ridgecrest	GTR0235322 - GTR0235322	8/31/2011
P7-7128‡	1/13/1993	DFM 0613-01, Mile Point 0.41 - Sacramento	GTR0235323 - GTR0235324	8/31/2011
P7-7129‡	5/18/1993	DFM 1608-01, Mile Point 0.4 - Stockton	GTR0235325 - GTR0235326	8/31/2011
P7-7130‡	8/25/1995	DFM 1607-01, Mile Point 0.24 - Stockton	GTR0235327 - GTR0235328	8/31/2011
P7-7131‡	9/17/2008	Line 137B, Mile Point 7.22 - Arcata	GTR0235329 - GTR0235333	8/31/2011
P7-7132‡	10/28/2008	Line 300A, Mile Point 31 - Needles	GTR0235334 - GTR0235337	8/31/2011
P7-7133‡	3/13/2009	DREG 5496, Mile Point 1.71 - Ridgecrest	GTR0235338 - GTR0235340	8/31/2011
P7-7134‡	5/14/2009	BD445, Mile Point 0.00 - Suisun City	GTR0235341 - GTR0235343	8/31/2011
P7-7135‡	12/31/1971	GCUST5813, Mile Point 1.40 - Sunnyvale	GTR0240044 - GTR0240045	9/30/2011
P7-7136‡	8/30/1972	BD9367 - Olivehurst	GTR0240046 - GTR0240048	9/30/2011
P7-7137‡	2/15/1974	Line 172A, Mile Point 74.57 - West Sacramento	GTR0240049 - GTR0240050	9/30/2011
P7-7138‡	1975	Line 105N, Mile Point 33.71 - Oakland	GTR0240051 - GTR0240053	9/30/2011
P7-7139‡	10/25/1977	Line 109, Mile Point 19.00 - Atherton	GTR0240054 - GTR0240055	9/30/2011
P7-7140‡	4/25/1978	Line 50A, Mile Point 38.47 - Salinas	GTR0240056 - GTR0240057	9/30/2011
P7-7141‡	9/1/1978	Line 131, Mile Point 38.00 - Livermore	GTR0240058 - GTR0240058	9/30/2011
P7-7142‡	1/23/1980	DFM 1817-01, Mile Point 0.45 - Watsonville	GTR0240059 - GTR0240060	9/30/2011
P7-7143‡	3/24/1981	DFM 1815-02, Mile Point 9.14 - Salinas	GTR0240061 - GTR0240062	9/30/2011
P7-7144‡	4/21/1982	Line 182B, Mile Point 5.10 - Birds Landing	GTR0240063 - GTR0240064	9/30/2011
P7-7145‡	5/26/1982	Line 191B, Mile Point 0.77 - Lafayette	GTR0240065 - GTR0240066	9/30/2011

Chapter 7 - A-Form Document Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Date	Line/Location/Description	Bates Numbers	Filed/Served
P7-7146‡	3/4/1983	Line 169 - Willows	GTR0240067- GTR0240068	9/30/2011
P7-7147‡	5/15/1984	Line 103, Mile Point 20.20 - Salinas	GTR0240069 - GTR0240070	9/30/2011
P7-7148‡	10/31/1984	Line 195 - Rio Vista	GTR0240071 - GTR0240073	9/30/2011
P7-7149‡	4/12/1985	Line 124B, Mile Point 19.97 - Marysville	GTR0240074 - GTR0240075	9/30/2011
P7-7150‡	6/2/1988	Line 181B, Mile Point 4.40 - Aromas	GTR0240076 - GTR0240077	9/30/2011
P7-7151‡	10/27/1988	Line 132, Mile Point 30.44 - San Mateo	GTR0240078 - GTR0240081	9/30/2011
P7-7152‡	6/20/1990	DFM 1816-01, Mile Point 17.73 - Santa Cruz	GTR0240082 - GTR0240083	9/30/2011
P7-7153‡	4/20/1993	DFM 1817-01, Mile Point 3.34 - Watsonville	GTR0240084 - GTR0240084	9/30/2011
P7-7154‡	5/18/1994	DFM 1502-11, Mile Point 1.12 - Marysville	GTR0240085 - GTR0240087	9/30/2011
P7-7155‡	6/21/1994	DFM 1819-01, Mile Point 1.06 - Watsonville	GTR0240088 - GTR0240089	9/30/2011
P7-7156‡	12/15/1994	Line 105A, Mile Point 43.28 - Albany	GTR0240090 - GTR0240091	9/30/2011
P7-7157‡	1/4/1996	Line 21E, Mile Point 79.7 - Cloverdale	GTR0240092 - GTR0240093	9/30/2011
P7-7158‡	2/10/1997	Line 111A, Mile Point 26.50 - Fresno	GTR0240094 - GTR0240095	9/30/2011
P7-7159‡	6/16/1997	DFM 0401-01, Mile Point 2.68 - San Rafael	GTR0240096 - GTR0240098	9/30/2011
P7-7160‡	10/4/1997	DFM 1401-01, Mile Point 0.02 - San Francisco	GTR0240099 - GTR0240101	9/30/2011
P7-7161‡	3/25/1999	Line 402, Mile Point 9.06 - Cottonwood	GTR0240102 - GTR0240103	9/30/2011
P7-7162‡	9/10/2001	Line 300A, Mile Point 106.42 - Newberry Springs	GTR0240104 - GTR0240106	9/30/2011
P7-7163‡	9/21/2001	Line 300A, Mile Point 76.72 - Amboy	GTR0240107 - GTR0240109	9/30/2011
P7-7164‡	2002	Line 300A, Mile Point 77.40 - Amboy	GTR0240110 - GTR0240111	9/30/2011
P7-7165‡	11/22/2002	Line 300A, Mile Point 183.72 - Edwards	GTR0240112 - GTR0240113	9/30/2011
P7-7166‡	4/18/2005	Line 153, Mile Point 23.79 - Oakland	GTR0240114 - GTR0240117	9/30/2011
P7-7167‡	10/28/2008	Line 300A, Mile Point 31.00 - Needles	GTR0240118 - GTR0240120	9/30/2011
P7-7168‡	10/28/2008	Line 300A, Mile Point 29.00 - Needles	GTR0240121 - GTR0240131	9/30/2011
P7-7169‡	1/8/2009	DREG5496, Mile Point 2.95 - Ridgecrest	GTR0240132 - GTR0240134	9/30/2011
P7-7170‡	1/20/2009	Line 11A, Mile Point 25.25 - Fresno	GTR0240135 - GTR0240136	9/30/2011
P7-7171‡	6/15/2009	DF3282 - Hercules	GTR0240137 - GTR0240138	9/30/2011
P7-7172‡	11/16/2009	Line 132, Mile Point 42.99 - South San Francisco	GTR0240139 - GTR0240140	9/30/2011
P7-7173‡	2/23/2010	Line 153, Mile Point 26.22 - Oakland	GTR0240141 - GTR0240142	9/30/2011
P7-7174‡	2/23/2010	Line 153, Mile Point 25.33 - Oakland	GTR0240143 - GTR0240144	9/30/2011
N/A	1/1/1949	Route 153, Mile Point 13.7, Hayward; Longitudinal Seam	N/A	N/A
N/A	1/1/1952	Route 187, Mile Point 59.78, Salinas; Girth Weld	N/A	N/A
N/A	1/1/1952	Route 187, Mile Point 63.33, Salinas; Girth Weld	N/A	N/A

Chapter 7 - A-Form Document Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Date	Line/Location/Description	Bates Numbers	Filed/Served
N/A	1/1/1952	Route 301A, Mile Point 12.78, SJ Bautista; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 301A, Mile Point 9.29, Hollister; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 103, Mile Point 8.2, SJ Bautista; Longitudinal Seam	N/A	N/A
N/A	1/1/1953	Route 187, Mile Point 39.28, Soledad; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 187, Mile Point 49.46, Gonzales; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 187, Mile Point 49.56, Gonzales; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 187, Mile Point 50.49, Gonzales; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 187, Mile Point 51.47, Gonzales; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 187, Mile Point 51.6, Gonzales; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 187, Mile Point 51.96, Gonzales; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 187, Mile Point 52.87, Gonzales; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 187, Mile Point 57.71, Salinas; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 187, Mile Point 57.91, Salinas; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 187, Mile Point 59.1, Salinas; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 187, Mile Point 56.09, Salinas; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 187, Mile Point 56.89, Salinas; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 187, Mile Point 58.48, Salinas; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 301A, Mile Point 0.51, Hollister; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 301A, Mile Point 6.12, SJ Bautista; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 301A, Mile Point 6.82, SJ Bautista; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 301A, Mile Point 7.38, Hollister; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 301A, Mile Point 13.61, SJ Bautista; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 301A, Mile Point 13.44, SJ Bautista; Girth Weld	N/A	N/A
N/A	1/1/1953	Route 301B, Mile Point 9.55, Salinas; Girth Weld	N/A	N/A
N/A	1/1/1954	Route 301A, Mile Point 9.03, Hollister; Girth Weld	N/A	N/A
N/A	1/1/1954	Route 301A, Mile Point 9.12, Hollister; Girth Weld	N/A	N/A

Chapter 7 - A-Form Document Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Date	Line/Location/Description	Bates Numbers	Filed/Served
N/A	1/1/1954	Route 301A, Mile Point 0.18, Hollister; Girth Weld	N/A	N/A
N/A	1/1/1954	Route 301A, Mile Point 2.07, Hollister; Girth Weld	N/A	N/A
N/A	1/1/1954	Route 301A, Mile Point 6.28, SJ Bautista; Girth Weld	N/A	N/A
N/A	1/1/1954	Route 301A, Mile Point 6.37, SJ Bautista; Girth Weld	N/A	N/A
N/A	1/1/1954	Route 301A, Mile Point 6.38, SJ Bautista; Girth Weld	N/A	N/A
N/A	1/1/1954	Route 301A, Mile Point 6.81, SJ Bautista; Girth Weld	N/A	N/A
N/A	1/1/1954	Route 301A, Mile Point 6.91, SJ Bautista; Girth Weld	N/A	N/A
N/A	1/1/1954	Route 301A, Mile Point 7.08, Hollister; Girth Weld	N/A	N/A
N/A	1/1/1954	Route 301A, Mile Point 13.24, SJ Bautista; Girth Weld	N/A	N/A
N/A	1/1/1954	Route 301A, Mile Point 13.32, SJ Bautista; Girth Weld	N/A	N/A
N/A	1/1/1954	Route 301A, Mile Point 13.28, SJ Bautista; Girth Weld	N/A	N/A
N/A	1/1/1954	Route 186, Mile Point 7.56, Los Banos; Longitudinal Seam	N/A	N/A
N/A	1/1/1954	Route 186, Mile Point 8.43, Firebaugh; Longitudinal Seam	N/A	N/A
N/A	1/1/1955	Route 187, Mile Point 32.21, Greenfield; Girth Weld	N/A	N/A
N/A	1/1/1955	Route 187, Mile Point 64.58, Salinas; Girth Weld	N/A	N/A
N/A	1/1/1955	Route 301A, Mile Point 15.36, Prunedale; Girth Weld	N/A	N/A
N/A	1/1/1961	Route 311, Mile Point 39.5095, Red Mt-Trona; Longitudinal Seam	N/A	N/A
N/A	1/1/1961	Route 311, Mile Point 39.569, Red Mt-Trona; Longitudinal Seam	N/A	N/A
N/A	1/1/1961	Route 311, Mile Point 42.1369, Ridgecrest; Longitudinal Seam	N/A	N/A
N/A	1/1/1961	Route 311, Mile Point 46.8537, Red Mt-Trona; Longitudinal Seam	N/A	N/A
N/A	1/1/1962	Route 311, Mile Point 33.55, Red Mt-Trona; Longitudinal Seam	N/A	N/A
N/A	1/1/1962	Route 311, Mile Point 34.02, Ridgecrest; Longitudinal Seam	N/A	N/A
N/A	1/1/1962	Route 311, Mile Point 36.07, Ridgecrest; Longitudinal Seam	N/A	N/A
N/A	1/1/1962	Route 311, Mile Point 36.71, Red Mt-Trona; Longitudinal Seam	N/A	N/A

Chapter 7 - A-Form Document Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Date	Line/Location/Description	Bates Numbers	Filed/Served
N/A	1/1/1962	Route 311, Mile Point 38.18, Red Mt-Trona; Longitudinal Seam	N/A	N/A
N/A	1/1/1962	Route 311, Mile Point 38.4, Red Mt-Trona; Longitudinal Seam	N/A	N/A
N/A	1/1/1962	Route 311, Mile Point 38.8938, Red Mt-Trona; Longitudinal Seam	N/A	N/A
N/A	1/1/1970	Route 138D, Mile Point 45.14, Fresno; Longitudinal Seam	N/A	N/A
N/A	3/31/1971	Route 300A, Mile Point 482, Morgan Hill; Longitudinal Seam	N/A	N/A
N/A	6/9/1972	Route 300B, Mile Point 228, Mojave; Longitudinal Seam	N/A	N/A
N/A	1/1/1978	Route 050A, Mile Point 38.47, Salinas; Longitudinal Seam	N/A	N/A
N/A	1/1/1980	Route 191-1, Mile Point 28.63, Lafayette; Girth Weld	N/A	N/A
N/A	2/27/1980	Route 21E, Mile Point 0, Fulton; Longitudinal Seam	N/A	N/A
N/A	3/18/1982	Route 118A, Mile Point 0, Delhi; Girth Weld	N/A	N/A
N/A	3/4/1983	Route 169A, Mile Point 0, Glenn; Longitudinal Seam	N/A	N/A
N/A	4/12/1984	Route 131, Mile Point 045, Sunol; Girth Weld	N/A	N/A
N/A	8/6/1990	Route 7224-01, Mile Point 2.14, Modesto; Girth Weld	N/A	N/A
N/A	3/13/2009	Route 1502-11, Mile Point 1.10, Marysville; Girth Weld	N/A	N/A
N/A	1/1/1950	Route 300A, Mile Point 497.8, San Jose; Girth Weld	N/A	N/A

Chapter 7 - ATS Report Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Date	Line/Location	Bates Numbers	Filed/Served
P7-7051	1967	Multiple	GTR0018341 - GTR0018481	6/20/2011
P7-7052	6/23/1958	Line 300B, Mile Point 172	GTR0018320 - GTR0018324	6/20/2011
P7-7053	4/24/1963	Mendota	GTR0018329 - GTR0018330	6/20/2011
P7-7054	7/30/1963	Line 105, Hayward	GTR0018325 - GTR0018328	6/20/2011
P7-7055	1/5/1966	Monterey #1 Main	GTR0018331 - GTR0018334	6/20/2011
P7-7056	2/3/1966	Line 109, San Francisco	GTR0018335 - GTR0018340	6/20/2011
P7-7057	11/29/1966	Permanente Line, Whisman Road, Mountain View	GTR0018287 - GTR0018288	6/20/2011
P7-7058	11/29/1966	Permanente Line in Los Altos	GTR0018281 - GTR0018282	6/20/2011
P7-7059	12/7/1966	Permanente Line, Whisman Road, Mountain View	GTR0018285 - GTR0018286	6/20/2011
P7-7060	12/7/1966	Permanente Line, Whisman Road, Mountain View	GTR0018283 - GTR0018284	6/20/2011
P7-7061	11/21/1968	Coalinga	GTR0018308 - GTR0018310	6/20/2011
P7-7062	2/27/1970	Grass Valley	GTR0018482 - GTR0018486	6/20/2011
P7-7063	10/31/1972	Line 138 near Helm Tap	GTR0018299 - GTR0018306	6/20/2011
P7-7064	6/20/1974	Line 300B	GTR0018279 - GTR0018279	6/20/2011
P7-7065	6/20/1974	Line 300B	GTR0018280 - GTR0018280	6/20/2011
P7-7066	8/14/1975	Line 101	GTR0018487 - GTR0018504	6/20/2011
P7-7067	5/7/1976	North Bay	GTR0018505 - GTR0018506	6/20/2011
P7-7068	7/7/1976	Line 108	GTR0018507 - GTR0018509	6/20/2011
P7-7069	5/5/1978	Line 103	GTR0018289 - GTR0018296	6/20/2011
P7-7070	11/29/1979	Line 105, Milpitas	GTR0018278 - GTR0018278	6/20/2011
P7-7071	8/25/1980	Sacramento	GTR0018307 - GTR0018307	6/20/2011
P7-7072	8/25/1980	North Highlands, Sacramento	GTR0018227 - GTR0018229	6/20/2011
P7-7073	5/29/1981	Bay Area Girth Welds	GTR0018230 - GTR0018277	6/20/2011
P7-7074	7/28/1986	Line 402, Sacramento River	GTR0018312 - GTR0018319	6/20/2011
P7-7075	7/28/1986	Line 402, Sacramento River	GTR0018311 - GTR0018311	6/20/2011
P7-7076	12/19/1988	Line 105	GTR0018297 - GTR0018298	6/20/2011
P7-7077	8/17/1990	Union City	GTR0017915 - GTR0017920	6/20/2011
P7-7078	2/19/1992	Multiple river crossings	GTR0017921 - GTR0017923	6/20/2011
P7-7079	5/13/1992	Richmond	GTR0017952 - GTR0017966	6/20/2011
P7-7080	10/25/1993	Line 300A & 300B, Barstow	GTR0018218 - GTR0018226	6/20/2011
P7-7081	8/31/1994	Line 109	GTR0018032 - GTR0018178	6/20/2011
P7-7082	10/18/1994	Line 109, Palo Alto, Charleston Road	GTR0017926 - GTR0017934	6/20/2011
P7-7083	2/6/1995	Line 105A, Mile Point 47.9, Potrero Avenue in Richmond	GTR0017967 - GTR0018029	6/20/2011

Chapter 7 - ATS Report Index of Attachments
Pacific Gas and Electric Company's Third Amendment to Response Filed on June 20, 2011
(September 30, 2011)

‡ Denotes an additional record.

The use of blue ink indicates that there has been an amendment.

Attachment No.	Date	Line/Location	Bates Numbers	Filed/Served
P7-7084	10/31/1996	Santa Cruz/Davenport	GTR0018213 - GTR0018217	6/20/2011
P7-7085	11/4/1996	L109 Palo Alto, Miranda Avenue	GTR0017935 - GTR0017951	6/20/2011
P7-7086	12/26/1996	Line 109	GTR0018201 - GTR0018212	6/20/2011
P7-7087	3/19/1997	Line 114, Mile Point 15.34, Brentwood	GTR0018179 - GTR0018200	6/20/2011
P7-7088	9/13/1999	Line 402, Adobe Road	GTR0018030 - GTR0018031	6/20/2011
P7-7089	12/12/2001	Line 300B, Bakersfield	GTR0017924 - GTR0017925	6/20/2011
P7-7182‡	5/3/2000	McDonald Island	GTR0239815 - GTR0239818	9/30/2011
P7-7183‡	6/1/2002	Line 300A, Mile Point 130	GTR0239819 - GTR0239881	9/30/2011
P7-7184‡	6/11/2002	Line 300A, Mile Point 106.5 and 75.0	GTR0239882 - GTR0239883	9/30/2011
P7-7185‡	8/1/2003	Line 300A, Mile Point 423.01	GTR0239884 - GTR0239945	9/30/2011
P7-7186‡	4/20/2004	Line 300A, Mile Point 426.16	GTR0239946 - GTR0239950	9/30/2011
P7-7187‡	10/15/2005	Line 142S, Mile Point 4.25	GTR0239951 - GTR0239961	9/30/2011
P7-7188‡	6/5/2006	Line 142S, Mile Point 4.25 (same leak as above)	GTR0239962 - GTR0239965	9/30/2011
P7-7189‡	12/2/2008	Line 153, Mile Point 23.77	GTR0239966 - GTR0239993	9/30/2011
P7-7190‡	3/2/2010	Line 137B, Mile Point 7.20	GTR0239994 - GTR0240043	9/30/2011