

From: Riechel
Sent: 9/29/2011 11:14:37 AM
To: Johnson, Kirk (/O=PG&E/OU=CORPORATE/CN=RECIPIENTS/CN=MKJ2)
[Redacted] (/O=PG&E/OU=CORPORATE/CN=RECIPIENTS/CN=[Redac]);
Cc: Salguero, Francisco J
(/O=PG&E/OU=CORPORATE/CN=RECIPIENTS/CN=FJS2); [Redacted]
(/O=PG&E/OU=Corporate/cn=Recipients/cn=[Redact]); CONNIE San Bruno Jackson
(cjackson@sanbruno.ca.gov); Commissioner CA-PUC
(public.advisor@cpuc.ca.gov); Dennis - Fire Chief San Bruno Haag
(dhaag@sanbruno.ca.gov); San Mateo County Supervisor Dave Pine
(DistrictOne@co.sanmateo.ca.us); FRAN Dunleavy (fdunleavy@sbpsd.k12.ca.us);
Brian US Congress Speier Perkins (brian.perkins@mail.house.gov); Marc
Hersherman CA-Asm Hill (Marc.Hershman@asm.ca.gov); ROBERT RIECHEL
(robertriechel@att.net); Neil San Bruno Telford (NTelford@ci.sanbruno.ca.us);
Mayor - City Council San Bruno (_Mayor/Council@ci.sanbruno.ca.us)

Bcc:

Subject: PG&E & Gas Smell This AM at John Muir Elementary School in San Bruno CA

DATE: 29 September 2011

TO: PG&E

ATTN: M. Kirk Johnson

CC: PG&E – others

CC: City of San Bruno

CC: John Muir Principal Dr. Fran Dunleavy

CC: Legislators

CC: CPUC

Dear Mr. Johnson:

As a San Bruno resident, I just happened to be at John Muir Elementary School on Cambridge in San Bruno California this morning at 8:00 AM and walked into the school beginning to respond to numerous reports of GAS being smelled on campus and in multiple locations in the surrounding neighborhoods. PG&E apparently previously had been doing some work on I believe line 132 within walking distance from the school along Skyline Blvd to the west. One parent on Bennington further away from the school smelled gas and called the San Bruno Fire.

John Muir felt the need to make a second call to PG&E due to PG&E not responding in an

acceptable time period. San Bruno Park School District personnel arrived (BEFORE PG&E) and John Muir's Safety plan was put into action. Numerous parents and teachers reported smelling gas (I even smelled gas) on campus.

Principal Dunleavy eventually met with the PG&E serviceman who responded and Mr. Michael Riordan from PG&E and Mr. Riordan explained the work just preformed and the work still to be completed along Skyline. He assured Dr. Dunleavy that John Muir would receive earlier and more detailed notification and details as this work was planned and work progressed.

As a San Bruno resident, I am mostly upset by two aspects of today's situation:

1. As I see it, John Muir Elementary School was NOT provided timely and detailed information on the work in progress and still to be completed so John Muir had no information to share with teachers, students, staff, and neighboring residents when asked. This is just NOT ACCEPTABLE.
2. As I see it, PG&E should have arrived sooner AND should have contacted the school between the time the school called in the report and the time the PG&E workman arrived to get an update on the situation. PG&E should have wanted to know how the situation was changing from the point of view of the school.

I look forward to PG&E drastically improving their response to these types of reports AND to PG&E improving their notification to ALL SCHOOLS in the area and additionally residents whom could be affected.

Redacted

I live up against PG&E line 101