

From: [Redacted]
Sent: 10/14/2011 4:50:35 PM
To: mlc@cpuc.ca.gov (mlc@cpuc.ca.gov)
Cc: Horner, Trina (/O=PG&E/OU=CORPORATE/CN=RECIPIENTS/CN=TNHC);
Ramaiya, Shilpa R (/o=PG&E/ou=Corporate/cn=Recipients/cn=SRRd)
Bcc:
Subject: RE: Cost Estimates

Good Afternoon Ms. Cooke,

PG&E's response to your two questions is provided in the attached document.

Thank you,

[Redacted]

Principal Regulatory Case Manager | Operations Proceedings | Pacific Gas and Electric Co.
[Redacted]

Email communication may contain privileged or confidential information proprietary to Pacific Gas and Electric Co.. If you have received this communication in error, we ask that you advise the sender by reply e-mail and immediately delete the message and any attachments without copying or disclosing the contents.

From: Cooke, Michelle [mailto:michelle.cooke@cpuc.ca.gov]
Sent: Thursday, October 13, 2011 2:57 PM
To: Horner, Trina; Ramaiya, Shilpa R
Subject: Cost Estimates

Trina or Shilpa- I know I should know the first one off the top of my head, but can you remind me of the estimated costs for the following things:

- 1) Hydrottest (both fixed cost per test and variable cost/mile)
- 2) Automatic and remote controlled valves- here I'm thinking if you can give me an average cost of the valve and installation cost and then a cost estimate for the controlling/communication equipment and what is scalable based on numbers.

By tomorrow?

Let me know if this timing is feasible, it is based on a legislative inquiry.

Thanks.

Michelle Cooke, Interim Director

Consumer Protection and Safety Division

415 703 2349

mlc@cpuc.ca.gov