

From: [Redacted]  
Sent: 2/1/2012 2:15:18 PM  
To: 'Cooke, Michelle' (michelle.cooke@cpuc.ca.gov); 'USRB@cpuc.ca.gov' (USRB@cpuc.ca.gov)  
Cc: [Redacted];  
Yee, Frances (/o=PG&E/ou=Corporate/cn=Recipients/cn=FSC2); 'Lee, Dennis M.' (dennis.lee@cpuc.ca.gov); 'Robertson, Michael' (michael.robertson@cpuc.ca.gov); Ramaiya, Shilpa R (/o=PG&E/ou=Corporate/cn=Recipients/cn=SRRd); Gibson, Bill (GE&O) (/O=PG&E/OU=Corporate/cn=Recipients/cn=WLG3)  
Bcc:  
Subject: Update to PG&E 12/30/11 ALJ- 274 Self Identified Non-Compliance Notification

Ms. Cooke:

Attached is the update to PG&E's December 30, 2011 notification letter regarding our commitment to conduct a system-wide evaluation of distribution facility maps for missed leak surveys. The update consists of a cover letter and an Excel spreadsheet providing the data by distribution plat map and by city. For ease of reference the Excel spreadsheet also provides a high level summary by city and county.

Sincerely,

[Redacted]

Regulatory Compliance  
PG&E - Gas Engineering & Operations  
375 N. Wiget Ln., Walnut Creek, CA

[Redacted]