

From: Cooke, Michelle
Sent: 4/23/2012 3:13:23 PM
To: Ramaiya, Shilpa R (/o=PG&E/ou=Corporate/cn=Recipients/cn=SRRd)
Cc:
Bcc:
Subject: RE: Line 132

Okay, does that mean it is 52.6 miles long or was there some portion of it that was validated by records and it is longer?

Thanks.

Michelle

From: Ramaiya, Shilpa R [mailto:SRRd@pge.com]
Sent: Monday, April 23, 2012 3:11 PM
To: Cooke, Michelle
Subject: RE: Line 132

Michelle,

Good idea. The hydrotests for L132 will be completed this year. We completed 40 miles and will be finishing the last 12.6 miles this year. I'll leave it to the media folks to decide how they want to bring this up.

Shilpa

From: Cooke, Michelle [mailto:michelle.cooke@cpuc.ca.gov]
Sent: Monday, April 23, 2012 1:26 PM
To: Ramaiya, Shilpa R
Subject: Line 132

Shilpa- can you tell me, has all of Line 132 (except the part that is out of service) now been hydrotested or had the records validated for hydrotest? It would be ideal to say (in response to say a particular reporter) that all of Line 132 is now good...

Thanks.

Michelle Cooke, Transitional Director

Consumer Protection and Safety Division

415 703 2349

mlc@cpuc.ca.gov