

From: Cooke, Michelle
Sent: 4/30/2012 12:43:09 PM
To: Doll, Laura (/O=PG&E/OU=CORPORATE/CN=RECIPIENTS/CN=LRDD)
Cc:
Bcc:
Subject: RE: need update

All mapping of Aldyl A or just the Peninsula?

Michelle

From: Doll, Laura [mailto:LRDD@pge.com]
Sent: Monday, April 30, 2012 12:30 PM
To: Cooke, Michelle
Subject: RE: need update

Michelle

I have at least part one of a response and am working on getting the rest.

The answer is YES, the mapping is completed. That means the maps have been digitized into the distribution GIS.

I have asked about the next steps in the process, i.e., what happens next re Aldyl-A now that the info is in the GIS. Waiting to hear back on that, and I should have that today.

Laura

From: Cooke, Michelle [mailto:michelle.cooke@cpuc.ca.gov]

Sent: Sunday, April 29, 2012 1:41 PM
To: Doll, Laura
Subject: need update

Laura- in a presentation in February, we said the below statement.

●PG&E will complete the process of mapping where all the pre-1973 Aldyl-A pipe is located on the Peninsula in March 2012.

I need to update the status. Was the mapping completed in March as expected? If so, what Aldyl A is now being mapped and is there anything I could say as to how this is impacting PG&E operations? ASAP Monday if possible.

Thanks.

Michelle Cooke, Transitional Director

California Public Utilities Commission

Consumer Protection and Safety Division

415 703 2349

mlc@cpuc.ca.gov