

Test	Line No.	M.P.1	M.P.2	Mileage Contributing to 185 Mile Goal	City	Contractor Mobilization	Clearance	Hydrotest	Tie-In	Results
T-061-12	L-300A	372.50	374.57	2.120	Coalinga	01/09/12 A	01/19/12 A	01/24/12 A	01/30/12 A	Tested successfully
T-057W-11	L-300A	187.85	188.41	0.577	Kern	02/07/12 A	02/28/12 A	03/05/12 A	03/22/12 A	Tested successfully
T-057E-11	L-300A	181.45	182.34	1.075	San Bernardino	02/07/12 A	02/28/12 A	03/09/12 A	03/22/12 A	Tested successfully
T-122-12	L-300B	0.13	0.15	0.033	Topock	02/13/12 A	03/19/12 A	03/22/12 A	03/28/12 A	Tested successfully
T-021-12	L-191-1	9.59	9.94	0.362	Pittsburg	02/27/12 A	03/12/12 A	03/21/12 A	03/30/12 A	Tested successfully
T-097-12	L-148	0.00	6.06	6.060	Modesto	03/05/12 A	03/19/12 A	04/01/12 A	04/03/12 A	Tested successfully
PR-003-12	L-131	0.00	0.18	0.174	Milpitas	03/19/12 A	03/30/12 A	04/05/12 A	04/09/12 A	Tested successfully
T-099-12	L-148	6.06	12.58	6.524	Modesto	03/22/12 A	04/07/12 A	04/19/12 A	04/24/12 A	Tested successfully
PR-002-12	2405-01	0.55	0.62	0.092	Fremont	04/09/12 A	04/18/12 A	04/28/12 A	04/28/12 A	Leak Repaired, then Tested Successfully
T-040-12	7221-10	7.21	9.65	2.460	Salida/Modesto	04/02/12 A	04/16/12 A	04/26/12 A	04/29/12 A	Tested successfully
T-049-12	L-142N	3.16	6.69	3.530	Bakersfield	03/26/12 A	04/09/12 A	04/26/12 A	05/04/12 A	Tested successfully
T-048-12	L-142N	0.00	3.16	3.140	Bakersfield	03/26/12 A	04/09/12 A	04/28/12 A	05/04/12 A	Tested successfully
T-100-12	L-148	12.58	14.62	2.019	Modesto	04/13/12 A	04/27/12 A	05/17/12 A	05/19/12 A	Tested successfully
T-073-12	L-021F	19.17	20.09	0.985	San Rafael	04/17/12 A	05/01/12 A	05/17/12 A	05/22/12 A	Tested successfully
TIM-102A-12	L-118A	0.00	0.18	0.183	Fresno	05/03/12 A	05/17/12 A	05/21/12 A	05/23/12 A	Tested successfully
T-025-12	L-100	138.43	143.85	5.229	San Jose	03/19/12 A	04/10/12 A	05/09/12 A	06/07/12 A	Tested successfully
T-026-12	L-100	143.85	147.77	4.283	San Jose	03/19/12 A	04/10/12 A	05/19/12 A	06/07/12 A	Tested successfully
T-027-12	L-100	147.77	150.13	2.363	Milpitas	03/19/12 A	04/10/12 A	05/19/12 A	06/07/12 A	Tested successfully
T-038-11	L-132	46.61	48.44	1.953	San Francisco	05/14/12 A	05/29/12 A	06/06/12 A	06/12/12 A	Tested successfully
TIM-114-11	L-109	7.57	8.72	1.354	Mountain View	04/17/12 A	06/02/12 A	06/12/12 A	06/19/12 A	Tested successfully
T-102D-12	L-118A	37.38	37.71	0.324	Chowchilla	05/23/12 A	06/12/12 A	06/15/12 A	06/19/12 A	Tested successfully
TIM-159-12	L-181B	4.08	4.51	0.448	Aromas	06/11/12 A	06/22/12 A	06/28/12 A	07/07/12 A	Tested successfully
T-102F-12	L-118A	58.21	58.74	0.529	Merced	06/08/12 A	06/26/12 A	06/29/12 A	07/10/12 A	Tested successfully
T-018-12	L-132	48.44	49.98	1.796	San Francisco	05/28/12 A	06/19/12 A	07/03/12 A	07/11/12 A	Tested successfully
T-039B-11	L-132	49.98	51.50	1.525	San Francisco	05/28/12 A	06/19/12 A	07/05/12 A	07/11/12 A	Tested successfully
T-052-12	L-142S	0.02	0.69	0.663	Bakersfield	06/04/12 A	06/22/12 A	06/28/12 A	07/13/12 A	Tested successfully
T-053-12	L-142S	3.21	3.87	0.675	Bakersfield	06/04/12 A	06/22/12 A	07/06/12 A	07/13/12 A	Tested successfully
T-054-12	L-142S	10.45	11.48	1.042	Bakersfield	07/02/12 A	07/18/12 A	07/23/12 A	07/25/12 A	Tested successfully
T-096-12	1816-01	16.30	18.25	1.964	Santa Cruz	06/26/12 A	07/16/12 A	07/25/12 A	07/27/12 A	Tested successfully
T-059-12	L-300A	277.89	278.12	0.228	Bakersfield	07/06/12 A	07/20/12 A	07/28/12 A	07/28/12 A	Tested successfully
T-045-12	L-138	28.64	35.91	7.254	Fresno	06/19/12 A	07/14/12 A	07/24/12 A	08/03/12 A	Tested successfully
T-044-12	L-138	22.55	28.64	6.105	Fresno	06/19/12 A	07/14/12 A	07/26/12 A	08/03/12 A	Tested successfully
TIM-126-12	L-109	18.56	19.55	1.285	Menlo Park	07/09/12 A	07/18/12 A	07/28/12 A	08/03/12 A	Tested successfully
TIM-125-12	L-109	21.42	22.23	0.840	Redwood City	07/09/12 A	07/18/12 A	07/30/12 A	08/03/12 A	Tested successfully
PR-004-12	L-300B	0.24	0.24	0.000	Needles	08/03/12 A	08/04/12 A	08/05/12 A	08/05/12 A	Tested successfully
TIM-130-12	3017-01	0.82	3.92	3.099	Walnut Creek	06/12/12 A	07/09/12 A	07/28/12 A	08/10/12 A	Tested successfully
TIM-131-12	3017-01	3.92	7.54	3.406	Danville	06/12/12 A	07/09/12 A	07/28/12 A	08/10/12 A	Tested successfully
TIM-133-12	7224-01	5.34	6.02	0.674	Modesto	07/18/12 A	07/31/12 A	08/03/12 A	08/11/12 A	Tested successfully
T-172-12	L-131	35.73	35.89	0.141	Livermore	07/19/12 A	07/29/12 A	08/03/12 A	08/12/12 A	Tested successfully
TIM-168-12	1614-08	0.56	1.00	0.431	Lodi	07/23/12 A	07/31/12 A	08/07/12 A	08/13/12 A	Tested successfully
TIM-161-12	7223-01	0.14	8.40	8.070	Modesto	07/06/12 A	07/19/12 A	08/06/12 A	08/19/12 A	Tested successfully
T-176-12	L-301F	7.11	7.93	0.765	Marina	08/09/12 A	08/16/12 A	08/22/12 A	08/25/12 A	Tested successfully
T-025B-11	L-132	4.29	4.92	0.637	Santa Clara/Sunnyvale	07/11/12 A	08/06/12 A	08/16/12 A	08/27/12 A	Tested successfully
TIM-101-11	1816-01	3.44	8.44	5.743	Watsonville	07/25/12 A	08/18/12 A	08/24/12 A	08/31/12 A	Tested successfully
T-110-12	L-300A	446.48	449.71	3.228	Hollister	08/06/12 A	08/15/12 A	08/24/12 A	08/31/12 A	Tested successfully
T-173-12	7219-01	0.00	3.73	3.725	Modesto	08/07/12 A	08/15/12 A	08/30/12 A	08/31/12 A	Tested successfully
T-079-12	L-119A	0.00	3.82	3.499	Davis	07/20/12 A	08/09/12 A	08/29/12 A	09/07/12 A	Tested successfully
TIM-037-11	L-132	43.61	46.57	2.983	South San Francisco	07/31/12 A	08/13/12 A	09/02/12 A	09/07/12 A	Tested successfully
T-055-12	L-300A	230.32	231.20	0.810	Tehachapi	08/01/12 A	08/21/12 A	08/31/12 A	09/07/12 A	Tested successfully
PR-005-12	L-148	0.00	0.00	0.000	Modesto	08/24/12 A	08/28/12 A	09/07/12 A	09/07/12 A	Tested successfully
T-047-12	L-138	45.39	45.56	0.164	Fresno	08/21/12 A	09/12/12 A	09/15/12 A	09/19/12 A	Tested successfully
TIM-169-12	L-197B	0.00	4.47	4.400	Lodi	08/01/12 A	08/23/12 A	09/17/12 A	09/21/12 A	Tested successfully
TIM-134A-12	L-107	18.69	26.01	7.293	Sunol	09/21/12 A	09/21/12 A	09/21/12 A	09/21/12 A	Tested successfully
T-104-12	L-132	25.60	29.06	3.509	San Carlos	07/26/12 A	08/21/12 A	09/18/12 A	09/27/12 A	Tested successfully
TIM-143-12	0405-01	3.87	13.00	8.481	Napa	08/14/12 A	09/12/12 A	09/23/12 A	09/28/12 A	Tested successfully
TIM-144-12	0405-01	3.87	13.00	0.000	Yountville	08/14/12 A	09/12/12 A	09/23/12 A	09/28/12 A	Tested successfully
TIM-160B-12	7222-01	11.16	13.15	1.990	Turlock	09/04/12 A	09/24/12 A	09/29/12 A	10/03/12 A	Tested successfully
T-089-12	L-210B	7.50	10.82	2.812	Fairfield	08/01/12 A	08/21/12 A	09/09/12 A	10/05/12 A	Tested successfully
T-090-12	L-210B	10.82	15.61	5.136	Fairfield	08/01/12 A	08/21/12 A	09/26/12 A	10/05/12 A	Leak Repaired, then Tested Successfully
TIM-166-12	1301-01	4.18	4.63	0.181	Cotati	09/05/12 A	09/24/12 A	10/08/12 A	10/12/12 A	Tested successfully
T-092-12	L-210B	22.98	25.98	2.820	Napa	09/25/12 A	10/05/12 A	10/11/12 A	10/15/12 A	Tested successfully
TIM-140-12	L-103	15.64	15.86	0.360	Prunedale	09/06/12 A	10/11/12 A	10/13/12 A	10/16/12 A	Tested successfully
TIM-019-12	L-153	22.87	25.11	2.406	Oakland	07/23/12 A	08/04/12 A	08/30/12 A	10/19/12 A	Tested successfully
T-047C-11	L-153	20.06	22.87	2.803	Oakland	07/23/12 A	09/14/12 A	10/12/12 A	10/19/12 A	Tested successfully
T-091-12	L-210B	15.61	20.22	4.948	Fairfield	08/29/12 A	10/10/12 A	10/18/12 A	10/24/12 A	Tested successfully
TIM-175-12	L-109	16.93	17.10	NA	Stanford	08/13/12 A	10/05/12 A	10/18/12 A	10/25/12 A	Tested successfully
T-182-12	L-109	0.44	1.16	NA	Milpitas	09/19/12 A	10/05/12 A	10/21/12 A	10/26/12 A	Tested successfully
TIM-142-12	L-103	27.16	27.26	0.106	Salinas	10/08/12 A	10/21/12 A	10/25/12 A	10/27/12 A	Tested successfully
TIM-177-12	L-119A	16.12	16.41	NA	Sacramento	10/08/12 A	10/18/12 A	10/21/12 A	10/27/12 A	Tested successfully
TIM-136-12	1614-01	0.00	3.90	3.897	Lodi	09/28/12 A	10/10/12 A	10/30/12 A	11/03/12 A	Leak Repaired, then Tested Successfully
TIM-150-12	0814-05	0.00	0.31	0.306	San Jose	09/05/12 A	09/18/12 A	10/02/12 A	11/05/12 A	Tested successfully
TIM-149-12	0813-02	0.00	0.50	0.504	San Jose	09/05/12 A	09/18/12 A	10/02/12 A	11/05/12 A	Tested successfully
TIM-024-12	0813-01	0.03	1.29	1.002	San Jose	09/05/12 A	09/18/12 A	10/27/12 A	11/05/12 A	Tested successfully
TIM-013A-12	L-109	41.90	43.47	1.924	Daly City	08/20/12 A	09/18/12 A	10/11/12 A	11/08/12 A	Tested successfully
T-013B-12	L-109	43.49	44.72	0.995	Daly City	08/20/12 A	09/19/12 A	10/16/12 A	11/08/12 A	Tested successfully
TIM-123-12	L-109	30.52	32.44	1.901	Hillsborough	09/06/12 A	10/01/12 A	11/03/12 A	11/16/12 A	Tested successfully
TIM-180-12	L-191 1	34.70	35.28	NA	Martinez	10/22/12 A	11/01/12 A	11/06/12 A	11/15/12 A	Tested successfully
TIM-020-12	L-153	25.11	27.76	2.766	Oakland	10/16/12 A	06/29/12 A	11/17/12 A	11/27/12 A	Tested successfully
TIM-179-12	L-153 2	0.00	0.03	NA	Oakland	11/05/12 A	10/05/12 A	11/11/12 A	11/27/12 A	Tested successfully
TIM-146-12	0115-01	0.00	0.41	0.400	Oakland	10/31/12 A	11/08/12 A	11/18/12 A	11/27/12 A	Tested successfully
TIM-155-12	L-138D	45.10	46.64	1.538	Fresno	10/17/12 A	11/26/12 A	12/03/12	12/06/12	
T-183-12	L-300B	151.57	152.79	0.852	Barstow	11/13/12 A	11/30/12	12/05/12	12/08/12	
TIM-162-12	7224-09	0.00	1.35	1.346	Modesto	11/07/12 A	12/02/12	12/09/12	12/21/12	

T - Test section  
 TIM - Test section with Integrity Management Segment Included  
 C - Camera Inspection for Preliminary Engineering of a Hydrotest  
 PR- Pressure Restoration Project  
 L - Transmission pipeline  
 A - Actual date completed