



□ `H0 ◌e□□}f□ 革弓 K&ï□ b8U;⊥□ K □□e □ □ ṕ □ `H0 ﾉh
□ {革弓革弓 }f□ Q/ï革弓Ł j b8□ ◌ R(□□□□ vc r^ kWzcNr[EjS<`H0 ﾉh□ {ЛЪqЛЪqijQ□
□□Qɻ\ nJ碗 Y+□□□× ⅜ 茹刳€□ `H0%%$ 脥□□□□□□□□ Y+□□Ę□Ę □
□ç`H0%%$↑↑↑ 由□□□□□□□□ \1□□□. □□N6%%$↑↑↑ 由□ƶ□ƶ□ƵH H H
· · 旻旻革弓 \1□□□° □IU>%%$↑↑↑ 由由由脥
脥 ﾉh◌e Ж_ɀY□WŁQijQ nJ nJ iC `7□□□IJ
□%%$↑↑↑ □ □□□□□□□
□Y t%%$↑↑↑ □ □ □ □ μ □ □ 。
「 「 ~ ʷ œ ŋ ŋ Ǵ y Ǵ %%$↑┤┤

&–☼ IconOnly | ┐ | ┐
@
ƀ ' ` $ ( ` ' □

ぇ a
□ ぇ]· ض ɒ· ɒ□ ɒ 꿿 wP□ 럿 w□ □ w_
□ □ ? □□쯧
□ ぇ {뮋□ ぇ □□□ □+ {□□ □ □ κ□□ □□ ◌ □/□□ □
□ ☼┬ @
· ' ` $ ( ` ' ↑ ◌ɭ



When there are strong or high wind advisories for your area which include winds and wind gusts above 30 mph, extreme caution must be taken to avoid incidents. Discuss the work you will be performing with your supervisor to assure the work can be accomplished safely given the current conditions. Some work may have to be performed later when the wind conditions are less.

♂ Winds of this magnitude have the potential to bring down trees, tree limbs, power poles/lines, signs, and can turn unsecured objects into dangerous projectiles. Listed below are some tips to keep in mind during high wind warnings. ♂

In windy or dusty areas, wearing safety glasses may not be adequate eye/face protection. If there is blowing dust or sand, goggles and/or a face shield will provide additional protection. The type of Personal Protective Equipment you select and wear will depend on the specific conditions and hazards in the area.

If you are caught outside during high winds:

Wear all appropriate PPE

If needed, take cover next to a building or under a secure shelter

Stand clear of roadways or train tracks, as a gust may blow you into the path of an oncoming vehicle

Use handrails where available, and avoid, as much possible, elevated areas such as roofs, scaffolding and use of bucket trucks

Watch for flying debris. Tree limbs may break and street signs may come loose during strong winds

If you are driving:

Keep both hands on the wheel and slow down

Watch for objects blowing across the roadway and into your path. Follow the Smith System Five Keys at all times, make sure you leave yourself an out and watch out for other drivers

Keep a safe distance from cars in adjacent lanes, as strong gusts could push a car outside its lane of travel

Take extra care in a high-profile vehicle such as trucks, vans, SUVs, or when towing a trailer, as these

are more prone to being pushed around or over by high wind gusts
If winds are severe enough to prevent safe driving, safely pull over onto the shoulder of the road and stop, making sure you are away from trees or other tall objects that could fall onto your vehicle.

Be aware of your surroundings: Look up, down and all around prior to starting any work to make sure you have not placed yourself at risk of being struck by falling/blowing objects. High wind conditions can be difficult to manage. Make sure you have your awareness up when performing work. Look around, make safe as needed and avoid activities that could place you in a hazardous position (like carrying plywood, or moving large objects with a single person). Remember that wind conditions vary at all times. While it is important to get our work completed, make sure you take the wind conditions into consideration before the work begins.

Training Details and Attendance Sheet Date: Tailboard Lead: Time Began: Lan Id: Time Ended: Location Topics Discussed (attach or identify all documents, handouts or videos provided viewed or discussed) Other (include a brief summary of what was discussed) ATTENDEES Print Last Name Signature Lan Id Print Last Name Signature Lan Id

Safety Tailboard Safety in the Field

Copyright (2007 Pacific Gas and Electric Company. All Rights Reserved. December 2011
Prepared by Safety, Health and Claims

‼ EMBED Word.Picture.8¶ ⊥

SAFETY TAILBOARD

Copyright (2007 Pacific Gas and Electric Company. All Rights Reserved. December 2011
Prepared by Safety, Health and Claims

Safety in the Field High Wind Advisories

┬h◘@⌴ OJ┐ QJ┐ ^J┐

⌴⌴
⌴&♬ i♬ j♬ ☐ ☐ `✡ g✡ j✡ o✡ ✡ ✡ ✡ ✡ Ǐ ô L┼ M┼ N
┼ ┐◀ └◀ ┘◀ 5◀ 6◀ q◀ r◀ ↕ ↕ N↕ O↕ ⊦ ¨ ⌴V⌴ 鋑⌴d
⌴bpbpbpbpbp] ┬h|$ 5◘ →┬h▯, CJ↑ OJ┐ QJ┐ ^J┐ aJ↑ →┬h +-
CJ↑ OJ┐ QJ┐ ^J┐ aJ↑
┴hF>D ┬hF>D CJ↑ OJ┐ QJ┐ ^J┐ aJ↑)┴hF>D ┬h☐ 0J& B* CJ↑ OJ QJ aJ↑ ph
┬h +-
0J) B* OJ┐ QJ┐ ^J┐ ph ↑┴hF>D ┬hF>D OJ┐ QJ┐ ^J┐ ┬h▯, 0J) B* OJ┐ Q
J┐ ^J┐ ph %┴hF>D ┬hF>D 0J) B* OJ┐ QJ┐ ^J┐ ph %┴hF>D ┬hR← ∠0J) B* OJ
┐ QJ┐ ^J┐ ph ┼┴hF>D ┬h◘@⌴ #☐ ɹ ◌̊ ◌̊ ɾ ↙ ⊐ ┐‼ └‼
⌴ 퀀
퀀 ▯ } ▯ ▯ ▯

c kd
┬$ ┤$ lf ┐ l └4 ◘ϕ └♬ ●`
a' −|− –˜ − ● ¶⌴┤
⌴↑
⌴→☐ ←☐ ☐ ☐ 4ϕ
└l a⌴f4 yt;vb ♀ └$ ┬$ lf a$ gd −=
┬$ lf gd −= ◘ ♬] gd|$ ◘¨ ɹ ┘‼ F‼ V‼ ‼ ‼
‼ ‼ 下 菩 哀 ·
⌴2¶ 3¶ =¶ >¶ ¶ ¶ ¶ ¶ ¶ ¶ ¶ ¶ ¶ ¶ ¶ ¶
ᵴ ㅡ 劇
蓮⌙ ⌙ ⊦ ┤ } uquququqdZdZdV −┬hF>D ↕┬hF>D OJ┐ QJ┐ ^J┐ ↑┴h
⌴┬hF>D OJ┐ QJ┐ ^J┐ −┬he1V ✡└j ┬he1V U◘ ↕┬h −= CJ┼ OJ┐ QJ┐
┬h −= CJ┼ ↕┬h −= CJ┬ OJ└ QJ└ ┴h m⌴ −= CJ┬ OJ┐ QJ┐ ^J┐
┬h −= 5◘ ¶┬h −= 5◘ >* OJ└ QJ└ ♬┬h −= OJ└ QJ└ ↑┴h m
⌴ −= OJ┐ QJ┐ ^J┐ ←┴h m
⌴ −= 5◘ OJ┐ QJ┐ ^J┐ ↑┬h −= 5◘ CJ H* OJ└ QJ└ ◀┬h −= 5◘ OJ└ QJ└
┴h +- ┬h −= CJ↑ OJ┐ QJ┐ ^J┐ aJ↑ !└‼ ┘‼
‼ →‼ ←‼ '‼ /‼ A
P
kd ┬$ ┤$ lf ┐ l └4 ◘♀┐♬ .¶a' −
‼ –˜ − − −└ −3‼ − − − ¶⌴┤⌴↑
⌴→☐ ←☐ ☐ ☐ 4ϕ
└l a⌴f4 yt;vb
┬$ lf gd −= c kdn ┬$ ┤$ lf ┐ l └4 ◘ϕ └♬ ●`
a' −|− –˜ − ● ¶⌴┤
⌴↑
⌴→☐ ←☐ ☐ ☐ 4ϕ
└l a
⌴f4 yt;vb −/‼ 0‼ <‼ E‼ F‼ ‼
T
P kd♀┐ ┬
$ ┤$ lf ┐ l └4 ◘♀┐♬ .¶a' −
‼ − − − −3‼ − −└ − − ¶⌴┤⌴↑
⌴→☐ ←☐ ☐ ☐ 4ϕ
└l a⌴f4 yt;vb
┬$ lf gd −= P kdf ┬$ ┤$ lf ┐ l └4 ◘♀┐♬ .¶a' −
‼ − − − −3‼ − −└ − − ¶⌴┤⌴↑
⌴→☐ ←☐ ☐ ☐ 4ϕ
└l a⌴f4 yt;vb | ‼ ‼ ‼ ‼ 菩
哀 @ x 8
? kd └ ┬$ ┤$ lf ┐ l └4 ● ┘◘ ♬ a'







SB_GT&S_0860026



SB_GT&S_0860027










WordDocument
ObjectPool
9 9 8 9 8 7 3 5 3
Ole
PIC
META
MSWordDoc
Word.Picture.8
Microsoft Word Picture
Word
Microsoft
"Arial
SB_GT&S_0860031








W o r d D o c u m e n t
m a r y I n f o r m a t i o n
1 T a b l e
a r y I n f o r m a t i o n
S u m m
e 3
H%
$ G
c$
Z T
%
$
~"


MBE
0
C
彫
彫
(











Font @HP LaserJet 4/4M LPT1: HPPCL5E HP LaserJet 4/4M

HP LaserJet 4/4M

Times New Roman Symbol Arial TimesNewRomanPS

Lynne Lowman Lynne Lowman

C:\WINWORD\TEMPLATE\NORMAL.DOT

Lynne Lowman
Lynne Lowman

Microsoft Word 6.0

GBH4

Normal.dotm Forchione, Jo A 2 Microsoft Office Word



SB_GT&S_0860040


DocumentSummaryInformation
MsoDataStore
Item
Title
<?xml
version="1.0" encoding="utf-8"?><ct:contentTypeSchema ct:_="" ma:_=""
ma:contentTypeName="Document"
ma:contentTypeID="0x010100F78B34875E61BC47A21BCFD3A8A9C3F3" ma:contentTypeVersion="0"


Properties
Item
Properties
:contentTypeDescription="Create a new document." ma:contentTypeScope=""
ma:versionID="8a928e972b6e8b6f32a0d4fa5f094522"
xmlns:ct="http://schemas.microsoft.com/office/2006/metadata/contentType"
xmlns:ma="http://schemas.microsoft.com/office/2006/metadata/properties/metaAttributes">
<xsd:schema targetNamespace="http://schemas.microsoft.com/office/2006/metadata/properties"
ma:root="true" ma:fieldsID="4aeb20c0e3442673af7ee10786458764"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:p="http://schemas.microsoft.com/office/2006/metadata/properties">
<xsd:element name="properties">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="documentManagement">
<xsd:complexType>
<xsd:all/>
</xsd:complexType>

</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
</xsd:schema>
<xsd:schema targetNamespace="http://schemas.openxmlformats.org/package/2006/metadata/core-properties" elementFormDefault="qualified" attributeFormDefault="unqualified" blockDefault="#all" xmlns="http://schemas.openxmlformats.org/package/2006/metadata/core-properties" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:dc="http://purl.org/dc/elements/1.1/" xmlns:dcterms="http://purl.org/dc/terms/" xmlns:odoc="http://schemas.microsoft.com/office/internal/2005/internalDocumentation">
<xsd:import namespace="http://purl.org/dc/elements/1.1/" schemaLocation="http://dublincore.org/schemas/xmls/qdc/2003/04/02/dc.xsd"/>
<xsd:import namespace="http://purl.org/dc/terms/" schemaLocation="http://dublincore.org/schemas/xmls/qdc/2003/04/02/dcterms.xsd"/>
<xsd:element name="coreProperties" type="CT_coreProperties"/>
<xsd:complexType name="CT_coreProperties">
<xsd:all>
<xsd:element ref="dc:creator" minOccurs="0" maxOccurs="1"/>
<xsd:element ref="dcterms:created" minOccurs="0" maxOccurs="1"/>
<xsd:element ref="dc:identifier" minOccurs="0" maxOccurs="1"/>
<xsd:element name="contentType" minOccurs="0" maxOccurs="1" type="xsd:string" ma:index="0" ma:displayName="Content Type" ma:readOnly="true"/>
<xsd:element ref="dc:title" minOccurs="0" maxOccurs="1" ma:index="4" ma:displayName="Title"/>
<xsd:element ref="dc:subject" minOccurs="0" maxOccurs="1"/>
<xsd:element ref="dc:description" minOccurs="0" maxOccurs="1"/>
<xsd:element name="keywords" minOccurs="0" maxOccurs="1" type="xsd:string"/>
<xsd:element ref="dc:language" minOccurs="0" maxOccurs="1"/>
<xsd:element name="category" minOccurs="0" maxOccurs="1" type="xsd:string"/>
<xsd:element name="version" minOccurs="0" maxOccurs="1" type="xsd:string"/>
<xsd:element name="revision" minOccurs="0" maxOccurs="1" type="xsd:string">
<xsd:annotation>
<xsd:documentation>
This value indicates the number of saves or revisions. The application is responsible for updating this value after each revision.
</xsd:documentation>
</xsd:annotation>
</xsd:element>
<xsd:element name="lastModifiedBy" minOccurs="0" maxOccurs="1" type="xsd:string"/>
<xsd:element ref="dcterms:modified" minOccurs="0" maxOccurs="1"/>
<xsd:element name="lastPrinted" minOccurs="0" maxOccurs="1" type="xsd:dateTime"/>
<xsd:element name="contentStatus" minOccurs="0" maxOccurs="1" type="xsd:string"/>
</xsd:all>
</xsd:complexType>
</xsd:schema>
</ct:contentTypeSchema> <?xml version="1.0" encoding="UTF-8" standalone="no"?>
<ds:datastoreItem ds:itemID="{82F2F63B-699A-4FDF-B6DE-A527FFCD16BC}" xmlns:ds="http://schemas.openxmlformats.org/officeDocument/2006/customXml"><ds:schemaRefs><ds:schemaRef ds:uri="http://schemas.microsoft.com/office/2006/metadata/contentType"/><ds:schemaRef ds:uri="http://schemas.microsoft.com/office/2006/metadata/properties/metaAttributes"/><ds:schemaRef ds:uri="http://www.w3.org/2001/XMLSchema"/><ds:schemaRef ds:uri="http://schemas.microsoft.com/office/2006/metadata/properties"/><ds:schemaRef ds:uri="http://schemas.openxmlformats.org/package/2006/metadata/core-properties"/><ds:schemaRef ds:uri="http://purl.org/dc/elements/1.1/"/><ds:schemaRef ds:uri="http://purl.org/dc/terms/"/><ds:schemaRef

ds:uri="http://schemas.microsoft.com/office/internal/2005/internalDocumentation"/></ds:schemaRefs></ds:datastoreItem> <?mso-contentType?><FormTemplates xmlns="http://schemas.microsoft.com/sharepoint/v3/contenttype/forms"><Display>DocumentLibraryForm</Display><Edit>DocumentLibraryForm</Edit><New>DocumentLibraryForm</New></FormTemplates> <?xml version="1.0" encoding="UTF-8" standalone="no"?>
<ds:datastoreItem ds:itemID="{18DF66B9-B304-428C-92B6-18E38CE2EB30}" xmlns:ds="http://schemas.openxmlformats.org/officeDocument/2006/customXml"><ds:schemaRefs><ds:schemaRef ds:uri="http://schemas.microsoft.com/sharepoint/v3/contenttype/forms"/></ds:schemaRefs></ds:datastoreItem>

F Microsoft Word 97-2003 Document

MSWordDoc Word.Document.8









␣P ↕d┘ 1$ ^ ␣P a$└ ┘ CJ↑ L O L ♀ ┐ p 4) ↑ └$└
b
␣ `└◀ d┘ 1$ ^ `└` $└ ┘ CJ↑ 6 O 6 ♀ ┐ p 7 ‼ ├ ☼ Ä↕
d␣1$ ^ ᵍÄ ┘ CJ↑ 4 O ᵍ 4 ♀ ┐ c 2 ◀ → └$ ↕d
␣1$ a$ ┘ CJ↑ . O . ♀ ┐ t 1 ♂ ← ↕d| 1$ ┘ CJ↑ (W`
␣(♀┼ − S t r o n g └ 5◘ F %@ ęF ♀ −= ☼ E n v e l o
p e R e t u r n ┐ ♀ CJ↑ OJ− QJ− H @
☐ ♀| D_└ ♀ B a l l o o n
T e x t ┐ ¶ CJ┼ OJ• QJ• ^J• aJ┼ N P@ ␣♀ ⑨ ♂ B o d y
T e x t
2 ↕ ☼ Z ◀ ^ Z ` ♀ CJ↕ OJ┐ QJ┐ └┐ ♀ }t
T a b l e G r i d A :V
‼ ♀ ┘ ┘ ┘ ┘ ┘ ┘ ┤␣a␣ ♬
5$ 7$ 8$ H$ 2 B ↕┐2 ♀┘ ;♬ B o d y
T e x t − ! ¶ x > Q@ "┐> ♀┘ ;♬ ♂ B o d y T e x t
3 − " ¶ x ◘ CJ┼ aJ┼ Z ^@ 2┐Z ♀ ┤ ♀ N o r m a l
(W e b) # ‼ d ¶ d 5$ 7$ 8$ 9D┘ H$ [$ \$ ◘ CJ↑ aJ↑ 4 U`
␣4 ♀ ┤ H y p e r l i n k
>* ph f' t O R┐t ♀ ┤ ‼ H a n g i n g I n d e n t
1 , i 1 & % ☼ p◘◀ 0␣$ 7$ 8$ 9D┘ H$ ^ p◘` 0␣CJ↑ ph B o
␣B ♀ ☼¶X ◘ b l u e t e n 1 ├ CJ‼ OJ◘ QJ◘ aJ‼ o(ph F V`
␣F ♀┘ ~Z ◀ F o l l o w e d H y p e r l i n k ♀ >* B*♀ph b o
␣b ♀ ~Z • D e f a u l t ♂ (7$ 8$ H$ - B* CJ↑ OJ QJ ^J
_H ┘aJ↑ mH ┘ph sH ┘tH
┘ 4 O ┐4 ♀ R←ż ♬ m a i n t e x t _ l a r g e h O ┐h
♀ ◀├v
I n i -
r u l e n o t e 1 * ↕d8 ¶ 5$ 7$ 8$ 9D┘ H$ ┤ 6◘ B* OJ◘ QJ◘]◘ p
h PK└┘¶ − ◘ ! 鞏 ┐ ‼ [Content_Types].xml ˛ð┼E␣嬬 @◘%
邇 Æ|◘ $┬ɵ U␣B ┬I,j␣r • Ø J ␣딇] ♲O*V →↑<a ☼ ␣(7 I R {
氧L = r Ⱨ8┐ᵛ v& ␣ 뉑 8空γ└ X=· $☐ ?6N JC◘ ↕☐ ␣."␣ ˛ ␣e5v ᵚ
␣ð♀ _ↄ├-灨 웕YI ⁹6ᴬ ¶`␣ч▯ [┐ └ PK└┘¶ − ◘ ! ˛
濩 6 ♂ _rels/.rels Ɑðᵠ · ῶQ¯↑%v/ C/ } ☐h"←¨○딇ž
◘ ☐= ␣┬ −âC?┘
☐ Λ %◘[xp {ɑ_ Pь<☐← H 0 ↕☼ ◌R Bdщ┼☐E↱b$ q_ı ├ᵥᵩ┬R☐` ↿ ộO ,
兄n7 Li谍 /崇 e ☐e
␣ └ PK└┘¶ − ◘ ! ky ┬ theme/theme/themeManager.xml♀
à┼@ώw ℊ̈c (Eb ” ␣→AĂᵏ⁽ᵇ壛7O¶ 'K
Y, •
e ␣← ƚ ŬIㄹ楊↑ɴ ‼ ᵨȳQ}#ſ ڤ⊕ɯ ⅟^ $j= GW薙)XII+&
┐8␣└ PK└┘¶ − ◘ ! 0) − ← ┬ theme/theme/theme1.xml왏oᵲ¶ ☼ط
toc'v↦•u ر -M←ļ i ◌̃ @☐}←ڤ úa ┴ح a[┬!␣ Я GR Ř^ 6☐ >$↕␣ ☐nj ↕!)Oض
␣y@ 轟␣H* ┘ ␣) ☐ ␣ıDb `}"ıᵩ̊ Jn ☼Ø^橉`n̄ ┴ p)┼␣i V[] 1M< ᵣ▯ OA
␣=− z'b I‼g F•u Sȣ┐ b◌O☼ 倀┼ÒD◌ qu g Z o~ن⁞Ap lx pT0
␣[|}└`j ☐␣Aπ · V 2̃ ر i @␣ ´5\| ᵸN ☐e X −d ←s␣sڤ← ŷ籧Φ ▯ 8W
簽+ ٹ 7 Ⱶ`♬ گg☐Ṣ 트→┤j├| h(K ↑␣↑ ┐ ☼
dXф iJK (· $(☐␣├;縞ſ I Д ☼S♀├1 ␣ ?EĬ ?␣ㅁZBÏm 嗶 ␣? ~␣ₙYp␣␣&☐/ ␣>
␣M Ge␣ 篾␣Vq%'#q ┴ÈỸ ᵉ 8ZK| ␣)f w 9:ĵ 壞x}rϑx┼ ┴ w ﹏·:\TZaG␣8lª桍fc|XŻ ‼ø l
u3☼KG␣1␣♬IB¶ɣ␣R☐ ␣譇 L+M2 #' f i♀~ V鏨vl {• u8 ⱨ Hİ ↕昱: (W ▯
~└ JàT␣␣G HY 斀}KN ᵢP *▯ ¶ TŴ 9/# ␣Z Φ*c? •┼ ↑☐| ᵭn 跰└N┬ ␣O − i
舽♂┼=3◀┴ N ‼)←cbJ
¶u VĠ␣Tn↤ Ⓒ_? ␣ {U匶 B ◘w <w ◘蛟 ␣ ┼␣▯ 8{ ␣/ $Ⱬ0¶h▯ ᵮ ®{L├←)#7 i %
켉 −␣$ũ, ѧ20pp &
↕\}DU4 p
M{ټDB ♬%J â├ ␣{▯ 廾 ↕] ₔ┴= 5
2F MhsF+ ├ \↺ n ì :3 ◀ˬ E [6 9 q☐ &45◘Z! ␣5k8잖┐mw룸-ᗡ┤

theme/theme/_rels/themeManager.xml.relsPK
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<a:clrMap xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/main" bg1="lt1" tx1="dk1" bg2="lt2" tx2="dk2" accent1="accent1" accent2="accent2" accent3="accent3" accent4="accent4" accent5="accent5" accent6="accent6" hlink="hlink" folHlink="folHlink"/>
[Content_Types].xmlPK
_rels/.relsPK
theme/theme/themeManager.xmlPK
theme/theme/theme1.xmlPK

















C o m p O b j

I r

'In the Field - High Wind advisories.doc'In the Field - High Wind advisories.doc'In the Field - High Wind advisories.doc .doc w{ ґso 'I n t h e F i e l d - H i g h W i n d a d v i s o r i e s . d o c 'I n t h e F i e l d - H i g h W i n d a d v i s o r i e s . d o c 'I n t h e F i e l d - H i g h W i n d a d v i s o r i e s . d o c . d o c

R o o t

E n t r y

1

F

O l e

O b j I n f o

A t t a c h D e s c

A t t a c h P r e s


OlePres000
AttachContents
MailAttachment
! " # $ % & ' ( ) * + , -
. / 0 1 2 3 4 5 6 7 8 9 : ; < =
? @ A B C D E F G H I J K L M
N O P Q R S T U V W X Y Z [\ ] ^
_ ` a b c d e f g h i j k l m n o
p q r s t u v w x y z { | } ~