























When there are strong or high wind advisories for your area which include winds and wind gusts above 30 mph, extreme caution must be taken to avoid incidents. Discuss the work you will be performing with your supervisor to assure the work can be accomplished safely given the current conditions. Some work may have to be performed later when the wind conditions are less.

♂ Winds of this magnitude have the potential to bring down trees, tree limbs, power poles/lines, signs, and can turn unsecured objects into dangerous projectiles. Listed below are some tips to keep in mind during high wind warnings. ♂

In windy or dusty areas, wearing safety glasses may not be adequate eye/face protection. If there is blowing dust or sand, goggles and/or a face shield will provide additional protection. The type of Personal Protective Equipment you select and wear will depend on the specific conditions and hazards in the area.

If you are caught outside during high winds:

Wear all appropriate PPE

If needed, take cover next to a building or under a secure shelter

Stand clear of roadways or train tracks, as a gust may blow you into the path of an oncoming vehicle

Use handrails where available, and avoid, as much as possible, elevated areas such as roofs, scaffolding and use of bucket trucks

Watch for flying debris. Tree limbs may break and street signs may come loose during strong winds

If you are driving:

Keep both hands on the wheel and slow down

Watch for objects blowing across the roadway and into your path. Follow the Smith System Five Keys at all times, make sure you leave yourself an out and watch out for other drivers

Keep a safe distance from cars in adjacent lanes, as strong gusts could push a car outside its lane of travel

Take extra care in a high-profile vehicle such as trucks, vans, SUVs, or when towing a trailer, as these











kdD  
If gd -=  
If "a' - | -  
-p - - - - -  
-F | - -

4φ  
L| a  
yf4 yt;vb • q q q q q q q q ' W W  
W W W W W W

kdB If gd -=  
If "a' - | -  
-p - - - - -  
-F | - -

4φ  
L| a  
yf4 yt;vb • q q q q q q q q ' W  
W W W W W W

kd@ If gd -=  
If "a' - | -  
-p - - - - -  
-F | - -

4φ  
L| a  
yf4 yt;vb • q q q q q q q q ' W W  
W W W W W W

kd> If gd -=  
If "a' - | -  
-p - - - - -  
-F | - -

4φ  
L| a  
yf4 yt;vb • q q q q q q q q ' W W  
W W W W W W

kd: If gd -=  
If "a' - | -  
-p - - - - -  
-F | - -





gd • ♀ L\$ T\$ If a\$ gd •  
T\$ If gd • b kd + T\$ T\$ If 7 I • 5•□ϕ LL  
□(- -↑ -<→↑ -↑ ϩ  
□↑ □↑  
□→ □ ← □ □ □ 4ϕ  
L I a  
□yt♂ Qb J ⊥ ⊥ ⊥ ⊥ ⊥ !!T 9T [T \T ]T T T w

o • L\$ a\$ gd ⊥\* •+ L\$ a\$ gd]◀Z ♀↑  
b 'h ♀ ] gd!  
; T↑  
C ! 'h ♀ \$dJ Nc J ] gd!  
; ⚙ kd + T\$ T\$ If 7 I □ϕ LL  
□(- - -↑ -<→↑ -↑ ϩ  
□↑ □↑  
□→ □ ← □ □ □ 4ϕ  
L I a  
□yt- fl ♂ E\_T F\_T G\_T H\_T L\_T M\_T W\_T X\_T Y\_T Z\_T \T ]T T T T T  
□ T T □ϕ  
□ <

T h - = 5□ #L h  
□T hF>D 5□ CJ\$ OJ\_ QJ\_ ^J\_ aJ\$ T hF>D 5□ CJ\$ OJ\_ QJ\_ ^J\_ aJ\$ -T he1V -T h  
F>D ↑ ⊥ h]◀Z T hF>D OJ\_ QJ\_ ^J\_ !Lj ⊥ h]◀Z T hF>D OJ\_ QJ\_ U□ ^J\_ T h  
□ OJ\_ QJ\_ ^J\_ mH J nH J u□ ← Lj T hF>D OJ\_ QJ\_ U□ ^J\_ T T T T  
□  
□

0 ϩ0↑ P :p b 7 A 0  
Я  
□T# h "\$ h % ↑ ♀ T Dp

I T\$ T\$ If z !v L h #v  
|-#v 7 #v\_ L •:V♂ 7 I L4 ϩ □↑ □5\_ L|-5\_ 7 L5\_ L L •4ϕ | a  
□f4 yt;vb I T\$ T\$ If z !v L h #v |-#v 7 #v\_ L •:V♂ 7 I L4 ϩ □↑  
□5\_ L|-5\_ 7 L5\_ L L •4ϕ | a□f4 yt;vb T\$ T\$ If z !v 7 h #v  
!!#v 7 3!! :V♂ 7 I L4 ϩ □↑ □5\_ L !!5\_ 7 L3!! /□ • - /□ □ -L /□ 7  
- 4ϕ | a□f4 yt;vb T\$ T\$ If z !v 7 h #v  
!!#v 7 3!! :V♂ 7 I L4 ϩ □↑ □5\_ L - /□ J - /□ 7  
!!5\_ 7 L3!! /□ - /□ 7 a□f4 yt;vb T\$ T\$ If /□ 7 z !v 7 h #v  
- /□ 7 -L 4ϕ | a□f4 yt;vb T\$ T\$ If z !v 7 h #v  
!!#v 7 3!! :V♂ 7 I L4 ϩ □↑ □5\_ L - /□ J - /□ 7  
!!5\_ 7 L3!! /□ - /□ 7 - /□ J - /□ 7

- /□ 4φ | a  
 □f4 yt;vb I\_T\$ }\$ If z lv h #v S&:Vσ γ I L4 □□↑  
 □5o L S&/□ - L /□

- 4φ | a  
 □f4 yt;vb b\_T\$ }\$ If z lv h #v S&:Vσ γ I L4 • □□↑  
 □5o L S&/□ φ - 4φ | a

□f4 yt;vb b\_T\$ }\$ If z lv h #v S&:Vσ γ I L4 • □□↑  
 □5o L S&/□ ☼ - 4φ | a

□f4 yt;vb I\_T\$ }\$ If z lv h #v S&:Vσ γ I L4 □□↑  
 □5o L S&/□ - L /□ φ - 4φ | a□f4 yt;vb

□\$ If z lv -h #v | #v γ p□ #vγ L+ | #vLJ | #vJ | □#v | -F | :Vσ γ I L4 •

□5o L | 5o γ L p□ 5oγ L L+ | 5oLJ L | 5oJ | L □ 5o | -L F | /□ γ ☼ - /□γ L • -  
 /□γ L □ - L /□J - ☼ - /□LJ - /□LJJ - /□LJ □ -

4φ | a□f4 yt;vb  
 □\$ If z lv -h #v | #v γ p□ #vγ L+ | #vLJ | #vJ | □#v | -F | :Vσ γ I L4 •

□5o L | 5o γ L p□ 5oγ L L+ | 5oLJ L | 5oJ | L □ 5o | -L F | /□ γ ☼ - /□γ L • -  
 /□γ L □ - L /□J - ☼ - /□LJ - /□LJJ - /□LJ □ -

4φ | a□f4 yt;vb  
 □\$ If z lv -h #v | #v γ p□ #vγ L+ | #vLJ | #vJ | □#v | -F | :Vσ γ I L4 •

□5o L | 5o γ L p□ 5oγ L L+ | 5oLJ L | 5oJ | L □ 5o | -L F | /□ γ ☼ - /□γ L • -  
 /□γ L □ - L /□J - ☼ - /□LJ - /□LJJ - /□LJ □ -

4φ | a□f4 yt;vb  
 □\$ If z lv -h #v | #v γ p□ #vγ L+ | #vLJ | #vJ | □#v | -F | :Vσ γ I L4 •

□5o L | 5o γ L p□ 5oγ L L+ | 5oLJ L | 5oJ | L □ 5o | -L F | /□ γ ☼ - /□γ L • -  
 /□γ L □ - L /□J - ☼ - /□LJ - /□LJJ - /□LJ □ -

4φ | a□f4 yt;vb  
 □\$ If z lv -h #v | #v γ p□ #vγ L+ | #vLJ | #vJ | □#v | -F | :Vσ γ I L4 •

□5o L | 5o γ L p□ 5oγ L L+ | 5oLJ L | 5oJ | L □ 5o | -L F | /□ γ ☼ - /□γ L • -  
 /□γ L □ - L /□J - ☼ - /□LJ - /□LJJ - /□LJ □ -

4φ | a□f4 yt;vb  
 □\$ If z lv -h #v | #v γ p□ #vγ L+ | #vLJ | #vJ | □#v | -F | :Vσ γ I L4 •

□5o L | 5o γ L p□ 5oγ L L+ | 5oLJ L | 5oJ | L □ 5o | -L F | /□ γ ☼ - /□γ L • -  
 /□γ L □ - L /□J - ☼ - /□LJ - /□LJJ - /□LJ □ -

4φ | a□f4 yt;vb  
 □\$ If z lv -h #v | #v γ p□ #vγ L+ | #vLJ | #vJ | □#v | -F | :Vσ γ I L4 •



Word Document

C:\ Object Pool

9 9 8 9 8 7 3 5 3

F v " ' v " ' O l e

P I C

M E T A

♂	♀	+	!	"	#	\$	%	&	'	(	)	*	+	,	-	>
?	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	
O	P	Q	R	S	T	U	V	W	X	Y	Z	[	\	]	^	
-	,	a	b	c	d	e	f	g	h	i	j	k	l	m	n	

胀 8 胀

MSWordDoc Word.Picture.8 Microsoft Word Picture

Word Microsoft

"Arial 3

盪

















Font @HP LaserJet

4/4M LPT1: HPPCL5E HP LaserJet 4/4M

4/4M

HP LaserJet

4/4M

4/4M

4/4M

4/4M

Roman Symbol Arial Times New RomanPS

Roman Symbol Arial Times New RomanPS

Roman Symbol Arial Times New RomanPS

Roman Symbol Arial Times New RomanPS

Roman Symbol Arial Times New RomanPS

C:\WINWORD\TEMPLATE\NORMAL.DOT

Lynne Lowman

Lynne

Lowman

@

31'

@

31'

@

@

6.0

Microsoft Word

2

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word

Microsoft Word



Document Summary Information  
Microsoft Store  
Item  
Title  
<?xml  
version="1.0" encoding="utf-8"?><ct:contentTypeSchema ct:\_="" ma:\_=""  
ma:contentTypeName="Document"  
ma:contentTypeID="0x010100F78B34875E61BC47A21BCFD3A8A9C3F3" ma:contentTypeVersion="0"

Properties  
Item  
Properties  
ma:  
:contentTypeDescription="Create a new document." ma:contentTypeScope=""  
ma:versionID="8a928e972b6e8b6f32a0d4fa5f094522"  
xmlns:ct="http://schemas.microsoft.com/office/2006/metadata/contentType"  
xmlns:ma="http://schemas.microsoft.com/office/2006/metadata/properties/metaAttributes">  
<xsd:schema targetNamespace="http://schemas.microsoft.com/office/2006/metadata/properties"  
ma:root="true" ma:fieldsID="4aeb20c0e3442673af7ee10786458764"  
xmlns:xsd="http://www.w3.org/2001/XMLSchema"  
xmlns:p="http://schemas.microsoft.com/office/2006/metadata/properties">  
<xsd:element name="properties">  
<xsd:complexType>  
<xsd:sequence>  
<xsd:element name="documentManagement">  
<xsd:complexType>  
<xsd:all/>  
</xsd:complexType>

```

</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
</xsd:schema>
<xsd:schema targetNamespace="http://schemas.openxmlformats.org/package/2006/metadata/core-properties" elementFormDefault="qualified" attributeFormDefault="unqualified" blockDefault="#all"
xmlns="http://schemas.openxmlformats.org/package/2006/metadata/core-properties"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:dc="http://purl.org/dc/elements/1.1/" xmlns:dcterms="http://purl.org/dc/terms/"
xmlns:odoc="http://schemas.microsoft.com/office/internal/2005/internalDocumentation">
<xsd:import namespace="http://purl.org/dc/elements/1.1/"
schemaLocation="http://dublincore.org/schemas/xmls/qdc/2003/04/02/dc.xsd"/>
<xsd:import namespace="http://purl.org/dc/terms/"
schemaLocation="http://dublincore.org/schemas/xmls/qdc/2003/04/02/dcterms.xsd"/>
<xsd:element name="coreProperties" type="CT_coreProperties"/>
<xsd:complexType name="CT_coreProperties">
<xsd:all>
<xsd:element ref="dc:creator" minOccurs="0" maxOccurs="1"/>
<xsd:element ref="dcterms:created" minOccurs="0" maxOccurs="1"/>
<xsd:element ref="dc:identifier" minOccurs="0" maxOccurs="1"/>
<xsd:element name="contentType" minOccurs="0" maxOccurs="1" type="xsd:string" ma:index="0"
ma:displayName="Content Type" ma:readOnly="true"/>
<xsd:element ref="dc:title" minOccurs="0" maxOccurs="1" ma:index="4" ma:displayName="Title"/>
<xsd:element ref="dc:subject" minOccurs="0" maxOccurs="1"/>
<xsd:element ref="dc:description" minOccurs="0" maxOccurs="1"/>
<xsd:element name="keywords" minOccurs="0" maxOccurs="1" type="xsd:string"/>
<xsd:element ref="dc:language" minOccurs="0" maxOccurs="1"/>
<xsd:element name="category" minOccurs="0" maxOccurs="1" type="xsd:string"/>
<xsd:element name="version" minOccurs="0" maxOccurs="1" type="xsd:string"/>
<xsd:element name="revision" minOccurs="0" maxOccurs="1" type="xsd:string">
<xsd:annotation>
<xsd:documentation>

```

This value indicates the number of saves or revisions. The application is responsible for updating this value after each revision.

```

</xsd:documentation>
</xsd:annotation>
</xsd:element>
<xsd:element name="lastModifiedBy" minOccurs="0" maxOccurs="1" type="xsd:string"/>
<xsd:element ref="dcterms:modified" minOccurs="0" maxOccurs="1"/>
<xsd:element name="lastPrinted" minOccurs="0" maxOccurs="1" type="xsd:dateTime"/>
<xsd:element name="contentStatus" minOccurs="0" maxOccurs="1" type="xsd:string"/>
</xsd:all>
</xsd:complexType>
</xsd:schema>
</ct:contentTypeSchema>
<?xml version="1.0" encoding="UTF-8"
standalone="no"?>
<ds:datastoreItem ds:itemID="{82F2F63B-699A-4FDF-B6DE-A527FFCD16BC}"
xmlns:ds="http://schemas.openxmlformats.org/officeDocument/2006/customXml"><ds:schemaRefs><ds:
schemaRef ds:uri="http://schemas.microsoft.com/office/2006/metadata/contentType"/><ds:schemaRef
ds:uri="http://schemas.microsoft.com/office/2006/metadata/properties/metaAttributes"/><ds:schemaRef
ds:uri="http://www.w3.org/2001/XMLSchema"/><ds:schemaRef
ds:uri="http://schemas.microsoft.com/office/2006/metadata/properties"/><ds:schemaRef
ds:uri="http://schemas.openxmlformats.org/package/2006/metadata/core-properties"/><ds:schemaRef
ds:uri="http://purl.org/dc/elements/1.1"/><ds:schemaRef
ds:uri="http://purl.org/dc/terms"/><ds:schemaRef

```





UP id 1\$ ^ UP a\$ CJ L O L 7 p 4 ) ↑ L\$  
b  
U`L d 1\$ ^ `L` \$ CJ 6 O 6 7 p 7 !! | Å  
du1\$ ^ Å CJ 4 O 4 7 c 2 ◀ → L\$ id  
U1\$ a\$ CJ . O . 7 t 1 ♂ ← id 1\$ CJ ( W  
U( ♀+ - Strong L 5 F % @ cF ♀ - = EnVELO  
pe Return 7 ♀ CJ OJ- QJ- H @  
□ ♀ | D\_ ♀ Balloon  
Text 7 CJ OJ• QJ• ^J• aJ+ N P@ U♀ @ ♂ Body  
Text  
2 ↑ Å Z ◀ ^ Z ` ♀ CJ OJ QJ L ♀ }t  
Table Grid A :V  
!! ♀ | UaU ♀  
5\$ 7\$ 8\$ H\$ 2 B ↑ 2 ♀ ; Body  
Text - ! x > Q@ " > ♀ ; ♂ Body Text  
3 - " x □ CJ aJ Z ^ @ 2 Z ♀ | ♀ Normal  
( Web ) # !! d d 5\$ 7\$ 8\$ 9D H\$ [ \$ \ \$ □ CJ aJ 4 U  
L4 ♀ | Hyperlink  
>\* ph f t O R 7 t ♀ | !! Hanging Indent  
1 , i 1 & % Å p ◀ 0 U\$ 7\$ 8\$ 9D H\$ ^ p ◀ ` 0 U CJ ph B o  
UB ♀ Å X □ blueten 1 | CJ OJ QJ aJ o( ph F V  
UF ♀ ~Z ◀ Followed Hyperlink ♀ >\* B\* ph b o  
Ub ♀ ~Z • Default ♂ ( 7\$ 8\$ H\$ - B\* CJ OJ QJ ^J  
\_H aJ mH ph sH tH  
| 4 O 7 4 ♀ R-2 ♀ maintext\_large h O 7 h  
♀ ◀ v  
Ini -  
rulenote 1 \* id 8 7 5\$ 7\$ 8\$ 9D H\$ | 6 B\* OJ QJ □ p  
h PK L ♀ - □ ! 鞏 7 !! [Content\_Types].xml , ♂ E U 嬲 @ □ %  
適 Å □ \$ T e U B T I J U r • Ø J U 罽 O \* V - ↑ < a Å U ( 7 I R {  
氧 L = r h 8 7 v & U 裨 8 ( 筵 L X = . \$ □ ? 6 N J C □ ↑ □ U . U \* U e 5 v 彡  
U ♂ ♀ 7 瀾 罽 Y I 6 ^ 7 U y U [ 7 L PK L ♀ - □ !  
漫 6 ♂ \_rels / .rels X ♂ ♀ . ω Q ↑ % v / C / } □ h " - 〇 罽 Z  
□ □ = U T - â C ? I  
□ Λ % □ [ xp { ♂ P b < □ - H 0 ↑ Å 〇 R B d u t □ E r b \$ q L | C 9 4 T R □ 7 〇 O ,  
兄 n 7 Li 選 / 崇 e □ e  
U L PK L ♀ - □ ! ky T theme/theme/themeManager.xml ♀  
à t @ ω w 3 c ( Eb " U → A Å k 罽 7 O 7 K  
Y , •  
e v U - 3 Ü 罽 楯 n !! y Q } # r 罽 m 7 ^ \$ j = G W 蕻 ) X I I + &  
7 8 U L PK L ♀ - □ ! 0 ) - theme/theme/theme1.xml 罽 o r ♀ 罽  
toc ' v - • u 7 - M - ] i 〇 @ □ } - ف ú a ± 7 a [ T ] U Я GR R ^ 6 □ > \$ I U □ nj ↑ ! ) O ض  
U y @ 罽 U H \* U ) □ U i D b ` } " u J n Å Ø ^ 罽 n ± p ) + U i V [ ] 1 M < 罽 OA  
U = - z ' b ! ! g F • u S o 7 b 〇 Å 俛 + Ö D 〇 qu g Z o ~ U A p l x p T 0  
U [ ] L j □ □ A π • V 2 7 i @ U ' 5 \ H N □ e X - d ← s U s 罽 - y 罽 φ □ 8 W  
簽 + 7 7 罽 7 罽 g □ \$ 罽 → + j | | h ( K ↑ U ↑ 7 罽  
d X φ i J K ( • \$ ( □ U 罽 罽 L D Å S ♀ + 1 U ? E I ? U □ Z B ĩ m 罽 U ? ~ U n Y p U U & □ / U >  
U M Ge U 罽 V q % # q ± E Y 〇 8 Z K | U ) f w 9 j 罽 罽 x } r 9 x + ± w 罽 : \ T Z a G U 8 | 罽 罽 c f c | X Z !! 〇 I  
u 3 Å K G U 1 U 罽 I B 7 x U R □ U 罽 L + M 2 # f i ♀ ~ V 罽 v l { • u 8 h H I ↑ 罽 : ( W U  
~ L J à T U U G H Y 罽 } K N 7 P \* 罽 7 T Ū 9 / # U Z φ \* c ? • + ↑ □ | 罽 n 罽 罽 L N T U O - i  
罽 罽 + = 3 ◀ ± N !! ) - c b J  
7 u V G U T n ' - c \_ ? U { U 罽 B □ w < w □ 蛟 U + U □ 8 { U / \$ X 0 7 h □ 罽 @ { L T - } # 7 i %  
罽 - U \$ ū , A 20 p p &  
↑ \ } D U 4 p  
M { □ DB 罽 % J à t U □ 罽 ↑ ] 罽 = 5  
2 F M h s F + | \ 7 n i : 3 ◀ E [ 6 9 q □ & 4 5 □ Z I U 5 k 8 罽 7 m w 罽 罽 罽 罽

















QJ  
 o( h H  
 □ † † h ±↑ ☼ ㄒ◀ ±b ㄒ-^ ㄒ` OJ  
 QJ  
 o( h H ㄩ † h ±↑ ☼ |◀ ±b |-^ |`  
 OJ♂ QJ♂ ^J♂ o( h H o † h ±↑ ☼ p□◀  
 ±b p□-^ p□` OJ  
 QJ  
 o( h H h ±↑ ☼ @♂◀ ±b @♂-^ @♂` OJ QJ o( h  
 H h ±↑ ☼ †♂◀ ±b †♂-^ †♂` OJ♂ QJ♂ ^J♂ o( h  
 H o † h ±↑ ☼ Б ±b |^ P OJ  
 QJ  
 o( h H h ±↑ ☼ !!◀ ±b !!-^ !!` OJ QJ o( h  
 H h ±↑ ☼ †◀ ±b †-^ †` OJ♂ QJ♂ ^J♂ o( h  
 H o † h ±↑ ☼ P†◀ ±b P†-^ P†` O  
 J  
 QJ  
 o( h H  
 □ @ h † ☼ h◀ ^ h` † . | @  
 h y•←e s\_ J a\_tZ }0♀x  
 ㄒy  
 □ =s5# [[X□ &iG3 R \*  
 ♂rS |(h4 5  
 /±5k 2 D-k qC ' L:  
 4g □d♂ M  
 c>佂 q`@- r%=5  
 7w↑  
 @ - †@ ♂† ☼ □ □J QJ o(  
 ☼† ☼-◀ -` †@ J† OJ QJ o(  
 †@ \* \* J† OJ h o( †☼ 8♂◀ ^ 8♂` OJ QJ o(  
 †@ \* \* J† OJ h o( †☼ 8♂◀ ^ 8♂` OJ QJ o(  
 ^J♂ o( h H o ♂♂"  
 b p□-^ p□` OJ o ♂♂"  
 QJ  
 o( h H ±↑ ☼ @♂◀ ±b @♂-^ @♂` OJ QJ  
 o( h H ±↑ ☼ †♂◀ ±b †♂-^ †♂` OJ♂ QJ♂  
 ^J♂ o( h H o ±↑ ☼ Б ±b |^ P OJ  
 QJ  
 o( h H ±↑ ☼ !!◀ ±b !!-^ !!` OJ QJ  
 o( h H ±↑ ☼ †◀ ±b †-^ †` OJ♂ QJ♂  
 ^J♂ o( h H o e ±↑ ☼ P†◀ ±b P†-^ P†` OJ  
 拨  
 QJ  
 o( h H □ -





