

· c ·] 龔 𠂇 · 𠂇 ·
□
𠂇 w * 𠂇 𠂇 · 𠂇 v · 𠂇 z 𠂇 z 𠂇 zk 𠂇 z p
𠂇 ' ` \$ (` ' ↑ 𠂇 𠂇 𠂇

U U 煽 3 : U U `H0 X_H U }f躡Lj□G K&鞞H K& vU K U U 恂传 2. U
U `H0 UeUU}fU 鞞 K&U b8U;±U K UUe U U ρ U U `H0 U U h
U {鞞鞞}fU Q/鞞鞞j b8U R(UUUUU vc r^ kWzcNr[E]S<`H0 U U {鞞q鞞qijQ U
UUQ\U\ nJ鞞 Y+UUUx 鞞 茹劓€□ `H0%%\$ 鞞UUUUUUUUU Y+UUU€UU€ U
Uc`H0%%\$↑↑↑ 由UUUUUUUUU \1UUU. UU N6%%\$↑↑↑ 由UZUZZH H H
· · 吴吴鞞 \1UUU° UU>%%\$↑↑↑ 由由由鞞
鞞,hUe)X_ζY□WtQijQ nJ nJ iC `7UUUUJ
U%%\$↑↑↑ □ UUUUUUUU
UY t%%\$↑↑↑ □ □ □ □ μ □ □ .
r r ~ w ε η η G y G %%\$↑↑↑

&-鞞 IconOnly M| 7 | 7
@ b ' ` \$ (` ' □

· c ·] 鞞U 7U · U · U ·
□
U w * 鞞U v· U z□U z□U zk U z p
U 鞞U * 鞞U * 鞞U @
· ' ` \$ (` ' ↑ 7

☺ - &-☺ 1 0 L

NANI

- &-

> L
- ; + =

↳◀◻→◻
:

☺
☺
+
J T C\ ◻ ◻
T L bjbj ◀ ◀

☺
☺
☺
D D , +
쫘 y J

It's no surprise that the accident rate always goes up during the rain. Because wet roads are slippery roads, it pays to slow down and increase your following distance by one or two seconds, as soon as it starts to rain.

A Light Rain is All it Takes

Most people assume that the wetter a road is the more dangerous it is. But in fact, roads are often at their slipperiest just at the beginning of the first storm after a long dry spell. This is because the rain hasn't washed the road free of accumulated grease. Summer rains can be even worse because the road grease is warm and rises to the surface of the water easily.

Puddles Can Hide Hazards

Avoid driving through puddles or flooded roads. Water on the road can hide dangerous debris or potholes. It can also flood your brakes so that they don't work just when you need them the most. If your brakes do get wet, dry them out by driving while holding the brake pedal down just until the brakes begin to work again.

When there is water on the road, check the road ahead and behind frequently for large vehicles that can send a blinding spray of water across your windshield. If you get caught in such a spray, remember these steps:

- Grip the wheel firmly.
- Stay off the brake.

L4 □ ♀ L ♀ •
a' -|-
□↑
□→□
L| a□f4 yt;vb ♀ L\$ T\$ If a\$ gd -=
T\$ If gd -= □ ♀]] gd-8□ • ±!! T!! †!! !! -
!! □
□

T\$ If gd -= c kdn T\$ †\$ If] | L4 □ ♀ L ♀ •
a' -|-
□↑
□→□
L| a□f4 yt;vb ♀ L\$ T\$ If a\$ gd -= --
!! :!! :!! B!! C!! O!! X!!
T

I L4 □ ♀ ♀ .¶|a' - !! - - - -3!! - -L P kdf T\$ †\$ If]
□→□
L| a□f4 yt;vb
T\$ If gd -= P kd T\$ †\$ If] | L4 □ ♀ ♀ .¶|a' -
!! - - - -L -3!! - - ¶|a' -
□→□
L| a
□f4 yt;vb -X!! Y!! !! !! !! g

&-L - - ¶|a' - !! - - - -3!! - -L P kdf T\$ †\$ If] | L4 □ ♀ ♀ .¶|a' -S
L| a□f4 yt;vb
T\$ If gd -= P kd T\$ †\$ If] | L4 □ ♀ ♀ .¶|a' -
!! - - - -L -3!! - - ¶|a' -
□→□
L| a□f4 yt;vb J!! S □
□¶ v j

♀ L\$ T\$ If a\$ gd -= ? kd L T\$ †\$ If] | L4 • J□,
¶|a' -S&- - - - ¶|a' - !! - - - -3!! - -L P kdf T\$ †\$ If] | L4 □ ♀ ♀ .¶|a' -
L| a□f4 yt;vb T\$ If gd -= ? kd
L T\$ †\$ If] | L4 • J□, ♀ a' -S& - - - - ¶|a' -
□→f ←f f f 4φ
L| a□f4 yt;vb J!! S Ũ □
□¶ L¶ E¶ F¶ P¶ Q¶ ¶ T Ę Ř ů Ů ? - < Δ Æ □
~ UUUU ± □

□ u q`
± h m□□CJ† OJ₁ QJ₁ ^J₁ aJ† -Th-□h-
□ QJ₁ ^J₁ †Th f OJ₁ QJ₁ ^J₁ †Th~8 OJ₁ QJ₁ ^J₁ †h□Th
□ OJ₁ QJ₁ ^J₁ -Th /t ✕Lj Th /t U□ †Th -= CJ† OJ₁ QJ₁
Th -= CJ† †Th -= CJ† OJ₁ QJ₁ ^J₁ ±h m□ -= CJ† OJ₁ QJ₁ ^J₁
Th -= 5□ †h m□ -= OJ₁ QJ₁ ^J₁ ←±h m
□ -= 5□ OJ₁ QJ₁ ^J₁ ¶Th -= 5□ > OJ₁ QJ₁]¶ L¶ !!¶ ¶ \$¶ 4¶
>¶ E¶ @

C ! 'h 8 \$d^J Nc^J] gd!
; ; kd + T\$ +\$ If r I □ φ L L
□(- - ↑ -< ↑ □
□↑ □↑
□→ □ ← □ □ □ 4φ
L I a
□yt-fl δ ↑T %T &T 2T LT QT RT XT YT ZT [T _T `T jT kT
lT mT nT oT pT wT T T T
□ZZ Zz }nVM T h-8
□ CJ\$ OJ₁ QJ₁ ^J₁ aJ\$ #[±]h□T h
□5□ CJ\$ OJ₁ QJ₁ ^J₁ aJ\$ T h ti 5□ CJ\$ OJ₁ QJ₁ ^J₁ aJ\$ T h BÀ5□ CJ\$ OJ₁
QJ₁ ^J₁ aJ\$ -T h /t -T h~#L -T h m
□T h#JÀOJ₁ QJ₁ ^J₁ mH J nH J u□ ← L j T h]◀Z OJ₁ QJ₁ U□ ^J₁ !L j ± h]◀Z
T h]◀Z OJ₁ QJ₁ U□ ^J₁ ↑ ± h]◀Z T h]◀Z OJ₁ QJ₁ ^J₁ →T h m
□↑ OJ₁ QJ₁ ^J₁ aJ[±] ± h m□ m□↑ OJ₁ QJ₁ ^J₁ aJ[±] →T h-8
□↑ OJ₁ QJ₁ ^J₁ aJ[±] † T T T T T
□

T h -= 5□ -T h /t -T h ±* #[±]h
□T h ±* 5□ CJ\$ OJ₁ QJ₁ ^J₁ aJ\$ J T T T □
□

r A 0

0 □0† P :p b
Я
□T# h \$ h % † ↑ ♀ T Dp

I T\$ †\$ If z lv L h #v
|-#v r #v₁ L •:Vδ r I L4 □□↑□5o L|-5o r L5o₁ L L •4φ | a
□f4 yt;vb I T\$ †\$ If z lv L h #v |-#v r #v₁ L •:Vδ r I L4 □□↑
□5o L|-5o r L5o₁ L L •4φ | a□f4 yt;vb T\$ †\$ If z lv r h #v
!!#v r 3!! :Vδ r I L4 □□↑□5o L !!5o r L3!! /□ • - /□ □ -L /□ r
- 4φ | a□f4 yt;vb T\$ †\$ If z lv r h #v
!!#v r 3!! :Vδ r I L4 □□↑□5o L
!!5o r L3!! /□ - /□ r - /□ J - /□ r
- /□ r r -L 4φ | a□f4 yt;vb T\$ †\$ If z lv r h #v
!!#v r 3!! :Vδ r I L4 □□↑□5o L
!!5o r L3!! /□ - /□ r - /□ J - /□ r
- /□ r r -L 4φ | a
□f4 yt;vb I T\$ †\$ If z lv h #v S&:Vδ r I L4 □□↑
□5o L S&/□ -L /□

C\ Object Pool

PD T íP T í

9 9 8 9 8 7 3 5 3

F PD T íPD T í

O l e

P I C

M E T A

♂	♀	+	!	↓	!!	¶	±	T	†	†	→	←	-	>			
.	/	0	1	2	3	4	5	6	7	8	()	*	+	,	=	>
?	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N		
O	P	Q	R	S	D	U	V	W	X	Y	Z	[\]	^		
		a	b	c	d	e	f	g	h	i	j	k	l	m	n		

胀 8 胀

MSWordDoc Word.Picture.8 Microsoft Word Picture

Word Microsoft

"Arial 3

溢

Document Summary Information
Microsoft Data Store
Item

Title
<?xml
version="1.0" encoding="utf-8"?><ct:contentTypeSchema ct:_="" ma:_=""
ma:contentTypeName="Document"
ma:contentTypeID="0x0101001BCE2471B64AE74FAFDB46F89C75CBE7" ma:contentTypeVersion="0"

Properties
Item Properties

:contentTypeDescription="Create a new document." ma:contentTypeScope=""
ma:versionID="1814d73a2f35c0de1698f81fdc11203b"
xmlns:ct="http://schemas.microsoft.com/office/2006/metadata/contentType"
xmlns:ma="http://schemas.microsoft.com/office/2006/metadata/properties/metaAttributes">
<xsd:schema targetNamespace="http://schemas.microsoft.com/office/2006/metadata/properties"
ma:root="true" ma:fieldsID="4aeb20c0e3442673af7ee10786458764"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:p="http://schemas.microsoft.com/office/2006/metadata/properties">
<xsd:element name="properties">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="documentManagement">
<xsd:complexType>
<xsd:all/>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>

```

</xsd:element>
</xsd:schema>
<xsd:schema targetNamespace="http://schemas.openxmlformats.org/package/2006/metadata/core-properties" elementFormDefault="qualified" attributeFormDefault="unqualified" blockDefault="#all"
xmlns="http://schemas.openxmlformats.org/package/2006/metadata/core-properties"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:dc="http://purl.org/dc/elements/1.1/" xmlns:dcterms="http://purl.org/dc/terms"
xmlns:odoc="http://schemas.microsoft.com/office/internal/2005/internalDocumentation">
<xsd:import namespace="http://purl.org/dc/elements/1.1/"
schemaLocation="http://dublincore.org/schemas/xmls/qdc/2003/04/02/dc.xsd"/>
<xsd:import namespace="http://purl.org/dc/terms/"
schemaLocation="http://dublincore.org/schemas/xmls/qdc/2003/04/02/dcterms.xsd"/>
<xsd:element name="coreProperties" type="CT_coreProperties"/>
<xsd:complexType name="CT_coreProperties">
<xsd:all>
<xsd:element ref="dc:creator" minOccurs="0" maxOccurs="1"/>
<xsd:element ref="dcterms:created" minOccurs="0" maxOccurs="1"/>
<xsd:element ref="dc:identifier" minOccurs="0" maxOccurs="1"/>
<xsd:element name="contentType" minOccurs="0" maxOccurs="1" type="xsd:string" ma:index="0"
ma:displayName="Content Type" ma:readOnly="true"/>
<xsd:element ref="dc:title" minOccurs="0" maxOccurs="1" ma:index="4" ma:displayName="Title"/>
<xsd:element ref="dc:subject" minOccurs="0" maxOccurs="1"/>
<xsd:element ref="dc:description" minOccurs="0" maxOccurs="1"/>
<xsd:element name="keywords" minOccurs="0" maxOccurs="1" type="xsd:string"/>
<xsd:element ref="dc:language" minOccurs="0" maxOccurs="1"/>
<xsd:element name="category" minOccurs="0" maxOccurs="1" type="xsd:string"/>
<xsd:element name="version" minOccurs="0" maxOccurs="1" type="xsd:string"/>
<xsd:element name="revision" minOccurs="0" maxOccurs="1" type="xsd:string">
<xsd:annotation>
<xsd:documentation>
This value indicates the number of saves or revisions. The application is responsible for
updating this value after each revision.
</xsd:documentation>
</xsd:annotation>
</xsd:element>
<xsd:element name="lastModifiedBy" minOccurs="0" maxOccurs="1" type="xsd:string"/>
<xsd:element ref="dcterms:modified" minOccurs="0" maxOccurs="1"/>
<xsd:element name="lastPrinted" minOccurs="0" maxOccurs="1" type="xsd:dateTime"/>
<xsd:element name="contentStatus" minOccurs="0" maxOccurs="1" type="xsd:string"/>
</xsd:all>
</xsd:complexType>
</xsd:schema>
</ct:contentTypeSchema>
standalone="no"?>
<ds:datastoreItem ds:itemID="{14C3AE0C-E7B8-4EA7-BA42-CF1BAF5B3FDD}"
xmlns:ds="http://schemas.openxmlformats.org/officeDocument/2006/customXml"><ds:schemaRefs><ds:
schemaRef ds:uri="http://schemas.microsoft.com/office/2006/metadata/contentType"/><ds:schemaRef
ds:uri="http://schemas.microsoft.com/office/2006/metadata/properties/metaAttributes"/><ds:schemaRef
ds:uri="http://www.w3.org/2001/XMLSchema"/><ds:schemaRef
ds:uri="http://schemas.microsoft.com/office/2006/metadata/properties"/><ds:schemaRef
ds:uri="http://schemas.openxmlformats.org/package/2006/metadata/core-properties"/><ds:schemaRef
ds:uri="http://purl.org/dc/elements/1.1"/><ds:schemaRef
ds:uri="http://purl.org/dc/terms"/><ds:schemaRef
ds:uri="http://schemas.microsoft.com/office/internal/2005/internalDocumentation"/></ds:schemaRefs></d
s:datastoreItem>
<?mso-contentType?><FormTemplates
xmlns="http://schemas.microsoft.com/sharepoint/v3/contenttype/forms"><Display>DocumentLibraryForm

```


