

From: Conway, Kari (ET)
Sent: 12/11/2012 8:36:26 AM
To: Halligan, Julie (julie.halligan@cpuc.ca.gov); 'Stepanian, Raffy' (raffy.stepanian@cpuc.ca.gov); Yeung, Manho (/O=PG&E/OU=CORPORATE/CN=RECIPIENTS/CN=MXY6); Allen, Meredith (/O=PG&E/OU=Corporate/cn=Recipients/cn=MEAe); Deal, Jeffrey (/O=PG&E/OU=Corporate/cn=Recipients/cn=JLD4); Fugere, Raymond G. (raymond.fugere@cpuc.ca.gov); Beck, Valerie (valerie.beck@cpuc.ca.gov); Magee, Charles H. (charles.magee@cpuc.ca.gov)

Cc:

Bcc:

Subject: PG&E Risk Assessment Process

Update 12/11/12: Meeting room changed from 1062 to 1037. Kari Conway (keh9)

Update 12/10/12 : Meeting Location Changed to 245 Market Street, Room 1062. Kari Conway (keh9@pge.com)

PG&E

P.J. Martinez – Vice President Asset Management

Meredith Allen – Senior Director

Manho Yeung – Senior Director, System Planning and Reliability

Jeff Deal – Director, Compliance and Risk Management Regulatory Relations

CPUC

Julie Halligan, Deputy Director, CPSD

Raffy Stephanian, Program Manager, ESRB

Valerie Beck, Supervisor, ESRB

Raymond Fugere, Supervisor, ESRB

Charles Magee, Senior Engineer, Risk Assessment