**Pacific Gas and Electric Company** 

## RROIR Rate Design and Bill Impact Analysis Model

## User Guide

Version 8.0 3/21/2013 FINAL



## **Table of Contents**

Table of Co	ntents1
Overview	
Methodolo	gy5
Descripti	on of Inputs and Running Instructions5
"Summa	ry" Tab5
Rate D	esign Inputs (Non-TOU and TOU)6
•	Current Rate Date6
•	2 Tier Rate Ratio
•	# of Tiers
•	Baseline Allowance Percent7
•	Baseline Allowance from the Sample (Do not use the percent input)7
•	Tier-3 to Tier-4 Delta (cents/kWh)7
•	Tier-4 to Tier-5 Delta (cents/kWh)7
•	Tier 1 Increase (Over Current)7
٠	Tier 2 Increase (Over Current)7
•	Minimum Charge imposed in lieu of Customer Charge7
•	Minimum Charge Applicable to Delivery Charge only7
•	Customer Charge (\$/Mo.)7
•	Fixed Charge Break Point (kW)7
•	Fixed Charge High Demand (\$/Mo.)
•	Fixed Charge Low Demand (\$/Mo.)8
•	CARE Discount for Tier-1, Cust. Chg., Demand Chg. & Min. Bill Amt
•	CARE Discount for Tier-28
•	CARE Discount for Tier-3 and above
•	Income Based Discount 100% of Poverty Level or Below
•	Income Based Discount 100% to 200% of Poverty Level
•	Income Based Discount 200% to300% of Poverty Level

٠	Frozen CARE T1/T2	8
•	Use Existing CARE Tier-3 Rate	8
•	Apply Income Based Discount Instead of Tier Based CARE Disc	8
Addit	ional TOU Rate Design Specific Inputs	8
•	Number of TOU Periods	8
•	TOU Rate Percentage Differential: On-Peak; Partial-Peak	8
•	TOU Rate Percentage Differential: Partial-Peak, Off-Peak	8
•	TOU Baseline Credit in Cents per kWh	9
•	Flat non-TOU Tier-1	9
Runni	ing Instructions	9
Ste	p 1 – Update Baseline Quantity	9
Ste	p 2 - Update Current Rate Bill	9
Ste	p 3 – Update Cost Based Bill	9
Ste	p 4 – Update Income Based Discount Calculation	9
Ste	p 5 - Calculate Non-TOU Rates	9
Ste	p 6 - Update the Various Rate and Bill Impact Tables provided in the Tool to refle	ect Non-TOU
Sto	n 7. Colculate TOLL Pates	
Sto	p / - Calculate 100 Nates	
	p o - Opuale the valious nate and bin impact rables provided in the root to renk	
Rate S	Summary Tables	
1)	Resulting Non-TOU Residential Rates	
2)	Resulting TOU Residential Rates	10
Avera	ge Rate Impact Summary Tables	12
1)	Rate Impact Summary by Zone	12
2)	Rate Design Measure Table	12
		13
Total	Usage by Baseline Territory	13
"Detaile	d Input" Tab	13
Basic	Inputs for Calculation tab	13
•	Percent Non-Residential Usage of the Total Usage Less CARE and Streetlights	13
•	Billions	
•	Minimum Charge (\$/month)	14
		<b>J</b>   D a g a

	•	Missing Income Replacement	
	•	Max Customer Monthly Ave Usage	14
	Numb	per of hours per time period	14
	PRISN	٨ Models Hours by Period	14
	Tiered	d Rate for Energy Conservation Calculation (\$/kWh)	14
	Elasti	city Input for non-TOU Energy Conservation Estimation	14
	Elasti	city Input for TOU Energy Conservation Estimation	
	Bill Im	npact Classification Percent	14
	Perce	nt of Sample Classification	14
	Load	Factor Range	14
	Incom	ne Range	
	Curre	nt Rates Data	14
	Input	s (Intermediate)	
	•	Basic inputs	14
	•	Non TOU Tier Collapsing Criteria	15
	•	Seasonal TOU Price Ratios	15
	•	Revenue Requirement Prior to Subsidy Allocation	15
	•	Generation Charge for "Minimum Bill on Delivery Charge Only" Calculation	15
	•	Fair Cost Rate Input (\$/kWh)	
	•	Elasticity Based Usage Adjustment Factors	15
	٠	Coincident Load Factor Averages	15
	•	Non-Coincident Load Factor Averages	15
	•	Time Of Use (TOU) kWh split by zone	15
	•	Average Usage Quantity (kWh per Day) by zone	
	•	Medical Allowance Baseline Quantity (kWh per month)	
Тоо	l Outpu	uts	15
"	PGE-Bil	ll-Impact-Output-1" Tab	
"	PGE-Bil	ll-Impact-Output-2" Tab	
"I	PGE-Bil	ll-Impact-Output-3" Tab	
"	PGE-Ra	ite-Efficiency-Output" Tab	16
"	PGE-Bil	ll-And-Revenue-Study \$" Tab	16
"(	Correla	ition" Tab	17
			210.co
			שעהשור

"Cost-Based-Rate-Drivers" Tab	17
"Energy Conservation" Tab	17
Other Tabs	
Definitions	19
Appendix A1: "PG&E Bill Impact-Output-1" Tab	20
Appendix A2: "Bill Impact Output-2" Tab	21
Appendix A3: "Bill Impact Output-3" Tab	22
Appendix B: "Rate-Efficiency-Output" Tab	23
Appendix C: "PGE-Bill-And-Revenue Study" Tab	24
Appendix D: "Correlation" Tab	25
Appendix E: "Cost-Based-Rate-Drivers" Tab	
Appendix F: "Energy Conservation" Tab	
Customer Count by Federal Poverty Level	31
Changes Made to the Model since the Last Version (Dec 2012)	
Changes Added in February 2013 Version	
Changes Added in March 2013 (FINAL) Version	

# Residential Rate OIR Rate Design and Bill Impact Analysis Model User Guide

#### **Overview**

The Electric Bill Calculation Tool provides users with a tool that can be used to evaluate the residential rate and customer bill impacts of several rate structures when compared to rates set at **Cost-of-Service** levels. Specifically, the rate scenarios that may be evaluated in this tool includes:

- 1) Customer Charges (Single or Split Demand-Based)
- 2) Minimum Charges
- 3) Flat Rates
- 4) Tiered Rates (Two Tiers or Multiple Tiers)
- 5) TOU<sup>1</sup> Rates with Baseline Credits

Once rate scenarios have been run, several outputs are provided showing comparative rate and bill impacts as they relate to Cost-Based, **Current**, TOU and various non-TOU rates. Information is also provided showing: 1) correlations between Usage and Income for PG&E customers in several geographic areas; and 2) estimated energy consumption changes resulting from a move from an Inclining Block Rate design to a Flat Rate design and from a Flat Rate design to TOU rates.

#### Methodology

#### **Description of Inputs and Running Instructions**

**"Summary" Tab** – Manual inputs to the Tool are made in the Summary tab. The Summary tab also contains summary tables showing resulting residential rate impacts based on the inputs.

Inputs Field – The Inputs Field is used to make all manual inputs to the Tool. Inputs are made to set user-specified conditions for various residential rate scenarios (see Figure 1).

**Note**: The rate and bill impacts provided in this Tool will only utilize appropriate inputs. For example, if a single-tier (i.e. Flat) rate design is designated, any specified tier differentials will be ignored.

```
<sup>1</sup> TOU – Time of Use
```

		(Senterior Senterior S	
Step 2 Update Current Rate Bill	Step Update Cost i	3 Based Bill	
Rate Design I	nputs Non TOU and TOU		
Step 5	Current Rate Date -	> 7/1/2012	-
Calculate Non TOU Rates	2 Tier Rate Ratio =	>	20%
Step 6	# of Tiers =	> 1	<b>.</b>
Update Non TOU Reports	Baseline Allowance Percent -	> 55%	X
Baseline Allowance from the sam	ple (Do not use the percent input) -	> No	<u> </u>
	S Update Ba	tep 1 seline Quar	ntity
	Tier-3 to Tier-4 Delta (cents/kWh) -	>	3.00
	Tier-4 to Tier-5 Delta (cents/kWh) =	<mark>&gt;</mark>	3.00
	T1 Increase (Over Current) =	>	0%
	T2 Increase (Over Current) =		0%
Minimum Charge imp	oosed in lieu of Customer Charge –	> No	$\mathbf{\mathbf{x}}$
Minimum Charge Ap	plicable to Delivery Charge Only =	> Yes	
	Cust Charge \$/Mo	>	10.00
	ixed Charge High Demand \$/Mo		•
ſ	Fixed Charge Low Demand \$/Mo. =	>	-
	Fixed Charge Break Point kW =	>	3.00
CARE Discount for Tier-1. Cust. Ct	og . Demand Chg & Min Bill Amt -	>	2595
	CARE Discount for Tier-2 =	٨	20%
CA	RE Discount for Tier-3 and Above –	A	15%
Income Based Discour	nt 100% of Poverty Level or Below =	>	35%
Income Based Disco	unt 100% to 200% of Poverty Level =	>	25%
Income Based Disco	unt 200% to 300% of Poverty Level =	<b>&gt;</b>	10%
Step 4	Frozen CARE T1/T2 =	>	
Update Income Based Discount is used	Use existing CARE Tier-3 rate -	*	
Apply Income Based Discoun	t Instead of Tier Based CARE Disc -	>	
Additional TOU	Rate Design Specific Inputs		
Number of TOU Periods ->		з	-
TOU Rate Percent Differential: On-peak	to Part-peak =>		30%
TOU Rate Pct. Differential: Part-peak to	Offpeak (N/A if 2 TOU periods) =>		30%
TOU Base Line Credit in cents per kWh			1 00
Flat Non-TOU Tier-1 =>		No	
Step 7			
Calculate TOU Rates			
Step 8	and the second		
Update TOU Reports			

Print Inputs and Reports

#### Figure 1

**Rate Design Inputs (Non-TOU and TOU)** 

- *Current Rate Date* The date on which Current Rates became effective.
- *2 Tier Rate Ratio* The tier differential that will be applied to Tier-1 and Tier-2 rates in a two-tier rate design. For example, a 20 percent ratio would result in a Tier-2 rate that is 20 percent higher than the Tier-1 rate.
- *# of Tiers* Dropdown box allows the user to choose a tiered rate design that incorporates from 1 up to 5 rate tiers.

- **Baseline Allowance Percent** The percentage of residential electricity use that occurs at, or below, the baseline allowance amount (i.e., tier-one usage). Dropdown box allows the user to choose from between 40 and 55 percent (the current baseline allowance percentage).
- **Baseline Allowance from the Sample (Do not use the percent input)** Setting this to "Yes" will mean that the model will use the baseline quantity data from the sample. The percent input will be ignored by the model when designing rate any structure scenarios.
- *Tier-3 to Tier-4 Delta (cents/kWh<sup>2</sup>)* The absolute cent-per-kWh differential that is applied to rate tiers 3 and 4 when the number of tiers specified in the "# of Tiers" dropdown box is greater than three.
- *Tier-4 to Tier-5 Delta (cents/kWh<sup>3</sup>)* The absolute cent-per-kWh differential that is applied to rate tiers 4 and 5 when the number of tiers specified in the "# of Tiers" dropdown box is greater than three.
- *Tier 1 Increase (Over Current)* The percentage by which to increase the current Tier-1 rate. This input is used when the number of tiers specified in the "# of Tiers" dropdown box is greater than two.
- *Tier 2 Increase (Over Current)* The percentage by which to increase the current Tier-2 rate. This input is used when the number of tiers specified in the "# of Tiers" dropdown box is greater than two.
- *Minimum Charge imposed in lieu of Customer Charge* Dropdown box allow the user to specify "Yes" or "No." A minimum charge applied to any bill for monthly kWh usage up to a given level. For example, assume a minimum charge of \$4.00 and an electric rate of \$0.10 per kWh. A minimum charge of \$4.00 would be apply to any use up to 40 kWh (\$0.10 per kWh x 40 kWh = \$4.00). The per-kWh rate would apply directly to any use in excess of 40 kWh. For instance, assuming monthly use of 41 kWh, a customer would pay \$4.10 (\$0.10 per kWh x 41 kWh = \$4.10).

**Note**: When "Yes" is designated for a Minimum Charge, a Customer Charge will not apply.

- *Minimum Charge Applicable to Delivery Charge only* Selecting "Yes" will be meaningful only if minimum charge is chosen in lieu of customer charge. In that case, generation charge will be excluded by the model when applying the minimum bill amount criteria.
- Customer Charge (\$/Mo.) Fixed Monthly Customer Charge amount.
- *Fixed Charge Break Point (kW)* The user-defined kW threshold at which a Fixed Monthly Customer Charge amount for high-demand customers will be applied. Customers with demand levels below the threshold will pay the Fixed Monthly Customer Charge amount for low-use customers. This input is utilized when a Split Demand-Based Customer Charge rate design is designated.
- *Fixed Charge High Demand (\$/Mo.)* Fixed Monthly Customer Charge amount for highuse customers (used for a Split Demand-Based Customer Charge rate design).
- Fixed Charge Low Demand (\$/Mo.) Fixed Monthly Customer Charge amount for low-

<sup>&</sup>lt;sup>2</sup> Kilowatt Hour

<sup>&</sup>lt;sup>3</sup> Kilowatt Hour

use customers (used for a Split Demand-Based Customer Charge rate design).

- *CARE Discount for Tier-1, Cust. Chg., Demand Chg. & Min. Bill Amt.* The rate discount percentage applied to the Tier-1 usage rates, customer charge, minimum bill amount and fixed demand charge amount paid by customers qualifying for low income rate discounts.
- *CARE Discount for Tier-2* The rate discount percentage applied to the Tier-2 usage rates paid by customers qualifying for low income rate discounts.
- *CARE Discount for Tier-3 and above* The rate discount percentage applied to the Tier-3 and above usage rates paid by customers qualifying for low income rate discounts.
- *Income Based Discount 100% of Poverty Level or Below* The rate discount is applied to the customer falling within the 100% of federal poverty level based on income.
- *Income Based Discount 100% to 200% of Poverty Level* The rate discount is applied to the customer falling between the 100% and 200% of federal poverty level based on income.
- Income Based Discount 200% to300% of Poverty Level The rate discount is applied to the customer falling between the 200% and 300% of federal poverty level based on income.
- *Frozen CARE*<sup>4</sup> *T1/T2* Click to put a check in the box. A checked box will freeze CARE Tier-1 and Tier-2 rates at their current levels.
- *Use Existing CARE Tier-3 Rate* Click to put a check in the box. A checked box will freeze the CARE Tier-3 rate at its current level.
- *Apply Income Based Discount Instead of Tier Based CARE Disc* Click to put a check in the box. A checked box will cause the model to set the tier-based CARE discount to zero internally, and use income based discount instead.

#### Additional TOU Rate Design Specific Inputs

- *Number of TOU Periods* User can choose either two or three TOU periods. If three TOU period is chosen, then the TOU period is defined as on-peak, part-peak and off-peak based on PG&E's existing E-6 rate schedule. If two TOU period is chosen, then the model will treat the part-peak period and the off-peak period together as the off-peak period.
- *TOU Rate Percentage Differential: On-Peak; Partial-Peak* The percentage rate differential that is applied to on-peak and part-peak rates. For example, assuming a 50 percent differential, the on-peak rate would be 50 percent higher than the part-peak rate.
- *TOU Rate Percentage Differential: Partial-Peak, Off-Peak* The percentage rate differential that is applied to part-peak and off-peak rates.. For example, assuming a 40 percent differential, the part-peak rate would be 40 percent higher than the off-peak rate. If two TOU period based rate design is intended, then this ratio is set to 1 internally by the model.
- **TOU Baseline Credit in Cents per kWh** A credit applied to bills calculated for customers utilizing TOU rates. The credit is applied on a per kWh basis for electric usage <u>up to</u> a customer's baseline allowance. For instance, assuming a monthly baseline

<sup>&</sup>lt;sup>4</sup> CARE - California Alternative Rates for Energy

allowance of 500 kWh, a customer with monthly use of 400 kWh would receive a credit equal to the specified per-kWh baseline credit times 400 kWh, a customer with monthly use of 500 kWh would receive a credit equal to the specified per-kWh baseline credit times 500 kWh, and a customer with use in excess of 500 kWh would receive a credit limited to the specified per-kWh baseline credit times 500 kWh.

• *Flat non-TOU Tier-1* – Selecting "Yes" will cause the model to design a flat non-TOU Tier-1 rate.

#### **Running Instructions**

Once the necessary inputs have been made to run a given rate scenario, rate calculations are accomplished as follows:

- Step 1 Update Baseline Quantity Click on "Update Baseline Quantity" button located inside the Inputs area of the tab after updating the selection of baseline allowance (Baseline Allowance Percent or baseline quantity from the sample).
- Step 2 Update Current Rate Bill Click on "Update Current Rate Bill" button located above the Inputs area of the tab after selecting the current rate date, and updating the inputs in the "Detailed Inputs" tab.
- *Step 3 Update Cost Based Bill* Click on "Update Cost Based Bill" button located above the Inputs area of the tab after updating customer data in "Customer Data" tab, and the inputs in the "Detailed Inputs" tab.
- **Step 4 Update Income Based Discount Calculation** Click on "Update Income Based Discount Calculation" button located inside the Inputs area of the tab if "Apply Income Based Discount Instead of Tier Based CARE Disc" option is clicked.

To calculate only the Non-TOU rates, perform Step 5 and 6. To calculate only the TOU rates, perform Step 7 and 8.

- Step 5 Calculate Non-TOU Rates Click on the "Calculate Non-TOU Rates" button located in the Inputs area after providing the inputs in this ("Summary") tab.
- Step 6 Update the Various Rate and Bill Impact Tables provided in the Tool to reflect Non-TOU rates – Click on the "Update Non-TOU Reports" button located in the Inputs area of the tab.
- *Step 7 Calculate TOU Rates* Click on the "Calculate TOU Rates" button located in the Inputs area after providing the inputs in this ("Summary") tab..
- Step 8 Update the Various Rate and Bill Impact Tables provided in the Tool to reflect TOU rates – Click on the "Update TOU Reports" button located in the Inputs area of the tab.

**Rate Summary Tables** 

Two rate summary tables are provided in the "Summary" tab.

1) Resulting Non-TOU Residential Rates (see Figure 2).

Information includes:

- Recorded Non-CARE and CARE 2011 sales by rate tier
- Percentage of 2011 sales by rate tier
- Current rates by tier
- Estimated Non-TOU Rates by tier
- Customer Charge
- Split Demand-Based Customer Charge

Resulting Flat Rate											
Non-CARE	Tier	Forecast Sales (GWh)	% of Sales	Jul-12 Rate	Flat Rate Rate						
	1	13.23	62%	12,8	17.6						
	2	2.45	11%	14.6	17.6						
	3	3.22	15%	29.6	17.6						
	4	1.59	7%	33.6	17.6						
	5	0.85	5%	33.6	17.6						
	Cust \$/M	٥.		0.0	0.0						
	Fixed CI	harge High Demand	\$/Mo.	0.0	0.0						
	Fixed Cl	harge Low Demand	\$/Mo.	0.0	0.0						
	Min Cha	rge \$/Mo.		4.5	0.0						
CARE	Tier	Sales (GWh)	% of Sales	Jul-12 Rate	Flat Rate Rate						
	1	5.41	69%	8.3	14.1						
	2	0.85	11%	9.6	14,1						
	3	1.00	13%	12.5	14.1						
	4	0.41	5%	12.5	14.1						
	5	0 19	2%	12.5	14-1						
	Cust \$/M	ю.		0.0	0.0						
	Fixed Cl	harge High Demand	l \$/Mo.	0.0	0.0						
	Fixed Cl	harge Low Demand	\$/Mo.	0.0	0.0						
	Min Cha	rge \$/Mo.		3.6	0.0						

#### Figure 2

2) Resulting TOU Residential Rates (see Figure 3).

#### **Information Includes:**

- Non-CARE and CARE Forecast Sales by TOU period
- Percentage of sales by peak period
- Estimated Seasonal TOU rates

- o On-Peak
- Partial-Peak
- o Off Peak
- Customer Charge
- Split Demand-Based Customer Charge

Jon CARE         Period Sales (GWh)         Sales         Rate           Tier.1         Summer On.Peak         1.31         6.0%         15.8           Summer Part.Peak         1.40         7.0%         15.8           Summer Off.Peak         3.62         17.0%         15.8           Winter Part.Peak         0.79         4.0%         15.8           Winter Off.Peak         5.82         27.0%         15.8           Tier.2         Summer On.Peak         0.92         4.0%         20.1           Summer On.Peak         0.92         4.0%         20.1         300           Summer Off.Peak         0.92         4.0%         20.1         300         16.8           Winter Off.Peak         0.92         4.0%         20.1         300         16.8           Winter Off.Peak         0.31         1.0%         16.8         30.1         30.8 <th>Jon-CARE         Period Sales (GWh)         Sales         Rate           Tier.1         Summer On-Peak         1.31         6.0%         15.3           Summer Off-Peak         1.60%         15.8         15.8           Winter Part-Peak         3.62         17.0%         15.8           Winter Off-Peak         5.82         27.0%         15.8           Winter Off-Peak         5.82         27.0%         15.8           Tier-2         Summer On-Peak         0.92         4.0%         26.1           Summer Off-Peak         0.92         4.0%         26.1           Summer Off-Peak         0.94         4.0%         20.1           Summer Off-Peak         0.92         4.0%         26.1           Summer Off-Peak         0.92         4.0%         20.1           Summer Off-Peak         0.92         4.0%         20.1           Summer Off-Peak         0.94         4.0%         20.1           Winter Off-Peak         0.49         2.0%         16.1           Winter Off-Peak         0.49         2.0%         16.1           Winter Off-Peak         0.49         2.0%         16.1           Summer On-Peak         0.69         7%         11</th> <th></th> <th></th> <th>Forecast</th> <th>% of</th> <th></th>	Jon-CARE         Period Sales (GWh)         Sales         Rate           Tier.1         Summer On-Peak         1.31         6.0%         15.3           Summer Off-Peak         1.60%         15.8         15.8           Winter Part-Peak         3.62         17.0%         15.8           Winter Off-Peak         5.82         27.0%         15.8           Winter Off-Peak         5.82         27.0%         15.8           Tier-2         Summer On-Peak         0.92         4.0%         26.1           Summer Off-Peak         0.92         4.0%         26.1           Summer Off-Peak         0.94         4.0%         20.1           Summer Off-Peak         0.92         4.0%         26.1           Summer Off-Peak         0.92         4.0%         20.1           Summer Off-Peak         0.92         4.0%         20.1           Summer Off-Peak         0.94         4.0%         20.1           Winter Off-Peak         0.49         2.0%         16.1           Winter Off-Peak         0.49         2.0%         16.1           Winter Off-Peak         0.49         2.0%         16.1           Summer On-Peak         0.69         7%         11			Forecast	% of	
Tier.1         Summer On-Peak         1.31         6.0%         15.8           Summer Part-Peak         1.40         7.0%         15.8           Summer Off-Peak         3.62         17.0%         15.8           Winter Part-Peak         0.79         4.0%         15.8           Winter Off-Peak         5.82         27.0%         15.8           Tier.2         Summer On-Peak         0.92         4.0%         26.1           Summer Part-Peak         0.92         4.0%         26.1           Summer Off-Peak         2.36         11.0%         16.8           Winter Part-Peak         0.49         2.0%         16.1           Winter Off-Peak         3.71         18%         16.8           Winter Off-Peak         3.71         18%         16.8           Winter Off-Peak         3.71         18%         16.8           Cust \$/Mo.         5.0         5.0         5.0           Fixed Charge High Demand \$/Mo.         0.0         5.0         5.0           Fixed Charge High Demand \$/Mo.         0.0         8         11.8           Summer On-Peak         0.60         8%         11.8           Summer Off-Peak         1.47         19%	Tier.1         Summer On-Peak         1.31         6.0%         15.8           Summer Part-Peak         1.40         7.0%         15.8           Summer Off-Peak         3.62         17.0%         15.8           Winter Part-Peak         0.79         4.0%         15.8           Winter Off-Peak         5.82         27.0%         15.8           Tier.2         Summer On-Peak         0.92         4.0%         26.1           Summer Off-Peak         0.92         4.0%         20.1           Summer Off-Peak         0.92         4.0%         20.1           Summer Off-Peak         0.92         4.0%         20.1           Summer Off-Peak         2.36         11.0%         16.8           Winter Part-Peak         0.49         2.0%         16.1           Winter Off-Peak         3.71         18%         16.8           Winter Off-Peak         0.49         2.0%         16.1           Winter Off-Peak         0.49         2.0%         60           Fixed Charge High Demand \$/Mo.         0.0         0         0           Min Charge S/Mo.         0.0         8         11.8           Summer On-Peak         0.60         8% of         11.	Von-CARE	Period S	ales (GWh)	Sales	Rate
Summer Part-Peak         1.40         7.0%         15.8           Summmer Off-Peak         3.62         17.0%         15.8           Winter Part-Peak         0.79         4.0%         15.8           Winter Off-Peak         5.82         27.0%         15.8           Tier-2         Summer On-Peak         0.92         4.0%         26.1           Summer Part-Peak         0.92         4.0%         26.1           Summer On-Peak         0.92         4.0%         20.1           Summer Off-Peak         2.36         11.0%         16.8           Winter Part-Peak         0.49         2.0%         16.1           Winter Off-Peak         3.71         18%         16.8           Winter Off-Peak         3.71         18%         16.8           Cust \$/Mo.         5.0         5.0         5.0           Fixed Charge High Demand \$/Mo.         0.0         0.0         0.0           Min Charge \$/Mo.         0.0         8         16.8           Summer On-Peak         0.60         3%         11.8           Summer On-Peak         0.60         3%         11.8           Summer Off-Peak         1.47         19%         11.8	Summer Part-Peak         1.40         7.0%         15.8           Summmer Off-Peak         3.62         17.0%         15.8           Winter Part-Peak         0.79         4.0%         15.8           Winter Off-Peak         5.82         27.0%         15.8           Tier-2         Summer On-Peak         0.92         4.0%         26.1           Summer Part-Peak         0.94         4.0%         20.1           Summer Off-Peak         2.36         11.0%         16.8           Winter Part-Peak         0.49         2.0%         16.1           Winter Off-Peak         3.71         18%         16.8           Winter Off-Peak         3.71         18%         16.8           Cust \$/Mo.         5.0         5.0         5.0           Fixed Charge High Demand \$/Mo.         0.0         5.0         5.0           Fixed Charge Low Demand \$/Mo.         0.0         7% of         5.0           Caree         Period Sales (GWh)         Sales         Rate           Tier.1         Summer On-Peak         0.60         3%         11.8           Winter Off-Peak         1.47         19%         11.8           Summer Off-Peak         0.31         4%	Tier-1	Summer On-Peak	1.31	6.0%	15.8
Summmer Off-Peak         3.62         17.0%         15.8           Winter Part-Peak         0.79         4.0%         15.8           Winter Off-Peak         5.82         27.0%         15.8           Tier-2         Summer On-Peak         0.92         4.0%         26.1           Summer Part-Peak         0.92         4.0%         26.1           Summer Off-Peak         2.36         11.0%         16.8           Winter Part-Peak         0.49         2.0%         16.1           Summer Off-Peak         3.71         18%         16.8           Winter Off-Peak         3.71         18%         16.8           Cust \$/Mo.         5.0         5.0         5.0           Fixed Charge High Demand \$/Mo.         0.0         0         0.0           Fixed Charge Low Demand \$/Mo.         0.0         0.0         0.0           Min Charge \$/Mo.         0.0         8         11.8           Summer On-Peak         0.60         8%         11.8           Summer Off-Peak         1.31         4%         11.8           Winter Off-Peak         0.32         4%         20.9           Summer Off-Peak         0.32         4%         20.9      S	Summer Off-Peak         3 62         17.0%         15.8           Winter Part-Peak         0.79         4.0%         15.8           Winter Off-Peak         5.82         27.0%         15.8           Tier-2         Summer On-Peak         0.92         4.0%         26.1           Summer Part-Peak         0.34         4.0%         20.1         30.1           Summer Off-Peak         2.36         11.0%         16.8           Winter Part-Peak         0.49         2.0%         16.1           Winter Off-Peak         3.71         18%         16.8           Cust \$/Mo.         5.0         5.0         5.0           Fixed Charge High Demand \$/Mo.         0.0         6.0         5.0           Fixed Charge Low Demand \$/Mo.         0.0         0.0         6.0           Fixed Charge S/Mo.         0.0         7% of         18           Summer On-Peak         0.60         8%         11.8           Summer Off-Peak         1.47         19%         11.8           Winter Off-Peak         0.31         4%         10.8           Winter Off-Peak         0.32         4%         20.9           Summer On-Peak         0.32         4%         20.		Summer Part-Peak	1.40	7.0%	15.8
Winter Part-Peak         0.79         4.0%         15.8           Winter Off-Peak         5.82         27.0%         15.8           Tier-2         Summer On-Peak         0.92         4.0%         26.1           Summer Part-Peak         0.94         4.0%         20.1           Summer Off-Peak         2.36         11.0%         16.8           Winter Part-Peak         0.49         2.0%         16.1           Winter Off-Peak         3.71         18%         16.8           Cust \$/Mo.         Fixed Charge High Demand \$/Mo.         0.0         5.0           Fixed Charge High Demand \$/Mo.         0.0         0.0         0.0           Fixed Charge Figh Demand \$/Mo.         0.0         0.0         0.0           Fixed Charge High Demand \$/Mo.         0.0         0.0         0.0           Fixed Charge Low Demand \$/Mo.         0.0         0.0         0.0           Fixed Charge Low Demand \$/Mo.         0.0         0.0         0.0           Fixed Charge High Demand \$/Mo.         0.00         8/0         11.8           Summer On-Peak         0.60         8% of         11.8           Summer Off-Peak         1.31         4%         16.1           Winter Off-Peak <td>Winter Part-Peak         0.79         4.0%         15.8           Winter Off-Peak         5.82         27.0%         15.8           Tier-2         Summer On-Peak         0.92         4.0%         26.1           Summer Part-Peak         0.92         4.0%         26.1           Summer Part-Peak         0.92         4.0%         26.1           Summer Off-Peak         2.36         11.0%         16.8           Winter Off-Peak         3.71         18%         16.8           Cust \$/Mo.         5.0         5.0         5.0           Fixed Charge High Demand \$/Mo.         0.0         5.0         5.0           Fixed Charge Low Demand \$/Mo.         0.0         5.0         5.0           Min Charge \$/Mo.         0.0         5.0         7% of         7           CARE         Period Sales (GWh)         Sales         Rate           Tier-1         Summer On-Peak         0.60         3%         11.8           Summer Off-Peak         1.47         19%         11.8           Summer Off-Peak         0.31         4%         16.1           Summer Off-Peak         0.32         4%         20.9           Summer Off-Peak         0.31         <th< td=""><td></td><td>Summer Off-Peak</td><td>3.62</td><td>17.0%</td><td>15.8</td></th<></td>	Winter Part-Peak         0.79         4.0%         15.8           Winter Off-Peak         5.82         27.0%         15.8           Tier-2         Summer On-Peak         0.92         4.0%         26.1           Summer Part-Peak         0.92         4.0%         26.1           Summer Part-Peak         0.92         4.0%         26.1           Summer Off-Peak         2.36         11.0%         16.8           Winter Off-Peak         3.71         18%         16.8           Cust \$/Mo.         5.0         5.0         5.0           Fixed Charge High Demand \$/Mo.         0.0         5.0         5.0           Fixed Charge Low Demand \$/Mo.         0.0         5.0         5.0           Min Charge \$/Mo.         0.0         5.0         7% of         7           CARE         Period Sales (GWh)         Sales         Rate           Tier-1         Summer On-Peak         0.60         3%         11.8           Summer Off-Peak         1.47         19%         11.8           Summer Off-Peak         0.31         4%         16.1           Summer Off-Peak         0.32         4%         20.9           Summer Off-Peak         0.31 <th< td=""><td></td><td>Summer Off-Peak</td><td>3.62</td><td>17.0%</td><td>15.8</td></th<>		Summer Off-Peak	3.62	17.0%	15.8
Winter Off-Peak         5.82         27.0%         15.8           Tier.2         Summer On-Peak         0.92         4.0%         20.1           Summer Part.Peak         0.94         4.0%         20.1           Summer Off.Peak         2.36         11.0%         16.8           Winter Part.Peak         0.49         2.0%         16.1           Winter Off.Peak         3.71         18%         16.8           Cust \$/Mo.         Fixed Charge High Demand \$/Mo.         0.0         5.0           Fixed Charge Low Demand \$/Mo.         0.0         0.0         0.0           Min Charge \$/Mo.         0.0         8         11.8           Summer On-Peak         0.60         8% of         7%           Tier.1         Summer On-Peak         0.60         8%         11.8           Summer Off.Peak         1.47         19%         11.8           Winter Off.Peak         0.31         4%         11.8           Summer On-Peak         0.32         4%         20.9           Summer Off.Peak         0.31         4%         13.8           Tier.2         Summer On-Peak         0.32         4%         20.9           Summer Off.Peak         0.31	Winter Off-Peak         5.82         27.0%         15.8           Tier-2         Summer On-Peak         0.92         4.0%         26.1           Summer Part-Peak         0.94         4.0%         20.1           Summer Off-Peak         2.36         11.0%         16.8           Winter Part-Peak         0.49         2.0%         16.1           Winter Off-Peak         3.71         18%         16.8           Winter Off-Peak         3.71         18%         16.8           Cust \$/Mo.         5.0         5.0         5.0           Fixed Charge High Demand \$/Mo.         0.0         6.0         5.0           Fixed Charge Low Demand \$/Mo.         0.0         6.0         8%         11.8           Caree         Period Sales (GWh)         Sales         Rate           Tier.1         Summer On-Peak         0.60         8%         11.8           Summer On-Peak         0.31         4%         11.8           Summer Off-Peak         1.47         19%         11.8           Summer Off-Peak         0.31         4%         10.9           Summer Off-Peak         0.32         4%         20.9           Summer Off-Peak         0.31         4		Winter Part-Peak	0.79	4.0%	15.8
Tier.2         Summer On.Peak         0.92         4.0%         26.1           Summer Part.Peak         0.94         4.0%         20.1           Summer Off.Peak         2.36         11.0%         16.8           Winter Part.Peak         0.49         2.0%         16.1           Winter Off.Peak         3.71         18%         16.8           Cust \$/Mo.         5.0         5.0         5.0           Fixed Charge High Demand \$/Mo.         0.0         0.0         5.0           Fixed Charge Low Demand \$/Mo.         0.0         0.0         0.0           Tier.1         Summer On.Peak         0.60         8%         11.8           Summer Off.Peak         1.47         19%         11.8           Winter Off.Peak         0.31         4.%         10.1           Winter Off.Peak         0.32         4.%         0.9           Summer On.Peak         0.	Tier-2         Summer On-Peak Summer Part-Peak         0.92         4.0%         26.1           Summer Part-Peak         0.94         4.0%         20.1           Summer Off-Peak         2.36         11.0%         16.8           Winter Part-Peak         0.49         2.0%         16.1           Winter Off-Peak         3.71         18%         16.8           Cust \$/Mo.         5.0         5.0         5.0           Fixed Charge High Demand \$/Mo.         0.0         6.0         5.0           Fixed Charge Low Demand \$/Mo.         0.0         0.0         6.0           Min Charge \$/Mo.         0.0         7% of         7           CARE         Period Sales (GWh)         Sales         Rate           Tier.1         Summer On-Peak         0.60         3%         11.8           Summer Off-Peak         1.47         19%         11.8           Winter Off-Peak         0.31         4%         10.8           Summer On-Peak         0.32         4%         20.9           Summer On-Peak         0.32         4%         20.9           Summer Off-Peak         0.31         4%         16.1           Summer Off-Peak         0.32         4%		Winter Off-Peak	5.82	27.0%	15.8
Summer Part-Peak         0.94         4.0%         20.1           Summmer Off-Peak         2.36         11.0%         16.8           Winter Part-Peak         0.49         2.0%         16.1           Winter Off-Peak         3.71         18%         16.8           Cust \$/Mo.         5.0           Fixed Charge High Demand \$/Mo.         0.0         0.0           Fixed Charge Low Demand \$/Mo.         0.0         0.0           Min Charge \$/Mo.         0.0         0.0           CARE         Period Sales (GWh)         Sales         Rate           Tier.1         Summer On-Peak         0.60         8%         11.8           Summer Off-Peak         1.47         19%         11.8           Winter Part-Peak         0.31         4%         11.8           Winter Off-Peak         0.32         4%         20.9           Summer On-Peak         0.32         4%         20.9           Summer Off-Peak         0.31         4%         16.1           Winter Off-Peak         0.32         4%         20.9           Summer Off-Peak         0.31         4%         16.1           Summer Off-Peak         0.31         2%         29.9 <td>Summer Part-Peak         0.94         4.0%         20.1           Summmer Off-Peak         2.36         11.0%         16.8           Winter Part-Peak         0.49         2.0%         16.1           Winter Off-Peak         3.71         18%         16.8           Cust \$/Mo.         5.0         5.0         5.0           Fixed Charge High Demand \$/Mo.         0.0         0.0         0.0           Fixed Charge Low Demand \$/Mo.         0.0         0.0         0.0           Caree         Period Sales (GWh)         Sales         Rate           Tier.1         Summer On-Peak         0.60         8%         11.8           Summer Off-Peak         1.47         19%         11.8           Winter Off-Peak         0.31         4%         11.8           Winter Off-Peak         0.31         4%         11.8           Winter Off-Peak         0.32         4%         20.9           Summer On-Peak         0.32         4%         20.9           Summer On-Peak         0.32         4%         20.9           Summer Off-Peak         0.13         2%         12.9           Winter Off-Peak         0.13         2%         13.4</td> <td>Tier-2</td> <td>Summer On-Peak</td> <td>0.92</td> <td>4.0%</td> <td>26.1</td>	Summer Part-Peak         0.94         4.0%         20.1           Summmer Off-Peak         2.36         11.0%         16.8           Winter Part-Peak         0.49         2.0%         16.1           Winter Off-Peak         3.71         18%         16.8           Cust \$/Mo.         5.0         5.0         5.0           Fixed Charge High Demand \$/Mo.         0.0         0.0         0.0           Fixed Charge Low Demand \$/Mo.         0.0         0.0         0.0           Caree         Period Sales (GWh)         Sales         Rate           Tier.1         Summer On-Peak         0.60         8%         11.8           Summer Off-Peak         1.47         19%         11.8           Winter Off-Peak         0.31         4%         11.8           Winter Off-Peak         0.31         4%         11.8           Winter Off-Peak         0.32         4%         20.9           Summer On-Peak         0.32         4%         20.9           Summer On-Peak         0.32         4%         20.9           Summer Off-Peak         0.13         2%         12.9           Winter Off-Peak         0.13         2%         13.4	Tier-2	Summer On-Peak	0.92	4.0%	26.1
Summer Off Peak         2.36         11.0%         16.8           Winter Part-Peak         0.49         2.0%         16.1           Winter Off-Peak         3.71         18%         16.8           Cust \$/Mo.         5.0         5.0         5.0           Fixed Charge High Demand \$/Mo.         0.0         0.0         0.0           Fixed Charge Low Demand \$/Mo.         0.0         0.0         0.0           Min Charge \$/Mo.         0.0         0.0         0.0           CARE         Period Sales (GWh)         Sales         Rate           Tier.1         Summer On-Peak         0.59         7%         11.8           Summer Off-Peak         1.47         19%         11.8           Winter Part-Peak         0.31         4%         11.8           Winter Off-Peak         0.32         4%         20.9           Summer On-Peak         0.32         4%         20.9           Summer Off-Peak         0.31         4%         11.3           Winter Off-Peak         0.32         4%         20.9           Summer Off-Peak         0.32         4%         20.9           Summer Off-Peak         0.31         4%         13.4	Summmer Off-Peak         2.36         11.0%         16.8           Winter Part-Peak         0.49         2.0%         16.1           Winter Off-Peak         3.71         18%         16.8           Cust \$/Mo.         5.0         5.0         5.0           Fixed Charge High Demand \$/Mo.         0.0         0.0         0.0           Fixed Charge Low Demand \$/Mo.         0.0         0.0         0.0           Min Charge \$/Mo.         0.0         % of         0.0           CARE         Period Sales (GWh)         Sales         Rate           Tier.1         Summer On-Peak         0.60         3%         11.8           Summer Off-Peak         1.47         19%         11.8           Winter Part-Peak         0.31         4%         11.8           Winter Off-Peak         0.32         4%         20.9           Summer On-Peak         0.32         4%         20.9           Summer Off-Peak         0.31         4%         16.1           Summer Off-Peak         0.32         4%         20.9           Summer Off-Peak         0.31         2%         13.4           Winter Off-Peak         0.31         2%         13.4		Summer Part-Peak	0.94	4.0%	20.1
Winter Part.Peak Winter Off.Peak         0.49 3.71         2.0% 18%         16.1 18%           Cust \$/Mo.         5.0         5.0           Fixed Charge High Demand \$/Mo.         0.0           Fixed Charge Low Demand \$/Mo.         0.0           Fixed Charge Low Demand \$/Mo.         0.0           Min Charge \$/Mo.         0.0           Summer On-Peak         0.60           Winter Off-Peak         0.31           Minter Off-Peak         0.31           Minter Off-Peak         0.32           Minter Off-Peak         0.31           Summer On-Peak         0.32           Summer Off-Peak         0.31           Minter Off-Peak         0.31           Minter Off-Peak         0.31	Winter Part-Peak         0.49         2.0%         16.1           Winter Off-Peak         3.71         18%         16.8           Cust \$/Mo.         5.0         5.0         5.0           Fixed Charge High Demand \$/Mo.         0.0         5.0         5.0           Fixed Charge Low Demand \$/Mo.         0.0         0.0         6.0         0.0           Min Charge \$/Mo.         0.0         7% of         0.0         0.0           CARE         Period Sales (GWh)         Sales         Rate         7%           Tier.1         Summer On-Peak         0.60         8%         11.8           Summer Off-Peak         1.47         19%         11.8           Winter Part-Peak         0.31         4%         20.9           Summer Off-Peak         0.32         4%         20.9           Summer Off-Peak         0.31         4%         10.1           Winter Off-Peak         0.13         2%         12.9           Winter Off-Peak         0.13		Summmer Off-Peak	2.36	11.0%	16.8
Winter Off-Peak         3.71         18%         16.8           Cust \$/Mo.         5.0         5.0         5.0           Fixed Charge High Demand \$/Mo.         0.0         0.0           Fixed Charge Low Demand \$/Mo.         0.0           Min Charge \$/Mo.         0.0           CARE         Period Sales (GWh)         Sales           Tier-1         Summer On-Peak         0.60         8%           Summer Off-Peak         1.47         19%         11.8           Summer Off-Peak         0.31         4%         11.8           Winter Off-Peak         0.31         4%         11.8           Summer Off-Peak         0.31         4%         11.8           Winter Off-Peak         0.31         4%         13.4           Winter Off-Peak         0.31         4%         16.1           Summer Off-Peak         0.31         4%         16.1           Summer Off-Peak         0.13         2%         13.4           Winter Off-Peak <td< td=""><td>Winter Off-Peak3.7118%16.8Cust \$/Mo.5.0Fixed Charge High Demand \$/Mo.0.0Fixed Charge Low Demand \$/Mo.0.0Min Charge \$/Mo.0.0Min Charge \$/Mo.% ofCAREPeriod Sales (GWh)SalesRateTier-1Summer On-Peak0.608%11.8Summer Part-Peak0.597%11.8Summer Off-Peak1.4719%11.8Winter Part-Peak0.314%11.8Winter Off-Peak0.324%20.9Summer On-Peak0.324%16.1Winter Off-Peak0.314%16.1Summer Off-Peak0.324%20.9Summer Off-Peak0.314%16.1Winter Off-Peak0.324%20.9Summer Off-Peak0.312%12.9Winter Off-Peak1.0312%13.4Winter Off-Peak0.132%12.9Winter Off-Peak1.0312%13.4Cust \$/Mo.38538Fixed Charge High Demand \$/Mo.0.038Fixed Charge Low Demand \$/Mo.0.00.9</td><td></td><td>Winter Part-Peak</td><td>0.49</td><td>2,0%</td><td>16.1</td></td<>	Winter Off-Peak3.7118%16.8Cust \$/Mo.5.0Fixed Charge High Demand \$/Mo.0.0Fixed Charge Low Demand \$/Mo.0.0Min Charge \$/Mo.0.0Min Charge \$/Mo.% ofCAREPeriod Sales (GWh)SalesRateTier-1Summer On-Peak0.608%11.8Summer Part-Peak0.597%11.8Summer Off-Peak1.4719%11.8Winter Part-Peak0.314%11.8Winter Off-Peak0.324%20.9Summer On-Peak0.324%16.1Winter Off-Peak0.314%16.1Summer Off-Peak0.324%20.9Summer Off-Peak0.314%16.1Winter Off-Peak0.324%20.9Summer Off-Peak0.312%12.9Winter Off-Peak1.0312%13.4Winter Off-Peak0.132%12.9Winter Off-Peak1.0312%13.4Cust \$/Mo.38538Fixed Charge High Demand \$/Mo.0.038Fixed Charge Low Demand \$/Mo.0.00.9		Winter Part-Peak	0.49	2,0%	16.1
Cust \$/Mo.       5.0         Fixed Charge High Demand \$/Mo.       0.0         Fixed Charge Low Demand \$/Mo.       0.0         Min Charge \$/Mo.       0.0         Min Charge \$/Mo.       0.0         Min Charge \$/Mo.       0.0         Tier.1       Summer On-Peak       0.60         Summer Part-Peak       0.59       7%       118         Summer Off.Peak       1.47       19%       118         Winter Part-Peak       0.31       4%       118         Winter Off.Peak       0.31       4%       118         Summer On-Peak       0.32       4%       209         Summer Off.Peak       0.31       4%       161         Summer Off.Peak       0.13       2%       129         Winter Off.Peak       1.03       12%       134         Winter Off.Peak       1.03       12%       134         Keit \$/Mo.       1.03       12%       134         Winter Off.Peak       1.03       12%       134	Cust \$/Mo.       5.0         Fixed Charge High Demand \$/Mo.       0.0         Fixed Charge Low Demand \$/Mo.       0.0         Min Charge \$/Mo.       0.0         Minter Off-Peak       0.31         Minter Off-Peak       1.3		Winter Off-Peak	3.71	18%	16.8
Fixed Charge High Demand \$/Mo.       0.0         Fixed Charge Low Demand \$/Mo.       0.0         Min Charge \$/Mo.       0.0         Min Charge \$/Mo.       0.0         CARE       Period Sales (GWh)       Sales       Rate         Tier.1       Summer On-Peak       0.60       8%       11.8         Summer Part-Peak       0.59       7%       11.8         Summer Off-Peak       1.47       19%       11.8         Winter Part-Peak       0.31       4%       11.8         Winter Off-Peak       0.32       4%       20.9         Summer On-Peak       0.32       4%       20.9         Summer Off-Peak       0.31       4%       16.1         Summer Off-Peak       0.31       4%       16.1         Summer Off-Peak       0.31       4%       16.1         Summer Off-Peak       0.13       2%       12.9         Winter Off-Peak       0.13       2%       12.9         Winter Off-Peak       1.03       12%       13.4         Kunter Off-Peak       1.03       12%       13.4         Winter Off-Peak       1.03       12%       13.4         Winter Off-Peak       1.03       12% </td <td>Fixed Charge High Demand \$/Mo.       0.0         Fixed Charge Low Demand \$/Mo.       0.0         Min Charge \$/Mo.       0.0         CARE       Period Sales (GWh)       Sales         Tier-1       Summer On-Peak       0.60       8%       11.8         Summer Part-Peak       0.59       7%       11.8         Summer Off-Peak       1.47       19%       11.8         Winter Part-Peak       0.31       4%       11.8         Winter Off-Peak       2.34       30%       11.8         Tier-2       Summer On-Peak       0.32       4%       20.9         Summer On-Peak       0.31       4%       16.1         Summer Off-Peak       0.13       2%       12.9         Winter Off-Peak       1.03       12%       13.4         Kined Charge Hi</td> <td></td> <td>Cust \$/Mo.</td> <td></td> <td></td> <td>5.0</td>	Fixed Charge High Demand \$/Mo.       0.0         Fixed Charge Low Demand \$/Mo.       0.0         Min Charge \$/Mo.       0.0         CARE       Period Sales (GWh)       Sales         Tier-1       Summer On-Peak       0.60       8%       11.8         Summer Part-Peak       0.59       7%       11.8         Summer Off-Peak       1.47       19%       11.8         Winter Part-Peak       0.31       4%       11.8         Winter Off-Peak       2.34       30%       11.8         Tier-2       Summer On-Peak       0.32       4%       20.9         Summer On-Peak       0.31       4%       16.1         Summer Off-Peak       0.13       2%       12.9         Winter Off-Peak       1.03       12%       13.4         Kined Charge Hi		Cust \$/Mo.			5.0
Fixed Charge Low Demand \$/Mo.       0.0         Min Charge \$/Mo.       0.0         CARE       Period Sales (GWh)       Sales       Rate         Tier.1       Summer On-Peak       0.60       3%       11.8         Summer Part-Peak       0.59       7%       11.8         Summer Off.Peak       1.47       19%       11.8         Winter Part-Peak       0.31       4%       11.8         Winter Off.Peak       2.34       30%       11.8         Tier.2       Summer On-Peak       0.32       4%       20.9         Summer Off.Peak       0.31       4%       16.1         Winter Off.Peak       0.31       4%       20.9         Summer Off.Peak       0.31       4%       16.1         Summer Off.Peak       0.31       4%       16.1         Summer Off.Peak       0.31       2%       12.9         Winter Off.Peak       0.13       2%       12.9         Winter Off.Peak       1.03       12%       13.4         Cust \$/Mo.       38       5       38         Fixed Charge High Demand \$/Mo.       0.0       0.0	Fixed Charge Low Demand \$/Mo.       0.0         Min Charge \$/Mo.       % of         CARE       Period Sales (GWh)       Sales       Rate         Tier.1       Summer On-Peak       0.60       3%       11.8         Summer Part-Peak       0.53       7%       11.8         Summer Off-Peak       1.47       19%       11.8         Winter Part-Peak       0.31       4%       11.8         Winter Off-Peak       2.34       30%       11.8         Tier.2       Summer On-Peak       0.32       4%       20.9         Summer Off-Peak       0.31       4%       16.1         Summer Off-Peak       0.32       4%       20.9         Summer Off-Peak       0.31       4%       16.1         Summer Off-Peak       0.31       4%       16.1         Summer Off-Peak       0.31       4%       16.1         Summer Off-Peak       0.13       2%       12.9         Winter Off-Peak       1.03       12%       13.4         Winter Off-Peak       1.03       12%       13.4         Cust \$/Mo.       38       5       5.00       5.8         Fixed Charge High Demand \$/Mo.       0.0       0.0		Fixed Charge High Demand \$/Mo.			0.0
Min Charge \$/Mo.         0.0           CARE         Period Sales (GWh)         Sales         Rate           Tier.1         Summer On-Peak         0.60         8%         11.8           Summer Part-Peak         0.59         7%         11.8           Summer Off-Peak         1.47         19%         11.8           Winter Part-Peak         0.31         4%         11.8           Winter Off-Peak         2.34         30%         11.8           Winter Off-Peak         0.31         4%         20.9           Summer On-Peak         0.32         4%         20.9           Summer Off-Peak         0.31         4%         16.1           Summer Off-Peak         0.31         4%         13.4           Vinter Part-Peak         0.31         4%         16.1           Summer Off-Peak         0.13         2%         13.4           Winter Off-Peak         0.13         2%         12.9           Winter Off-Peak         1.03         12%         13.4           Cust \$/Mo.         38         5         38           Fixed Charge High Demand \$/Mo.         0.0         38	Min Charge \$/Mo.         % of           CARE         Period Sales (GWh)         Sales         Rate           Tier.1         Summer On-Peak         0.60         8%         11.8           Summer Part-Peak         0.59         7%         11.8           Summer Off-Peak         1.47         19%         11.8           Winter Part-Peak         0.31         4%         11.8           Winter Off-Peak         2.34         30%         11.8           Tier.2         Summer On-Peak         0.32         4%         20.9           Summer Off-Peak         0.31         4%         10.1           Winter Off-Peak         0.32         4%         20.9           Summer Off-Peak         0.32         4%         20.9           Summer Off-Peak         0.31         4%         16.1           Summer Off-Peak         0.31         2%         12.9           Winter Off-Peak         1.03         12%         13.4           Winter Off-Peak <td< td=""><td></td><td>Fixed Charge Low Demand \$/Mo.</td><td></td><td></td><td>0.0</td></td<>		Fixed Charge Low Demand \$/Mo.			0.0
CARE         Period Sales (GWh)         Sales         Rate           Tier-1         Summer On-Peak         0.60         8%         11.8           Summer Part-Peak         0.59         7%         11.8           Summer Off-Peak         1.47         19%         11.8           Winter Part-Peak         0.31         4%         11.8           Winter Off-Peak         2.34         30%         11.8           Tier-2         Summer On-Peak         0.32         4%         20.9           Summer On-Peak         0.32         4%         20.9           Summer Off-Peak         0.31         4%         16.1           Summer Off-Peak         0.31         4%         16.1           Summer Off-Peak         0.31         4%         16.1           Summer Off-Peak         0.13         2%         12.9           Winter Part-Peak         0.13         2%         12.9           Winter Off-Peak         1.03         12%         13.4           Cust \$/Mo.         38         5         38           Fixed Charge High Demand \$/Mo.         0.0         0.0	CAREPeriod Sales (GWh)SalesRateTier.1Summer On-Peak0.608%11.8Summer Part-Peak0.597%11.8Summer Off-Peak1.4719%11.8Winter Part-Peak0.314%11.8Winter Off-Peak2.3430%11.8Tier.2Summer On-Peak0.324%20.9Summer Off-Peak0.314%16.1Summer Off-Peak0.314%16.1Summer Off-Peak0.314%16.1Summer Off-Peak0.314%16.1Summer Off-Peak0.312%12.9Winter Off-Peak1.0312%13.4Winter Off-Peak1.0312%13.4Cust \$/Mo.38538Fixed Charge High Demand \$/Mo.0.00.0		Min Charge \$/Mo.			0.0
CAREPeriod Sales (GWh)SalesRateTier-1Summer On-Peak0.608%11.8Summer Part-Peak0.597%11.8Summer Off-Peak1.4719%11.8Winter Part-Peak0.314%11.8Winter Off-Peak2.3430%11.8Tier-2Summer On-Peak0.324%20.9Summer On-Peak0.314%16.1Summer Off-Peak0.314%16.1Summer Off-Peak0.7510%13.4Winter Part-Peak0.132%12.9Winter Off-Peak1.0312%13.4Cust \$/Mo.3.853.8Fixed Charge High Demand \$/Mo.0.00.0	CAREPeriod Sales (GWh)SalesRateTier-1Summer On-Peak0.608%11.8Summer Part-Peak0.597%11.8Summer Off-Peak1.4719%11.8Winter Part-Peak0.314%11.8Winter Off-Peak2.3430%11.8Tier-2Summer On-Peak0.324%20.9Summer On-Peak0.324%20.9Summer Part-Peak0.314%16.1Summer Off-Peak0.7510%13.4Winter Part-Peak0.132%12.9Winter Off-Peak1.0312%13.4Winter Off-Peak1.0312%13.4Winter Off-Peak1.0312%13.4Cust \$/Mo.38538Fixed Charge High Demand \$/Mo.0.0Fixed Charge Low Demand \$/Mo.0.0				% of	
Tier-1         Summer On-Peak         0.60         8%         11.8           Summer Part-Peak         0.59         7%         11.8           Summer Off-Peak         1.47         19%         11.8           Winter Part-Peak         0.31         4%         11.8           Winter Off-Peak         2.34         30%         11.8           Tier-2         Summer On-Peak         0.32         4%         20.9           Summer On-Peak         0.31         4%         16.1           Summer Off-Peak         0.31         4%         16.1           Summer Off-Peak         0.75         10%         13.4           Winter Part-Peak         0.13         2%         12.9           Winter Off-Peak         1.03         12%         13.4           Cust \$/Mo.         3.8         5         3.8           Fixed Charge High Demand \$/Mo.         0.0         0.0         0.0	Tier-1         Summer On-Peak         0.60         8%         11.8           Summer Part-Peak         0.59         7%         11.8           Summer Off-Peak         1.47         19%         11.8           Winter Part-Peak         0.31         4%         11.8           Winter Off-Peak         2.34         30%         11.8           Tier-2         Summer On-Peak         0.32         4%         20.9           Summer Part-Peak         0.31         4%         16.1           Summer Off-Peak         0.75         10%         13.4           Winter Part-Peak         0.13         2%         12.9           Winter Part-Peak         0.13         2%         12.9           Winter Off-Peak         1.03         12%         13.4           Cust \$/Mo.         3.8         5         5         0.0           Fixed Charge High Demand \$/Mo.         0.0         0.0         0.0	CARE	Period S	ales (GWh)	Sales	Rate
Summer Part-Peak         0.59         7%         11.8           Summmer Off-Peak         1.47         19%         11.8           Winter Part-Peak         0.31         4%         11.8           Winter Off-Peak         2.34         30%         11.8           Tier-2         Summer On-Peak         0.32         4%         20.9           Summer On-Peak         0.31         4%         16.1           Summer Off-Peak         0.31         4%         16.1           Summer Off-Peak         0.75         10%         13.4           Winter Part-Peak         0.13         2%         12.9           Winter Off-Peak         1.03         12%         13.4           Cust \$/Mo.         3.8         5         3.8           Fixed Charge High Demand \$/Mo.         0.0         0.0         0.0	Summer Part-Peak         0.59         7%         11.8           Summer Off-Peak         1.47         19%         11.8           Winter Part-Peak         0.31         4%         11.8           Winter Off-Peak         2.34         30%         11.8           Tier-2         Summer On-Peak         0.32         4%         20.9           Summer Part-Peak         0.31         4%         16.1           Summer Off-Peak         0.75         10%         13.4           Winter Part-Peak         0.13         2%         12.9           Winter Off-Peak         1.03         12%         13.4           Cust \$/Mo.         3.8         5         5         0.0           Fixed Charge High Demand \$/Mo.         0.0         0.0         0.0	Tier-1	Summer On-Peak	0.60	8%	11.8
Summer Off-Peak         1.47         19%         11.8           Winter Part-Peak         0.31         4%         11.8           Winter Off-Peak         2.34         30%         11.8           Tier-2         Summer On-Peak         0.32         4%         20.9           Summer Part-Peak         0.31         4%         16.1           Summer Off-Peak         0.75         10%         13.4           Winter Part-Peak         0.13         2%         12.9           Winter Off-Peak         1.03         12%         13.4           Cust \$/Mo.         3.8         3.8         3.8           Fixed Charge High Demand \$/Mo.         0.0         0.0         0.0	Summer Off-Peak         147         19%         11.8           Winter Part-Peak         0.31         4%         11.8           Winter Off-Peak         2.34         30%         11.8           Tier-2         Summer On-Peak         0.32         4%         20.9           Summer Part-Peak         0.31         4%         16.1           Summer Off-Peak         0.75         10%         13.4           Winter Part-Peak         0.13         2%         12.9           Winter Off-Peak         1.03         12%         13.4           Cust \$/Mo.         38         5         5         0.0           Fixed Charge High Demand \$/Mo.         0.0         0.0         0.0		Summer Part Peak	A 20	7%5	11.8
Winter Part-Peak         0.31         4%         11.8           Winter Off-Peak         2.34         30%         11.8           Tier-2         Summer On-Peak         0.32         4%         20.9           Summer Part-Peak         0.31         4%         16.1           Summer Off-Peak         0.75         10%         13.4           Winter Part-Peak         0.13         2%         12.9           Winter Off-Peak         1.03         12%         13.4           Cust \$/Mo.         38         5         50.0         38	Winter Part-Peak         0 31         4%         11.8           Winter Off-Peak         2.34         30%         11.8           Tier-2         Summer On-Peak         0 32         4%         20.9           Summer Part-Peak         0 31         4%         16.1           Summer Off-Peak         0.75         10%         13.4           Winter Part-Peak         0.13         2%         12.9           Winter Off-Peak         1.03         12%         13.4           Cust \$/Mo.         3.8         Sized Charge High Demand \$/Mo.         0.0         3.8           Fixed Charge Low Demand \$/Mo.         0.0         0.0         0.0		Summer i un-i eux	9.999		
Winter Off-Peak         2.34         30%         11.8           Tier-2         Summer On-Peak         0.32         4%         20.9           Summer Part-Peak         0.31         4%         16.1           Summer Off-Peak         0.75         10%         13.4           Winter Part-Peak         0.13         2%         12.9           Winter Off-Peak         1.03         12%         13.4           Cust \$/Mo.         3.8         5         3.8           Fixed Charge High Demand \$/Mo.         0.0         0.0	Winter Off-Peak2.3430%11.8Tier-2Summer On-Peak0.324%20.9Summer Part-Peak0.314%16.1Summer Off-Peak0.7510%13.4Winter Part-Peak0.132%12.9Winter Off-Peak1.0312%13.4Cust \$/Mo.385ixed Charge High Demand \$/Mo.00Fixed Charge Low Demand \$/Mo.00		Summer Off-Peak	1.47	19%	11.8
Tier-2         Summer On-Peak         0.32         4%         20.9           Summer Part-Peak         0.31         4%         16.1           Summer Off-Peak         0.75         10%         13.4           Winter Part-Peak         0.13         2%         12.9           Winter Off-Peak         1.03         12%         13.4           Cust \$/Mo.         3.8         5         3.8         3.8           Fixed Charge High Demand \$/Mo.         0.0         0.0         0.0	Tier-2         Summer On-Peak         0 32         4 %         20 9         9           Summer Part-Peak         0 31         4 %         16.1         16.1         13.4         14.5         13.4         14.5         13.4         14.5<		Summer Off-Peak Winter Part-Peak	1.47 0.31	19% 4%	11.8 11.8
Summer Part-Peak         0.31         4%         16.1           Summer Off-Peak         0.75         10%         13.4           Winter Part-Peak         0.13         2%         12.9           Winter Off-Peak         1.03         12%         13.4           Cust \$/Mo.         3.8         3.8         3.8           Fixed Charge High Demand \$/Mo.         0.0         0.0	Summer Part-Peak0.314%16.1Summer Off-Peak0.7510%13.4Winter Part-Peak0.132%12.9Winter Off-Peak1.0312%13.4Cust \$/Mo.38Fixed Charge High Demand \$/Mo.00Fixed Charge Low Demand \$/Mo.00		Summer Off-Peak Winter Part-Peak Winter Off-Peak	0.33 1.47 0.31 2.34	19% 4% 30%	11.8 11.8 11.8
Summer Off-Peak0.7510%13.4Winter Part-Peak0.132%12.9Winter Off-Peak1.0312%13.4Cust \$/Mo.3.8Fixed Charge High Demand \$/Mo.0.0	Summer Off-Peak0.7510%13.4Winter Part-Peak0.132%12.9Winter Off-Peak1.0312%13.4Cust \$/Mo.3.8Fixed Charge High Demand \$/Mo.0.0Fixed Charge Low Demand \$/Mo.0.0	Tier-2	Summer Off-Peak Winter Part-Peak Winter Off-Peak Summer On-Peak	0.33 1.47 0.31 2.34 0.32	19% 4% 30% 4%	11 8 11 8 11 8 20 9
Winter Part-Peak0.132%12.9Winter Off-Peak1.0312%13.4Cust \$/Mo.3.8Fixed Charge High Demand \$/Mo.0.0	Winter Part-Peak0.132%12.9Winter Off-Peak1.0312%13.4Cust \$/Mo.3.8Fixed Charge High Demand \$/Mo.0.0Fixed Charge Low Demand \$/Mo.0.0	Tier-2	Summer Off-Peak Winter Part-Peak Winter Off-Peak Summer On-Peak Summer Part-Peak	0.33 1.47 0.31 2.34 0.32 0.31	19% 4% 30% 4% 4%	11.8 11.8 11.8 20.9 16.1
Winter Off-Peak1.0312%13.4Cust \$/Mo.3.8Fixed Charge High Demand \$/Mo.0.0	Winter Off-Peak1.0312%13.4Cust \$/Mo.3.8Fixed Charge High Demand \$/Mo.0.0Fixed Charge Low Demand \$/Mo.0.0	Tier-2	Summer Off-Peak Winter Part-Peak Winter Off-Peak Summer On-Peak Summer Part-Peak Summer Off-Peak	0.33 1.47 0.31 2.34 0.32 0.31 0.75	19% 4% 30% 4% 4% 10%	11 8 11 8 11 8 20 9 16 1 13 4
Cust \$/Mo. 3-8 Fixed Charge High Demand \$/Mo. 0.0	Cust \$/Mo.3.8Fixed Charge High Demand \$/Mo.0.0Fixed Charge Low Demand \$/Mo.0.0	Tier-2	Summer Off-Peak Winter Part-Peak Winter Off-Peak Summer On-Peak Summer Part-Peak Summer Off-Peak Winter Part-Peak	0.33 1.47 0.31 2.34 0.32 0.31 0.75 0.13	19% 4% 30% 4% 4% 10% 2%	11 8 11.8 11.8 20.9 16.1 13.4 12.9
Fixed Charge High Demand \$/Mo. 0.0	Fixed Charge High Demand \$/Mo.0.0Fixed Charge Low Demand \$/Mo.0.0	Tier-2	Summer Off-Peak Winter Part-Peak Winter Off-Peak Summer On-Peak Summer Part-Peak Summer Off-Peak Winter Part-Peak Winter Off-Peak	0.33 1.47 0.31 2.34 0.32 0.31 0.75 0.13 1.03	19% 4% 30% 4% 10% 2% 12%	11 8 11 8 11 8 20 9 16 1 13 4 12 9 13 4
	Fixed Charge Low Demand \$/Mo. 0.0	Tier-2	Summer Off-Peak Winter Part-Peak Winter Off-Peak Summer On-Peak Summer Off-Peak Summer Off-Peak Winter Part-Peak Winter Off-Peak	0.33 1.47 0.31 2.34 0.32 0.31 0.75 0.13 1.03	19% 4% 30% 4% 4% 10% 2% 12%	118 118 118 209 161 134 129 134 38

#### Figure 3

Average Rate Impact Summary Tables

A summary table is provided in the "Summary" tab showing: 1) Average Rate Impact Summaries by Zone; and 2) Rate Design Measures (see Figure 4) 1) Rate Impact Summary by Zone

Information includes:

- Non-CARE and CARE average system-wide and baseline territory average rate impacts
  - Cost-Based Rates
  - o Current Rates
  - Proposed Non-TOU Rates
  - Proposed TOU Rates
- 2) *Rate Design Measure Table* The Rate Design Measures Table provides the following information as it relates to Current Rates, Non-TOU Rates and TOU Rates (see Figure 5):
  - Residential CARE Subsidy (M\$)
  - Non-Residential Estimated CARE Subsidy (M\$)
  - Effective CARE Discount Percentage
  - Percentage of Fixed Cost Recovery<sup>5</sup>
  - Percent Fixed Cost Not Recovered<sup>6</sup>

<sup>&</sup>lt;sup>5</sup> The percentage of total fixed costs that are recovered through a given level of fixed charges.

<sup>&</sup>lt;sup>6</sup> This represents the percentage of total costs that are NOT collected through fixed charges. In the example shown in Figure 4, no costs are collected through fixed charges. Accordingly, one can conclude that 22 percent of total costs are fixed costs. If all fixed costs (i.e., 22 percent of total costs) were collected through a fixed charge(s), the" Fixed Cost Recovery Deviation from Cost" would be 0 percent.

Average Rate Impact Summary (Cents / kWh) by Zone								
	NON-	CARE						
Baseline	Cost Based	Jul-12	Proposed Non-TOU	Proposed TOU				
Region	14.8	17.2	5-fiel nate	nale 175				
T	16.8	18.2	18.7	17.9				
v v	18.6	16.5	15.8	17.3				
×	17.0	18.0	17.7	17.6				
s	17.5	18.1	17.7	17.6				
p	16.7	16.5	16.5	17.3				
R	17.3	18.1	17.5	17.6				
W	18.3	17.8	17.4	17.7				
Y	15.7	15.6	15.9	17.4				
Z	21.2	14.2	16.7	17.8				
Non-CARE Customers	17.1	18.0	17.7	17.6				
	CAI	RE						
Baseline	Cost Base	Jul-12	Proposed Non-TOU	Proposed TOU				
Region	Rate	Rate	3-Tier Rate	Rate				
Q	N/A	N/A	N/A	N/A				
T	16.4	9.4	13.8	13.7				
V	18.4	9.1	13.0	13.6				
×	17.3	9.1	13.0	13.4				
5	17.7	9.6	13.9	13.5				
P	15.8	9.1	12.6	13.2				
R	17.6	9.3	13.1	13.4				
W	17.1	9.4	13.2	13.5				
Y,	15.5	8.7	11.3	13.0				
Z	N/A	N/A	N/A	N/A				
CARE Customers	17.1	9.3	13.3	13.5				
				•				
Rate Design Measures	Cui	rrent Rate Levels	Non-TOU 3-Tier Rate	του				
Resid	lential CARE Subsidy (\$M) => \$	627,003,686	s 276,000,000 s	259,000,000				
Residential CARE subsidy funded by i	non-residential class (SMI) => 5	438,902,580	s 193000000 s	181,500,000				
Environment of Designed and the second se	metave LARE Discount % =>	48%	20%	18%				
Percent of Revenue Requirement met b	y Fixed Customer Charge =>	0%	5%	5%				
Perce	ent risted Cost Not Recovered	24%	1.9 %	1936				

Figure 4

There are two additional Rate Design Measure table similar to the Figure 4 table, that can be used to show the non-TOU and TOU rate impacts separately.

**Total Usage by Baseline Territory** 

A summary table is provided in the "Summary" tab showing total usage (GWh) for non-CARE and CARE customers by PG&E baseline territory.

**"Detailed Input" Tab** – Various inputs that may be needed for rate design are provided by the user in this tab.

**Basic Inputs for Calculation tab** 

- *Percent Non-Residential Usage of the Total Usage Less CARE and Streetlights* This is normally 70% for PG&E.
- *Billions* This is used as a common billion divisor or multiplier as necessary in the model.

- *Minimum Charge (\$/month)* The minimum monthly charge will be used by the model if "Minimum Charge in Lieu of Customer Charge" option is chosen in the "Summary" tab..
- *Missing Income Replacement* User can choose the replacement of annual income for the model to estimate bill to income ratio when this data is missing.
- *Max Customer Monthly Ave Usage* This is normally 2000 for PG&E customers.

#### Number of hours per time period

These inputs are used in the "Energy conservation" tab.

#### PRISM Models Hours by Period

These inputs are used in the "Energy conservation" tab.

#### Tiered Rate for Energy Conservation Calculation (\$/kWh)

These inputs are used in the "Energy conservation" tab to calculate estimate energy conservation.

Elasticity Input for non-TOU Energy Conservation Estimation These inputs are used in the "Energy conservation" tab.

**Elasticity Input for TOU Energy Conservation Estimation** These inputs are used in the "Energy conservation" tab.

#### **Bill Impact Classification Percent**

These bill impact range inputs are used in the "PGE Bill Impact Output-1" tab to report the results in a desired level of granularity. It is also used in the "PGE Bill Impact Output-2" tab.

#### **Percent of Sample Classification**

These ranges are used in the "PGE Bill Impact Output-1" tab to report the results in a desired level of reporting granularity.

#### Load Factor Range

These load factor range inputs are used in the "PGE-Bill-Impact-Output-3" tab to report the bill impact results at a desired level of load factor ranges.

#### **Income Range**

These range inputs are used in the "PGE-Bill-Impact-Output-3" tab to report the bill impact results at a desired level of income ranges.

#### **Current Rates Data**

These inputs are based on the respective advice letters and are used by the model to determine current rate based bill amount, and the revenue collection by various rate design scenarios. The naming of these inputs are intended to explain what these are.

#### Inputs (Intermediate)

- Basic inputs These inputs require updating based on the sample data used in this model.
- Non TOU Tier Collapsing Criteria These inputs are used in defining how the tiers would

be collapsed when designing a two, three or a four tiered rate structure.

- *Seasonal TOU Price Ratios* User can change these ratios to get a desired level of seasonal price differentiation.
- **Revenue Requirement Prior to Subsidy Allocation** If calibration to current rate based revenue collection is desired then these inputs should be driven by respective data from "Revenue Summary" tab. Alternatively, the user can choose a different set of inputs. However, the resulting rates will not be comparable to the current rates in that case.
- *Generation Charge for "Minimum Bill on Delivery Charge Only" Calculation* These inputs are used as estimates of the generation charge that should be outside the minimum charge when such option is chosen.
- *Fair Cost Rate Input (\$/kWh)* These inputs are used for cost based bill amount calculation. The naming for these inputs are intended for explaining what these are.
- *Elasticity Based Usage Adjustment Factors* The usage (kWh) adjustment factors can be provided as inputs for non-TOU and TOU rate designs in two tables.
- *Coincident Load Factor Averages* These inputs are used to replace missing values.
- *Non-Coincident Load Factor Averages* These inputs are used to replace missing values.
- Time Of Use (TOU) kWh split by zone These inputs are used to replace missing values.
- Average Usage Quantity (kWh per Day) by zone These inputs are used to calculate baseline quantity based on baseline percent chosen by the user.
- *Medical Allowance Baseline Quantity (kWh per month)* This input is used to calculate baseline quantity based on baseline percent chosen by the user.

#### **Tool Outputs**

**"PGE-Bill-Impact-Output-1" Tab** – Bill impact information is provided in tabular and graphic form in this tab. The information is segmented based on levels of percentage bill impacts that will be experienced by customers. A dropdown box is used to show bill impacts specific to Non-CARE, CARE or All Customers (see Appendix A).

Data Source: 2009 RASS sample merged with 2011 recorded usage.

The information provided in the bill impact tables includes:

- Bill Percentage Change Groups
- Number of Customers in Each Group
- Percentage of Customers in Each Group
- Average Monthly Kwh Use of Customers in Each Group
- Average Load Factor of Customers in Each Group
- Average "On-Peak" Percentage of Customers in Each Group
- Average Current Rates for Customers in Each Group
- Average Proposed Rates for Customers in Each Group
- Average Percentage Rate Change for Customers in Each Group
- Average Current Bills for Customers in Each Group
- Average Proposed Bills for Customers in Each Group

• Average Bill Change for Customers in Each Group

**"PGE-Bill-Impact-Output-2" Tab** – Bill impact information is provided in tabular form in this tab. The information is segmented based on levels of percentage bill impacts and dollar bill impacts that will be experienced by customers.

**"PGE-Bill-Impact-Output-3" Tab** – This tab shows the bill impacts by load factor ranges and income ranges.

**"PGE-Rate-Efficiency-Output" Tab** – This tab shows various rates and percentage rate changes from Current Rates (see Appendix B). The information is presented in tabular and graphic form based on average kWh usage levels.

The information shown in the rate tables includes:

- Average Monthly Usage-Level Categories
- Average Cost-Based Rate by Usage Level
- Average Current Rates by Usage Level
- Average Non-TOU Rate by Usage Level
- Average TOU Rate by Usage Level
- Cost-Based Rate Percentage Change from Current Rates
- Proposed Non-TOU Rate Percentage Change from Current Rates
- Proposed TOU Rate Percentage Change from Current Rates

**"PGE-Bill-And-Revenue-Study \$" Tab** – This tab shows the difference in monthly average bills and annual revenue recovery when cost of service is compared to current and optional rate designs (see Appendix C). The information is segmented based on average kWh usage levels.

The information shown in the tables in this tab includes:

- Average Monthly Usage-Level Categories
  - Cost-Based Rates
  - Current Rates
  - Non-TOU Rates
  - TOU Rates
  - Current, Non-TOU and TOU Average Monthly Bill Differences when Compared to Cost-Based Rates
- Total Annual Revenue by Average Monthly Usage Levels
  - Cost-Based Rates
  - Current Rates
  - Non-TOU Rates
  - TOU Rates
  - Current, Non-TOU and TOU Total Annual Revenue Differences when Compared to Cost-Based Rates

**"Correlation" Tab** – This tab includes instructive content related to the correlation between usage and income (see Appendix D).

The information provided in the tab includes:

- Chart Showing Correlation Between Usage and Income for: 1) All Customer; 2) Non-CARE Customers; and 3) CARE Customers in Several Geographic Areas
  - Coast
  - Hills
  - Inner Valley
  - Outer Valley
  - PG&E Service Territory
- Scatter Graphs Showing
  - Correlation = 0 (No Correlation)
  - Correlation = 1 (Full Correlation)
  - Correlation .23 (Low Correlation)
  - Income Vs. Usage for Non-CARE and Care Households
  - Subsidization by Lower Income Customers Due to Low Correlations
- Tables showing Income versus Usage levels for Non-CARE and CARE Customers
- Tables showing subsidization resulting from lack of correlation

"**Cost-Based-Rate-Drivers**" **Tab** – This tab shows the major Electric Rate cost components along with their cost-based allocations (see Appendix E).

The information provided in the tab includes:

- Cost Components
  - Generation Energy Charges by Season and Peak Period (i.e., On-Peak, Partial-Peak, Off-Peak)
  - Generation Capacity Cost
  - Transmission Capacity Cost
  - Primary/Secondary Distribution Capacity Costs
  - Customer Access Charge
  - Other Fixed Charges
- Marginal Cost of each Component
- Allocation Methodology for each Component
- Graphic Depiction of Annual Generation and Transmission Capacity Cost Profiles

**"Energy Conservation" Tab** – This tab shows estimated consumptions changes when moving from one rate design to another (see Appendix F).

The information provided in the tab includes:

• Tables Showing Estimated Annual KWh Consumption Changes for Non-CARE and CARE

Version 8.0 3/21/2013 FINAL

Customers When Moving from:

- Current (Inclining Block) Rates to Flat Rates
- Flat Rates to TOU Rates

**Other Tabs** – There are several other tabs in this model as described below.

- Calculation tabs: There are eight calculation tabs in this model used for rate design and reporting calculations. Users are not supposed to make any changes in these tabs.
- Input Intermediate tab: This tab is hidden and is used by the model to preprocess the input data
- Load Factor Summary: The load factor summary tab contains data that are used for missing value replacement. These data were generated using a SAS program. User can choose to either use these values, or use other appropriate missing values by providing those in the "Detailed Input" tab.
- Revenue Summary: This tab has Advice Letter specific data corresponding to the current rate dates provided in the "Detailed Input" tab.

#### Definitions

**Cost-Based Rates** – Rates based on costs that are largely consistent with 2011 General Rate Case (GRC) data. The **revenue requirement** used in calculating rates is consistent with 1011 GRC Phase-II submission, adjusted for the 2009 RASS sample merged with 2011 usage data.

**Cost of Service** – Customer class cost of service allocation that is aligned with marginal cost allocation principles.

**Current Rates** – Currently effective residential rate designs and/or rate levels.

**Split Demand-Based** Customer Charges – Fixed monthly customer charges that vary depending on customers' levels of electric (kW) demand.

#### Appendix A1: "PG&E Bill Impact-Output-1" Tab



**Percent Bill Impact** 

Non TOU 3-1	ier Rate	Desig	n Impac	ts	NonCARE Customers							
Impact	Customer		Average		Average Cer	its/kWh		Monthly 5			Average Bill to	Income Ratio
			Monthly -									
Percent Range	Number	Percent	kWh	Load Factor	Jul-12	Proposed	Change	Jul-12	Proposed	Change	Jul-12	Proposed
Below -20%	11,411	0%	565	20%	23.04	17.34	-25%	130.11	97.93	(32.18)	2.2%	1.6%
> -20% to -15%	44,854	1%	1,861	19%	28.27	23.26	-18%	526.05	432.88	(93.18)	4.4%	3.6%
> -15% to -10%	172,210	5%	1,139	17%	23.90	20.97	-12%	272.12	238.72	(33.40)	2.9%	2.6%
> -10% to -5%	327,422	10%	871	16%	21.25	19.65	-8%	185.18	171.17	(14.01)	2.2%	2.1%
> -5% to 0%	407,567	12%	755	15%	18.25	17.80	-2%	137.80	134.42	(3.37)	1.8%	1.7%
> 0% to 5%	487,970	15%	608	14%	16.19	16.59	.2%	98.37	100.77	2,39	1.2%	1.2%
> 5% to 10%	627,612	19%	454	13%	14.29	15.36	7%	64.85	69.67	4.82	0.8%	0.9%
> 10% to 15%	627,873	19%	335	12%	13.17	14.74	12%	44.07	49.32	5.25	0.7%	0.8%
> 15% to 20%	221,243	7%	229	10%	13.10	15.33	17%	30.01	35.13	5.11	0.5%	0.5%
> 20% to 25%	139,640	4%	173	11%	13,03	15.93	22%	22.52	27.52	5.00	0.4%	0.5%
> 25% to 30%	94,096	3%	1.42	10%	12.98	16.48	27%	18.40	23.35	4.95	0.3%	0.4%
> 30% to 35%	71,916	2%	119	10%	13.09	17,39	33%	15.63	20.77	5.14	0.2%	0.3%
> 35% to 40%	31,337	1%	81	9%	13,79	19.04	38%	11.17	15.41	4.25	6.2%	0.3%
> 40% to 45%	29,811	1%	- 64	8%	14.81	21.08	42%	9,43	13.43	4.00	0.2%	0.2%
> 45% to 50%	29,791	1%	197	10%	13.02	19.10	47%	25.68	37.68	12.00	0.5%	0.7%
> 50% to 55%	8,575	0%	70	11%	13.21	20.03	52%	9.19	13.94	4.75	01%	0.2%
> 55% to 60%	6,315	0%	65	12%	13.12	20.52	56%	8.55	13.37	4.82	0.1%	0.2%
> 60% to 65%	2,244	.0%	53	- 8%	13.81	22,36	62%	7.26	11.75	4,49	0.1%	0.1%
> 65% to 70%	2,442	0%	41	13%	14.96	25.01	67%	6.15	10.28	4.13	0.1%	0.2%
> 70% to 75%	2,903	0%	48	9%	13.51	23.25	72%	6.49	11.17	4,68	0.1%	0.1%
> 75% to 80%	2,095	0%	50	10%	12.97	22.78	76%	6.52	11.46	4,94	0.1%	0.2%
> 80% to 85%	1,048	0%	28	20%	17.49	32,27	85%	4.50	8.31	3,81	0.2%	0.4%
> 85% to 90%	433	0%	40	9%	13.65	25.35	86%	5.46	10.14	4.68	0.1%	0.1%
> 90% to 95%	1,121	0%	34	8%	14,38	27,43	91%	4.93	9.40	4,47	0.1%	01%
Above 95%	1,622	0%	37	20%	13.16	26.42	101%	4.85	9.73	4.88	0.1%	0.2%
Group Total	3,353,549	100%	530	13%	17.95	17.65	-2%	95.23	93.63	(1.60)	1.3%	1.3%

Similar to the non-TOU rate impact shown above, this tab has TOU rate impact results as well.

Appendix A2: "Bill Impact Output-2" Tab

1			
			нид 6.226 
		· · · · · · · · · · · · · · · · · · ·	
			нен санана с Села и санана санана Села санана с
·····································	1000 1116 1116 1116 1116 1116 1116 1116		50 50 50 50 50 50 50 50 50 50
·····································	·····································		
	· · · · · · · · · · · · · · · · · · ·		
		0.000	
······································		- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
	2 1900 2 1900		
· · · · · · · · · · · · · · · · · · ·	······································	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	111 12 111 12 1111 12 1111 12 111 12 111 12 111 12 111 12 111 12 111 12 111 12
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
11日日日 11	1000 (	· · · · · · · · · · · · · · · · · · ·	1997年1997年1997年1997年1997年1997年1997年1997
2.2.2 	100 100 100 100 100 100 100 100 100 100		
	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
A constraints of the constraints			· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·	111日日 111日日	· · · · · · · · · · · · · · · · · · ·
<ul> <li>A 1996</li> <li>A 1996</li></ul>	· ·	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	· · · · · · · · · · · · · · · · · · ·
(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)			2.582 2.192
2		AND LINE AND	· · · · · · · · · · · · · · · · · · ·
611.6 617.0 617.0 618.0 818.0 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		52	· · · · · · · · · · · · · · · · · · ·
11 전 1 년 12 전 1 년 2 전 1 년		1 55 1 2 50 14 700 14 700 1400 14 700 14 700 1000 1000 1000000000000000000000000	
1997. 1997. 1997. ≈		111 111 111 111 111 111 111 111 111 11	· · · · · · · · · · · · · · · · · · ·
4 2.33 6 2.99 7 1 1 202 7 1 1 202 7 1 1 202 7 1 1 202 7 1 202	••••••		
1000 1000	NAN, NAN, NAN, NAN, NAN, NAN, NAN, NAN,	の 1 1 1 1 1 1 1 1 1 1 1 1 1	1000 March
10000000000000000000000000000000000000	25(5) 25(5)		14, 1310, 1320, 12
11.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	11,4.11 11,4.11 11,4.11 11,4.12 11,	<ul> <li>A. M. M.</li></ul>	A. M. S. Market,
Appendix A3	Bill Impact Output		<ul> <li>A manufacture of the second sec</li></ul>
- MUANAY 49 B.C.G.C.2.2.B.C.B.O.B.C.2.2.9.8	- Mu + Mu	2、2244月14月24日14月14日14月14日14月14日14日14日14日14日14日14日14日14日14日14日14日14日1	

#### PG&E Bill Impact Tables by Load Factor and Income Ranges

Load Factor Description	Load Factor Range	Avg. Percent Non TOU Bill Impact	Avg. Current Bill	Avg. Non TOU Bill	Avg. Cost Based Bill	Avg. Percent TOU Bill Impact	Avg. TOU Bill	Number of Households
Non CARE					10 and			
Low	0 to 25%	-8%	95.05	87.10	90.88	-7%	88.27	3,276,526
Medium	25% to 40%	-28%	179.28	129.52	101.73	-27%	131.43	70,879
High	Above 40%	44%	28.24	40.53	36.48	42%	39.97	6,144
Non CARE Average		3%	96.71	87.91	91.01	.8%	89.10	3,353,549
CARE								
Low	0 to 25%	51%	46.79	70.52	87.47	53%	71.77	1,202,126
Medium	25% to 40%	37%	76.95	105.56	100.22	41%	108.30	63,527
High	Above 40%	41%	53.60	75.84	68.05	42%	76.16	2,378
CARE Average		50%	48.31	72.29	88.07	52%	73.61	1.268.031
All Customers								
Low	0 to 25%	1%	82.10	82.65	89.96	2%	83.84	4,478,652
Medium	25% to 40%	-10%	130.91	118.19	101.02	-8%	120.50	134,406
High	Above 40%	43%	35.31	50.38	45.29	42%	50.07	8,522
All Customers Avera	ade	0%	83,43	83.62	90.20	2%	84.85	4.621.580

Income Range	Avg. Percent Non TOU Bill Impact	Avg. Current Bill	Avg. Non TOU Bill	Avg. Cost Based Bill	Avg. Percent TOU Bill Impact	Avg. TOU Bill	Number of Households
Non CARE							
0 to 30K	-23%	66.53	51.54	74.87	-22%	52.23	351,895
30K to 60K	-2%	74.39	73.27	81.48	-1%	74.02	875,392
60K to 75K	-4%	97.32	93.33	96.61	-2%	95.02	464,643
75K to 100K	-5%	95.58	91.17	90.73	-3%	92.40	596,618
100K to 500K	-14%	125.39	107.77	101.88	-13%	109.24	1,065,002
Non CARE Average	.9%	96.71	87.91	91.01	-8%	89,10	3,353,549
CARE							
0 to 30K	38%	40.48	55.68	78.96	39%	56.42	694,134
30K to 60K	55%	53.20	82.64	94.19	58%	84.19	404,439
60K to 75K	64%	73.10	120.22	113.89	70%	124.10	62,731
75K to 100K	78%	55.78	99.46	98.05	82%	101.31	67,939
100K to 500K	62%	84.48	136.47	128.23	67%	140.73	38,788
CARE Average	50%	48.31	72.29	88.07	52%	73.61	1,268,031
All Customers							
0 to 30K	10%	49.24	54.29	77.58	12%	55.01	1,046,029
30K to 60K	13%	67.70	76.23	85.50	14%	77.23	1,279,831
60K to 75K	2%	94.44	96.53	98.66	4%	98.48	527,374
75K to 100K	1%	91.51	92.02	91.48	2%	93.31	664,557
100K to 500K	-12%	123.95	108.78	102.81	-11%	110.35	1,103,790
All Customers Average	0%	83.43	83.62	90.20	2%	84.85	4,621,580

#### Appendix B: "Rate-Efficiency-Output" Tab



	Cost of Service vs. Current and Proposed Rate Designs											
Average Monthly Usage	Average Cost (cents/kWh)	Average Current Rate (Cents/kWh)	Proposed Avg. Non TOU Flat Rate (Cents/kWh)	Proposed Avg. TOU Flat (Cents/kWh)	Percent Change- Current	Percent Change- Proposed Non TOU Flat Rate	Percent Change- Proposed TOU					
100	51.15	13.71	16.76	16.51	-73%	-67%	-68%					
200	28.45	11.97	16.71	16.37	-58%	-41%	-42%					
300	22.51	11.64	16.38	16.21	-48%	-27%	-28%					
400	19.50	12.44	16.66	16.45	-36%	-15%	-16%					
500	17.69	12.95	16.52	16.44	-27%	-7%	-7%					
600	17.38	13.48	16.36	16.49	-22%	-6%	-5%					
700	16.16	15.67	16.67	16.75	-3%	3%	4%					
800	16.41	16.19	16.65	16.87	-1%	2%	3%					
900	16.09	17.51	16.87	17.09	9%	5%	6%					
1000	15.04	17.85	16.72	16.80	19%	11%	12%					
1100	14.93	18.43	16.83	17.10	23%	13%	15%					
1200	13.96	20.62	17.12	17.27	48%	23%	24%					
1300	14.39	18.35	16.63	16.89	28%	16%	17%					
1400	13.39	19.52	16.66	16.64	46%	24%	24%					
1500	13.07	16.80	15.94	16.01	29%	22%	23%					
1600	14,50	19.71	17.16	17.59	36%	18%	21%					
1700	12.62	23.82	17.23	17.25	89%	37%	37%					
1800	11.87	21.20	16.52	16.49	79%	39%	39%					
1900	13.00	21.14	16.81	16.74	63%	29%	29%					
2000	11.94	22.41	16.36	20.31	2004	170/	24%					

There are separate charts for non-TOU and TOU rate designs as well in this tab.

Version 8.0 3/21/2013 FINAL

Cost of Serv	ice vs. Current :	and Proposed Ra	ite Designs				
Monthly Av	erage Bill					Difference from Cost	
Average			Average Non TOU				
Monthly Usage	Average Cost	Average Current	Flat Rate	Average TOU	Current	Non TOU Flat Rate	TOU
100	\$32.47	\$8.70	\$10.64	\$10.48	(\$23.77)	(\$21.83)	(\$21.99)
200	543 83	\$19.43	\$26.74	\$25.22	(\$25.39)	1518 (09)	(\$13.60)
300	\$56.22	\$29.06	\$40.90	\$40.48	(\$27.15)	(\$15.31)	(\$15.74)
400	\$50.10	\$43.58	Sec. 318.34	657.60	(\$24.72)	(\$3.96)	6510.701
500	\$78.43	\$57.40	\$73.24	\$72.86	(\$21.03)	(\$5.19)	(\$5.57)
600		212.61	201.5/		(\$21.36)	165 601	(\$4.88)
/00	\$104.55	\$101.37	5107.81	\$108.37	(\$3.19)	\$3.26	\$3.81
800	0128.00 0400.47	C440.40	2440.75	6444.00	191.94	31.00	
900	3130.17	0140.10	0142.70	3144.0Z	\$12.01	60.06	\$6.45 
1100	\$155.90	\$192.38	\$175.76	\$173 SK	24.352	C10 26	23 002
1200	6 100.00	6102.00	CONTRACTOR OF THE OWNER OWNE		0.0.40	010,000	322.00
1300	\$180.29	\$229.99	\$208.35	\$211.69	549 70	\$28.06	\$31.40
1400	5179.85	10000 (MAR)	120178	2010-00-00-00-00-00-00-00-00-00-00-00-00-	649.36	020,00	1001-40 1002-002-002-002-002-002-002-002-002-002
1500	\$190,28	\$244.55	\$231.99	\$233,11	\$54.28	\$41.71	\$42.83
1600	\$221.65	\$301.19	5262.32	9269.79	579.64	100 100 140 TO COMPANY	100 C 100
1700	\$205.52	\$387.96	\$280.65	\$280.96	\$182.44	\$75.13	\$75.44
1800	\$207.12	\$369.98	\$288.18	\$287.70	\$162.86	\$81.06	580.59
1900	\$240.22	\$390.46	\$310.53	\$309.26	\$150.25	\$70.31	\$69.04
2000	\$294.90	\$553.53	\$403.96	\$396.44	\$258.68	\$109.06	\$101.65
Totai	\$90.20	\$82.28	\$87.53	\$82.28	(\$7.91)	(\$2.67)	(\$7.91)

## Appendix C: "PGE-Bill-And-Revenue Study" Tab

Annual Ave	rage Revenue					Difference from Cost	
Average			Non TOU Flat Rate			Non TOU Flat Rate	
Monthly Usage	Cost Based	Current Total	Total	TOU Total	Current Total	Total	TOU Total
100	\$69,387,243.00	\$18,594,402.13	\$22,738,620.93	\$22,399,544.40	(\$50,792,840.87)	(\$46,648,622.07)	(\$46,987,696.60)
200	\$233,084,244,04	\$98,376,450,03	\$137,358,129,28	\$134,597,404,02	(\$135,507,844,01)	(\$36.526.114.76)	(\$99.286.840.02)
300	\$363,133,283.84	\$187,736,888.60	\$264,230,973.18	\$261,474,507.65	(\$175,396,395.24)	(\$98,902.310.65)	(\$101.658,776.19)
400	\$672,490,892,89	\$429,092,426,63	\$574,407,020,29	\$567 122,052,45	(\$243 393 466 26)	(\$98.083.072.60)	(\$105.368.840.46)
500	\$568,400,293.52	\$415,988,566.07	\$530,785,655.22	\$528,034,143.50	(\$152,411,727.44)	(\$37,614,738.29)	(\$40.366.150.02)
600	5601,954,878,96	\$466,862,557,31	5566.541.260.94	\$571,097,824,48	(\$135 102 321 65)	(\$35,423,618,03)	(\$30.867.054.49)
700	\$520,333,818.82	\$604,467,860.55	\$536,546,338.99	\$539,309,265.63	(\$15,865,968.27)	\$16,212,520.17	\$18,975,436,71
600	\$505 088 921 02	\$498,568,032,33	\$512,733,062,77	\$519,420,149,67	(\$5,520,888,699	\$7,644,141,76	\$14 331 228 65
900	\$376,341,553.82	\$409,531,012.41	\$394,536,902.06	\$399,694,298.93	\$33,189,468.69	\$18,195,348.24	\$23.352,745.10
1000	\$206,286,181,88	\$244 800 075 09	\$229,201,209,60	\$230,385,107,23	538 513 893 20	522.916.027.62	\$24,099,005,34
1100	\$188,871,319,48	\$233,068,589,43	\$212,933,400.30	\$216,328,911.16	\$44,197,269.95	\$24,062,080.81	\$27,457,591,68
1200	\$173.040.976.34	\$264,619,362,79	5219,587,135,70	\$221 556 379 47	\$85,478,376,45	\$40 545 169 35	\$42,515,403,12
1300	\$109,665,532.50	\$139,899,503.69	\$126,734,212.32	\$128,765,772.93	\$30,233,971.19	\$17,068,679.82	\$19,100,240.43
1400	\$101.824,365.27	\$148,446,522,64	\$126.652.234.94	\$126,484,182,12	\$46,622,167,36	524,867,879,66	\$24 669 826 84
1500	\$83,541,287.62	\$107,373,199.04	\$101,855,353,11	\$102,345,290.50	\$23,831,911.43	\$18,314,065.50	\$18,804,002.88
1600	\$33,341,009,25	\$45,326,784,76	533 478 588 07	\$40,460,568,85	\$11,985,775,60	36 135 575 82	\$7 109 549 39
1700	\$30,953,570,13	\$58,431,475.72	\$42,268,745.29	\$42,316,118.15	\$27,477,905.69	\$11,315,175.16	\$11,361,548.02
1800	\$12,966,154,29	\$23,161,717,65	\$18 040 884 67	518 011 124 49	\$10,195,583,35	55.074 730 38	55 044 970 20
1900	\$10,245,123.75	\$16,653,010.23	\$13,243,721.76	\$13,189,572.24	\$6,407,886.48	\$2,998,598.01	\$2,944,448.49
2000	\$134,476,191,49	\$252,435,884,71	\$184,207,686,25	\$180,782,356,56	\$117,959,693,28	\$49,731,294,82	\$46 306 385 12
Total	\$4,961,403,151	\$4,527,486,254	\$4,814,750,860	\$4,824,198,940	(\$433,916,898)	(\$146,652,292)	(\$137,204,211)

Data Shows Income Is A Poor Predictor of Usage **Correlation Between Usage and Income** 

-High income households have a high usage.

Usage has poor correlation with Income.



Income data have been obtained from RASS 2009 sample. Customers who qualify for CARE program due to their income and The correlation charts are illustrative only based on the assumption that income and usage are log-normally distributed number of households have been considered as CARE customers. Note



"High usage households are defined to have Tier-3 and above usage in all 12 months of 2009. The remaining customers are defined to be Low Usage households. Customers who qualify for CARE program due to their income and number of household members. been considered as CARE customers. NOTE

## Lack of Correlation Causes Subsidization By Lower Income Households

₽•Many hig	h-income custor	mers pay below th	e cost.		
pendix	Income	Annual Usage (kWh)	Annual Bill Amount	Annual Cost Based Amount	Under Payment
	175,000	6,596	\$805	\$1,074	(\$269)
Cos	125,000	5,740	\$674	\$935	(\$261)
ц. Щ	125,000	5,468	\$636	\$891	(\$254)
ised	125,000	6,924	\$879	\$1,128	(\$249)

•At the same time, many low-income customers pay above the cost.

Income	Annual Usage (kWh)	Annual Bill Amount	Annual Cost Based Amount	Over Payment
55,000	12,675	\$2,631	\$2,065	\$567
55,000	13,988	\$3,099	\$2,279	\$821
67,500	15,384	\$3,612	\$2,506	\$1,106
45,000	15,147	\$3,717	\$2,467	\$1,250

•In 2009,

•approximately 20% of the "low income" households over paid. There are approximately 30% "low income" households

•approximately 34% of the "high income" households have overpaid, which means that about 66% of the high income households have under-paid. There are approximately 23% 'high income" households.

#### Note

These are basic, full service customers from climate zone "S" (Contra Costa, Yolo, Solano and San Joaquin counties). All of them are under E-1 rate schedule and do not qualify for CARE program (based on their household income and number of household members). March 1, 2009 rates have been used to calculate Annual Bill Amount. Residential average rate as of Mar 1, 2009 (\$0.16289/kW/h) has been used to calculate Annual Cost Based Amount.

"Cost-Based-Rate-Drivers" Tab

SB

\_GT&S\_0049256

		C	ost Basis		
			17.1	A 11 1	<u>o</u> u
Cost Components	Summer on peak	Allenginen Cola 5.90	Conte/kWb	Malumetris	CADEI
Generation chergy charge	Summer, part-peak	5.41	Cents/kWh	volument	
	Summer, Off-peak	3.95	Cents/kWh		
	Winter, on-peak	5.35	Cents/kWh		
	Winter, off-peak	4.09	Cents/kWh		
Generation Capacity Cost	Annual	109.32	\$/kW-yr	Allocated to summer months.	Reserve margin = 15%
Transmission Capacity Cost	Annual	71.13	\$/kW-yr	Allocated to summer months	Line Loss = 7%
Distribution Capacity Cost	Primary	96.43	\$/kW-yr	Allocated equally to all months	Line Loss = 5.3%
	Secondary	1.37	\$/kW-yr	Allocated equally to all months	Line Loss = 5.3%
Customer Access Charge		154.60	\$/year	Allocated equally to all months	
Other Fixed Charge		103.71	\$/year	Allocated equally to all months	



#### Appendix F: "Energy Conservation" Tab

#### Illustrative Energy Conservation Estimation Using Elasticity of Usage

	Current Rate Pr	oposed Non TOU APr	oposed TOU Rate
lsage , kWh	29,201,592,102	28,606,680,098	28,551,662,481
onserved kWh		594,912,004	649,929,621
ercent conserved		2.04%	2.23%

Summary Or Races							
Current Rates			Proposed Non T	Proposed Non TOU Rate			J Rate
	NonCARE	CARE	NonCARE	CAR	E	NonCARE	CARE
Tier-1	\$0.12845	\$0.08316	\$0.15983	\$0,11987	Summer, on-peak	\$0.25264	\$0.20211
Tier-2	\$0.14602	\$0.09563	\$0.15983	\$0.11987	Summer, part-peak	\$0.19434	\$0.15547
Tier-3	\$0.29561	\$0.12474	\$0.15983	\$0.11987	Summer, off-peak	\$0.14949	\$0.11959
Tier-4	\$0.33561	\$0.12474	\$0.15983	\$0.11987	Winter, part-peak	\$0.15547	\$0.12438
Tier-6	\$0.33561	\$0.12474	\$0.15983	\$0.11987	Winter, off-peak	\$0.14949	\$0.11959

Summary of Usage							
	Current R	Current Rate		TOU Rate		Proposed TC	)U Rate
	NonCARE	CARE	NonCARE	CARE		NonCARE	CARE
Tier-1	12,931,439,173	5,304,540,264	12,299,675,120	4,836,211,227	Summer, on-peak	2,059,274,687	795,948,75
Tier-2	2,448,948,725	864,161,597	2,402,636,211	820,352,064	Summer, part-peak	2,265,952,964	822,420,30
Tier-3	3,325,362,437	1,686,208,205	3,630,851,093	1,699,373,741	Summer, off-peak	6,113,480,276	2,138,002,93
Tier-4	1,696,415,829		1,074,122,674		Winter, part-peak	1,265,077,414	406,455,34
Tier-5	944,515,873		1,043,457,968		Winter, off-peak	9,520,998,675	3,164,051,13
Total	21,346,682,036	7,854,910,066	21,250,743,066	7,355,937,032	Total	21,224,784,016	7,326,878,46

Methodology The energy conservation calculation is done in two steps Step 1: Energy conevation due to moving from the current rate to proposed non-TOU rate is calculated. Setp 2: Energy conevation due to moving from the proposed non-TOU rate to proposed TOU rate is calculated. This methodology is based on a survey data that requires a twp step calculation.

#### Consumption Change: Current Rate Design to Proposed Non TOU Rate

Non-CARE								
Tier	Current Rate Based usage (kWh/yr)	Current Rate (\$/kWh)	New price (\$/kWh)	Change in price (%)	Price elasticity	Change in quantity	Proposed Non TOU usage (kWh/vr)	Change in usage (kWb/vr)
1	12,931,439,173	\$0.12845	\$0.15983	24.4%		-4.9%	12,299,675,120	(631,764,053)
2	2,448,948,725	\$0.14602	\$0.15983	9.5%	-5.29	-1.9%	2,402,636,211	(46,312,615)
3	3,325,362,437	\$0.29561	\$0.15983	-45.9%	0.23	9.2%	3,630,851,093	305,488,656
4	1,696,415,829	\$0.33561	\$0.15983	-52.4%	- C. 20	10.5%	1,874,122,674	177,706,846
5	944.616,873	\$0.33561	50.15983	-52.4%	-0.20	10.5%	1,043,457,968	98,942,095
Total	21.346,682,036					-0.45%	21.250,743.066	(95,938,970)

And a state of the second state of the second state of the		Sector Contraction of the sector of the s	Contraction of the second s		and the second			and the second second second second
Tior	Current usage	2020 IBR Rate	Now origo (\$1100)	Channa in avian (9/1	Drine stantisity	Change in quantity	Proposed Non TOU	Change in usage
1101	(kWh/yr)	(\$/kWh)	New price (s/kvin)	change in price (%)	Price eldslichy	(%)	usage (kWh/yr)	(kWh/yr)
1	5,304,540,264	\$0.08316	\$0.11987	44.1%	4.25	-8.8%	4,835,211,227	(468,329,037)
2	864,161,597	\$0.09563	\$0.11987	25.3%	41.25	-5.1%	820,352,064	(43,809,533)
3	1,686,208,205	\$0.12474	\$0.11987	-3.9%	-5.20	0.8%	1,699,373,741	13,165,535
Total	7,854,910,066					-6.35%	7,355,937,032	(498,973,034)

#### Consumption Change: Proposed Non TOU Rate to Proposed TOU Rate

Non-CARE Summer								
	C Hours per season	Customer usage per season (kWh/season)	Customer usage per hour (kWh/hour)	Old Rate (\$/kWh)	New Rate (\$/kWh)	Consumption Change (%)	New Customer usage per season (kWh/season)	Change in usage (kWh/season)
Peak	0.00	2,224,129,341	2,896,002	\$0.16983	\$0.252641	-7.41%	2,059,274,687	(164,854,655)
Partial-Peak	100	2,322,244,691	2,424,055	\$0.15983	\$0.194339	-2.42%	2,265,952,964	(\$6,291,727)
Off-Peak	0100 2 020	5,945.069.457	2,210,063	\$0.15983	\$0.149491	2.83%	6,113,480,276	168,410,819
Total	4,416	10,491,443,489					10,438,707,927	(52,735,563)

Winter

	C Hours per season	Customer usage per season (kWh/season)	Customer usage per hour (kWh/hour)	Old Rate (\$/kWh)	New Rate (\$/kWh)	Consumption Change (%)	New Customer usage per season (kWh/season)	Change in usage (kWh/season)
Partial-Peak		1,270,700,916	3,335,173	\$0.16983	\$0.15547	-0.44%	1,265,077,414	(6,623,502)
Off-Peak	3,963	9,488,598,661	2,394,297	\$0.15983	\$0.14949	0.34%	9,520,998,675	32,400,014
Total	4,344	10,759,299,576					10,786,076,089	26,776,513

CARE								
Summer								
	Hours per season	Customer usage per season (kWh/season)	Customer usage per hour (kWh/hour)	Old Rate (\$/kWh)	New Rate (\$/kWh)	Consumption Change (%)	New Customer usage per season (kWh/season)	Change in usage (kWh/season)
Peak	260	860,459,735	1.120,390	\$0.11987	\$0.20211	-7.50%	795,948,750	(64,510,985)
Partial-Peak		843,627,252	880,613	\$0.11987	\$0.15547	-2.51%	822,420,304	(21,206,949)
Off-Peak	2,650	2,081,020,714	773.614	\$0.11987	\$0.11959	2.74%	2,138,002,933	56,982,218
Total	4,416	3,785,107,702					3,756,371,987	(28,735,715)
Winter		Customer usage per	Customer usano por			Consumption	New Customer	Change in usage
	Hours per season	season (kWh/season)	hour (kWh/hour)	Old Rate (\$/kWh)	New Rate (\$/kWh)	Change (%)	usage per season (kWh/season)	(kWh/season)
Partial-Peak	121	409.326.267	1,074,347	\$0.11987	\$0.12438	-0.70%	406,455,341	(2.870.927)
Off-Peak	5.963	3,161,503,063	797.755	\$0.11987	\$0.11969	0.08%	3,164,051,136	2,548.075
Total	4,344	3,570,829,330					3,570,506,479	(322,851)

	nouis per season	(kWh/season)	hour (kWh/hour)	Old Rate (arkivit)	New Kate (arkivn)	Change (%)	(kWh/season)	(kWh/s
Partial-Peak		409.326.267	1,074,347	\$0.11987	\$0.12438	-0.70%	406,455,341	
Off-Peak	3,363	3.161.503.063	797.755	\$0.11987	\$0.11969	0.08%	3,164,051,138	
Total	4,344	3,570,829,330					3,570,506,479	

### **Customer Count by Federal Poverty Level**

The customer count shown below is based on the income data available from the RASS 2009 study conducted by CEC.

Customer Count					
Federal Poverty Level	Above 300%	200% to 300%	100% to 200%	100% and below	Total
Non-CARE	2,507,400	349,730	391,750	104,668	3,353,549
CARE	232,292	180,987	561,999	292,753	1,268,031
Total	2,739,692	530,717	953,749	397,422	4,621,580

### Changes Made to the Model since the Last Version (Dec 2012)

Several model input flexibilities, rate design and reporting features have been added to the model since the last version submitted to Energy Division. These are listed below.

#### **Changes Added in February 2013 Version**

- 1. Baseline quantity can be now chosen from 40% to 55% in the increment of 1% in addition to the using the baseline quantity from the sample data.
- 2. Model now provides the model users ability to model a rate design scenario with a non-TOU baseline rate, and un-tiered TOU rates for usage above the baseline.
- 3. CARE discount can be of separate values for tiers 1, 2 and 3. Customer charge, minimum bill and fixed demand charges will be subject to tier-1 CARE discount.
- 4. All feasible tier collapsing, for non-TOU two, three or four tiered rate structure scenarios are now user defined.
- 5. Minimum bill amount can now be applicable to delivery charges only, if so desired by the model user. User can also choose to apply minimum bill amount to the total bill amount.
- 6. The rate design results are reported now by baseline territory, and the aggregation at "Coast", "Hill", "Inner Valley" and "Outer Valley" have been removed.
- 7. A reporting tab "Bill Impact Output-2" has been added. In this tab, the customer counts are reported at 25 different groups across percent bill impact and dollar bill impact dimensions for non-CARE and CARE customers separately for both non-TOU and TOU rate design scenarios.
- 8. A "Load Factor Output" reporting tab has been added that shows the impacts disaggregated into a low, med, and high load factor levels.
- 9. Cost Base Revenue Requirement input in the "Detailed Input" tab formula has been changed to correctly display the revenue requirements used by the model for rate design, while zeroing out the column that is not used.

#### Changes Added in March 2013 (FINAL) Version

- 1. The "Guideline" tab has been updated to reflect the modifications since the December version.
- 2. Distribution "New Business" Marginal Cost has been added as an input in the "Detailed Inputs" tab. This marginal cost will now be used along with the Distribution "Primary" cost in the cost based bill amount calculation.
- 3. The "Other Cost" component can now be partially or fully a volumetric cost. The user can choose the percent of "Other Cost" that should be treated as volumetric (\$/kWh). This is possible for CARE and non-CARE customers separately.
- 4. The calculation of Current Bill amount has been modified to use the "Baseline Allowance Percent" chosen by the user, rather than defaulting it to the historical baseline data.
- 5. Percent of Sample choice in the "Detailed Inputs" tab has been updated.
- 6. Description for the elasticity estimates has been added in the "FlattoTOUCalc-Summer" tab.
- 7. Energy Conservation calculation has been linked to model runs so that the update of the energy conservation estimate for the non-TOU rate structure take place automatically.
- 8. Print formatting of the output and input tabs have been provided.
- 9. A separate table to show bill impact by income range has been added in "PGE-Bill-Impact-Output-3" tab.
- 10. In the "Detailed Inputs" tab, the input cells have been color coded with yellow. If the user chooses to change the default values of the inputs, then such inputs will automatically be highlighted red. In addition, the default values can be restored by clicking the macro button "Restore Default Detailed Inputs" in this tab.
- 11. User instructions have been added for the tier collapsing criteria in the "Detailed Inputs" tab.
- 12. The choice of "Baseline Allowance Percent" has now been extended from 40% to 55% range to 40% to 60% range.
- 13. An Income based discount mechanism that can be adopted in lieu of the tiered CARE discount has been added in the model. A tab called "IncomeBasedDiscount" has been added to perform calculation for this functionality.
- 14. Output tabs that change with the results of the rate designs have been color coded as purple.
- 15. A print macro has been added in the "Summary" tab that allows printing of all relevant inputs and outputs of the model.
- 16. Labeling changes have been made in the Energy Conservation Tab. Also, summary outputs have been added in the top area of this tab.
- 17. On the "Summary" tab, we have added the Step numbering as a label on the button.
- 18. We have included explanation of source of input data and how it's derived in the Manual.
- 19. We have added the count of customers in each poverty level range in the manual.
- 20. We have added a list of content that will be printed out on the "Output Tables and Figures>>" tab.
- 21. We have adjusted the printing format, and updated the "print" macro to print user input Scenario description in the "Summary" tab on each page.

**Changes Made in Version 6** 

- 1. The steps involved in running the Bill Calculator model have been clearly documented.
- 2. A space has been designated in the summary tab to enter scenario name and reference number.

Notes:



Version 8.0 3/21/2013 FINAL