

From: Campbell, Michael
Sent: 5/20/2013 3:44:46 PM
To: Dietz, Sidney (/O=PG&E/OU=Corporate/cn=Recipients/cn=SBD4)
Cc:
Bcc:
Subject: RE: Cause of Building Evacuation This Morning

Our elevators are traps. I take the stairs.

From: Dietz, Sidney [mailto:SBD4@pge.com]
Sent: Monday, May 20, 2013 3:43 PM
To: Campbell, Michael
Subject: RE: Cause of Building Evacuation This Morning

Hahahaha!

Now, did #3 motor die because of all the moving going on?

From: Campbell, Michael [mailto:Michael.Campbell@cpuc.ca.gov]
Sent: Monday, May 20, 2013 3:28 PM
To: Dietz, Sidney
Subject: FW: Cause of Building Evacuation This Morning
Importance: High

FYI. Our elevators don't go all the way to the top floor.

From: Prosper, Terrie D.
Sent: Monday, May 20, 2013 3:05 PM
To: ALL SF
Subject: Cause of Building Evacuation This Morning
Importance: High

Below is an email from our Building Manager addressing the evacuation this morning. **Questions pertaining to this matter can be directed to David Omosheyin (Building Manager) at (3-2936).**

All,

The building was evacuated this morning due to the activation of the smoke detectors in the elevator equipment room located in the penthouse mechanical space. The fire alarm was activated at about 9:25 a.m. and the building was completely evacuated at about 9:34 a.m.

It was discovered during building management staffs investigation to determine the cause of the alarm, that the smoke detectors were activated by a burnt motor for #3 elevator. The alarm was reset and an all clear notice was given for all employees to return to the building at about 10 a.m.

The affected elevator has been secured pending repair by the elevator contractor.

All in all the Fire Life Safety system for the building performed as intended and the response by the occupants was satisfactory.

Thank you,

David

PG&E is committed to protecting our customers' privacy.
To learn more, please visit <http://www.pge.com/about/company/privacy/customer/>

