From:	Haine, Steven K.
Sent:	7/19/2013 4:56:46 PM
To:	Yura, Jane (/O=PG&E/OU=CORPORATE/CN=RECIPIENTS/CN=JKY1)
Cc:	Cherry, Brian K (/O=PG&E/OU=CORPORATE/CN=RECIPIENTS/CN=BKC7); Horner, Trina (/O=PG&E/OU=CORPORATE/CN=RECIPIENTS/CN=TNHC); Bruno, Kenneth (kenneth.bruno@cpuc.ca.gov)
Bcc:	
Subject:	RE: data request on response to March 14, 2012 report

Ms. Yura:

In your response, please also state what specific actions PG&E has taken (or will take) to address all these 17 hazards that are applicable to PG&E. Thanks.

Steven Haine, P.E.

Senior Utilities Engineer

Risk Assessment Section

Safety and Enforcement Division

California Public Utilities Commission

Phone: (415) 355-5553

From: Cherry, Brian K [mailto:BKC7@pge.com]
Sent: Friday, July 19, 2013 12:18 PM
To: Yura, Jane; Bruno, Kenneth; Haine, Steven K.; Horner, Trina
Subject: FW: data request on response to March 14, 2012 report

Steven - I am referring this response to Jane Yura.

From: Haine, Steven K. [mailto:steven.haine@cpuc.ca.gov]
Sent: Friday, July 19, 2013 12:09 PM
To: Cherry, Brian K
Cc: Bruno, Kenneth
Subject: data request on response to March 14, 2012 report

Dear Mr. Cherry:

The California Public Utilities Commission released a report on March 14, 2012, titled "Hazard Database Project - Report on Status and Initial Recommendations." Seventeen hazards relating to gas distribution and transmission systems were identified in the report as needing increased scrutiny. Please describe what procedures and programs your system has in place to address all such hazards that are applicable to your system. Please furnish your reply by August 9, 2013.

Please feel free to contact me if you have any questions or need any clarifications.

Sincerely,

Steven Haine, P.E.

Senior Utilities Engineer

Risk Assessment Section

Safety and Enforcement Division

California Public Utilities Commission

Phone: (415) 355-5553

PG&E is committed to protecting our customers' privacy. To learn more, please visit <u>http://www.pge.com/about/company/privacy/customer/</u>

 $SB_GT\&S_0066082$