| From: | Dietz, Sidney |
|--|--|
| Sent: | 10/23/2013 2:08:10 PM |
| To: | franz.cheng@cpuc.ca.gov (franz.cheng@cpuc.ca.gov) |
| Cc: | Redacted |
| - | Redacted |
| Bcc: | |
| | |
| Subject: | CNG fueling and complaint. |
| Franz | |
| fueling stat | ve included more information from Redacted about the shutdown of the Redacted ion and the notifications. Redac is Manager of LNG/CNG Operations, and can help with any question Note the attachment mentioned below is the one i already sent you. Let me know if you have any thanks! |
| yours, | |
| sid | |
| 415 209-36 | 554 (m) |
| ***** | ****** |
| * Restr CNG fuel a the unfetter requiring c. * San F o Reasc * This i protection of With any w * Redac electric reli if they coul internal improvement somewhere * Commeanly Septe but nothing PG&E and stations. W doing, why o Place o Sent of o We p * Require * Requir | Closure: We are planning to shut down this station effective October 31st. ons for shutdown: It is our single highest risk station: There are several high rise buildings nearby. Were an over pressure device to activate, the pressure relief systems are designed (as is required) to vent directly upwards. A wind we would have high pressure and flammable natural gas venting towards one of these buildings. The larger size of the substation encroaches into the CNG station area and they asked us a dimove/shut down the CNG station. We agreed to shut down the CNG station due to the minimal pact to CNG drivers and the fact that it would be VERY difficult and expensive to rebuild this station |

- * PG&E requirements to the customer: Providing CNG to vehicular customers is a little different than to a home or business. There is a much lower requirement for an "obligation to serve". The customers are required to sign the attached contract that point to that fact:
- o Page 1 Paragraph 6, we provide fuel at locations and at times where we have excess capacity. : PG&E will provide locations for fueling of Customer's vehicles. All fueling will be provided at designated PG&E fueling stations where excess capacity is available. Customer agrees to obey posted speed limits and to operate their vehicles in a safe manner at refueling locations.
- o Page 2 Paragraph 12, we can terminate this agreement and therefore their access 30 days after providing them notice in writing: This Agreement shall become effective commencing the date the card key has been activated by PG&E. This Agreement shall continue on a month-to-month basis until terminated by either party upon thirty (30) days prior written notice.

<<GAS FORMS 79-753.pdf>>

I hope that helps. I will be in the office all day if you need further information or have any questions.

Do I seem terse? Blame the thumb keyboard.