

From: Shori, Sunil  
Sent: 10/23/2013 11:26:20 AM  
To: Doll, Laura (/O=PG&E/OU=CORPORATE/CN=RECIPIENTS/CN=LRDD)  
Cc: Singh, Sumeet  
(/O=PG&E/OU=CORPORATE/CN=RECIPIENTS/CN=S1ST56905772)  
Bcc:  
Subject: RE: Line 147 2012 H-form

Thanks, Laura.

**From:** Doll, Laura [mailto:LRDD@pge.com]  
**Sent:** Wednesday, October 23, 2013 11:24 AM  
**To:** Shori, Sunil  
**Cc:** Singh, Sumeet  
**Subject:** Fw: Line 147 2012 H-form

Sunil  
See explanation below as to why no H form on this.

Laura

**From:** Gas Ops Support  
**Sent:** Wednesday, October 23, 2013 11:06 AM  
**To:** Doll, Laura; Gas Ops Support  
**Cc:** Yee, Frances; Singh, Sumeet  
**Subject:** RE: Line 147 2012 H-form

Laura,

I just spoke with Redacted, the PLE for 147, and he confirmed that there was no H-form for the 2012 repair on Line 147. Because the excavation was for a repair, only an A-form was filled out.

Please let us know if you need anything else.

Redacted

Pacific Gas & Electric Co.

Regulatory Compliance Analyst

Gas Operations Support

Redacted

**From:** Doll, Laura  
**Sent:** Wednesday, October 23, 2013 10:51 AM  
**To:** Gas Ops Support  
**Cc:** Yee, Frances; Singh, Sumeet  
**Subject:** FW: Line 147 2012 H-form

GOST – Any chance you have this quickly? Sorry, but this is urgent.

**From:** Shori, Sunil [<mailto:sunil.shori@cpuc.ca.gov>]  
**Sent:** Wednesday, October 23, 2013 10:48 AM  
**To:** Singh, Sumeet  
**Cc:** Doll, Laura  
**Subject:** Line 147 2012 H-form

Sumeet,

I believe I have seen a copy of an A-Form for the 2012 digs (repairs on Segment 190) Line 147, but I haven't seen a copy of an H-Form. Was an H-Form prepared for the 2012 digs and has it been provided in any responses that you can direct me to or better still, send me a

copy? I need a response as soon as possible.

Thanks, Sumeet.

Sunil

PG&E is committed to protecting our customers' privacy.  
To learn more, please visit <http://www.pge.com/about/company/privacy/customer/>