

```

    b • □ Z version-fix:0
version-major:1
version-minor:0
    □ N
    □ p q -t d s
    □
    □ □ C & <?xml version='1.0'
encoding='utf-8' ?>

<datasource formatted-
name='msaccess.40602.634905671293'
inline='true' version='7.10'
xmlns:user='http://www.tableausoftware
.com/xml/user'>
  <connection class='dataengine'
dbname='kWh_Ranges.tde'
schema='Extract' tablename='Extract'>
    <relation name='Extract'
table='[Extract].[Extract]' type='table'
/>
    <calculations>
      <calculation column='[Number of
Records]' formula='1' />
    </calculations>
  </connection>
  <column datatype='integer'
name='[Number of Records]'
role='measure' type='quantitative'
user:auto-column='numrec'>
    <calculation class='tableau'
formula='1' />
  </column>
  <column aggregation='Min'
datatype='string' default-
role='measure' name='[Quartile_Label]'
role='dimension' type='nominal'>
  </column>
  <column aggregation='Sum'
datatype='integer'
name='[Quartile_Order]'
role='dimension' type='ordinal'>
  </column>
  <layout dim-ordering='alphabetic'
dim-percentage='0.5' measure-
ordering='alphabetic' measure-
percentage='0.4' show-structure='true'
/>
  <semantic-values>
    <semantic-value
key='[Country].[Name]'
value='&quot;UNITED STATES&quot;' />
  </semantic-values>
</datasource>
    □ *
    □ ♂ key.1.data ♂ key.1.dict

```

value.1.data  
value.1.dict 0

&2nd : 474 - 718  
kWh (3rd : 290 - 474 kWh &Bottom : <  
290 kWh Top : > 718 kWh  
'Pw  
-2nd -3rd Bottom-Top  
•

Number of  
Records.data : Number of  
Records.dict P Quartile\_Label  
l.1.dict +\* Quartile\_Label.data  
a @ Z ± Quartile\_Name.1.dict ♀  
♀ !! Quartile\_Name.data ♀ ♂  
T Quartile\_Order.1.data  
→  
→ Quartile\_highBound.1.data @  
Z  
\$TableauMetadata P  
Extract

builtin:bit  
data-file:COLUMNPROPS\_ACTIVE.data  
datatype:boolean  
default-value:t  
factory:builtin  
fixed:true  
name:COLUMNPROPS\_ACTIVE  
not-null:not-null  
size:1  
type:bit  
type-file:COLUMNPROPS\_ACTIVE.type

F!!  
|  
♂  
♫  
±

-  
♀  
⊗  
±

•  
+↑

◻  
◀  
↑

↓  
→

!!  
←

¶








```

    (
      name VARCHAR(127) COLLATE BINARY
      NOT NULL
      DATAFILE 'COLUMNPROPS_KEY.data'
      INDEXING OFF
      STORAGE IN MEMORY
    );
  
```

```

comparable:comparable
compression:heap
data-file: COLUMNPROPS_KEY.data
datatype:usr
dict-file: COLUMNPROPS_KEY.dict
distinct:distinct
factory:varchar
fixed:false
name: COLUMNPROPS_KEY
not-null:not-null
precision:127
scale:2
size:254
storagewidth:8
type:varchar(127,2) collate binary
type-file: COLUMNPROPS_KEY.type
  
```



♂ ♀ ♀    ♂ ♀ ♀    ♂ ♀ ♀    ♂ ♀ ♀    ♂ ♀ ♀    ♂ ♀ ♀    ♂ ♀ ♀    ♂ ♀ ♀

♩ ♩ ♩    ♩ ♩ ♩    ♩ ♩ ♩    ♩ ♩ ♩    ♩ ♩ ♩    ♩ ♩ ♩    ♩ ♩ ♩    ♩ ♩ ♩

⊕ ⊕ ⊕    ⊕ ⊕ ⊕    ⊕ ⊕ ⊕    ⊕ ⊕ ⊕    ⊕ ⊕ ⊕    ⊕ ⊕ ⊕    ⊕ ⊕ ⊕    ⊕ ⊕ ⊕

◀ ▶    ▶ ◀    ◀ ▶    ▶ ◀    ◀ ▶    ▶ ◀    ▶ ◀    ▶ ◀

↑ ↓    ↓ ↑    ↓ ↑    ↓ ↑    ↓ ↑    ↓ ↑    ↓ ↑    ↓ ↑

!!    !!    !!    !!    !!    !!    !!    !!

¶ ¶    ¶ ¶    ¶ ¶    ¶ ¶    ¶ ¶    ¶ ¶    ¶ ¶    ¶ ¶

⊥ ⊥    ⊥ ⊥    ⊥ ⊥    ⊥ ⊥    ⊥ ⊥    ⊥ ⊥    ⊥ ⊥    ⊥ ⊥

⊤ ⊤    ⊤ ⊤    ⊤ ⊤    ⊤ ⊤    ⊤ ⊤    ⊤ ⊤    ⊤ ⊤    ⊤ ⊤

↑ ↑    ↑ ↑    ↑ ↑    ↑ ↑    ↑ ↑    ↑ ↑    ↑ ↑    ↑ ↑

↓ ↓    ↓ ↓    ↓ ↓    ↓ ↓    ↓ ↓    ↓ ↓    ↓ ↓    ↓ ↓

→ →    → →    → →    → →    → →    → →    → →    → →

← ←    ← ←    ← ←    ← ←    ← ←    ← ←    ← ←    ← ←

← ←    ← ←    ← ←    ← ←    ← ←    ← ←    ← ←    ← ←

← ←    ← ←    ← ←    ← ←    ← ←    ← ←    ← ←    ← ←





01 {!!} \_1 r ā !! ⊖  
 1♂ s1 j1 ā ♀♂ G ā  
 ♀ s1 j1 ā ♂ G { !!  
 ♀ s1 9♀ C q a V♀ G } B !!  
 ♀ s1 j1 + ♀ a G } ā  
 3  
 01 {!!} \_1 ā !! V  
 α B q a ♀ y  
 6♂ s1 a f j1 G ā  
 ♀ s1 01 {!!} j1 x♂ G {  
 ♀ s1 01 {!!} j1 ㅁ G ā  
 ♀ s1 01 {!!} j1 ㅊ G {  
 α ā + B !! ♀ + G  
 q + a s1 L+ j1 q+ G ā  
 + + s1 j1 r G ā  
 01 {!!} \_1 + G {  
 ā S s1 j1 8 G ā ~1 j1 !!  
 x G ā q N1 j1 ā • n • {!!  
 T• \_1 G t !! N1 j1 D□ □  
 {!!} \_1 ♀ G t !! G ā ◻ A1 U ◻  
 ~1 ♀ G ā A1 A1 U  
 ~1 ā A1 q ←1 ←1 -  
 醜 01 q ♀ j1 q N1 q ←1 h- G n  
 ā q ♀ j1 q N1 ←1 j1 3•  
 ^• 01 {!!} t \_1 5 T• G  
 q ←1 j1 01 {!!} t \_1 q !! N1  
 ♀ 01 {!!} t \_1 X + ♀ G  
 q - ~1 j1 q q ←1  
 醜 01 q ♀ j1 q N1 q ←1 h- G n  
 ā q ♀ j1 q N1 ←1 j1 •

```

!!      ^•      0↑      {!!      _↑      5      T•      Q
      ◀      q
!!      ◀      0↑      N↑      ←↑      j↑      D□      ◀      q
      ◀      ◻      {!!      _↑      X      +      ♀      Q
      ◀      ◻      t      q      ◀      q
      ◻      C      ◻      ~↑      '      J!!      "      q
      ◻      ā      A↑      J!!      ā      ◀      A↑      Y      {!!
      ↑      n      ā      A↑      ◀      j↑      ↑      Y      {!!
!!      _↑      C      œ      ā      j↑      Q!!      f!!
!!      _↑      q      q      ā
!!      q      ◀      ←↑      j↑      ↑
!!      n      ↑      0↑      {!!      _↑      c      c      ↑      C
      ←↑      j↑      !!      _↑      q      œ      q      ◀
!!      8!!      0↑      {!!      _↑      6      6      ¶!!      C
      q

```

```

□!!      'g      * 2 n d : 4 7 4 - 7 1 8 k W h '
' 2 n d ' ' < ? x m l v e r s i o n = \ ' 1 . 0 \ '
e n c o d i n g = \ ' u t f - 8 \ ' ? > \ n \ n < d a t a s o u r c e
f o r m a t t e d -
n a m e = \ ' m s a c c e s s . 4 0 6 0 2 . 6 3 4 9 0 5 6 7 1 2 9 3 \ '
i n l i n e = \ ' t r u e \ ' v e r s " T o p : > 7 1 8 k W h '
' T o p '
' t d s ' 0 1 - 1 0 0 - 1 2 7 2 - 2 5 4 - 2 9 0 3 3 2 4 ¶ 4 2 9 4 9 6
7 2 9 4 5 0 6 4 - 7 1 8 8 $ C O L U M N P R O P S _ A C T I V E . C
O L U M N P R O P S _ A C T I V E . d a t a . C O L U M N P R O P S
_ A C T I V E . t y p e C O L U M N P R O P S _ I D & C O L U M N P
R O P S _ I D . d a t a & C O L U M N P R O P S _ I D . t y p e C O
L U M N P R O P S _ K E Y ( C O L U M N P R O P S _ K E Y . d a t a
( C O L U M N P R O P S _ K E Y . d i c t ( C O L U M N P R O P S _ K
E Y . t y p e $ C O L U M N P R O P S _ P A R E N T . C O L U M N P R
O P S _ P A R E N T . d a t a . C O L U M N P R O P S _ P A R E N T
. t y p e " C O L U M N P R O P S _ V A L U E , C O L U M N P R O P
S _ V A L U E . d a t a , C O L U M N P R O P S _ V A L U E . d i c t ,
C O L U M N P R O P S _ V A L U E . t y p e C O L U M N S _ A C T
I V E & C O L U M N S _ A C T I V E . d a t a & C O L U M N S _ A C T
I V E . t y p e ¶ C O L U M N S _ I D C O L U M N S _ I D . d a t a
C O L U M N S _ I D . t y p e ↑ C O L U M N S _ N A M E " C O L U M
N S _ N A M E . d a t a " C O L U M N S _ N A M E . d i c t " C O L U M
N S _ N A M E . t y p e C O L U M N S _ P A R E N T & C O L U M N
S _ P A R E N T . d a t a & C O L U M N S _ P A R E N T . t y p e ¶ D
U A L _ I D ↑ D U A L _ I D . d a t a ↑ D U A L _ I D . t y p e " N u m b
e r o f R e c o r d s 0 N u m b e r o f
R e c o r d s . 1 . d a t a , N u m b e r o f
R e c o r d s . d a t a , N u m b e r o f
R e c o r d s . d i c t Q u a r t i l e _ L a b e l * Q u a r t i l e _ L a
b e l . 1 . d a t a * Q u a r t i l e _ L a b e l . 1 . d i c t & Q u a r t i
l e _ L a b e l . d a t a & Q u a r t i l e _ L a b e l . d i c t - Q u a r t i
l e _ N a m e ( Q u a r t i l e _ N a m e . 1 . d a t a ( Q u a r t i l e _ N
a m e . 1 . d i c t $ Q u a r t i l e _ N a m e . d a t a $ Q u a r t i l e _
N a m e . d i c t Q u a r t i l e _ O r d e r * Q u a r t i l e _ O r d e r
. 1 . d a t a & Q u a r t i l e _ O r d e r . d a t a $ Q u a r t i l e _ h i

```

```

ghBound2Quartile_highBound.1.data.Quartile_highBound.data $$SCHEMAPROPS_ACTIVE.SCHEMAPROPS_ACTIVE.data.SCHEMAPROPS_ACTIVE.type SCHEMAPROPS_ID&SCHEMAPROPS_ID.data&SCHEMAPROPS_ID.type SCHEMAPROPS_KEY(SCHEMAPROPS_KEY.data(SCHEMAPROPS_KEY.dict(SCHEMAPROPS_KEY.type $$SCHEMAPROPS_PARENT.SCHEMAPROPS_PARENT.data.SCHEMAPROPS_PARENT.type "SCHEMAPROPS_VALUE,SCHEMAPROPS_VALUE.data,SCHEMAPROPS_VALUE.dict,SCHEMAPROPS_VALUE.type SCHEMAS_ACTIVE&SCHEMAS_ACTIVE.data&SCHEMAS_ACTIVE.type ¶SCHEMAS_ID SCHEMAS_ID.data SCHEMAS_ID.type ¶SCHEMAS_NAME "SCHEMAS_NAME.data "SCHEMAS_NAME.dict "SCHEMAS_NAME.type "TABLEPROPS_ACTIVE,TABLEPROPS_ACTIVE.data,TABLEPROPS_ACTIVE.type →TABLEPROPS_ID$TABLEPROPS_ID.data$TABLEPROPS_ID.type TABLEPROPS_KEY&TABLEPROPS_KEY.data&TABLEPROPS_KEY.dict&TABLEPROPS_KEY.type "TABLEPROPS_PARENT,TABLEPROPS_PARENT.data,TABLEPROPS_PARENT.type TABLEPROPS_VALUE*TABLEPROPS_VALUE.data*TABLEPROPS_VALUE.dict*TABLEPROPS_VALUE.type →TABLES_ACTIVE$TABLES_ACTIVE.data$TABLES_ACTIVE.type ¶TABLES_ID TABLES_ID.data TABLES_ID.type ¶TABLES_NAME TABLES_NAME.data TABLES_NAME.dict TABLES_NAME.type →TABLES_PARENT$TABLES_PARENT.data$TABLES_PARENT.type array-asc ¶bigint ¶binary-bit ¶boolean ¶builtin,clob(2) collate binary ¶comparable †distinct ¶double †en_US_C I false ¶heap index ¶integer-key ¶key.1.data ¶key.1.dict †key.data †key.dict †not-null-oid ¶real ¶t ¶true-usr value †value.1.data †value.1.dict ¶value.data ¶value.dict ¶varchar:varchar(127,2) collate binary8varchar(32,2) collate binary<varchar(50,2) collate en_US_C I ¶g { collation:binary
comparable:comparable
compression:heap
data-file:COLUMNPROPS_VALUE.data
datatype:usr
dict-file:COLUMNPROPS_VALUE.dict
distinct:distinct
factory:varchar
fixed:false
name:COLUMNPROPS_VALUE
not-null:not-null

```

precision:127  
scale:2  
size:254  
storagewidth:8  
type:varchar(127,2) collate binary  
type-file:COLUMNPROPS\_VALUE.type

```
┌c      0}
┌♀      ↑  C O L U M N P R O P S _ A C T I V E . d a t a      `┌      z┌
          ↑  C O L U M N P R O P S _ A C T I V E . t y p e      P!!      j
          ┆┆      C O L U M N P R O P S _ I D . d a t a      †'      *'
┆┆      C O L U M N P R O P S _ I D . t y p e
┌┆      ┆      C O L U M N P R O P S _ K E Y . d a t a      ;      ;      ┆
┆      C O L U M N P R O P S _ K E Y . d i c t      =      =      ┆
C O L U M N P R O P S _ K E Y . t y p e      ?      →?      ↑      C O
L U M N P R O P S _ P A R E N T . d a t a      ↑      j      ↑      C O
L U M N P R O P S _ P A R E N T . t y p e      S      j      S      †      C
O L U M N P R O P S _ V A L U E . d a t a      `g      zg      †      C O
L U M N P R O P S _ V A L U E . d i c t      ;      ⚭      †      C O L
U M N P R O P S _ V A L U E . t y p e      0}      J}
```

┌` builtin:bit  
data-file:COLUMNS\_ACTIVE.data  
datatype:boolean  
default-value:t  
factory:builtin  
fixed:true  
name:COLUMNS\_ACTIVE  
not-null:not-null  
size:1  
type:bit  
type-file:COLUMNS\_ACTIVE.type

```
┌      j      -      •      ◻      7      L      J
      |      ♂      ♀
      ♪      ☼      †      ◀      ↑      →      !!      ←      ┆
┆      T      †      ↑      †      †      †      †
┌      !
      builtin:oid
```

┌ data-file:COLUMNS\_ID.data  
datatype:index  
factory:builtin  
fixed:true  
name:COLUMNS\_ID  
not-null:not-null  
size:8  
type:oid  
type-file:COLUMNS\_ID.type

```
┌7      \      b      ð      ◻      ◀      %      B      a
      (      .      ♀      C7      f7      k7      ~7      L7
      □      C      ♀      /L      P7      k7      ~7      L7
      ┆      {      $C O L U M N P R O P S _ A C T I V
E C O L U M N P R O P S _ I D C O L U M N P R O P S _ K E Y $C
```



C O L U M N S \_ P A R E N T . t y p e ?

data-file: DUAL\_ID.data  
datatype: index  
factory: builtin  
fixed: true  
name: DUAL\_ID  
not-null: not-null  
size: 8  
type: oid  
type-file: DUAL\_ID.type

D U A L \_ I D . d a t a :  
D U A L \_ I D . t y p e

data-file: SCHEMAPROPS\_ACTIVE.data  
datatype: boolean  
default-value: t  
factory: builtin  
fixed: true  
name: SCHEMAPROPS\_ACTIVE  
not-null: not-null  
size: 1  
type: bit  
type-file: SCHEMAPROPS\_ACTIVE.type

data-file: SCHEMAPROPS\_ID.data  
datatype: index  
factory: builtin  
fixed: true  
name: SCHEMAPROPS\_ID  
not-null: not-null  
size: 8  
type: oid  
type-file: SCHEMAPROPS\_ID.type

collation: binary  
comparable: comparable  
compression: heap  
data-file: SCHEMAPROPS\_KEY.data  
datatype: usr  
dict-file: SCHEMAPROPS\_KEY.dict  
distinct: distinct  
factory: varchar  
fixed: false  
name: SCHEMAPROPS\_KEY  
not-null: not-null  
precision: 127  
scale: 2  
size: 254

storagewidth:8  
type:varchar(127,2) collate binary  
type-file:SCHEMAPROPS\_KEY.type

h  
builtin:oid  
data-file:SCHEMAPROPS\_PARENT.data  
datatype:index  
factory:builtin  
fixed:true  
name:SCHEMAPROPS\_PARENT  
not-null:not-null  
size:8  
type:oid  
type-file:SCHEMAPROPS\_PARENT.type

Extract-SYS  
collation:binary

comparable:comparable  
compression:heap  
data-file:SCHEMAPROPS\_VALUE.data  
datatype:usr  
dict-file:SCHEMAPROPS\_VALUE.dict  
distinct:distinct  
factory:varchar  
fixed:false  
name:SCHEMAPROPS\_VALUE  
not-null:not-null  
precision:127  
scale:2  
size:254  
storagewidth:8  
type:varchar(127,2) collate binary  
type-file:SCHEMAPROPS\_VALUE.type

SCHEMAPROPS\_ACTIVE.data  
SCHEMAPROPS\_ACTIVE.type p  
SCHEMAPROPS\_ID.data z  
SCHEMAPROPS\_ID.type  
SCHEMAPROPS\_KEY.data  
SCHEMAPROPS\_KEY.dict  
SCHEMAPROPS\_KEY.type p  
SCHEMAPROPS\_PARENT.data  
SCHEMAPROPS\_PARENT.type  
SCHEMAPROPS\_VALUE.data Д  
SCHEMAPROPS\_VALUE.dict +  
SCHEMAPROPS\_VALUE.type + \*  
builtin:bit

data-file:SCHEMAS\_ACTIVE.data  
datatype:boolean  
default-value:t  
factory:builtin  
fixed:true  
name:SCHEMAS\_ACTIVE  
not-null:not-null

size:1  
type:bit  
type-file:SCHEMAS\_ACTIVE.type

↳ K builtin:oid

data-file:SCHEMAS\_ID.data  
datatype:index  
factory:builtin  
fixed:true  
name:SCHEMAS\_ID  
not-null:not-null  
size:8  
type:oid  
type-file:SCHEMAS\_ID.type

↳ Extract-SYS  
collation:binary

comparable:comparable  
compression:heap  
data-file:SCHEMAS\_NAME.data  
datatype:usr  
dict-file:SCHEMAS\_NAME.dict  
distinct:distinct  
factory:varchar  
fixed:false  
name:SCHEMAS\_NAME  
not-null:not-null  
precision:127  
scale:2  
size:254  
storagewidth:8  
type:varchar(127,2) collate binary  
type-file:SCHEMAS\_NAME.type

SCHEMAS\_ACTIVE.data  
SCHEMAS\_ACTIVE.type  
SCHEMAS\_ID.data K  
SCHEMAS\_ID.type  
SCHEMAS\_NAME.data  
SCHEMAS\_NAME.dict  
SCHEMAS\_NAME.type  
builtin:bit

data-file:TABLEPROPS\_ACTIVE.data  
datatype:boolean  
default-value:t  
factory:builtin  
fixed:true  
name:TABLEPROPS\_ACTIVE  
not-null:not-null  
size:1  
type:bit  
type-file:TABLEPROPS\_ACTIVE.type

↳ P !! - • □ 7 L J  
♂ ♀



data-file:TABLEPROPS\_ID.data  
datatype:index  
factory:builtin  
fixed:true  
name:TABLEPROPS\_ID  
not-null:not-null  
size:8  
type:oid  
type-file:TABLEPROPS\_ID.type

data-file-name  
collation:binary

comparable:comparable  
compression:heap  
data-file:TABLEPROPS\_KEY.data  
datatype:usr  
dict-file:TABLEPROPS\_KEY.dict  
distinct:distinct  
factory:varchar  
fixed:false  
name:TABLEPROPS\_KEY  
not-null:not-null  
precision:127  
scale:2  
size:254  
storagewidth:8  
type:varchar(127,2) collate binary  
type-file:TABLEPROPS\_KEY.type

data-file:TABLEPROPS\_PARENT.data  
datatype:index  
factory:builtin  
fixed:true  
name:TABLEPROPS\_PARENT  
not-null:not-null  
size:8  
type:oid  
type-file:TABLEPROPS\_PARENT.type

\$ Table Metadata COLUMN PROPS COLUMN  
S DUAL Extract SCHEMA PROPS SCHEMAS  
TABLEPROPS TABLES  
collation:binary

comparable:comparable  
compression:heap  
data-file:TABLEPROPS\_VALUE.data  
datatype:usr  
dict-file:TABLEPROPS\_VALUE.dict  
distinct:distinct  
factory:varchar  
fixed:false  
name:TABLEPROPS\_VALUE  
not-null:not-null  
precision:127  
scale:2  
size:254  
storagewidth:8  
type:varchar(127,2) collate binary  
type-file:TABLEPROPS\_VALUE.type

```
┌0 |
└┐ ┌ TABLEPROPS_ACTIVE.data 0 J
└┐ ┌ TABLEPROPS_ACTIVE.type
: !! TABLEPROPS_ID.data P
┌ !! TABLEPROPS_ID.type
TABLEPROPS_KEY.data P j TAB
LEPROPS_KEY.dict TABLEP
ROPS_KEY.type TABLEPROP
S_PARENT.data TABLEPROPS
_PARENT.type TABLEPROPS
_VALUE.data @ Z T TABLEPROPS_
VALUE.dict + * T TABLEPROPS_V
ALUE.type
```

builtin:bit

data-file:TABLES\_ACTIVE.data  
datatype:boolean  
default-value:t  
factory:builtin  
fixed:true  
name:TABLES\_ACTIVE  
not-null:not-null  
size:1  
type:bit  
type-file:TABLES\_ACTIVE.type

```
┌bl |
└┐ | - •
└┐ | builtin:oid
```

data-file:TABLES\_ID.data  
datatype:index  
factory:builtin  
fixed:true  
name:TABLES\_ID  
not-null:not-null  
size:8  
type:oid  
type-file:TABLES\_ID.type

```
P ! 8 G - v
```

Tableau Metadata COLUMN PROPS COLUMN  
DUAL Extract SCHEMA PROPS SCHEMAS  
TABLE PROPS TABLES

collation:binary  
comparable:comparable  
compression:heap  
data-file:TABLES\_NAME.data  
datatype:usr  
dict-file:TABLES\_NAME.dict  
distinct:distinct  
factory:varchar  
fixed:false  
name:TABLES\_NAME  
not-null:not-null  
precision:127  
scale:2  
size:254  
storagewidth:8  
type:varchar(127,2) collate binary  
type-file:TABLES\_NAME.type

builtin:oid  
data-file:TABLES\_PARENT.data  
datatype:index  
factory:builtin  
fixed:true  
name:TABLES\_PARENT  
not-null:not-null  
size:8  
type:oid  
type-file:TABLES\_PARENT.type

TABLES\_ACTIVE.data  
TABLES\_ACTIVE.type  
TABLES\_ID.data  
TABLES\_ID.type  
TABLES\_NAME.data  
TABLES\_NAME.dict  
TABLES\_NAME.type  
TABLES\_PARENT.data  
TABLES\_PARENT.type

COLUMN PROPS  
DUAL  
SCHEMAS  
TABLE PROPS  
TABLES  
database.type  
SYS