

樟c?v* c Nd?槽突e? b +□o. Euf?v1 ó úf?□ g?yo: g?∞PF
訛7 Q^LZ I?^ Ǿ s? A₁ t? *
□□ v ǝu?G†tQ뽳?z díx?¶15M =x?□ +y? @啾Hy? ñ2y?□ z?¡e□z?W Z
|?ß-7□|~?S-↓BX籠↑ J E迪↑↑OPY ? > _H ? □H□?a9 ? 鑿뽳?Q;□ ?Y
□?¡; ? B □ ? →)□6 V ? ㄹ #. ? 'gǾ b ?□ □~hś!' ?uXT? b ?, ?
□ ?YIt9 ?^ 4長?8 6> ?N 씩 ? P唐 ?· g4 ?□ Ô? 觶□- ◀^L ?· \$L(?□> ?
=tw ?ñt^L ?' †= ?†罨 ?菴 #U ?- ♀ @*s ?9Y&\ j ? @· ?□ ?] ↓ XX ? †~J[?q
· v ?- · ?! □ ?□+1 ?r C Ä ?M □ □HH† ?□□g議† ? ♀X觥?ST] Ǿ ?Fh_o ?
;yA ?)5 绳 ?=뽳 s?d M雁 ?磊l=p?w뽳c? O%^Ltue□ eo □@詣 暗A□7癩 a\黻J 妓 . ë
俭+□/ 忱) 卩· ? □□ 禳 †/4• >0#M S
!! J -2 •5?-Q" O♀ -I †3- ;+EY₁ !T
%C ↑ 6: .DX
Nß F †)9□.B "WLǾ K †' |8,A HU† ! V ¶\$ †7 @*
RG◀ Z (<♂ =3^L&P[†\]1
□†& &
□† ? ~ßθ[?□* 71 ?> □ 2 ?AmZ ? ?拵N□ □ ?□* 71 ?†cF+dž ?ž t ?
靴E<□ □ 2 ? ʒi" ?†□ 4 · L[†]†? ?6 馮 ?-^L M ? □诿 - Y_ ?□<□□+d-
4 ?9]□p ? ʒi" ?s\□ ? □ 鰓?揮誦 ? A-□J ?♀-0 旁?r Y_† ? · ?□ ?=
膠- ? ◀h□?뽳P ?C " ♂ ? •□E& ?□ ? 뽳M ?□ ?LubWV ?_ 4
□ & ?T6 z□ ? 2□?¡ 9uw ?g GW]□ U탕 ?¶ \ ?† Ǿ ?뽳h e?P x□ ?
□@ ?Pu □? - Y_?^L1f r†,□?E鷄 晰h □?□O†
9 ʒ | Y□ 1 md5 □† -m□ □ d5_† x ♂ D-: ♂ *tj:□ X[□ #憐寔Np耒→Ǿ :b~ □霧
□Ou□ Nq†□□=V^L; □□□< Ǿ&e: " ♂† U□uw i †Ǿ s□ wjuv□ , 뽳 ʒ ?7?h □ ◀ Ǿ
□*c %Ǿ?~ †Ǿ 癩
↑ 9? i" ◀골 □ □□ e
05□ >† M O| † H \$2 □6@!Q!! K| † G "1• :&EV₁ †N♂ # = 4;
*DU ◀J♂ ↑ ? /9)B ¶TI♀ †G . -8%A †FS
R →+ †7 @ ¶PC†- X ,3 <(†LWǾ Y Z- □
□ * □Oqz?¡ "o h ? x Ñ ?Ǿ誼 ?XG
□? † †T ? 2uÇ ? k橫□ û8 ?-0 ◀R ? □y ?nf□ ?¡ "o h ?5 zEO ?3黎C
摶 □♀2" ?-0 ◀R ? r:K ?| j0 ?-□ J_x ?Q NZuC ?
玲◀ Y ?L, ^Ǿ?†&% ↓ ? v= v ?R*□?Ǿ}U5 ?B{ □ ?)5□ ?Ǿ· □Z\ P5g ?'x5□ ?
2" 摶?□* ? †|z□Xo- ?> ;ǾB ?% †□□ } ? † †T□? jü ?نخ D ? k橫□7
雄 ? \$,|? " &軀倉□?ε&Z\ ?U ㄸ ?;□Oqz?□ ? Ǿ d□_g?† _w ý □y3黎C儻&C 6
· <& flJo♀ PS L1)□? ? ÉQ_ r³U7\$Ǿo biFU?<) z
□Q□ :è W □ ʒ] 卩□□¶m1□ 8Y□ w:†□-0 ◀R□O □□ RcǾ j0 Y- 嶽 NZuC
□ †E□□Y□ 1@Ma□†□□ □ 卩 uÇ- 梨 i(Đ· > v H辨N<DÆ度 T M俵□ w k信 -誌
uaé? □† x *
(#+♀ <Ǿ | G >◀ 8 %& ♀,Aßh : †7)#♀ .!! GL
;- †0 \$ /ß†HK 9| ↑1 "Ǿ¶C †J6- †5
+†@ †4F• † E !
+ ?†† D3□→ M ♂ *ß †=2 B N† □ -
E. □离 ?†~| + ?啥\ ?üF†◀□
□f5 Di ?F Ǿ* ?4□ ?¶R□ ?啥\ ? YVsJ ? ff0 ? □f5 Di ?&妍N† ?†◀
□?L ◀□)Ǿ?<縹bd ?†j9 ? <m † ?†~| + ?□ ?}□ ?Ñw?P ?&妍N† ?†◀
□? R ! ʒ ? ~| 5 ?†~| + ýUsJL골 ql^κ 愿j
[9□196 ǾüF†◀□-Fp N† <mp YVsJ p d o p ff0Ǿ ' WǾ R ! 卩
~| 5o ʒo?i8 m □y|E□□H离◊,†j9 □>>, ¶ e]K/癩 □ 黻 /8白似3□ z'y怏KA xc
潤V † 濟r *뽳悒:&翡 ' W檐 ' 習 鉢□ P → □3聯? □ 适□(?y R ! ?)□ □ 箒□ ◀
z"□ W p□2 □5 Di □VsJ † ʒYD₁꽀 □뽳tn 峩4 v-□ □† xp.
□ ja< P7(l @□ † , Zb ?REJ- B
†+ ^d% 5FSO††A
†) - f4'GQL†→9
¶" \ '3!CU|†M;Ǿ ♀* Xc &1DT† =K◀ 卩 -
Yg #0•V8 N>!!† . [e\$ /:- W6†H 2♂

U+1 1 U T? n 膠U? *FUX? 橋g嶺?5◀a U
UV!! k U◀ 蒞 a? Um?D+U? \$R[□u? { Hō U U?]س U Gæsl ?† C> ?To櫟E ?t
U ? S◀/ ? • □ ?♂ ^ ?□♂ ? U?; j - ? 坂k ?Đ W@ ?d†
행 ? †!! u→A ? 齡G ?C† G ?; □† O ?&□A1 U O B ?U%4 UNQ e{C J ?Qiap U
Ur ?P□2x ?V _ ?m U ?/O -W ? 2責 ?jo U U t% ? ?冉aQ ?T n 堯?5
• E? ??b ◀DI ?; Vxb ? a ,c ?E x U z□m ?U ？ 烟"% ? U# ?uce) m ?U b~ ?
U ? f/ ?U ? 糠 + ?- . † ? ħ y ? . q n ? U ?
甜 ?dW2 @ ` ?v X Pg ?4G U ?† R' [?2 甜 ^ ? ㄘ ← ?
U ,v ? f?W] ? bFI† ?4 ;_Ad ?♂ 3ف ؟ ! ◌ ?j ha róD "□ s齒E U Z >|U→ U 1 'U'
yK B† <U□E8 ？ hr* □ 𑖑
rī □ | rīd A6n rey(snP U l Zn# U □ ~ 赦! 0p◀ 6• C & ？ □ }- □ , M U U □ U
U6 ↑5 lb=- P6'L B□ † , Za <R?† @
Yc !!>S1 †;K† 𑖑 - Xf /L Q4† H7◀
[d 09† T:!! D 2

U@5 J U→ W?U; Z?讓B? O'
紫? U† b? Ukc? Uā?" q?V UēF@ r?~♂ Xkz?U† }?♂ Y♀ U ??w• ?Wl• À?)ya ?□ c
U ?U ?Hhu U† † ?9† T1 ◌ ? +m1 U EU ?r† 濞?D† i ?*U ?Y U ~ ？ 鄧?L: □ ?
U ?æ † . ? □ EU ā U u5† ?É □ & ?m)C3=q zo† ◀ ? 8J6
? { ♂ |g ? (!U† Dd† ?U ? q | 滯?w E h ? ;(U
U1 <UW 瘰 ?-a EV□ 髡 ? g† | ?◀ V& 2 ?8 2 U F←z ? >~] ? 矣?5 丑7♂?U
鵝?a→ M◀5→ ?U? a~vX ?u† □ ? 壘 ? 8v F ? XR6y ?j NF4 ？ U- U? X U ?>| % ?† 1
U d ig ?É† jy ?R(U(
?Yd3 (?D U □ ? 辰k ?? □ G5? U poL1 B 𑖑 LF p[| 1 t lj? † U
_ "Yo U <m) Ut f□ X† ？ † • Q□ ~; 5Qω† wō† f† U O u 3□ | U QO ？ }† t aj ？ / K □ -
𑖑 ? H !J• ` V&? † NQH U ?W□ H□ ? ? U
U 6 H9 Ugr † =

U sC G2 ?{ , 1 ?) Wp† ? Q E† jo ? ？ ？ x U ？ U ? | □ ？ ? □ † }? 날z?" † † t?
U Bm? WP c U† † !&d? 9 ^? U Z U ？ y |
U ?Y R=Z ?5UMV L ? † † d ?c 𑖑 B? J右b ?• † † U? iL z?J} ？ w?0M 𑖑 ? H i*r?
糗Y^ i? S U † † ?† (NJ X? U 𑖑 T, □ s□ □ ? U- ?
具 ？ ？ † ？ / 𑖑 U† 𑖑 UI ? 8 ?uS~? N• }? U }? Ux? yi 讀? uy ◀ n? ŷ U Nk C Ca?♀ 2^
U ? ？ ？ † ? S† p□ 0J 𑖑 估 K 爇 刺 • ?D 旒3 策 𑖑 φ?† cCg
U - 𑖑 † ~? SJ"2 ?T: ӨK? @kzty v? q9z M r? U q p? □ 𑖑 YUr U /† □
U Y† Q? Urt † † † 𑖑 Sŷ AU ?□ r h□ ? 𑖑 ？ ?o♀ Ov ?A 𑖑 uJ ?
U † ？ ？ q† @ U w? U 1 𑖑 ？ Zw4 fu? nU?> ?; &k? v □ `oF ？ ? U Δ?
U † Sn 𑖑 U h

jV U {IQ ? ？ U ? s◀ Y
~ ?; U ?† ~ U U ? e † □ 9Q | " ~ ? a 首 }? j U | ?◀ □ p? q F 擲? P ？ ,
？ ？ ？ U □ p1 □]- E Oŷ 令 AE ?s 𑖑 𑖑 ？ U ? Hu
U □ ° ?7D ! }? - 8B † |? ？ v? ？ Zg† | ja•; u? ?y7 s?z-- Rf?y% \ 7e?w
U]? L & B [? U † † Xdē U? † U 𑖑 ？ ? ？ |^ ？ n |? , hy? ？ #
x? & ？ u? ？ 84→ u?
) U y Lrn U □ h? kq O ^? C U Z? ◀ | { =DY? ？ ？ 1T?
U p9 † > U - q □ X ~ 팔7 ? b† 3 𑖑 † ?

U ? wŪ • ？ † ~ ~ ?† GW .b ? 疆? U - } L k ? y
U 𑖑 j?5 HQ _y? = | { ~? D Mc. Z? - □ { ?& 江 āo? W@ U U3 † □
U ? 迤 - aN? c◀ ? 𑖑 # ?S q U ? , B\$ ？ ？ B i v? 𑖑 ？ ？ S8 ？ G△ Y4f? † # Tlw? 本 B
？ # X? U loh? c7→ | U † ek† b? U K1 , □ □ Rx ? †
𑖑 ? eĈ > oK? hx} ？ ？ i† B ?& !) ? Ln 3 U r→ a> h ? U m? ~ U ? h U { ? } = □ ? m Q O Q r U / jp? u
• \ ? □ If? U - † pr- 0 猴 ? <♀ | 9□ ? S7eu 44J U ? q - 1 ？ ？ □
쿠F ? 9† E ?† i > LDx? • e?) ! □ † q f e s? †
U ? ε 9◌ ? , n6 f?z † Ww? gO/ V? U L ？ s◀ Jf n ? U
惠 ~ R ? a† ? q ？ ？ ？ Gb ? z v † † † ? K† 𑖑 k? † U #: ？ 弊 { ?
綵 1 𑖑) ? @ ~ • ? m • p = □ f? S† d? 𑖑 ？ † † Z?
U ？ e□ oe 需 ~> ? Z&i K† U
U ？ ur ? ？ □ ? 8† Xb? Bi U U j p?] † ! ? □ K • ~? ! a 𑖑 ？ M† U ？ ? - † !]? w† i?

□ S(+a >i ±VyN₁?vōr l?□□ 3 □?1'□□]뵙|?→? V, □?
Lā X?m□]?D D□0wV u秃,` Hh?>4i-V h? zI-i?鈔 }um?O뵙 n?□□p?
□)q?' ◀r? ? □?tr◀ Ⓞ s?□ v? `¶璋v?←← ↑F|r □□?□v뵙뵙 \$ J ?3-^愼 ?'r ,
?b□ ?□"CĒh ? A ? @ o ?□*~5g ? V z) ?뵙# ? □ ?_ ←
· ? H₁ → ? □·?N Fq ?3\$!!kō?l ' ??□h?k ? `s ?
□ ?yIx b ?g<o^± ?d- \$?鏞· ?□?P f(? X š敵愼醜 ? ↑pB ?m□]ū?Cy
軸 ?P E ?]□?◀Y>D\$ #?{ ? T1 ◀ ? U₁(↑ ? Wd/'S ?3} :an ?
=◎ Q ? N "P); ?H5i 硿Ke . 硿v z □ n Y□□ }□□ ?b sF · 駢Yó ?
□ ?\ R r/ ? gsh?oA~z x ?- E ? ? pē? -" ? ; Z ? □? " ?□\$jd ?:
□ ?m/in ?δ k□ ? W ?nU ?/□ ?-
6W ? □^3 뵙||ε2- ?→+J? L ? |o7 ?81r;¶ ?{L? ?襠□|ε?wyn뵙뵙 ?
q ?tōT X¶]E t oδ z T"S±x₂ ¶T:□\$g~vŷ H?- ŷ □ y뵙x0JL □ □
L0` 8 n₁ 奚?Q 駘 n?'s뵙7ō □ □ ↑ ?7
□5 ? xmoz□2| 房f 1f □NJ
?kH9 ㄷXIV• BW? 1 H□□?g># o?[] → ㅅ? & 3\$?@□' +? □ ?
□G| ø ¶=Mm?-+¶□ □ □□{-W□ ?)覽 u±뵙뵙 φ?
심{#% ?B |" ? LC% ↑V?}h 2 ?=1 aU?X □5?` } b? 3x
臆 ?x 2θ ? ,0s - ~E↑n? | ㅅ □K q₁ ?U•□k□뵙 F#
@¶ ?;Y□ [h ?#n" Y? v ㅅ ? `: ?→Uyv?' □δ x ㅅ ?
· 6 ? •]3? Ğ Ğ→Fp/ □=m?δ' w 6? '5 t ? □ | c' ? □
□ Lh ?₁ j O₁V X ? □X?A|→↑A ?- I□ ?f J {?,c h5?Hb□
?^J,É ?뵙 G ? ŸU₁□ U→p?cm - ω| xú ← ? □*-<! ?
9 n ? ' y?ehu>|F^ ±) ?^? □ ㅅ ? ㅅ ?^g臆 ? a 9?|K ㅅ
? p {?^□ □ ? /!· zUn?B< n □-□뵙 / ?IK; 7 ? 뵙; ?± :
彙?Z;9Ĝ [? W ? □ ?:{ E|| q ?B sc ㅅ+ ㅅ n .?□hM ?T s^J J□□ bd□ í "L← □g?E8 ㅅ
□ □F 轅{C J ?5· E? ? 茝 a? □' □# ?;□|O δ3-ㅅ ?뵙 + ? • □ ?To
櫟E ?> s 狗冉aQ ?{ f| ㅅ ? 挤#kL 9· 뵙□]□ □ ㅅ ? L as? *~ 9f ?iĒN ?
□Me' ? □□ ?NND !□?> u_p ? iY □L₁ J₁ □ ㅅ~s/A3? Qn†A?IZMc
?fdq†~y? □□ h □'ni" T r? } QI4
□□ ? o權 ? ä~z& ?"É ao' ㅅ -w□G□ ? ;*□?□뵙? A
灯₁ ?↑↑ -,Í?¶@ 7A9?+A+ n ?; eBei◀? 뵙 t ? □뵙뵙 p?6뵙q
钼 □□?□K ?pUj U J S| &{ @ ㅅ b ?T H?)|n 1 ?hf□Y?. I6^L
□Z +| s₁ v₁8?> ㅅ□bi□?□λ ? □ □ y uRw?뵙@□ □t9↑ ?h□ ?
鯨 ?!=C, ?n□◀|o □L Zdz4袴Bd~□1J4^LE† ? , T H)? E78 I?i ㅅ- ↑? Kt ㅅ|
崙 ? ¶ ㅅ XJ?t aj ㅅG^? ? UF←z ? 8J6
?d ig ?t f□□poL □kc?o† ◀ ?ÉiJy ? ㅅ)ya ?□ | @? >祀◀?~E
□ ?iDdτ ? Aq□뵙뵙 v? W) mD□ , N ? □뵙? 鸡 ㅅ?zē|□
□R□¶ ㅅ ue?Z 'j ? 玃□NL ω|%□?U5G□¶ ? ~<B?□b +? ㅅn1
궂?X □X ? e□ ㅅ?42^L駟p?δ]z'+e □o^L]啞 □↑Y?
□2 ?5'3 ?i4R~^ K 3^?ㅅㅅ ?ض <(? ' | ㅅ† ?4□ ?撲□)T, ?B □q?
□% ?3 t8 ^L L 5δ O 6g?I4.□ □ ㅅ ; ?2
}gZ8 ?8É x ?H□ ±? % ㅅhvm□- EK^o ?(ㅅ뵙 ?BM g □) ? a₁ ? ¶ A M 1?iC□
刺Hǒ ㅅ?5, ㅅ uf ㅅ□K ㅅ □B]□K %□2 Y I ? %□ mg □]b?□ ㅅ?•Gδ ?
瘁 ?hiC ?bδ 1/4?L |漢?-Oㅅ 郁•?o -4 ?L J2?
□(hm¹

□ m %n

□Pn ㅅ
♯L• ㅅ ㅅ^L
+ㅅ◀□| ㅅ | ♯
-L• ㅅ ㅅ^L

+◀♀□↕♂ |
♁-•L┘♁□┘┘
+◀♀ |↕♂ ♁| -
•L┘♁□┘♀+◀
|↕♀ ♁-|
•L♁ |┘♂+◀
□↕
|♁
-□L♁ |┘♀+♂◀•
|♁
-♁L□ |┘♀♂+•◀
♀ |
♁•□♁♁ |┘♂L◀◀-

L┘o +A A 0A @A PA `A pA A A A A A A A A A
p •┘
┘♀◀□↕L♁
+◀♀□↕L♁ •┘|┘♁-
+◀♀□↕L♁ □ • |┘♁-
+◀♀ |
↕L♁ •
|┘♁♂┘-♀+◀
□↕L♁ • |┘♁♂-┘♀+
◀□L♁ •♁┘-♂┘|♀
+◀◀L♁ •♁┘|♁
┘-♀┘+◀•

L@p +A A 0A @A PA `A pA A A A A A A A A A A
L┘q Pq
♁┘ •┘|♁┘♀+◀□↕L♁♂ •┘-┘
♁
+◀♀□↕L♁♂ •-┘┘
|
+◀♀□↕L♁♂ • -┘┘
|
+◀♀□↕L♁♂ • -┘
┘|♀+◀
□↕L♁ • |┘♁♂-┘♀+
◀□L♁ •♁┘-♂┘|♀
+◀◀L♁♂ •♁┘-♁
┘|♀┘+◀•

L┘pq |r +A A 0A @A PA `A pA A A A A A A A A A A
L┘0r |r +◀♀|+•
↕♂♁□◀┘◀•


```

WH.dict      |      |      MULTIYEAR_NORM_
AVG_MBTU.1.data  ->      z->      MULTIYE
R_NORM_AVG_MBTU.dict  H      □
MULTIYEAR_NORM_AVG_MTCO2.1.data
MULTIYEAR_NORM_AVG_MTC
O2.dict      "      ->"      MULTIYEAR_NORM_A
VG_THM.1.data      "      ↵      MULTIYEAR_N
ORM_AVG_THM.dict  □
&      MULTIYEAR_NORM_ELEC_SA.1.data
&      ts      MULTIYEAR_NORM_ELEC_SA
.dict  □
$      MULTIYEAR_NORM_GASANDELEC_SA
.1.data      *      *      "      MULTIYEAR_NORM_G
ASANDELEC_SA.dict  -      -
MULTIYEAR_NORM_GAS_SA.1.data
P.      j.      -      MULTIYEAR_NORM_GAS_SA.di
ct  □
1      !      MULTIYEAR_NORM_TOTAL_MBTU.1.d
ata      1      "      MULTIYEAR_NORM_TOTA
L_MBTU.dict
5      :5      "      MULTIYEAR_NORM_TOTAL_MTC
O2.1.data      □
MULTIYEAR_NORM_TOTAL_MTCO2.dict  P
9      j9      ↓      NORM_AVG_KWH.data
>      :>      !!      NORM_AVG_MBTU.data  □
C      ¶      NORM_AVG_MTCO2.data      •      ⚡
¶      NORM_AVG_THM.1.data      H      H      ↓      N
ORM_AVG_THM.dict  @L      ZL      ¶      NORM_E
LEC_SA.1.data      M      -M      ↓      NORM_ELEC
_SA.dict  0Q      JQ      ↑      NORM_GASANDELEC
_SA.data      V      -V      !!      NORM_GAS_SA.1.
data      †      ↵      ◀      NORM_GAS_SA.dict  Z
Z      j      NORM_TOTAL_ANNUAL_KWH.data
P_data      j      +      *      -      NORM_TOTAL_ANNUAL
_THM.dict  y
|      †      NORM_TOTAL_MBTU.data      h      h
†      NORM_TOTAL_MTCO2.data      pm      m
|      Number of
Records.1.data      0n      Jn      ♂      One.1.data
□
o      †      TOTAL_KWH_RANK.1.data      o      □
¶      TOTAL_KWH_RANK.dict
p      :p      †      TOTAL_MBTU_RANK.1.data      □
□      †      TOTAL_MBTU_RANK.dict      Pq      jq      ↑
TOTAL_MTCO2_RANK.1.data      †r      *r      †
TOTAL_MTCO2_RANK.dict      r      r      †
OTAL_THM_RANK.1.data      @s      Zs      ¶      TOT
AL_THM_RANK.dict      s      †      TOT_CIT
Y.1.data      pt      t      ♂      TOT_CITY.dict  t
t      ↓      TOT_COUNTY.1.data      `u      zu      †
TOT_COUNTY.dict  u      u      ♀      YEAR.1.
data      Pv      jv
YEAR.dict  v      v
□      □      Extract 6

```



data-file: COLUMNPROPS_ACTIVE.data
datatype: boolean
default-value: t
factory: builtin
fixed: true
name: COLUMNPROPS_ACTIVE
not-null: not-null
size: 1

builtin: bit

3
4
5
6
7
8
9
:
;
<
=
>
?
@
A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z
[
\
]
^
_
a
b
c
d
e
f
g
h
i
j

k
l
m
n
o
p
q
r
s
t
u
v
w
x
y
z
{
|
}
~

□	-	@	→	+	j	~	G		
□	-	@	→	+	8	Z	j	~	
□	-	B	Ω → @	Ω	8	<	R	j	~
□	-	B	Ω → @	Ω	8	Z	~	G	
□	-	@	Ω → @	+	8	Z	j	~	
□	-	B	Ω → @	+	8	j	~	G	
□	-	@	Ω → @	+	8	Z	j	~	
□	-	B	Ω → @	+	8	j	~	G	
□	-	@	→	+	j	~	G		
□	-	@	→	+	j	~	G		
□	-	+	→	+	8	Ω	Z		@
□	-	+	→	<	8	j	~		@
□	Ω	-	→	Ω	8	Z	R	j	~
□	-	B	Ω → @	Ω	8	<	R	j	~
□	-	B	Ω → @	Ω	8	Z	R	j	~
□	-	B	Ω → @	Ω	8	<	R	j	~
□	-	B	Ω → @	Ω	8	Z	R	j	~
□	-	B	Ω → @	Ω	8	<	R	j	~
□	~	-	→	Ω	8	J	<	Z	R j
□	~	-	→	Ω	8	J	<	Z	R j
□	~	-	→	Ω	8	J	+	Z	(j
□	j	-	→	Ω	8	@	+		(B
□	+	8	~	R	Z	~		Ω	B
□	+	8	~	<	Z	~		Ω	B
□	Ω	+	→	<	R	~			@
□	-	→	B	@	8	+	J	<	j
□	-	→	B	@	8	+	J	<	R



F/ Z- X/ 解 ♀. p. Ó 0
 / Z J 0
 F/ X/ F/ ↑ | □ j| Y 2. J- Z- 0
 / Z- X/ X/ ♀. p. Ó X♂
 j| J- 2. x/ Z- 0 ♀. 4♂ F/ ↑ |
 ^ x/ F/ P♀ f F/ →. Z- (♀ X/ X/ ♀ f♀ ♀. Y 2. Ó
 綉 ♀ J 0 □ ♀ F/ ↑ | j| J-
 Z- X/ Y 2. x/ , r
 F/ X/ Y 2. x/ X/ č →. ! ". j/
 2. X/ X/ Z" 2" ♀. " p. Ó " / J- Z-
 # J 0 □ X/ F# Y ↑ | 2. x/ J- Z-
 / F/ Z- X/ v# ♀. p. Ó dz
 □ Z- J 0 # F/ ↑ | j| j| 2. J- x/
 T\$ F/ f →. r\$ \$ " X/ j/ 2. Y
 2. ♀. x/ p. α F/ F/ Z- X/ X/ V% J 0
 z% ↑ % ¥ " ↑ | j| 2. J- x/ Z- % F/
 □ f →. X/ X/ :& ♀. Y 2. Ó x/ & & F/ Z-
 X/ J 0 & ♀. & p. Ó ↑ | & j| / J- Z-
 □ X/ X/ n' @' ♀. Y p. 2. Ó x/ ' / F/ Z-
 □ Z- J 0 τ(→. ^ (" X/ j| 2. J-
 x/ 2. B(F/ (f →. (X/ X/ (♀. Y p.
 □ F/ Ó x/ ↑ | (/ F/ 4) Z- X/ J 0 s ♀. X/
) Y ↑ | 2. j| x/ J- x) Z- F/ 0 Z- V) X/ X/)
 . ♀. Ó - / Ê J 0 □ .
 . z- F/ f " Z- 0 X/ . F/ f
 . Z- • / 2. □ x/ . F/ f
 . Z- • / 2. □ x/ f• F/ j|

・		B□	∕	2.	□	x/			
□	F/	□	∕	Z-	□	x/	□	F/	-
・	Z-	♯	∕	2.	□	x/	H♯	F/	F-
・	Z-	∞	∕	2.	□	x/			
□	F/	R-	∕	Z-	□	x/	d'	F/	V-
・	Z-	↑	∕	2.	□	x/	+	/	
・	Z-	0	∕	2.	♀.	○	F+	F/	f
・	Z-	◀	∕	2.	□	x/	♀◀	F/	d-
・	Z-	t	∕	2.	□	x/	◀	F/	'
・	Z-	Z	∕	2.	□	x/			
□	F/	8	∕	Z-	□	x/	3	F/	↑
・	Z-	⊥	∕	2.	□	x/	¶	F/	0
・	Z-	⊥	∕	2.	□	x/	⊥	F/	F
・	Z-	⊥	∕	2.	□	x/	p⊥	F/	L
・	Z-	∕	∕	2.	□	x/	J	F/	R
・	Z-	↑	∕	2.	□	x/	T↑	F/	X
・	Z-	↑	∕	2.	□	x/	&↑	F/	^
・	Z-	→	∕	2.	□	x/	↑→	F/	d
・	Z-	T-	∕	2.	□	x/	↑←	F/	n
・	Z-	←	∕	2.	□	x/	x←	F/	
・	Z-	∕	∕	2.	□	x/			
・	Z-	F/	∕	Z-	□	x/	V	F/	
・	Z-	"	∕	2.	□	x/	∞	F/	
・	Z-	g	∕	2.	□	x/	j	F/	
・	Z-	2	∕	2.	□	x/			
□	F/	b	∕	Z-	□	x/	v	F/	-
・	Z-	∞	∕	2.	□	x/	∞	F/	-
・	Z-	x	∕	2.	□	x/	∞	F/	-
・	Z-	∕	∕	2.	□	x/	∞	F/	-
・	Z-	F/	∕	Z-	□	x/	∞	F/	-
・	Z-	∕	∕	2.	□	x/	∞	F/	-
・	Z-	∕	∕	2.	□	x/	∞	F/	-

膾 0! x/ Ę F/
 Z- 2. x/ ^! F/
 |! x/ 2. x/ F/
 Z- ** \ 2. □ x/ † F/
 Z- Ö \ 2. □ x/ z* F/
 Z- n+ \ 2. □ x/ + F/ -
 Z- †, \ 2. □ x/ ‡ F/ --
 Z- ♀. Ö ♀- , / á †0 □ u
 ♀. F/ Ö ♀- H- / f h- Z- □ u
 †0 □ H- / f (- †0 Z- □ NO
 ♀. F/ Ö - / †0 Z- □ NO
 ♀. F/ p. †- Ö | - f Z- u †0 f
 □ ♀. p. 0 Ö 0 - f / - Z- u †0 f
 □ \ 2. f " Z- Z- †0 F/ □ d| Z-
 d| □ x/ \ 2. F/ □ f x/ f•
 2. F/ □ j| Z- d| □ x/ \
 2. F/ □ x/ Z- d| □ x/ \
 2. d| □ b† \ 2. F/ □ x/ Z- H† F/
 F- x/ Z- d| \$ x/ \ 2. F/
 □ F/ □ R- x/ Z- d' F/ V- d| □ x/ \
 2. ♀. Ö x/ d† d' / †- Z- †0 □ d|
 u F† F/ Z- | † f Z- Z-
 愀 @◀ \ 2. □ x/ ♀◀ d- Z-
 t- 2| \ 2. □ x/ □ d- x/
 Z-
 愀 !! \ 2. □ x/ 愀
 □ \ 2. □ x/ 3 †| Z-
 愀 〃 \ 2. □ x/ †| 0| Z-
 t- ë \ 2. □ 0| x/ Z-
 † F| Z- p† L| Z- n- † \ 2. h-
 □ x/ 2. †| □ R| x/ Z- T†
 † ^- † \ 2. □ x/ Z-
 愀 X| Z- 2. □ x/ &† ^| Z-
 Z† \ 2. □ x/ †→ d| Z-
 愀 N→ \ 2. □ x/ †→ □ d| x/ Z-
 †← F/ n| >| Z- †→ \ 2. >| □ x/ \

□ d| f H/R F/ F- - f .
 □ f F/ R- - f . 2. □ x/ d|
 □ f p. d' y F/ \$+ V- - 2. □ d| p.
 ♀. 騎 p. d' y F/ \$+ V- - 2. □ x/ d| d|
 愀 Z- p. J 0 | □ + / - 2. □ x/ d|
 □ ~L ♀◀ d- ◀ Z- f 2. □ @ F+ F/
 □ t| y Z- ↓ f 2. □ x/ t- f p.
 愀 p. Z!! y J | !! Z- f 2. □ x/ f
 愀 N1 p. 8| y J | r| Z- f 2. □ x/ *J
 愀 p. 3 y J | r| Z- f 2. □ x/ z'
 □ p. 7 y 9 | 0| Z- f 2. □ x/ R'
 □ p. R^L T y 8^T Z- f 2. □ x/ t- J
 □ p. p_T y L| J+ Z- f 2. □ x/ h- f p.
 □ L J y R| +↑ Z- f 2. □ x/ ^ f p.
 □ Z- f 2. □ x/ 愀 f p. J T↑ X|
 □ x₁ p. &+ y ^ J Z- f 2. □ x/ f
 □ &^L p. ↑→ y d| K Z- f 2. □ x/ f
 □ p. y . 2. □ x/ f
 □ p. V F/ | Z- f . (|
 □ " y F/ F | Z- 2. f □ x/ f
 □ p. 2 y T Z- 2. f □ x/ f
 □ F/ b Z- f 2. f x/ f

| p.
 □ > ↓ F/ - Z- 2. b □ x/ f
 □ f >| 2. □ x/ 2. f .
 越 F/ □ Z- □ □ □ >| F/
 □ Z- □ □ □ n/ f f \ .
 膾 f 2. x/ f f f! ĉ F/ □ x/ f
 f n/ n/ f f!
 f ^! F/ □ d| p. 2. □ x/ d|
 □ f) ↑ F/ □ - d- □ □ □
 □ f . 2. □ d| p. d| □ * >| F/
 □ - □ f x/ d| z* □ □ □
 □ f >+ + >| + . 2. □ x/ p. d|
 □ f + F/ - - 2. □ □ □
 顯 f >| . 8, . d| 2. p. □ x/ d| f
 □ F/ ↓ || p. □ □ □ / F/ á
 □ f . ↓ 0 f □ ♀. p. Ó r, ,
 □ ♀- Ó | f / h- f u' f ♀.
 □ ↓ F/ ↓ 0 □ .
 p. ↓ - Ó □ f (- f NO Z- ♀.
 p. / Ó - . ↓ 0 □ f .
 □ - f F/ u' □ ↑ - | f .
 . ♀. Ó "/ / 4/ ↓ 0 .
 . F/ Ó . f / | Z- 1
 . ↓ 0 . / F/ f ♀. p. Ó
 □ / 0- ♀/ Z- B. ↓ 0 f .
 . F/ □ 1 . f ♀. p. Ó /
 | / Z- 1 / ↓ 0 f ♀. p. Ó /
 F/ □ f 0- / Z- B. / ↓ 0 f ♀. p.
 . Ó f "/ / 4/ B. / ↓ 0 f ♀. p.
 | / f 1 / f ♀. p. Ó .
 . ↓ 0 . / F/
 □ f 0- x/ j| B. / Z- †
 . 2. x/ | Z- t| ♀. F/
 □ . 2. x/ | Z- t| ♀. F/
 □ - . Z- t| p. ♀.

□ +♯ . ♯ - . f 2. x/ | t|
□Я ↗ ♂♂ F/ □ - ♀ '2005' ♀ '2012' '<?xml
version=\ '1.0\ ' encoding=\ 'utf-8\ '
>\n\n<datasource formatted-
name=\ 'oracle.41064.729329062502\ '
inline=\ 'true\ '
versio↑ 'ALAMEDA' ♯ 'AREA2' L'Agricultura
l Manuf. &
Transportation' ¶ 'BERKELEY' <'Wastewate
r & Water Treatment'
'tds' ⌋ 0,0.00030358227079538557,0.0004
0733197556008148(0.00103330051746401
7*0.0012733541994464695(0.0013064387
04850901*0.0013839048703987113*0.0014
056926355390377*0.001446032971257099
4*0.0016993606228515364*0.0055145902
537179032*0.0081967213114754103(0.01
0997963340122199(0.01549463647199046
5&0.15086909815200303&0.288776943505
64398&0.37133060140492496&0.69713499
870094331 ⌋ 1 ⌋ 10-100 □ 1020-105 ¶ 1073741
823 ⌋ 11-114 ⌋ 12-127-128-129 ⌋ 13-132-1
38 ⌋ 14 ⌋ 15 ⌋ 16 ⌋ 17 ⌋ 18 ⌋ 19 ⌋ 2 ⌋ 20 ¶ 2005-01-
01 ¶ 2012-01-
01 ⌋ 21 ⌋ 22 ⌋ 23 ⌋ 24 ⌋ 25-255 ⌋ 26 ⌋ 27 ⌋ 28 ⌋ 29 ⌋
3 ⌋ 30 ⌋ 31 ⌋ 32 ⌋ 33 ⌋ 34 ⌋ 35 ⌋ 36 ⌋ 37 ⌋ 38 ⌋ 39 ⌋ 4 ⌋
40-400 ¶ 4294967292 ⌋ 5-508 ⌋ 6 ⌋ 7 ⌋ 8 ⌋ 80 ⌋ 9
⌋ 92 ⌋ 95 ⌋ 97 □ AREA ↑ AREA.1.data ↑ AREA.1.
dict ↑ AREA.data ↑ AREA.dict ↑ AVG_KWH_RAN
NK&AVG_KWH_RANK.1.data"AVG_KWH_RAN
K.data"AVG_KWH_RANK.dict→AVG_MBTU_
RANK(AVG_MBTU_RANK.1.data\$AVG_MBTU_
RANK.data\$AVG_MBTU_RANK.dict AVG_M
TCO2_RANK*AVG_MTCO2_RANK.1.data&AV
G_MTCO2_RANK.data&AVG_MTCO2_RANK.
dict↑AVG_THM_RANK&AVG_THM_RANK.1.d
ata"AVG_THM_RANK.data"AVG_THM_RANK.
dict\$COLUMNPROPS_ACTIVE.COLUMNPRO
PS_ACTIVE.data.COLUMNPROPS_ACTIVE.t
ype COLUMNPROPS_ID&COLUMNPROPS_ID
.data&COLUMNPROPS_ID.type COLUMNPR
OPS_KEY(COLUMNPROPS_KEY.data(COLUM
NPROPS_KEY.dict(COLUMNPROPS_KEY.ty
pe\$COLUMNPROPS_PARENT.COLUMNPROPS
_PARENT.data.COLUMNPROPS_PARENT.ty
pe"COLUMNPROPS_VALUE,COLUMNPROPS_
VALUE.data,COLUMNPROPS_VALUE.dict,C
OLUMNPROPS_VALUE.type COLUMNS_ACT
IVE&COLUMNS_ACTIVE.data&COLUMNS_A
CTIVE.type ¶ COLUMNS_ID COLUMNS_ID.da
ta COLUMNS_ID.type ↑ COLUMNS_NAME"CO
LUMNS_NAME.data"COLUMNS_NAME.dict"
COLUMNS_NAME.type COLUMNS_PARENT&
COLUMNS_PARENT.data&COLUMNS_PAREN
T.type ♯ DUAL_ID ↑ DUAL_ID.data ↑ DUAL_ID.


```

type† DateYear DateYear.1.data→ DateYe
ar.data→ DateYear.dict† ELEC_SA_RANK&E
LEC_SA_RANK.1.data" ELEC_SA_RANK.dat
a" ELEC_SA_RANK.dict&EXT_NRES_NAICS
_CITY(GAS_AND_ELEC_SA_RANK6 GAS_AND
_ELEC_SA_RANK.1.data2 GAS_AND_ELEC_
SA_RANK.data2 GAS_AND_ELEC_SA_RANK.
dict† GAS_SA_RANK$ GAS_SA_RANK.1.data
GAS_SA_RANK.data
GAS_SA_RANK.dict MARKET_SEGMENT* M
ARKET_SEGMENT.1.data* MARKET_SEGMEN
T.1.dict&MARKET_SEGMENT.data&MARKE
T_SEGMENT.dict2 MULTIYEAR_NORM_ANNU
AL_KWH@MULTIYEAR_NORM_ANNUAL_KWH.
1.data<MULTIYEAR_NORM_ANNUAL_KWH.d
ata<MULTIYEAR_NORM_ANNUAL_KWH.dict
2 MULTIYEAR_NORM_ANNUAL_THM@MULTIYE
AR_NORM_ANNUAL_THM.1.data<MULTIYE
AR_NORM_ANNUAL_THM.data<MULTIYEAR
_NORM_ANNUAL_THM.dict, MULTIYEAR_NO
RM_AVG_KWH: MULTIYEAR_NORM_AVG_KWH
.1.data6 MULTIYEAR_NORM_AVG_KWH.dat
a6 MULTIYEAR_NORM_AVG_KWH.dict. MULTI
YEAR_NORM_AVG_MBTU<MULTIYEAR_NOR
M_AVG_MBTU.1.data8 MULTIYEAR_NORM_A
VG_MBTU.data8 MULTIYEAR_NORM_AVG_MB
TU.dict0 MULTIYEAR_NORM_AVG_MTCO2> M
ULTIYEAR_NORM_AVG_MTCO2.1.data: MUL
TIYEAR_NORM_AVG_MTCO2.data: MULTIYE
AR_NORM_AVG_MTCO2.dict, MULTIYEAR_N
ORM_AVG_THM: MULTIYEAR_NORM_AVG_TH
M.1.data6 MULTIYEAR_NORM_AVG_THM.da
ta6 MULTIYEAR_NORM_AVG_THM.dict, MULT
IYEAR_NORM_ELEC_SA: MULTIYEAR_NORM
_ELEC_SA.1.data6 MULTIYEAR_NORM_ELEC
_SA.data6 MULTIYEAR_NORM_ELEC_SA.di
ct8 MULTIYEAR_NORM_GASANDELEC_SAFM
ULTIYEAR_NORM_GASANDELEC_SA.1.data
BMULTIYEAR_NORM_GASANDELEC_SA.data
BMULTIYEAR_NORM_GASANDELEC_SA.dict
* MULTIYEAR_NORM_GAS_SA8 MULTIYEAR_
NORM_GAS_SA.1.data4 MULTIYEAR_NORM_
GAS_SA.data4 MULTIYEAR_NORM_GAS_SA.
dict2 MULTIYEAR_NORM_TOTAL_MBTU@MUL
TIYEAR_NORM_TOTAL_MBTU.1.data<MULT
IYEAR_NORM_TOTAL_MBTU.data<MULTIYE
AR_NORM_TOTAL_MBTU.dict4 MULTIYEAR_
NORM_TOTAL_MTCO2BMULTIYEAR_NORM_T
OTAL_MTCO2.1.data> MULTIYEAR_NORM_T
OTAL_MTCO2.data> MULTIYEAR_NORM_TO
TAL_MTCO2.dict† NORM_AVG_KWH&NORM_A
VG_KWH.1.data" NORM_AVG_KWH.data→ NO
RM_AVG_MBTU(NORM_AVG_MBTU.1.data$
NORM_AVG_MBTU.data NORM_AVG_MTCO2
* NORM_AVG_MTCO2.1.data&NORM_AVG_MT
CO2.data† NORM_AVG_THM&NORM_AVG_TH

```

```

M . 1 . data " NORM _ AVG _ THM . data " NORM _ AV
G _ THM . dict ↑ NORM _ ELEC _ SA & NORM _ ELEC _
SA . 1 . data " NORM _ ELEC _ SA . data " NORM _ EL
EC _ SA . dict $ NORM _ GAS AND ELEC _ SA 2 NOR
M _ GAS AND ELEC _ SA . 1 . data . NORM _ GAS AND
ELEC _ SA . data ↑ NORM _ GAS _ SA $ NORM _ GAS _
SA . 1 . data NORM _ GAS _ SA . data
NORM _ GAS _ SA . dict * NORM _ TOTAL _ ANNUAL
_KWH 8 NORM _ TOTAL _ ANNUAL _ KWH . 1 . data
4 NORM _ TOTAL _ ANNUAL _ KWH . data * NORM _ T
OTAL _ ANNUAL _ THM 8 NORM _ TOTAL _ ANNUAL
_THM . 1 . data 4 NORM _ TOTAL _ ANNUAL _ THM .
data 4 NORM _ TOTAL _ ANNUAL _ THM . dict NO
RM _ TOTAL _ MBTU , NORM _ TOTAL _ MBTU . 1 . d
ata ( NORM _ TOTAL _ MBTU . data
NORM _ TOTAL _ MTCO2 . NORM _ TOTAL _ MTCO2
. 1 . data * NORM _ TOTAL _ MTCO2 . data " Numbe
r of Records 0 Number of
Records . 1 . data , Number of
Records . data - One ¶ One . 1 . data + One . data
$ SCHEMAPROPS _ ACTIVE . SCHEMAPROPS _ A
CTIVE . data . SCHEMAPROPS _ ACTIVE . type
SCHEMAPROPS _ ID & SCHEMAPROPS _ ID . dat
a & SCHEMAPROPS _ ID . type SCHEMAPROPS _
KEY ( SCHEMAPROPS _ KEY . data ( SCHEMAPR
OPS _ KEY . dict ( SCHEMAPROPS _ KEY . type $ S
CHEMAPROPS _ PARENT . SCHEMAPROPS _ PAR
ENT . data . SCHEMAPROPS _ PARENT . type " S
CHEMAPROPS _ VALUE , SCHEMAPROPS _ VALU
E . data , SCHEMAPROPS _ VALUE . dict , SCHEM
APROPS _ VALUE . type SCHEMAS _ ACTIVE &
SCHEMAS _ ACTIVE . data & SCHEMAS _ ACTIVE
. type ¶ SCHEMAS _ ID SCHEMAS _ ID . data SC
HEMAS _ ID . type ↑ SCHEMAS _ NAME " SCHEMA
S _ NAME . data " SCHEMAS _ NAME . dict " SCHEM
LEPROPS _ ACTIVE . data , TABLEPROPS _ ACTI
VE . type → TABLEPROPS _ ID $ TABLEPROPS _ I
D . data $ TABLEPROPS _ ID . type TABLEPROP
S _ KEY & TABLEPROPS _ KEY . data & TABLEPRO
PS _ KEY . dict & TABLEPROPS _ KEY . type " TAB
LEPROPS _ PARENT , TABLEPROPS _ PARENT .
data , TABLEPROPS _ PARENT . type
TABLEPROPS _ VALUE * TABLEPROPS _ VALUE
. data * TABLEPROPS _ VALUE . dict * TABLEPR
OPS _ VALUE . type → TABLES _ ACTIVE $ TABLE
S _ ACTIVE . data $ TABLES _ ACTIVE . type ↑ TA
BLES _ ID TABLES _ ID . data TABLES _ ID . typ
e ↑ TABLES _ NAME TABLES _ NAME . data
TABLES _ NAME . dict
TABLES _ NAME . type → TABLES _ PARENT $ TAB
LES _ PARENT . data $ TABLES _ PARENT . type
TOTAL _ KWH _ RANK * TOTAL _ KWH _ RANK . 1 . d
ata & TOTAL _ KWH _ RANK . data & TOTAL _ KWH _
RANK . dict TOTAL _ MBTU _ RANK , TOTAL _ MB
TU _ RANK . 1 . data ( TOTAL _ MBTU _ RANK . data

```

```

(TOTAL_MBTU_RANK.dict
TOTAL_MTCO2_RANK.TOTAL_MTCO2_RANK
.1.data * TOTAL_MTCO2_RANK.data * TOTAL
_MTCO2_RANK.dict TOTAL_THM_RANK * TO
TAL_THM_RANK.1.data & TOTAL_THM_RANK
.data & TOTAL_THM_RANK.dict + TOT_CITY
TOT_CITY.1.data TOT_CITY.1.dict - TOT_
CITY.data - TOT_CITY.dict ¶ TOT_COUNTY"
TOT_COUNTY.1.data "TOT_COUNTY.1.dict
TOT_COUNTY.data TOT_COUNTY.dict □ YE
AR_T_YEAR.1.data_T_YEAR.1.dict ↓ YEAR.data
↓ YEAR.dict
array - asc ♀ bigint ♀ binary - bit ♂ boolean ♂ b
uiltin, clob(1) collate
binary ¶ comparable □ date + distinct ♀ doubl
e
false
float □ heap
index ♂ integer - key ¶ key.1.data ¶ key.1.di
ct + key.data + key.dict + not -
null - oid □ real ¶ tiny □ true ♀ unique - usr
value ↑ value.1.data ↑ value.1.dict ¶ value.
data ¶ value.dict ♂ varchar8 varchar(10,1)
collate binary: varchar(100,1) collate
binary: varchar(127,2) collate
binary: varchar(255,1) collate
binary8 varchar(32,1) collate binary

```

```

collation:binary
comparable:comparable
compression:heap
data-file:COLUMNPROPS_VALUE.data
datatype:usr
dict-file:COLUMNPROPS_VALUE.dict
distinct:distinct
factory:varchar
fixed:false
name:COLUMNPROPS_VALUE
not-null:not-null
precision:127
scale:2
size:508
storagewidth:8
type:varchar(127,2) collate binary
type-file:COLUMNPROPS_VALUE.type

```

```

L@=1 >1
L♀ ↑ COLUMNPROPS_ACTIVE.data @ Z
J ↑ COLUMNPROPS_ACTIVE.type 0
¶ COLUMNPROPS_ID.data @ □ Z
□ ¶ COLUMNPROPS_ID.type + □ *
□ ⊥ COLUMNPROPS_KEY.data
O :O ⊥ COLUMNPROPS_KEY.dict PQ
jQ ⊥ COLUMNPROPS_KEY.type ↓ j
↑ COLUMNPROPS_PARENT.data IO
□ ↑ COLUMNPROPS_PARENT.type
□ ↓ COLUMNPROPS_VALUE.data ♂1
♂1 ↓ COLUMNPROPS_VALUE.dict

```

C O L U M N P R O P S _ V A L U E . t y p e >

built-in:bit
data-file:COLUMNS_ACTIVE.data
datatype:boolean
default-value:t
factory:builtin
fixed:true
name:COLUMNS_ACTIVE
not-null:not-null
size:1
type:bit
type-file:COLUMNS_ACTIVE.type

! " # \$ % & ' () * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ A B C D E

built-in:oid
data-file:COLUMNS_ID.data
datatype:index
factory:builtin
fixed:true
name:COLUMNS_ID
not-null:not-null
size:8
type:oid
type-file:COLUMNS_ID.type

PH AREA AVG_KWH_RANK →
AVG_MBTU_RANK AVG_MTCO2_RANK ↑ AVG
_THM_RANK \$ COLUMNPROPS_ACTIVE COLU
MNPPOPS_ID COLUMNPROPS_KEY \$ COLUM
NPROPS_PARENT " COLUMNPROPS_VALUE C
OLUMNS_ACTIVE ¶ COLUMNS_ID ↑ COLUMNS_
NAME COLUMNS_PARENT ♂ DUAL_ID † Date Y

□ R₁ Д₁ builtin:oid

data-file:COLUMNS_PARENT.data
datatype:index
factory:builtin
fixed:true
name:COLUMNS_PARENT
not-null:not-null
size:8
type:oid
type-file:COLUMNS_PARENT.type

 □ □ U₁ □
 □ □ C O L U M N S _ A C T I V E . d a t a †B₁ *B₁
 □ □ C O L U M N S _ A C T I V E . t y p e □
C₁ † C O L U M N S _ I D . d a t a @E₁ Z E₁ † C
O L U M N S _ I D . t y p e F₁ →F₁ ↓ C O L U M N S _
N A M E . d a t a P H₁ j H₁ ↓ C O L U M N S _ N A M E . d
i c t
Q₁ :Q₁ ↑ C O L U M N S _ N A M E . t y p e R₁ R
γ □ □ C O L U M N S _ P A R E N T . d a t a Д₁
ψ □ □ C O L U M N S _ P A R E N T . t y p e U₁ U₁
 □3₁ □ γ builtin:oid

data-file:DUAL_ID.data
datatype:index
factory:builtin
fixed:true
name:DUAL_ID
not-null:not-null
size:8
type:oid
type-file:DUAL_ID.type

 □ X₁ X₁ □
 D U A L _ I D . d a t a ○ □
 D U A L _ I D . t y p e X₁ X₁ □
 □0Y₁ 4Y₁ builtin:bit

data-file:SCHEMAPROPS_ACTIVE.data
datatype:boolean
default-value:t
factory:builtin
fixed:true
name:SCHEMAPROPS_ACTIVE
not-null:not-null
size:1
type:bit
type-file:SCHEMAPROPS_ACTIVE.type

□`Y₁ &Z₁ γ L
□PZ₁ pZ₁ builtin:oid

data-file:SCHEMAPROPS_ID.data
datatype:index
factory:builtin
fixed:true
name:SCHEMAPROPS_ID
not-null:not-null
size:8
type:oid
type-file:SCHEMAPROPS_ID.type

comparable:comparable
compression:heap
data-file:SCHEMAPROPS_KEY.data
datatype:usr
dict-file:SCHEMAPROPS_KEY.dict
distinct:distinct
factory:vchar
fixed:false
name:SCHEMAPROPS_KEY
not-null:not-null
precision:127
scale:2
size:508
storagewidth:8
type:vchar(127,2) collate binary
type-file:SCHEMAPROPS_KEY.type

data - file name
collation:binary

data-file:SCHEMAPROPS_PARENT.data
datatype:index
factory:builtin
fixed:true
name:SCHEMAPROPS_PARENT
not-null:not-null
size:8
type:oid
type-file:SCHEMAPROPS_PARENT.type

builtin:oid

comparable:comparable
compression:heap
data-file:SCHEMAPROPS_VALUE.data
datatype:usr
dict-file:SCHEMAPROPS_VALUE.dict
distinct:distinct
factory:vchar
fixed:false
name:SCHEMAPROPS_VALUE
not-null:not-null
precision:127
scale:2
size:508
storagewidth:8
type:vchar(127,2) collate binary
type-file:SCHEMAPROPS_VALUE.type

Extract - SYS
collation:binary

SCHEMAPROPS_ACTIVE.data @Y Z
SCHEMAPROPS_ACTIVE.type 0Z
SCHEMAPROPS_ID.data pZ Z

```

SCHEMAPROPS_ID.type @ Z
SCHEMAPROPS_KEY.data [ [ Z
SCHEMAPROPS_KEY.dict ← [ [ Z
PROPS_KEY.type 0] ] ↑ SCHEMAPRO
PROPS_PARENT.data p] ] ↑ SCHEMAPR
OPS_PARENT.type P^ ]^ } SCHEMAPR
OPS_VALUE.data ^ ^ } SCHEMAPR
OPS_VALUE.dict O_ } SCHEMAPR
SCHEMAPROPS_VALUE.type @` Z
built-in:bit

```

```

data-file:SCHEMAS_ACTIVE.data
datatype:boolean
default-value:t
factory:builtin
fixed:true
name:SCHEMAS_ACTIVE
not-null:not-null
size:1
type:bit
type-file:SCHEMAS_ACTIVE.type

```

```

d_ c_ Zd_
d_ d_ builtin:oid

```

```

data-file:SCHEMAS_ID.data
datatype:index
factory:builtin
fixed:true
name:SCHEMAS_ID
not-null:not-null
size:8
type:oid
type-file:SCHEMAS_ID.type

```

```

d_ Le_
pe_ e_ Extract - SYS
e_ e_ collation:binary

```

```

comparable:comparable
compression:heap
data-file:SCHEMAS_NAME.data
datatype:usr
dict-file:SCHEMAS_NAME.dict
distinct:distinct
factory:varchar
fixed:false
name:SCHEMAS_NAME
not-null:not-null
precision:127
scale:2
size:508
storagewidth:8
type:varchar(127,2) collate binary
type-file:SCHEMAS_NAME.type

```

```

SCHEMAS_ACTIVE.data c_ c_
SCHEMAS_ACTIVE.type `d_ zd_ + SC
HEMAS_ID.data d_ d_ + SCHEMAS_ID
.type Pe_ je_ ↓ SCHEMAS_NAME.data
e_ e_ ↓ SCHEMAS_NAME.dict %_

```


S C H E M A S _ N A M E . t y p e

data-file:TABLEPROPS_ACTIVE.data
datatype:boolean
default-value:t
factory:builtin
fixed:true
name:TABLEPROPS_ACTIVE
not-null:not-null
size:1
type:bit
type-file:TABLEPROPS_ACTIVE.type

data-file:TABLEPROPS_ID.data
datatype:index
factory:builtin
fixed:true
name:TABLEPROPS_ID
not-null:not-null
size:8
type:oid
type-file:TABLEPROPS_ID.type

data-file:TABLEPROPS_KEY.data
datatype:usr
dict-file:TABLEPROPS_KEY.dict
distinct:distinct
factory:varchar
fixed:false
name:TABLEPROPS_KEY
not-null:not-null
precision:127
scale:2
size:508
storagewidth:8
type:varchar(127,2) collate binary
type-file:TABLEPROPS_KEY.type

data-file:TABLEPROPS_PARENT.data

type-file:TABLES_ACTIVE.type

data-file:TABLES_ID.data
datatype:index
factory:builtin
fixed:true
name:TABLES_ID
not-null:not-null
size:8
type:oid
type-file:TABLES_ID.type

\$ Table Metadata COLUMN PROPS COLUMN
NS DUAL Extract SCHEMA PROPS SCHEM
AS TABLE PROPS TABLES
collation:binary
comparable:comparable
compression:heap
data-file:TABLES_NAME.data
datatype:usr
dict-file:TABLES_NAME.dict
distinct:distinct
factory:varchar
fixed:false
name:TABLES_NAME
not-null:not-null
precision:127
scale:2
size:508
storagewidth:8
type:varchar(127,2) collate binary
type-file:TABLES_NAME.type

data-file:TABLES_PARENT.data
datatype:index
factory:builtin
fixed:true
name:TABLES_PARENT
not-null:not-null
size:8
type:oid
type-file:TABLES_PARENT.type

TABLES_ACTIVE.data
TABLES_ACTIVE.type
TABLES_ID.data
TABLES_ID.type
TABLES_NAME.data

```

x1      ◀ TABLES_NAME.dict 81      ↓1      ◀ TA
BLES_NAME.type
z1      :z1      !! TABLES_PARENT.data z1      z1
      !! TABLES_PARENT.type `1      z1

┌•   ♀ COLUMNPROPS >1      1      ▣ COLUMN
S   ⊥1      û1      | DUAL ↑1      $Y1      ♀ SCHEMA
PROPS ``1      pc1      ▣ SCHEMAS @g1      Ш1
♂ TABLEPROPS `1      Xu1      • TABLES {1

┌L  v1
t   ⌘ .database.type P      j      ▣ Extrac
      J      SYS }1      ~1

```