version-fix:0
version-major:1
version-minor:0
N
tds
<?xml version='1.0' encoding='utf-8' ?>

<datasource formatted-name='oracle.41065.642909513888' inline='true' version='8.1'
xmlns:user='http://www.tableausoftware.com/xml/user'>
  <connection class='dataengine' dbname='oracle_41065_642909513888.tde'>
    <relation name='Extract' table='[Extract].[Extract]' type='table' />
    <calculations>
      <calculation column='[Number of Records]' formula='1' />
      <calculation column='[One]' formula='1' />
      <calculation column='[isUnmatched]' formula='[ZIP]="Unmatched"' />
    </calculations>
  </connection>
  <aliases enabled='yes' />
  <column caption='Avg kWh Rank' datatype='real' name='[AVG_KWH_RANK]' role='measure'
type='quantitative'>
  </column>
  <column caption='Avg MBtu Rank' datatype='real' name='[AVG_MBTU_RANK]' role='measure'
type='quantitative'>
  </column>
  <column caption='Avg MTCO2 Rank' datatype='real' name='[AVG_MTCO2_RANK]' role='measure'
type='quantitative'>
  </column>
  <column caption='Avg Thm Rank' datatype='real' name='[AVG_THM_RANK]' role='measure'
type='quantitative'>
  </column>
  <column datatype='real' name='[Avg Norm]' role='measure' type='quantitative'>
    <calculation class='tableau' formula='Case [Parameters].[ChosenMetric]
When
"MBTU" THEN [NORM_AVG_MBTU]
When "kWh" THEN
[NORM_AVG_KWH]
When "Therms" THEN [NORM_AVG_THM]
When
"MTCO2" THEN [NORM_AVG_MTCO2]
END' />
  </column>
  <column datatype='real' name='[Avg Rank]' role='measure' type='quantitative'>
    <calculation class='tableau' formula='Case [Parameters].[ChosenMetric]
When
"MBTU" THEN [AVG_MBTU_RANK]
When "kWh" THEN
[AVG_KWH_RANK]
When "Therms" THEN [AVG_THM_RANK]
When
"MTCO2" THEN [AVG_MTCO2_RANK]
END' />
  </column>
  <column datatype='string' name='[ChosenMetricLabel]' role='dimension' type='nominal'>
    <calculation class='tableau' formula='Case [Parameters].[ChosenMetric]
When
"MBTU" THEN "Energy Usage"
When "kWh" THEN
"Electricity Usage"
When "Therms" THEN "Gas
Usage"
When "MTCO2" THEN "Emissions"
END' />
  </column>
  <column datatype='string' name='[ChosenMetricSALabel]' role='dimension' type='nominal'>
    <calculation class='tableau' formula='Case [Parameters].[ChosenMetric]
When
"MBTU" THEN "All"
When "kWh" THEN
"Elecricity"
When "Therms" THEN "Gas"
When
"MTCO2" THEN "All"
END' />
  </column>
  <column caption='Elec SA Rank' datatype='real' name='[ELEC_SA_RANK]' role='measure'

```
type='quantitative'>
  </column>
  <column caption='GasAndElec SA Rank' datatype='real' name='[GAS_AND_ELEC_SA_RANK]'
role='measure' type='quantitative'>
  </column>
  <column caption='GAS SA Rank' datatype='real' name='[GAS_SA_RANK]' role='measure'
type='quantitative'>
  </column>
  <column datatype='real' hidden='true' name='[MULTIYEAR_NORM_ANNUAL_KWH]' role='measure'
type='quantitative'>
  </column>
  <column datatype='real' hidden='true' name='[MULTIYEAR_NORM_ANNUAL_THM]' role='measure'
type='quantitative'>
  </column>
  <column datatype='real' hidden='true' name='[MULTIYEAR_NORM_AVG_KWH]' role='measure'
type='quantitative'>
  </column>
  <column datatype='real' hidden='true' name='[MULTIYEAR_NORM_AVG_MBTU]' role='measure'
type='quantitative'>
  </column>
  <column datatype='real' hidden='true' name='[MULTIYEAR_NORM_AVG_MTCO2]' role='measure'
type='quantitative'>
  </column>
  <column datatype='real' hidden='true' name='[MULTIYEAR_NORM_AVG_THM]' role='measure'
type='quantitative'>
  </column>
  <column datatype='real' hidden='true' name='[MULTIYEAR_NORM_ELEC_SA]' role='measure'
type='quantitative'>
  </column>
  <column datatype='real' hidden='true' name='[MULTIYEAR_NORM_GASANDELEC_SA]' role='measure'
type='quantitative'>
  </column>
  <column datatype='real' hidden='true' name='[MULTIYEAR_NORM_GAS_SA]' role='measure'
type='quantitative'>
  </column>
  <column datatype='real' hidden='true' name='[MULTIYEAR_NORM_TOTAL_MBTU]' role='measure'
type='quantitative'>
  </column>
  <column datatype='real' hidden='true' name='[MULTIYEAR_NORM_TOTAL_MTCO2]' role='measure'
type='quantitative'>
  </column>
  <column caption='Norm Avg kWh' datatype='real' name='[NORM_AVG_KWH]' role='measure'
type='quantitative'>
  </column>
  <column caption='Norm Avg MBtu' datatype='real' name='[NORM_AVG_MBTU]' role='measure'
type='quantitative'>
  </column>
  <column caption='Norm Avg MTCO2' datatype='real' name='[NORM_AVG_MTCO2]' role='measure'
type='quantitative'>
  </column>
  <column caption='Norm Avg Thm' datatype='real' name='[NORM_AVG_THM]' role='measure'
type='quantitative'>
  </column>
  <column caption='Norm Elec SA' datatype='real' name='[NORM_ELEC_SA]' role='measure'
type='quantitative'>
  </column>
```

```
  <column caption='Norm GasAndElec SA' datatype='real' name='[NORM_GASANDELEC_SA]'
role='measure' type='quantitative'>
  </column>
  <column caption='Norm Gas SA' datatype='real' name='[NORM_GAS_SA]' role='measure'
type='quantitative'>
  </column>
  <column caption='Norm Total Annual kWh' datatype='real' name='[NORM_TOTAL_ANNUAL_KWH]'
role='measure' type='quantitative'>
  </column>
  <column caption='Norm Total Annual Therms' datatype='real' name='[NORM_TOTAL_ANNUAL_THM]'
role='measure' type='quantitative'>
  </column>
  <column caption='Norm Total MBtu' datatype='real' name='[NORM_TOTAL_MBTU]' role='measure'
type='quantitative'>
  </column>
  <column caption='Norm Total MTCO2' datatype='real' name='[NORM_TOTAL_MTCO2]' role='measure'
type='quantitative'>
  </column>
  <column datatype='integer' name='[Number of Records]' role='measure' type='quantitative' user:auto-
column='numrec'>
    <calculation class='tableau' formula='1' />
  </column>
  <column datatype='integer' name='[One]' role='measure' type='quantitative'>
    <calculation class='tableau' formula='1' />
  </column>
  <column datatype='real' name='[SA Norm]' role='measure' type='quantitative'>
    <calculation class='tableau' formula='Case [Parameters].[ChosenMetric]&#13;&#10;When
&quot;MBTU&quot; THEN [NORM_GASANDELEC_SA]&#13;&#10;When &quot;kWh&quot; THEN
[NORM_ELEC_SA]&#13;&#10;When &quot;Therms&quot; THEN [NORM_GAS_SA]&#13;&#10;When
&quot;MTCO2&quot; THEN [NORM_GASANDELEC_SA]&#13;&#10;END' />
  </column>
  <column datatype='real' name='[SA Rank]' role='measure' type='quantitative'>
    <calculation class='tableau' formula='Case [Parameters].[ChosenMetric]&#13;&#10;When
&quot;MBTU&quot; THEN [GAS_AND_ELEC_SA_RANK]&#13;&#10;When &quot;kWh&quot; THEN
[ELEC_SA_RANK]&#13;&#10;When &quot;Therms&quot; THEN [GAS_SA_RANK]&#13;&#10;When
&quot;MTCO2&quot; THEN [GAS_AND_ELEC_SA_RANK]&#13;&#10;END' />
  </column>
  <column datatype='real' name='[SortingMetric]' role='measure' type='quantitative'>
    <calculation class='tableau' formula='Case [Parameters].[ChosenMetric (copy)]&#13;&#10;When
&quot;Total&quot; THEN [Total Rank]&#13;&#10;When &quot;Avg&quot; THEN [Avg
Rank]&#13;&#10;When &quot;SA&quot; THEN [SA Rank]&#13;&#10;END' />
  </column>
  <column caption='Total  kWh Rank' datatype='real' name='[TOTAL_KWH_RANK]' role='measure'
type='quantitative'>
  </column>
  <column caption='Total MBtu Rank' datatype='real' name='[TOTAL_MBTU_RANK]' role='measure'
type='quantitative'>
  </column>
  <column caption='Total MTCO2 Rank' datatype='real' name='[TOTAL_MTCO2_RANK]' role='measure'
type='quantitative'>
  </column>
  <column caption='Total Thm Rank' datatype='real' name='[TOTAL_THM_RANK]' role='measure'
type='quantitative'>
  </column>
  <column datatype='string' hidden='true' name='[TOT_CITY]' role='dimension' semantic-
role='[City].[Name]' type='nominal'>
```

```
  </column>
  <column datatype='string' name='[TOT_COUNTY]' role='dimension' semantic-role='[County].[Name]'
type='nominal'>
  </column>
  <column datatype='real' name='[Total Norm]' role='measure' type='quantitative'>
    <calculation class='tableau' formula='Case [Parameters].[ChosenMetric]&#13;&#10;When
&quot;MBTU&quot; THEN [NORM_TOTAL_MBTU]&#13;&#10;When &quot;kWh&quot; THEN
[NORM_TOTAL_ANNUAL_KWH]&#13;&#10;When &quot;Therms&quot; THEN
[NORM_TOTAL_ANNUAL_THM]&#13;&#10;When &quot;MTCO2&quot; THEN
[NORM_TOTAL_MTCO2]&#13;&#10;END' />
  </column>
  <column datatype='real' name='[Total Rank]' role='measure' type='quantitative'>
    <calculation class='tableau' formula='Case [Parameters].[ChosenMetric]&#13;&#10;When
&quot;MBTU&quot; THEN [TOTAL_MBTU_RANK]&#13;&#10;When &quot;kWh&quot; THEN
[TOTAL_KWH_RANK]&#13;&#10;When &quot;Therms&quot; THEN
[TOTAL_THM_RANK]&#13;&#10;When &quot;MTCO2&quot; THEN
[TOTAL_MTCO2_RANK]&#13;&#10;END' />
  </column>
  <column caption='Zip' datatype='string' name='[ZIP]' role='dimension' semantic-role='[ZipCode].[Name]'
type='nominal'>
  </column>
  <column datatype='boolean' name='[isUnmatched]' role='dimension' type='nominal'>
    <calculation class='tableau' formula='[ZIP]=&quot;Unmatched&quot;' />
  </column>
  <column datatype='boolean' name='[isYear]' role='dimension' type='nominal'>
    <calculation class='tableau' formula='[Parameters].[Year]=[YEAR]' />
  </column>
  <column-instance column='[ZIP]' derivation='None' name='[none:ZIP:nk]' pivot='key' type='nominal' />
  <layout dim-ordering='alphabetic' dim-percentage='0.203488' measure-ordering='alphabetic' measure-
percentage='0.695736' show-structure='true' />
  <style>
    <style-rule element='mark'>
      <encoding attr='color' field='[none:ZIP:nk]' type='palette'>
        <map to='#17becf'>
          <bucket>&quot;93426&quot;</bucket>
        </map>
        <map to='#17becf'>
          <bucket>&quot;93908&quot;</bucket>
        </map>
        <map to='#17becf'>
          <bucket>&quot;93912&quot;</bucket>
        </map>
        <map to='#17becf'>
          <bucket>&quot;94121&quot;</bucket>
        </map>
        <map to='#17becf'>
          <bucket>&quot;94606&quot;</bucket>
        </map>
        <map to='#17becf'>
          <bucket>&quot;95077&quot;</bucket>
        </map>
        <map to='#17becf'>
          <bucket>&quot;95127&quot;</bucket>
        </map>
        <map to='#17becf'>
          <bucket>&quot;95134&quot;</bucket>
```

</map>
<map to='#1f77b4'>
  <bucket>"93413"</bucket>
</map>
<map to='#1f77b4'>
  <bucket>"93450"</bucket>
</map>
<map to='#1f77b4'>
  <bucket>"93950"</bucket>
</map>
<map to='#1f77b4'>
  <bucket>"93954"</bucket>
</map>
<map to='#1f77b4'>
  <bucket>"94118"</bucket>
</map>
<map to='#1f77b4'>
  <bucket>"94128"</bucket>
</map>
<map to='#1f77b4'>
  <bucket>"94626"</bucket>
</map>
<map to='#1f77b4'>
  <bucket>"94720"</bucket>
</map>
<map to='#1f77b4'>
  <bucket>"95014"</bucket>
</map>
<map to='#1f77b4'>
  <bucket>"95120"</bucket>
</map>
<map to='#1f77b4'>
  <bucket>"95155"</bucket>
</map>
<map to='#1f77b4'>
  <bucket>"95620"</bucket>
</map>
<map to='#1f77b4'>
  <bucket>"95766"</bucket>
</map>
<map to='#1f77b4'>
  <bucket>"Unmatched"</bucket>
</map>
<map to='#2ca02c'>
  <bucket>"93922"</bucket>
</map>
<map to='#2ca02c'>
  <bucket>"93944"</bucket>
</map>
<map to='#2ca02c'>
  <bucket>"94101"</bucket>
</map>
<map to='#2ca02c'>
  <bucket>"94109"</bucket>
</map>
<map to='#2ca02c'>

<bucket>"94604"</bucket>
</map>
<map to='#2ca02c'>
<bucket>"94702"</bucket>
</map>
<map to='#2ca02c'>
<bucket>"95041"</bucket>
</map>
<map to='#2ca02c'>
<bucket>"95051"</bucket>
</map>
<map to='#2ca02c'>
<bucket>"95066"</bucket>
</map>
<map to='#2ca02c'>
<bucket>"95129"</bucket>
</map>
<map to='#2ca02c'>
<bucket>"95151"</bucket>
</map>
<map to='#2ca02c'>
<bucket>"95201"</bucket>
</map>
<map to='#2ca02c'>
<bucket>"95695"</bucket>
</map>
<map to='#7f7f7f'>
<bucket>"93925"</bucket>
</map>
<map to='#7f7f7f'>
<bucket>"94143"</bucket>
</map>
<map to='#7f7f7f'>
<bucket>"94603"</bucket>
</map>
<map to='#7f7f7f'>
<bucket>"94618"</bucket>
</map>
<map to='#7f7f7f'>
<bucket>"94804"</bucket>
</map>
<map to='#7f7f7f'>
<bucket>"95004"</bucket>
</map>
<map to='#7f7f7f'>
<bucket>"95017"</bucket>
</map>
<map to='#7f7f7f'>
<bucket>"95061"</bucket>
</map>
<map to='#7f7f7f'>
<bucket>"95111"</bucket>
</map>
<map to='#7f7f7f'>
<bucket>"95148"</bucket>
</map>

<map to='#8c564b'>
  <bucket>"93210"</bucket>
</map>
<map to='#8c564b'>
  <bucket>"93962"</bucket>
</map>
<map to='#8c564b'>
  <bucket>"94107"</bucket>
</map>
<map to='#8c564b'>
  <bucket>"94158"</bucket>
</map>
<map to='#8c564b'>
  <bucket>"94622"</bucket>
</map>
<map to='#8c564b'>
  <bucket>"94708"</bucket>
</map>
<map to='#8c564b'>
  <bucket>"95060"</bucket>
</map>
<map to='#8c564b'>
  <bucket>"95063"</bucket>
</map>
<map to='#8c564b'>
  <bucket>"95138"</bucket>
</map>
<map to='#8c564b'>
  <bucket>"95139"</bucket>
</map>
<map to='#9467bd'>
  <bucket>"93429"</bucket>
</map>
<map to='#9467bd'>
  <bucket>"93943"</bucket>
</map>
<map to='#9467bd'>
  <bucket>"94102"</bucket>
</map>
<map to='#9467bd'>
  <bucket>"94134"</bucket>
</map>
<map to='#9467bd'>
  <bucket>"94613"</bucket>
</map>
<map to='#9467bd'>
  <bucket>"94706"</bucket>
</map>
<map to='#9467bd'>
  <bucket>"95030"</bucket>
</map>
<map to='#9467bd'>
  <bucket>"95054"</bucket>
</map>
<map to='#9467bd'>
  <bucket>"95076"</bucket>

</map>
<map to='#9467bd'>
  <bucket>"95126"</bucket>
</map>
<map to='#9467bd'>
  <bucket>"95192"</bucket>
</map>
<map to='#9467bd'>
  <bucket>"95253"</bucket>
</map>
<map to='#98df8a'>
  <bucket>"93907"</bucket>
</map>
<map to='#98df8a'>
  <bucket>"94124"</bucket>
</map>
<map to='#98df8a'>
  <bucket>"94130"</bucket>
</map>
<map to='#98df8a'>
  <bucket>"94615"</bucket>
</map>
<map to='#98df8a'>
  <bucket>"94709"</bucket>
</map>
<map to='#98df8a'>
  <bucket>"95012"</bucket>
</map>
<map to='#98df8a'>
  <bucket>"95064"</bucket>
</map>
<map to='#98df8a'>
  <bucket>"95123"</bucket>
</map>
<map to='#98df8a'>
  <bucket>"95161"</bucket>
</map>
<map to='#9edae5'>
  <bucket>"93933"</bucket>
</map>
<map to='#9edae5'>
  <bucket>"94132"</bucket>
</map>
<map to='#9edae5'>
  <bucket>"94609"</bucket>
</map>
<map to='#9edae5'>
  <bucket>"95033"</bucket>
</map>
<map to='#9edae5'>
  <bucket>"95136"</bucket>
</map>
<map to='#9edae5'>
  <bucket>"95350"</bucket>
</map>
<map to='#aec7e8'>

<bucket>"93955"</bucket>
</map>
<map to='#aec7e8'>
<bucket>"94110"</bucket>
</map>
<map to='#aec7e8'>
<bucket>"94188"</bucket>
</map>
<map to='#aec7e8'>
<bucket>"94621"</bucket>
</map>
<map to='#aec7e8'>
<bucket>"94627"</bucket>
</map>
<map to='#aec7e8'>
<bucket>"94710"</bucket>
</map>
<map to='#aec7e8'>
<bucket>"95003"</bucket>
</map>
<map to='#aec7e8'>
<bucket>"95032"</bucket>
</map>
<map to='#aec7e8'>
<bucket>"95106"</bucket>
</map>
<map to='#aec7e8'>
<bucket>"95133"</bucket>
</map>
<map to='#bcbd22'>
<bucket>"93926"</bucket>
</map>
<map to='#bcbd22'>
<bucket>"94117"</bucket>
</map>
<map to='#bcbd22'>
<bucket>"94605"</bucket>
</map>
<map to='#bcbd22'>
<bucket>"95020"</bucket>
</map>
<map to='#bcbd22'>
<bucket>"95113"</bucket>
</map>
<map to='#bcbd22'>
<bucket>"95121"</bucket>
</map>
<map to='#bcbd22'>
<bucket>"95204"</bucket>
</map>
<map to='#bcbd22'>
<bucket>"95816"</bucket>
</map>
<map to='#c49c94'>
<bucket>"76185"</bucket>
</map>

<map to='#c49c94'>
  <bucket>"94103"</bucket>
</map>
<map to='#c49c94'>
  <bucket>"94122"</bucket>
</map>
<map to='#c49c94'>
  <bucket>"94619"</bucket>
</map>
<map to='#c49c94'>
  <bucket>"94701"</bucket>
</map>
<map to='#c49c94'>
  <bucket>"95001"</bucket>
</map>
<map to='#c49c94'>
  <bucket>"95044"</bucket>
</map>
<map to='#c49c94'>
  <bucket>"95065"</bucket>
</map>
<map to='#c49c94'>
  <bucket>"95101"</bucket>
</map>
<map to='#c49c94'>
  <bucket>"95119"</bucket>
</map>
<map to='#c5b0d5'>
  <bucket>"93905"</bucket>
</map>
<map to='#c5b0d5'>
  <bucket>"93906"</bucket>
</map>
<map to='#c5b0d5'>
  <bucket>"94022"</bucket>
</map>
<map to='#c5b0d5'>
  <bucket>"94111"</bucket>
</map>
<map to='#c5b0d5'>
  <bucket>"94131"</bucket>
</map>
<map to='#c5b0d5'>
  <bucket>"94608"</bucket>
</map>
<map to='#c5b0d5'>
  <bucket>"94660"</bucket>
</map>
<map to='#c5b0d5'>
  <bucket>"95018"</bucket>
</map>
<map to='#c5b0d5'>
  <bucket>"95125"</bucket>
</map>
<map to='#c5b0d5'>
  <bucket>"95141"</bucket>

</map>
<map to='#c7c7c7'>
<bucket>"93927"</bucket>
</map>
<map to='#c7c7c7'>
<bucket>"93932"</bucket>
</map>
<map to='#c7c7c7'>
<bucket>"94114"</bucket>
</map>
<map to='#c7c7c7'>
<bucket>"94602"</bucket>
</map>
<map to='#c7c7c7'>
<bucket>"94801"</bucket>
</map>
<map to='#c7c7c7'>
<bucket>"95010"</bucket>
</map>
<map to='#c7c7c7'>
<bucket>"95035"</bucket>
</map>
<map to='#c7c7c7'>
<bucket>"95112"</bucket>
</map>
<map to='#c7c7c7'>
<bucket>"95132"</bucket>
</map>
<map to='#d62728'>
<bucket>"93446"</bucket>
</map>
<map to='#d62728'>
<bucket>"93942"</bucket>
</map>
<map to='#d62728'>
<bucket>"94104"</bucket>
</map>
<map to='#d62728'>
<bucket>"94127"</bucket>
</map>
<map to='#d62728'>
<bucket>"94614"</bucket>
</map>
<map to='#d62728'>
<bucket>"94703"</bucket>
</map>
<map to='#d62728'>
<bucket>"95019"</bucket>
</map>
<map to='#d62728'>
<bucket>"95053"</bucket>
</map>
<map to='#d62728'>
<bucket>"95062"</bucket>
</map>
<map to='#d62728'>

<bucket>"95124"</bucket>
</map>
<map to='#d62728'>
<bucket>"95191"</bucket>
</map>
<map to='#dbdb8d'>
<bucket>"94129"</bucket>
</map>
<map to='#dbdb8d'>
<bucket>"94611"</bucket>
</map>
<map to='#dbdb8d'>
<bucket>"95002"</bucket>
</map>
<map to='#dbdb8d'>
<bucket>"95005"</bucket>
</map>
<map to='#dbdb8d'>
<bucket>"95023"</bucket>
</map>
<map to='#dbdb8d'>
<bucket>"95070"</bucket>
</map>
<map to='#dbdb8d'>
<bucket>"95131"</bucket>
</map>
<map to='#dbdb8d'>
<bucket>"95135"</bucket>
</map>
<map to='#e377c2'>
<bucket>"93461"</bucket>
</map>
<map to='#e377c2'>
<bucket>"93928"</bucket>
</map>
<map to='#e377c2'>
<bucket>"93930"</bucket>
</map>
<map to='#e377c2'>
<bucket>"94105"</bucket>
</map>
<map to='#e377c2'>
<bucket>"94123"</bucket>
</map>
<map to='#e377c2'>
<bucket>"94501"</bucket>
</map>
<map to='#e377c2'>
<bucket>"94610"</bucket>
</map>
<map to='#e377c2'>
<bucket>"95045"</bucket>
</map>
<map to='#e377c2'>
<bucket>"95128"</bucket>
</map>

<map to='#e377c2'>
  <bucket>"95130"</bucket>
</map>
<map to='#f7b6d2'>
  <bucket>"93451"</bucket>
</map>
<map to='#f7b6d2'>
  <bucket>"94112"</bucket>
</map>
<map to='#f7b6d2'>
  <bucket>"94601"</bucket>
</map>
<map to='#f7b6d2'>
  <bucket>"94806"</bucket>
</map>
<map to='#f7b6d2'>
  <bucket>"95006"</bucket>
</map>
<map to='#f7b6d2'>
  <bucket>"95007"</bucket>
</map>
<map to='#f7b6d2'>
  <bucket>"95110"</bucket>
</map>
<map to='#f7b6d2'>
  <bucket>"95117"</bucket>
</map>
<map to='#ff7f0e'>
  <bucket>"93902"</bucket>
</map>
<map to='#ff7f0e'>
  <bucket>"93920"</bucket>
</map>
<map to='#ff7f0e'>
  <bucket>"93923"</bucket>
</map>
<map to='#ff7f0e'>
  <bucket>"93940"</bucket>
</map>
<map to='#ff7f0e'>
  <bucket>"93960"</bucket>
</map>
<map to='#ff7f0e'>
  <bucket>"94119"</bucket>
</map>
<map to='#ff7f0e'>
  <bucket>"94133"</bucket>
</map>
<map to='#ff7f0e'>
  <bucket>"94612"</bucket>
</map>
<map to='#ff7f0e'>
  <bucket>"94661"</bucket>
</map>
<map to='#ff7f0e'>
  <bucket>"94704"</bucket>

</map>
<map to='#ff7f0e'>
  <bucket>"95039"</bucket>
</map>
<map to='#ff7f0e'>
  <bucket>"95050"</bucket>
</map>
<map to='#ff7f0e'>
  <bucket>"95115"</bucket>
</map>
<map to='#ff7f0e'>
  <bucket>"95118"</bucket>
</map>
<map to='#ff7f0e'>
  <bucket>"95422"</bucket>
</map>
<map to='#ff7f0e'>
  <bucket>"95776"</bucket>
</map>
<map to='#ff7f0e'>
  <bucket>"95778"</bucket>
</map>
<map to='#ff9896'>
  <bucket>"93921"</bucket>
</map>
<map to='#ff9896'>
  <bucket>"93924"</bucket>
</map>
<map to='#ff9896'>
  <bucket>"94108"</bucket>
</map>
<map to='#ff9896'>
  <bucket>"94116"</bucket>
</map>
<map to='#ff9896'>
  <bucket>"94659"</bucket>
</map>
<map to='#ff9896'>
  <bucket>"94707"</bucket>
</map>
<map to='#ff9896'>
  <bucket>"95073"</bucket>
</map>
<map to='#ff9896'>
  <bucket>"95122"</bucket>
</map>
<map to='#ff9896'>
  <bucket>"95153"</bucket>
</map>
<map to='#ff9896'>
  <bucket>"95670"</bucket>
</map>
<map to='#ffbb78'>
  <bucket>"93901"</bucket>
</map>
<map to='#ffbb78'>

```
        <bucket>&amp;quot;93915&amp;quot;</bucket>
      </map>
      <map to='#ffbb78'>
        <bucket>&amp;quot;93953&amp;quot;</bucket>
      </map>
      <map to='#ffbb78'>
        <bucket>&amp;quot;94115&amp;quot;</bucket>
      </map>
      <map to='#ffbb78'>
        <bucket>&amp;quot;94151&amp;quot;</bucket>
      </map>
      <map to='#ffbb78'>
        <bucket>&amp;quot;94607&amp;quot;</bucket>
      </map>
      <map to='#ffbb78'>
        <bucket>&amp;quot;94623&amp;quot;</bucket>
      </map>
      <map to='#ffbb78'>
        <bucket>&amp;quot;94649&amp;quot;</bucket>
      </map>
      <map to='#ffbb78'>
        <bucket>&amp;quot;94705&amp;quot;</bucket>
      </map>
      <map to='#ffbb78'>
        <bucket>&amp;quot;95116&amp;quot;</bucket>
      </map>
      <map to='#ffbb78'>
        <bucket>&amp;quot;95154&amp;quot;</bucket>
      </map>
    </encoding>
  </style-rule>
 </style>
 <semantic-values>
  <semantic-value key='[Country].[Name]' value='&amp;quot;United States&amp;quot;' />
 </semantic-values>
</datasource>
                  □                □                          □┘
          k e y . d a t a
          k e y . d i c t                R       ♂    v a l u e . d a t a
    □    ♂    v a l u e . d i c t    □
□

□ m          ◘n                          | AREA2
□0n          6n                            └┘ | – ● ◘
   └┘ | – ● ◘
   └┘ | – ● ◘
   └┘ | – ● ◘
  ┐ └ | – ● ◘
  ┐ └ | – ● ◘
  ┐ └ | – ● ◘
  ┐ └ | – ● ◘
┐ ┐ ┐ ┐ ┘ ┘ ┘ ┘
□`n           n                                ?    @   @@    @    @          A
 ┼A   A   0A□□       ┼o                          ┐┘ └ –
◘  |  ┐ ┘ └ ●
      ◘  |  ┐ ┘ └ ●
```

SB_GT&S_0885765






?
@
@@
A
0
2005
2006
2007
2008
2009
2010
2011
2012
ALAMEDA
$$$$$$$$$$**********
?8
1●♬#
*?8
1♬●#

⊥1●♬# *?8⊥ 1●♬# *?8⊥ 1●♬# *?8⊥ 1♬● #*FFFFFFFF
␣p ș | 94701| 94702| 94703| 94704| 94705| 94707
| 94708| 94709| 94710| 94720 Unmatched ␣
␣ A

␣p Ţ
␣, ♀ A R E A . 1 . d a t a ┼n *n
A R E A . d i c t @n Zn ¶ A V G _ K W H _ R A N K
. 1 . d a t a . ۔ ↕ A V G _ K W H _ R A N K . d i c t
┼o *o ⊥ A V G _ M B T U _ R A N K . 1 . d a t a o
o ‼ A V G _ M B T U _ R A N K . d i c t ᵐ
␣ ┬ A V G _ M T C O 2 _ R A N K . 1 . d a t a `p zp
¶ A V G _ M T C O 2 _ R A N K . d i c t p ʰ ¶ A V
G _ T H M _ R A N K . 1 . d a t a 0q Jq ↕ A V G _ T H
M _ R A N K . d i c t q q ¶ E L E C _ S A _ R A N K
. 1 . d a t a r →r ↕ E L E C _ S A _ R A N K . d i c t
Pr jr G A S _ A N D _ E L E C _ S A _ R A N K . 1 .
d a t a в
검 → G A S _ A N D _ E L E C _ S A _ R A N K . d i c t
s :s ‼ G A S _ S A _ R A N K . 1 . d a t a s s
◀ G A S _ S A _ R A N K . d i c t ␣
t ↕ N O R M _ A V G _ K W H . d a t a ж
ҀҀ ‼ N O R M _ A V G _ M B T U . d a t a y ′ ¶
N O R M _ A V G _ M T C O 2 . d a t a | | ↕ N O R
M _ A V G _ T H M . d a t a p ↕ N O R M _ E L E
C _ S A . d a t a P j ↑ N O R M _ G A S A N D E L
E C _ S A . d a t a 0 J ◀ N O R M _ G A S _ S A .
d a t a ┼ * ← N O R M _ T O T A L _ A N N U A L _
K W H . d a t a ␣
← N O R M _ T O T A L _ A N N U A L _ T H M . d a t a □

֍ ⊥ N O R M _ T O T A L _ M B T U . d a t a ⱬ
┬ N O R M _ T O T A L _ M T C O 2 . d a t a
├ N u m b e r o f
R e c o r d s . 1 . d a t a ┼ * ♂ O n e . 1 . d a t a
┬ T O T A L _ K W H _ R A N K . 1 . d a t a
┼ * ¶ T O T A L _ K W H _ R A N K . d i c t `
z ┤ T O T A L _ M B T U _ R A N K . 1 . d a t a ⱬ
␣ ⊥ T O T A L _ M B T U _ R A N K . d i c t 0 J ↑
T O T A L _ M T C O 2 _ R A N K . 1 . d a t a ⅄ ┬
T O T A L _ M T C O 2 _ R A N K . d i c t → ┬
T O T A L _ T H M _ R A N K . 1 . d a t a ¶ T
O T A L _ T H M _ R A N K . d i c t 3
ᴣ ↕ T O T _ C O U N T Y . 1 . d a t a P j ┼
T O T _ C O U N T Y . d i c t ♀ Y E A R . 1 . d
a t a →
Y E A R . d i c t P j ♂ Z I P . 1 . d a t a Й
□
Z I P . d i c t P j ◀ i s U n m a t c h e d . d
a t a K □
␣┐ ◀ $ T a b l e a u M e t a d a t a m m ◘ E x t
r a c t ␣
␣

␣p builtin:bit
data-file:COLUMNPROPS_ACTIVE.data
datatype:boolean
default-value:t
factory:builtin
fixed:true
name:COLUMNPROPS_ACTIVE
not-null:not-null
size:1
type:bit
type-file:COLUMNPROPS_ACTIVE.type
␣-













SB_GT&S_0885773



SB_GT&S_0885774



builtin:oid
data-file:COLUMNPROPS_ID.data
datatype:index
factory:builtin
fixed:true
name:COLUMNPROPS_ID
not-null:not-null
size:8
type:oid
type-file:COLUMNPROPS_ID.type







B @ + < R j ~
G
– → . 8 Z
B @ + < R j ~
G
– → . 8 Z
B @ + < R j ~
G
– → . 8 Z
B @ + < R j ~
G
– → . 8 Z
B @ + < R j ~
G
– → . 8 Z
B @ + j ~ G
– → . 8 Z
@ + j ~ G
– → . 8 Z
@ + j ~ G
– → . 8 Z
@ + j ~ G
– → . 8 Z
@ + j ~ G
– → . 8 Z
@ + j ~ G
– → . 8 Z
@ + j ~ G
– → . 8 Z
@ + j ~ G
– → . 8 Z
@ + j ~ G
– → . 8 Z
@ + j ~ G
– → . 8 J Z @
+ j ~ G
– → . 8 J Z @
+ < R j ~
G
– → . 8 Z
B @ + < R j ~
G
– → . 8 Z
B @ + < R j ~
G
– → . 8 Z
B @ + < R j ~
G
– → . 8 Z
B @ + (< R j ~
G
– → . 8 J Z j ~



builtin cardinality collation comparable compression data-file datatype default-value dict-file distinct factory family-name fixed max-value min-value name not-null ordered ordinal precision scale size sort-position sort-sense storagewidth type type-file unique

collation:binary
comparable:comparable
compression:heap
data-file:COLUMNPROPS_KEY.data
datatype:usr
dict-file:COLUMNPROPS_KEY.dict
distinct:distinct
factory:varchar
fixed:false
name:COLUMNPROPS_KEY
not-null:not-null
precision:127
scale:2
size:508
storagewidth:8
type:varchar(127,2) collate binary
type-file:COLUMNPROPS_KEY.type









SB_GT&S_0885786

9 9 9 9 9 9 9 9
9 9 9 9 9 9 9 9
9 9 9
␣`6 ط builtin:oid
data-file:COLUMNPROPS_PARENT.data
datatype:index
factory:builtin
fixed:true
name:COLUMNPROPS_PARENT
not-null:not-null
size:8
type:oid
type-file:COLUMNPROPS_PARENT.type













```
.┘ X┘ ( ¡ X└ ␣ V
b! C t! I D"
h h .! ! t ┬┘ X└
└ X└ B# ¡ X└ ␣ V
↑" C ." I D"
, , ₧ ! X└ t└ X└
.┘ Ґ ( ¡
␣n X ♀ ' 2 0 0 5 ' ♀ ' 2 0 1 2 ' ♬ ' 9 4 7 0 1 '
' < ? x m l v e r s i o n = \ ' 1 . 0 \ ' e n c o d i n g = \ ' u t f -
8 \ ' ? > \ n \ n < d a t a s o u r c e f o r m a t t e d -
n a m e = \ ' o r a c l e . 4 1 0 6 5 . 6 4 2 9 0 9 5 1 3 8 8 8 \ '
i n l i n e = \ ' t r u e \ '
v e r s i o ↕ ' A L A M E D A ' ♬ ' A R E A 2 ' ┬ ' U n m a t c h e d '

' t d s ' ┐ 0 * 0 . 0 0 0 8 7 5 3 8 7 0 3 5 3 7 3 6 1 8 9 , 0 . 0 0 0 9 5
5 1 0 9 8 3 7 6 3 1 3 2 7 5 7 * 0 . 0 0 1 9 7 8 0 6 2 3 2 9 6 5 9 8 4 3
7 * 0 . 0 0 2 1 5 1 7 2 9 9 8 6 2 1 9 9 8 4 4 * 0 . 0 0 2 2 0 3 3 9 9 5
2 9 1 0 4 5 0 6 7 * 0 . 0 0 2 2 4 5 3 0 1 1 9 0 2 5 5 4 8 2 3 ( 0 . 0 0
3 1 4 6 9 1 7 3 4 2 6 4 0 6 6 1 * 0 . 0 0 3 7 1 3 2 9 8 3 4 6 0 5 7 6 3
1 6 * 0 . 0 0 3 7 9 7 1 3 2 1 6 3 8 7 9 1 4 8 9 ( 0 . 0 0 3 9 8 9 8 4 4 0
3 3 3 6 9 6 0 5 ( 0 . 0 0 5 2 6 8 7 0 3 8 9 8 8 4 0 8 8 5 ┐ 1 ┘ 1 0 -
1 0 0 ◘ 1 0 2 0 ¶ 1 0 7 3 7 4 1 8 2 3 ┘ 1 1 ┘ 1 2 - 1 2 7 - 1 2 8 ┘ 1
3 ┘ 1 4 ┘ 1 5 ┘ 1 6 ┘ 1 7 ┘ 1 8 ┘ 1 9 ┐ 2 ┘ 2 0 ┘ 2 1 ┘ 2 2 ┘ 2 3 ┘
2 4 ┘ 2 5 - 2 5 5 ┘ 2 6 ┘ 2 7 ┘ 2 8 ┐ 3 ┘ 3 2 ┐ 4 ┘ 4 0 - 4 0 0 ¶ 4
2 9 4 9 6 7 2 9 2 ┐ 5 - 5 0 8 ┐ 6 ┐ 7 ┐ 8 ┘ 8 0 ┘ 8 1 ┐ 9 ◘ A R E A
┬ A R E A . 1 . d a t a ┬ A R E A . 1 . d i c t ↕ A R E A . d a t a ↕ A
R E A . d i c t ↑ A V G _ K W H _ R A N K & A V G _ K W H _ R A N
K . 1 . d a t a " A V G _ K W H _ R A N K . d a t a " A V G _ K W H _
R A N K . d i c t → A V G _ M B T U _ R A N K ( A V G _ M B T U _ R
A N K . 1 . d a t a $ A V G _ M B T U _ R A N K . d a t a $ A V G _ M
B T U _ R A N K . d i c t A V G _ M T C O 2 _ R A N K * A V G _ M
T C O 2 _ R A N K . 1 . d a t a & A V G _ M T C O 2 _ R A N K . d a
t a & A V G _ M T C O 2 _ R A N K . d i c t ↑ A V G _ T H M _ R A N
K & A V G _ T H M _ R A N K . 1 . d a t a " A V G _ T H M _ R A N K
. d a t a " A V G _ T H M _ R A N K . d i c t $ C O L U M N P R O P
S _ A C T I V E . C O L U M N P R O P S _ A C T I V E . d a t a . C O
L U M N P R O P S _ A C T I V E . t y p e C O L U M N P R O P S
_ I D & C O L U M N P R O P S _ I D . d a t a & C O L U M N P R O P
S _ I D . t y p e C O L U M N P R O P S _ K E Y ( C O L U M N P
R O P S _ K E Y . d a t a ( C O L U M N P R O P S _ K E Y . d i c t (
C O L U M N P R O P S _ K E Y . t y p e $ C O L U M N P R O P S _
P A R E N T . C O L U M N P R O P S _ P A R E N T . d a t a . C O L
U M N P R O P S _ P A R E N T . t y p e " C O L U M N P R O P S _
V A L U E , C O L U M N P R O P S _ V A L U E . d a t a , C O L U M
N P R O P S _ V A L U E . d i c t , C O L U M N P R O P S _ V A L U
E . t y p e C O L U M N S _ A C T I V E & C O L U M N S _ A C T I
V E . d a t a & C O L U M N S _ A C T I V E . t y p e ¶ C O L U M N
S _ I D C O L U M N S _ I D . d a t a C O L U M N S _ I D . t y
p e ↑ C O L U M N S _ N A M E " C O L U M N S _ N A M E . d a t a "
C O L U M N S _ N A M E . d i c t " C O L U M N S _ N A M E . t y p
e C O L U M N S _ P A R E N T & C O L U M N S _ P A R E N T . d
a t a & C O L U M N S _ P A R E N T . t y p e ♬ D U A L _ I D ↑ D U
A L _ I D . d a t a ↑ D U A L _ I D . t y p e ↑ E L E C _ S A _ R A N
K & E L E C _ S A _ R A N K . 1 . d a t a " E L E C _ S A _ R A N K
. d a t a " E L E C _ S A _ R A N K . d i c t " E X T _ N R E S _ Z I P
_ C I T Y ( G A S _ A N D _ E L E C _ S A _ R A N K 6 G A S _ A N
```

D_ELEC_SA_RANK.1.data2GAS_AND_ELEC_SA_RANK.data2GAS_AND_ELEC_SA_RANK.dict┬GAS_SA_RANK$GAS_SA_RANK.1.data GAS_SA_RANK.data
GAS_SA_RANK.dict↑NORM_AVG_KWH&NORM_AVG_KWH.1.data"NORM_AVG_KWH.data→NORM_AVG_MBTU(NORM_AVG_MBTU.1.data$NORM_AVG_MBTU.data NORM_AVG_MTCO2*NORM_AVG_MTCO2.1.data&NORM_AVG_MTCO2.data↑NORM_AVG_THM&NORM_AVG_THM.1.data"NORM_AVG_THM.data↑NORM_ELEC_SA&NORM_ELEC_SA.1.data"NORM_ELEC_SA.data$NORM_GASANDELEC_SA2NORM_GASANDELEC_SA.1.data.NORM_GASANDELEC_SA.data┬NORM_GAS_SA$NORM_GAS_SA.1.data
NORM_GAS_SA.data*NORM_TOTAL_ANNUAL_KWH8NORM_TOTAL_ANNUAL_KWH.1.data4NORM_TOTAL_ANNUAL_KWH.data*NORM_TOTAL_ANNUAL_THM8NORM_TOTAL_ANNUAL_THM.1.data4NORM_TOTAL_ANNUAL_THM.data NORM_TOTAL_MBTU,NORM_TOTAL_MBTU.1.data(NORM_TOTAL_MBTU.data NORM_TOTAL_MTCO2.NORM_TOTAL_MTCO2.1.data*NORM_TOTAL_MTCO2.data"Number of Records0Number of Records.1.data,Number of Records.data−One¶One.1.data┼One.data $SCHEMAPROPS_ACTIVE.SCHEMAPROPS_ACTIVE.data.SCHEMAPROPS_ACTIVE.type SCHEMAPROPS_ID&SCHEMAPROPS_ID.data&SCHEMAPROPS_ID.type SCHEMAPROPS_KEY(SCHEMAPROPS_KEY.data(SCHEMAPROPS_KEY.dict(SCHEMAPROPS_KEY.type$SCHEMAPROPS_PARENT.SCHEMAPROPS_PARENT.data.SCHEMAPROPS_PARENT.type"SCHEMAPROPS_VALUE,SCHEMAPROPS_VALUE.data,SCHEMAPROPS_VALUE.dict,SCHEMAPROPS_VALUE.type SCHEMAS_ACTIVE&SCHEMAS_ACTIVE.data&SCHEMAS_ACTIVE.type¶SCHEMAS_ID SCHEMAS_ID.data SCHEMAS_ID.type↑SCHEMAS_NAME"SCHEMAS_NAME.data"SCHEMAS_NAME.dict"SCHEMAS_NAME.type"TABLEPROPS_ACTIVE,TABLEPROPS_ACTIVE.data,TABLEPROPS_ACTIVE.type→TABLEPROPS_ID$TABLEPROPS_ID.data$TABLEPROPS_ID.type TABLEPROPS_KEY&TABLEPROPS_KEY.data&TABLEPROPS_KEY.dict&TABLEPROPS_KEY.type"TABLEPROPS_PARENT,TABLEPROPS_PARENT.data,TABLEPROPS_PARENT.type
TABLEPROPS_VALUE*TABLEPROPS_VALUE.data*TABLEPROPS_VALUE.dict*TABLEPROPS_VALUE.type→TABLES_ACTIVE$TABLES_ACTIVE.data$TABLES_ACTIVE.type↕TABLES_ID TABLES_ID.data TABLES_ID.typ

e ┬ T A B L E S _ N A M E T A B L E S _ N A M E . d a t a
T A B L E S _ N A M E . d i c t
T A B L E S _ N A M E . t y p e → T A B L E S _ P A R E N T $ T A B
L E S _ P A R E N T . d a t a $ T A B L E S _ P A R E N T . t y p e
T O T A L _ K W H _ R A N K * T O T A L _ K W H _ R A N K . 1 . d
a t a & T O T A L _ K W H _ R A N K . d a t a & T O T A L _ K W H _
R A N K . d i c t T O T A L _ M B T U _ R A N K , T O T A L _ M B
T U _ R A N K . 1 . d a t a (T O T A L _ M B T U _ R A N K . d a t a
(T O T A L _ M B T U _ R A N K . d i c t
T O T A L _ M T C O 2 _ R A N K . T O T A L _ M T C O 2 _ R A N K
. 1 . d a t a * T O T A L _ M T C O 2 _ R A N K . d a t a * T O T A L
_ M T C O 2 _ R A N K . d i c t T O T A L _ T H M _ R A N K * T O
T A L _ T H M _ R A N K . 1 . d a t a & T O T A L _ T H M _ R A N K
. d a t a & T O T A L _ T H M _ R A N K . d i c t ¶ T O T _ C O U N
T Y " T O T _ C O U N T Y . 1 . d a t a " T O T _ C O U N T Y . 1 . d i
c t T O T _ C O U N T Y . d a t a T O T _ C O U N T Y . d i c t
◘ Y E A R ┬ Y E A R . 1 . d a t a ┬ Y E A R . 1 . d i c t ↕ Y E A R . d
a t a ↕ Y E A R . d i c t - Z I P ¶ Z I P . 1 . d a t a ¶ Z I P . 1 . d i
c t ┼ Z I P . d a t a ┼ Z I P . d i c t
a r r a y - a s c ♀ b i g i n t ♀ b i n a r y - b i t ♬ b o o l e a n ♬ b
u i l t i n , c l o b (1) c o l l a t e
b i n a r y ¶ c o m p a r a b l e ┼ d i s t i n c t ♀ d o u b l e ┐ f
f a l s e
f l o a t ◘ h e a p
i n d e x ♬ i n t e g e r ┬ i s U n m a t c h e d $ i s U n m a t c h e
d . 1 . d a t a
i s U n m a t c h e d . d a t a - k e y ¶ k e y . 1 . d a t a ¶ k e y . 1
. d i c t ┼ k e y . d a t a ┼ k e y . d i c t ┼ n o t -
n u l l - o i d ◘ r e a l ┐ t ◘ t i n y ◘ t r u e ♀ u n i q u e - u s r
v a l u e ↑ v a l u e . 1 . d a t a ↑ v a l u e . 1 . d i c t ¶ v a l u e .
d a t a ¶ v a l u e . d i c t ♬ v a r c h a r 8 v a r c h a r (1 0 , 1)
c o l l a t e b i n a r y : v a r c h a r (1 0 0 , 1) c o l l a t e
b i n a r y : v a r c h a r (1 2 7 , 2) c o l l a t e
b i n a r y : v a r c h a r (2 5 5 , 1) c o l l a t e
b i n a r y 8 v a r c h a r (3 2 , 1) c o l l a t e b i n a r y
␣ ␣ collation:binary
comparable:comparable
compression:heap
data-file:COLUMNPROPS_VALUE.data
datatype:usr
dict-file:COLUMNPROPS_VALUE.dict
distinct:distinct
factory:varchar
fixed:false
name:COLUMNPROPS_VALUE
not-null:not-null
precision:127
scale:2
size:508
storagewidth:8
type:varchar(127,2) collate binary
type-file:COLUMNPROPS_VALUE.type
␣ ↙ p ↥
␣♀ ↑ C O L U M N P R O P S _ A C T I V E . d a t a
↑ C O L U M N P R O P S _ A C T I V E . t y p e
¶ C O L U M N P R O P S _ I D . d a t a 0␣ J



builtin:bit
data-file:COLUMNS_ACTIVE.data
datatype:boolean
default-value:t
factory:builtin
fixed:true
name:COLUMNS_ACTIVE
not-null:not-null
size:1
type:bit
type-file:COLUMNS_ACTIVE.type



builtin:oid
data-file:COLUMNS_ID.data
datatype:index
factory:builtin
fixed:true
name:COLUMNS_ID
not-null:not-null
size:8
type:oid
type-file:COLUMNS_ID.type



COLUMNS_ID COLUMNS_KEY $ COLUMNPROPS_ACTIVE COLUMNPROPS_ID COLUMNPROPS_KEY $ COLUMNPROPS_PARENT COLUMNPROPS_VALUE $ COLUMNPROPS_VALUE.dict COLUMNPROPS_VALUE.type COLUMNS_ACTIVE COLUMNS_ACTIVE.data COLUMNS_ACTIVE.type COLUMNS_ID COLUMNS_ID.data COLUMNS_ID.type COLUMNS_KEY $ COLUMNS_KEY.data COLUMNS_KEY.dict COLUMNS_KEY.type COLUMNS_PARENT $ COLUMNS_PARENT.data COLUMNS_PARENT.type COLUMNS_VALUE $ COLUMNS_VALUE.data COLUMNS_VALUE.dict COLUMNS_VALUE.type

S _ P A R E N T " C O L U M N P R O P S _ V A L U E C O L U M N S _ A C T I V E ¶ C O L U M N S _ I D ↑ C O L U M N S _ N A M E C O L U M N S _ P A R E N T ♬ D U A L _ I D ↑ E L E C _ S A _ R A N K (G A S _ A N D _ E L E C _ S A _ R A N K ┬ G A S _ S A _ R A N K ↑ N O R M _ A V G _ K W H → N O R M _ A V G _ M B T U N O R M _ A V G _ M T C O 2 ↑ N O R M _ A V G _ T H M ↑ N O R M _ E L E C _ S A $ N O R M _ G A S A N D E L E C _ S A ┬ N O R M _ G A S _ S A * N O R M _ T O T A L _ A N N U A L _ K W H * N O R M _ T O T A L _ A N N U A L _ T H M N O R M _ T O T A L _ M B T U N O R M _ T O T A L _ M T C O 2 " N u m b e r o f R e c o r d s − O n e $ S C H E M A P R O P S _ A C T I V E S C H E M A P R O P S _ I D S C H E M A P R O P S _ K E Y $ S C H E M A P R O P S _ P A R E N T " S C H E M A P R O P S _ V A L U E S C H E M A S _ A C T I V E ¶ S C H E M A S _ I D ↑ S C H E M A S _ N A M E " T A B L E P R O P S _ A C T I V E → T A B L E P R O P S _ I D T A B L E P R O P S _ K E Y " T A B L E P R O P S _ P A R E N T T A B L E P R O P S _ V A L U E → T A B L E S _ A C T I V E ↕ T A B L E S _ I D ┬ T A B L E S _ N A M E → T A B L E S _ P A R E N T T O T A L _ K W H _ R A N K T O T A L _ M B T U _ R A N K T O T A L _ M T C O 2 _ R A N K T O T A L _ T H M _ R A N K ¶ T O T _ C O U N T Y ◘ Y E A R − Z I P ┬ i s U n m a t c h e d − k e y

v a l u e ␣ 戟 □ collation:binary
comparable:comparable
compression:heap
data-file:COLUMNS_NAME.data
datatype:usr
dict-file:COLUMNS_NAME.dict
distinct:distinct
factory:varchar
fixed:false
name:COLUMNS_NAME
not-null:not-null
precision:127
scale:2
size:508
storagewidth:8
type:varchar(127,2) collate binary
type-file:COLUMNS_NAME.type
␣ · <
␣



␣ builtin:oid
data-file:COLUMNS_PARENT.data
datatype:index
factory:builtin
fixed:true
name:COLUMNS_PARENT
not-null:not-null

size:8
type:oid
type-file:COLUMNS_PARENT.type
␣P␣ ␣ ␣
¶ C O L U M N S _ A C T I V E . d a t a □
␣ ¶ C O L U M N S _ A C T I V E . t y p e # ف ┼
C O L U M N S _ I D . d a t a
侠 ძ ┼ C O L U M N S _ I D . t y p e p悸
悸 ↕ C O L U M N S _ N A M E . d a t a `戟 z
戟 ↕ C O L U M N S _ N A M E . d i c t □
␣ ↕ C O L U M N S _ N A M E . t y p e @␣ Z
␣ ¶ C O L U M N S _ P A R E N T . d a t a 0␣ ل
␣ ¶ C O L U M N S _ P A R E N T . t y p e ␣ →
␣ ␣0␣ 8␣ builtin:oid
data-file:DUAL_ID.data
datatype:index
factory:builtin
fixed:true
name:DUAL_ID
not-null:not-null
size:8
type:oid
type-file:DUAL_ID.type
␣`␣ ␣ ␣┐
D U A L _ I D . d a t a @␣ Z␣
D U A L _ I D . t y p e ␣ →
␣ ␣ ␣ ␣ builtin:bit
data-file:SCHEMAPROPS_ACTIVE.data
datatype:boolean
default-value:t
factory:builtin
fixed:true
name:SCHEMAPROPS_ACTIVE
not-null:not-null
size:1
type:bit
type-file:SCHEMAPROPS_ACTIVE.type
␣6
␣ ┐ └ ␣
␣ ɜ builtin:oid
data-file:SCHEMAPROPS_ID.data
datatype:index
factory:builtin
fixed:true
name:SCHEMAPROPS_ID
not-null:not-null
size:8
type:oid
type-file:SCHEMAPROPS_ID.type
␣␣ ␣ ¶ ¶
␣8 ก ↕ d a t a - f i l e ◘ n a m e ␣ ␣
␣ collation:binary
comparable:comparable
compression:heap
data-file:SCHEMAPROPS_KEY.data
datatype:usr

dict-file:SCHEMAPROPS_KEY.dict
distinct:distinct
factory:varchar
fixed:false
name:SCHEMAPROPS_KEY
not-null:not-null
precision:127
scale:2
size:508
storagewidth:8
type:varchar(127,2) collate binary
type-file:SCHEMAPROPS_KEY.type
␣@␣ ␣
␣ ␣ κ builtin:oid
data-file:SCHEMAPROPS_PARENT.data
datatype:index
factory:builtin
fixed:true
name:SCHEMAPROPS_PARENT
not-null:not-null
size:8
type:oid
type-file:SCHEMAPROPS_PARENT.type
␣␣
␣ ┼ ┼ ␣л
␣ ♬ E x t r a c t − S Y S ␣┼␣ (
␣ collation:binary
comparable:comparable
compression:heap
data-file:SCHEMAPROPS_VALUE.data
datatype:usr
dict-file:SCHEMAPROPS_VALUE.dict
distinct:distinct
factory:varchar
fixed:false
name:SCHEMAPROPS_VALUE
not-null:not-null
precision:127
scale:2
size:508
storagewidth:8
type:varchar(127,2) collate binary
type-file:SCHEMAPROPS_VALUE.type
␣P␣ ␣
␣♀ ↑ S C H E M A P R O P S _ A C T I V E . d a t a ␣
␣ ↑ S C H E M A P R O P S _ A C T I V E . t y p e ␣
␣ ¶ S C H E M A P R O P S _ I D . d a t a з
귁 ¶ S C H E M A P R O P S _ I D . t y p e ␣
␣ ⊥ S C H E M A P R O P S _ K E Y . d a t a ก
␣ ⊥ S C H E M A P R O P S _ K E Y . d i c t ␣ :
␣ ⊥ S C H E M A P R O P S _ K E Y . t y p e ␣
␣ ↑ S C H E M A P R O P S _ P A R E N T . d a t a к
깰 ↑ S C H E M A P R O P S _ P A R E N T . t y p e
␣ ‘ ┤ S C H E M A P R O P S _ V A L U E . d a t a ␣
␣ ┤ S C H E M A P R O P S _ V A L U E . d i c t 0␣ J
␣ ┤ S C H E M A P R O P S _ V A L U E . t y p e ␣

builtin:bit
data-file:SCHEMAS_ACTIVE.data
datatype:boolean
default-value:t
factory:builtin
fixed:true
name:SCHEMAS_ACTIVE
not-null:not-null
size:1
type:bit
type-file:SCHEMAS_ACTIVE.type
builtin:oid
data-file:SCHEMAS_ID.data
datatype:index
factory:builtin
fixed:true
name:SCHEMAS_ID
not-null:not-null
size:8
type:oid
type-file:SCHEMAS_ID.type
E x t r a c t - S Y S
collation:binary
comparable:comparable
compression:heap
data-file:SCHEMAS_NAME.data
datatype:usr
dict-file:SCHEMAS_NAME.dict
distinct:distinct
factory:varchar
fixed:false
name:SCHEMAS_NAME
not-null:not-null
precision:127
scale:2
size:508
storagewidth:8
type:varchar(127,2) collate binary
type-file:SCHEMAS_NAME.type
S C H E M A S _ A C T I V E . d a t a
S C H E M A S _ A C T I V E . t y p e
S C H E M A S _ I D . d a t a
S C H E M A S _ I D . t y p e
S C H E M A S _ N A M E . d a t a
S C H E M A S _ N A M E . d i c t
S C H E M A S _ N A M E . t y p e
builtin:bit
data-file:TABLEPROPS_ACTIVE.data
datatype:boolean
default-value:t
factory:builtin
fixed:true

name:TABLEPROPS_ACTIVE
not-null:not-null
size:1
type:bit
type-file:TABLEPROPS_ACTIVE.type


builtin:oid
data-file:TABLEPROPS_ID.data
datatype:index
factory:builtin
fixed:true
name:TABLEPROPS_ID
not-null:not-null
size:8
type:oid
type-file:TABLEPROPS_ID.type


collation:binary
comparable:comparable
compression:heap
data-file:TABLEPROPS_KEY.data
datatype:usr
dict-file:TABLEPROPS_KEY.dict
distinct:distinct
factory:varchar
fixed:false
name:TABLEPROPS_KEY
not-null:not-null
precision:127
scale:2
size:508
storagewidth:8
type:varchar(127,2) collate binary
type-file:TABLEPROPS_KEY.type


builtin:oid
data-file:TABLEPROPS_PARENT.data
datatype:index
factory:builtin
fixed:true
name:TABLEPROPS_PARENT
not-null:not-null
size:8
type:oid
type-file:TABLEPROPS_PARENT.type

collation:binary
comparable:comparable
compression:heap
data-file:TABLEPROPS_VALUE.data
datatype:usr
dict-file:TABLEPROPS_VALUE.dict
distinct:distinct
factory:varchar
fixed:false
name:TABLEPROPS_VALUE
not-null:not-null
precision:127
scale:2
size:508
storagewidth:8
type:varchar(127,2) collate binary
type-file:TABLEPROPS_VALUE.type
builtin:bit
data-file:TABLES_ACTIVE.data
datatype:boolean
default-value:t
factory:builtin
fixed:true
name:TABLES_ACTIVE
not-null:not-null
size:1
type:bit
type-file:TABLES_ACTIVE.type
builtin:oid
data-file:TABLES_ID.data

datatype:index
factory:builtin
fixed:true
name:TABLES_ID
not-null:not-null
size:8
type:oid
type-file:TABLES_ID.type

␣@¶┐ ♁┐ " : J d |
T
␣ ┴┐ H┴┐
$ T a b l e a u M e t a d a t a ┬ C O L U M N P R O P S ♬ C O L U M
N S ◘ D U A L ♬ E x t r a c t ┬ S C H E M A P R O P S ♬ S C H E M
A S ¶ T A B L E P R O P S ♀ T A B L E S ␣p┴┐
┬┐ collation:binary
comparable:comparable
compression:heap
data-fiie:TABLES_NAME.data
datatype:usr
dict-file:TABLES_NAME.dict
distinct:distinct
factory:varchar
fixed:false
name:TABLES_NAME
not-null:not-null
precision:127
scale:2
size:508
storagewidth:8
type:varchar(127,2) collate binary
type-file:TABLES_NAME.type

␣@┬┐ x┤┐
␣ ┤┐
蔀 builtin:oid
data-file:TABLES_PARENT.data
datatype:index
factory:builtin
fixed:true
name:TABLES_PARENT
not-null:not-null
size:8
type:oid
type-file:TABLES_PARENT.type
␣┼↑┐ ↑┐ ␣
‼ T A B L E S _ A C T I V E . d a t a B┐
⚷ ‼ T A B L E S _ A C T I V E . t y p e ‼┐ ʒ┐ ☼
T A B L E S _ I D . d a t a
¶┐ :¶┐ ☼ T A B L E S _ I D . t y p e □
␣ ◄ T A B L E S _ N A M E . d a t a P┴┐ j┴┐ ◄ T A
B L E S _ N A M E . d i c t
┬┐ :┬┐ ◄ T A B L E S _ N A M E . t y p e ┤┐ ┤┐
‼ T A B L E S _ P A R E N T . d a t a ␣
↑┐ ‼ T A B L E S _ P A R E N T . t y p e ↑┐ ♋
␣• ♀ C O L U M N P R O P S ↥


COLUMNS
DUAL
SCHEMAPROPS
SCHEMAS
TABLEPROPS
TABLES
.database.type
Extrac
SYS