

version-major:1  
version-minor:0

z

version-fix:0

N

| AREA2

♀♂- | | | | |

•□

pG #qG qqG rG :tG ~wG

LyG :yG 繇 →zG zG rG ↓}G 5~G s~G

| F pOE | ` E E 8 E □ E E

NE pIE JE HE GE

E PJE □<GG pG □†fG fG jG gG hG 4IG HHG √G gHG ÆG DDG

+++  
L3x +  
L0 P Non-Residential♂ Residential

♂ Non-Residential♂ Residential

P

Z03

g\*

♀A )p□@揄 L@鞞 □L @20

♀A` \*P0 ↓ A ↑→X. Aut

A 倏♀A 蠢s♀A- □7↑ h ♂A4□ ♀ wüě2U □ J· □□@Πn g@L`♂ Yc拮 T J\*

悞Ohlé@ X^ Jh逐□j□ y□ 6"@ □□" □枒□Ao□x L

{0% 谥 Ur% 3% 0u% v%

x% wy%

8P888888PPPPPPP

← Non-Residential Electricity- Non-Residential Natural

Gas Residential Electricity Residential Natural Gas

□x | □x香?{□ G□?E □æ →/ 阮K□ffff

W俐 n↑ 倏

♀ ♀♀♀♀♀♀♀ ♀ ♀♀♀♀♀♀♀

♂ Electricity♂ Natural Gas

-

♀T h e r m s - k W h

\$•

PA

p•

- ANNUAL

•

fff@

I

□□

P□

p□

□

| - | | | L

| - | | | L



```

|X|      ↓ CLIMATE_ZONE.dict      L      →L      "
Calculation_1980311103123208.data
|      ↓      "      Calculation_946120711350048
3.data      ↓      z      "      Calculation_9461207
113500483.dict      ↓      f      →      Category
Energy_Type.data      □
|      →      Category_Energy
Type.dict      |      |      ⊥      ELECEmFactors.
1.data      |      |      |      ELECEmFactors.dict
0-      J-      ||      ENERGENCY_TYPE.1.data      p-
-      ◀      ENERGENCY_TYPE.dict      -      ↓      →      En
ergy_Type_Unit_Lbl.data      □
•      →      Energy_Type_Unit
Lbl.dict      0•      J•
MO.1.data      p•      •      □      MO.dict      •
•
MONTH.1.data      |
□      ♂      MONTH.dict      †□      *□      ||      NGEEmFacto
rs.1.data      P□      j□      ◀      NGEEmFactors.dict
□      □      †      Number_of
Records.1.data      □      †      ♪      REF_CZ.1.da
ta      →      ♀      REF_CZ.dict      @      Z
      †      Reference_Average.1.data
      †      Reference_Average.dict
      ♯      SAVINGS_CITY.1.data
→
↓
J
→
SINGLE_MAXIMUM_USAGE.data      P♂
j♂      ♂      TOTAL_GHG.data      p♀      ♀      ↑      T
OTAL_HOUSEHOLDS.1.data      ♀      ^      T      T
OTAL_HOUSEHOLDS.dict
:
†      TOTAL_MBTU.data      @♯      Z♯      TO
TAL_NORMALIZED_MONTHS.1.data      ♯
♯      TOTAL_NORMALIZED_MONTHS.dict
0♯      J♯      †      TOTAL_SA_COUNT.1.data
□      ♯      ◀      TOTAL_USAGE.data      □
◀      †      TOT_CITY.1.data      0◀      J◀      ♯      TO
T_CITY.dict      ◀      z◀      ↑      TOT_COUNTY.1.
data      ◀      †      TOT_COUNTY.dict      B
€      ♀      YEAR.1.data      †↓      *↓
YEAR.dict      ↓      z↓
□      □      Extract      ↓

```

□ & builtin:bit  
data-file:COLUMNPROPS\_ACTIVE.data  
datatype:boolean  
default-value:t  
factory:builtin  
fixed:true  
name:COLUMNPROPS\_ACTIVE  
not-null:not-null  
size:1  
type:bit  
type-file:COLUMNPROPS\_ACTIVE.type

□ & v' - • □ √ L J  
♂ ♀  
♫ ✨ † ‡ † † † † † †  
⊥ τ † † † † † † † † † †  
! " # \$ % & ' ( ) \* + , - . / 0 1 2 3 4 5  
6 7 8 9 : ; < =  
> ? @ A B C D E  
M N O P Q R S T  
U V W X Y Z  
] ^ \_ ` a b c d  
m n o p q r s t u  
~ v w x y z { | }



























file ♀ unique □□ □ collation:binary  
comparable:comparable  
compression:heap  
data-file:COLUMNPROPS\_KEY.data  
datatype:usr  
dict-file:COLUMNPROPS\_KEY.dict  
distinct:distinct  
factory:varchar  
fixed:false  
name:COLUMNPROPS\_KEY  
not-null:not-null  
precision:127  
scale:2  
size:508  
storagewidth:8  
type:varchar(127,2) collate binary  
type-file:COLUMNPROPS\_KEY.type













3	3	3	3	3	3	3	3
3	4	4	4	4	4	4	4
4	4	4	4	4	4	4	4
4	5	5	5	5	5	5	5
5	5	5	5	5	5	5	5
5	4	4	4	4	4	4	4
4	4	4	4	4	4	4	4
4	4	4	4	4	4	4	5
5	5	5	5	5	5	5	5
5	5	5	5	5	5	5	5
5	5	5	5	5	4	4	4
4	4	4	4	4	4	4	4
4	4	4	4	4	4	4	4
4	4	4	5	5	5	5	5
5	5	5	5	5	5	5	5
5	5	5	5	5	5	5	5
5	6	6	6	6	6	6	6
6	6	6	6	6	6	6	6
6	6	6	6	6	6	6	6
6	6	6	6	6	6	6	6
6	6	7	7	7	7	7	7
7	7	7	7	7	7	7	7
7	7	7	7	7	7	7	7
7	7	7	7	7	7	7	7
7	7	7	7	7	7	7	7
7	7	7	7	7	7	7	7
7	7	7	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8

□ □ builtin:oid  
 data-file:COLUMNPROPS\_PARENT.data  
 datatype:index  
 factory:builtin  
 fixed:true  
 name:COLUMNPROPS\_PARENT  
 not-null:not-null  
 size:8  
 type:oid  
 type-file:COLUMNPROPS\_PARENT.type

□ □ □ # □ # Ä Z #  
 祺 □ B\$ \$ # 祺 # + V  
 |# % □ ÿ 8\$ \$ t% \$ ~  
 □ Z B\$ \$ # 祺 Z r n&

□	#	□	8\$	D	%				
	\$	t%	\$					n&	"♂
祺	n♂	#	\$	ف	#	♂	Z	□	B\$
□	#	祺	♂	\$	#		Z		
	#	□	8\$	.♀	%	R♀	\$	t%	
\$	♀	\$	\$	FL				n&	v
祺	Z	♀	\$	B\$	#				
祺	B\$	#	#		Z		Z		
祺	ف	#	\$		Z	↑	#	↑	#
祺	#	\$	ح	#	2↑	Z	↑	B\$	
祺	b↑	\$		Z	↑	#	□	8\$	
\$	↑	%	→	\$	t%	↑			
祺	K	\$	FL	\$				n&	D
祺	Z	↑	B\$	#					
↑↑	n↑	\$	Z	t%	é	#	□	8\$	
□	\$	FL	F↑	\$	t%	\$	n&	t↑	#
祺	↑	#	ف	#	#				
祺	Z	\$	ح	#	#				
祺	↑	&	B\$	#	Z	F↑	#	□	8\$
\$	f↑	%	\$	FL	\$	t%		n&	\$
祺	#	→	\$	#	ف	#	□	Z	B\$
祺	#	↑	\$		Z	D←	#	□	8\$
\$	↑	%	\$	FL	\$	t%		n&	;
祺	Z	\$	\$	B\$	#	Z	R	#	□
\$		%	\$	M	\$	t%			8\$
□	#	B	\$	FL	ف	#		n&	
祺	&	\$	ح	#	#	h	Z		B\$
祺	#	\$		Z	#		#	□	8\$
\$	□	%	\$	\$	t%			n&	:
祺	Z	x	\$	FL	#	Z		#	8\$
\$	□	%	↑	B\$	#	Z	X◀		
祺	↓	\$	↑	Z	φ	ح	↑		%
祺	φ	#	\$	ح		↑	↑		\$•
祺	φ	\$	\$			↑		#	8\$
\$	N•	\$	V↓	t%	X◀				
&	↑	#	8\$	B□	ح	↑		t%	X◀



\$ & N• \$ V<sup>L</sup> b<sup>L</sup> ˆ | |  
 □ % -□ # □ 8\$ t% X◀ ˆ | |  
 \$ b<sub>7</sub> b<sub>7</sub> □ \$ @<sup>L</sup> ˆ | |  
 | 4& ↓\$ B  
 □ Φ # 祺 □ ↑\$ # ↑\$ | | |  
 祺 ↑\$ + | \$ :+ | Φ # ↑\$ | | |  
 \$ 8\$ R h % + . \$ \$ | t% X◀ |# □  
 □ ↓\$ ˆ x↑ Φ # X◀ | | |  
 祺 □ r↑ \$ ↓ # % | F | \$ ↓\$ t% ˆ X◀ |#  
 \$ 0 0 ↓ \$ # | | H<sup>J</sup> ˆ  
 翎 豐 | ˆ 0!! Φ # | | ↓\$ n# ˆ  
 祺 ↑\$ ↑!! # \$ / # | | |  
 祺 ↓\$ ˆ N\$ # # \$ # # | | n#  
 祺 Φ # @<sup>L</sup> , # Φ # # X◀ | | #  
 祺 D<sup>L</sup> V<sup>L</sup> | | | ↓\$ |# □ 8\$  
 \$ R R | | \*<sup>L</sup> \$ t% X◀ ˆ # X◀  
 □ 祺 와 \$ ↓\$ b<sup>L</sup> | | T<sup>→</sup> Φ ˆ # X◀  
 □ ↓\$ G \$ h<sup>L</sup> Φ | # X◀  
 □ ↓\$ n<sup>L</sup> : n<sup>L</sup> Φ | # X◀  
 祺 Φ # X◀ t<sup>L</sup> | | Φ # ↓\$ ↓\$ | ?  
 □ ↓\$ n<sup>L</sup> L | | Φ # ↓\$ X◀ | 祺 ! Φ  
 # \$ X◀ 祺 | | Φ ↓\$ X◀  
 □ ↓\$ \$ ! | | Φ # X◀  
 祺 p! \$ | | Φ # ↓\$ X◀  
 □ ˆ # □ 8\$ t% X◀ #  
 \$ R R " \$ C \$ X◀ #  
 □ H<sup>J</sup> ˆ # □ 8\$ p" % " \$  
 t% X◀ Z" \$ # 胀  
 \$ ˆ A | | \$ % # 8\$ |#  
 曦 ˆ -# H<sup>J</sup> \$ t% X◀ |# \$ 8\$ |#  
 □ \$ ˆ # □ 8\$ ˆ 豐 | |  
 □ % ˆ + B \$ t% X◀ #  
 \$ B ˆ B % \$ n<sup>L</sup> # □ 7 Z# ˆ z- ˆ



Φ - \$ # \$ ˆ J ˆ \$  
襪 , \$ J \$ Φ # ˆ J ˆ \$  
襪 L L Z J φ \$ # L J \$  
□ t% X◀ # □ 8\$ • % • \$  
\$ 4 4 1 N• \$ V J b L ˆ |  
\$ □ b 1 \$ b 1 t% X◀ # □ 8\$ B □ %  
□ d J # ↑ \$ | □ Z# d † Φ †  
襪 \$ L L # □ † 8\$ \$ ¶ ◀ | % | 6◀ ˆ ↑  
\$ t% X◀ h † \$ | ¶ L ˆ \$  
\$ ˆ X◀ ˆ □ Z# ↑ Φ ↑ \$  
# \$ V L X◀ V L r † \$ 8\$ # | J ˆ  
襪 , \$ % ˆ # □ 8\$ X◀ | J ˆ  
\$ 0 0 \$ t% \$ # | H J ˆ  
翎 ˆ ↓ \$ ˆ □ Z# V !! Φ x !! \$  
# → L → L ↑ !! □ \$ N\$ # ˆ | ˆ  
襪 ↑ \$ ˆ ˆ □ Z# \$ H ¶ # ¶ L ˆ \$ ˆ  
襪 , \$ X◀ | □ Z# H ¶ Φ ¶ ˆ \$ ˆ  
# - X◀ J ¶ @ L J ˆ \$ \$ \$  
襪 | □ J Z# Δ V L Φ J □ \$ # \$  
# # □ 8\$ x ¶ ⊥ V L % ⊥ ˆ \$ \$ t%  
\$ X◀ R R \* ⊥ V L | J ˆ \$ \$ n L  
□ ˆ Z# j L φ | " | J ˆ \$ X◀ n L  
襪 □ | ↑ \$ n L \$ □ n L Z# J ˆ \$  
襪 φ 4 | G \$ # X◀ ˆ | ↑ \$ \$ J H!  
φ \$ # X◀ ˆ | \$ Z J \$ J  
□ Z | L ˆ X◀ # \$ □ 8\$ "" %  
\$ > " \$ t% X◀ C \$ # \$ % i \$  
\$ R H J ˆ # □ 8\$ " % ˆ \$  
翎 t% X◀ # ˆ ˆ 8\$ " % ˆ \$  
\$ ˆ A Z" \$ # 胀 □ 8\$  
襪 2# % F# \$ t% X◀ # □ 8\$



祺		↑	\$	n <sup>L</sup>	」	↓	f
# 祺	ˆ	↓\$	」	Φ	#	X◀	
□	n	\$	t <sup>L</sup>		b <sup>L</sup>	#	↓\$
祺	Φ	G	\$	#	X◀		
4	z <sup>L</sup>	Φ	#	X◀	#	ˆ	↓\$
」	!	z <sup>L</sup>	」	h <sup>L</sup>	#	ˆ	↓\$
」	!	z <sup>L</sup>	」	h <sup>L</sup>	#	ˆ	↓\$
↓\$	Z	」	!	Φ	#	X◀	ˆ
↓\$	Z	」	!	Φ	#	X◀	ˆ
%	>"	ˆ	p!	\$	8\$		n <sup>L</sup>
R	R	C	t%	\$	#		#
H	ˆ	豐	8\$	p"	Z"	\$	#
t%	X◀	#	\$	8\$	p"	Z"	\$
脹	ˆ	A	F#	%	t%	X◀	#
臟	#	%	F#	\$	t%	X◀	#
\$	♯	#	ˆ	8\$	\$	%	\$
豐	♯	#	ˆ	8\$	\$	%	\$
翎	ˆ	\$	」	%	\$	t%	Z'
\$	ˆ	\$	」	%	\$	t%	Z'
\$	ˆ	\$	」	%	\$	t%	Z'
□	ˆ	\$	#	ˆ	#	□	8\$
f\$	%	□	」	\$	t%	#	」
\$	Z <sub>1</sub>	#	ˆ	\$	#	」	ˆ
□	N <sup>L</sup>	#	ˆ	\$	#	」	ˆ
t%	ˆ	#	□	8\$	¶%	%	.%
\$	ˆ	□	ˆ	\$	#	ˆ	\$
□	ˆ	#	□	8\$	\$	%	\$
t%	ˆ	#	□	8\$	\$	%	\$
\$	Z <sub>1</sub>	#	ˆ	\$	#	」	ˆ
□	N <sup>L</sup>	#	ˆ	\$	#	」	ˆ
t%	ˆ	#	□	8\$	H%	%	ˆ%
\$	ˆ	□	ˆ	\$	#	ˆ	\$
□	ˆ	□	L	#	□	」	P♯
□	#	祺	L	#	□	」	P♯
祺	♯	♯	□	\$	」	□	
□	♯	♯	Z#	P♯	」	□	
□	♯	♯	#	\$	」	ˆ	\$
□	♯	♯	#	\$	」	ˆ	\$
t%	♯	♯	□	8\$	♯	%	♯
\$	」	」	□	\$	P <sup>L</sup>	ˆ	♀ <sup>L</sup>
'	」	#	□	8\$	♯	%	♯
t%	」	#	□	8\$	♯	%	♯



COLUMNPROPS\_KEY.data(COLUMNPROPS\_KEY.  
 Y.dict(COLUMNPROPS\_KEY.type\$COLUMN  
 PROPS\_PARENT.COLUMNPROPS\_PARENT.d  
 ata.COLUMNPROPS\_PARENT.type"COLUMN  
 PROPS\_VALUE,COLUMNPROPS\_VALUE.data  
 ,COLUMNPROPS\_VALUE.dict,COLUMNPROP  
 S\_VALUE.type COLUMNS\_ACTIVE&COLUM  
 NS\_ACTIVE.data&COLUMNS\_ACTIVE.type¶  
 COLUMNS\_ID COLUMNS\_ID.data COLUMNS  
 \_ID.type↑COLUMNS\_NAME"COLUMNS\_NAM  
 E.data"COLUMNS\_NAME.dict"COLUMNS\_NA  
 ME.type COLUMNS\_PARENT&COLUMNS\_PA  
 RENT.data&COLUMNS\_PARENT.type8Calcul  
 ation\_1980311103123208FCalculation\_1  
 980311103123208.1.dataBCalculation\_19  
 80311103123208.data8Calculation\_94612  
 07113500483FCalculation\_946120711350  
 0483.1.dataBCalculation\_9461207113500  
 483.dataBCalculation\_9461207113500483  
 .dict(Category\_Energy\_Type6Category  
 Energy\_Type.1.data6Category\_Energy  
 Type.1.dict2Category\_Energy  
 Type.data2Category\_Energy  
 Type.dict¶DUAL\_ID↑DUAL\_ID.data↑DUAL  
 \_ID.type→ELECCEmFactors(ELECCEmFactors  
 .1.data\$ELECCEmFactors.data\$ELECCEmFac  
 tors.dict↑ENERGY\_TYPE\$ENERGY\_TYPE.1  
 .data\$ENERGY\_TYPE.1.dict  
 ENERGY\_TYPE.data  
 ENERGY\_TYPE.dict↑EXT\_EO\_CITY(Energy  
 Type\_Unit\_Lbl6Energy\_Type\_Unit  
 Lbl.1.data6Energy\_Type\_Unit  
 Lbl.1.dict2Energy\_Type\_Unit  
 Lbl.data2Energy\_Type\_Unit  
 Lbl.dict↑MO↑MO.1.data↑MO.data↑MO.dic  
 t  
 MONTH↑MONTH.1.data↑MONTH.1.dict¶MO  
 NTH.data¶MONTH.dict↑NGEmFactors\$NGE  
 mFactors.1.data NGEmFactors.data  
 NGEmFactors.dict"Number of  
 Records0Number of  
 Records.1.data,Number of  
 Records.data↑REF\_CZ→REF\_CZ.1.data↑R  
 EF\_CZ.data↑REF\_CZ.dict"Reference  
 Average0Reference  
 Average.1.data,Reference  
 Average.data,Reference  
 Average.dict↑SAVINGS\_CITY&SAVINGS\_C  
 ITY.1.data&SAVINGS\_CITY.1.dict"SAVIN  
 GS\_CITY.data"SAVINGS\_CITY.dict\$SCHEM  
 APROPS\_ACTIVE.SCHEMAPROPS\_ACTIVE.  
 data.SCHEMAPROPS\_ACTIVE.type SCHEM  
 APROPS\_ID&SCHEMAPROPS\_ID.data&SCHE  
 MAPROPS\_ID.type SCHEMAPROPS\_KEY(S  
 CHEMAPROPS\_KEY.data(SCHEMAPROPS\_KE  
 Y.dict(SCHEMAPROPS\_KEY.type\$SCHEMA

```

PROPS_PARENT.SCHEMAPROPS_PARENT.d
ata.SCHEMAPROPS_PARENT.type"SCHEMA
PROPS_VALUE,SCHEMAPROPS_VALUE.d
ata,SCHEMAPROPS_VALUE.dict,SCH
EMAPROPS_VALUE.type SCHEMAS_A
CTIVE&SCHEMAS_ACTIVE.data&SCHE
MAS_ACTIVE.type SCHEMAS_ID SCHE
MAS_ID.data SCHEMAS_ID.type SCHE
MAS_NAME"SCHEMAS_NAME.data"SCHE
MAS_NAME.dict"SCHEMAS_NAME.type
(SINGLE_MAXIMUM_USAGE6SINGLE_M
AXIMUM_USAGE.1.data2SINGLE_MAXI
MUM_USAGE.data"TABLEPROPS_A
CTIVE,TABLEPROPS_ACTIVE.d
ata,TABLEPROPS_ACTIVE.type->T
ABLEPROPS_ID$TABLEPROPS_ID.d
ata$TABLEPROPS_ID.type TABLEP
ROPS_KEY&TABLEPROPS_KEY.d
ata&TABLEPROPS_KEY.dict&TABLEP
ROPS_KEY.type"TABLEPROPS_P
ARENT,TABLEPROPS_PARENT.d
ata,TABLEPROPS_PARENT.type
TABLEPROPS_VALUE*TABLEPROPS_V
ALUE.data*TABLEPROPS_VALUE.d
ict*TABLEPROPS_VALUE.type->T
ABLES_ACTIVE$TABLES_ACTIVE.d
ata$TABLES_ACTIVE.type TA
BLES_ID TABLES_ID.data TA
BLES_ID.type TABLES_NAME TA
BLES_NAME.data TABLES_NAME.d
ict TABLES_NAME.type->T
ABLES_PARENT$TABLES_PARENT.d
ata$TABLES_PARENT.type
↑ TOTAL_GHG
TOTAL_GHG.1.data TOTAL_GHG.d
ata
TOTAL_HOUSEHOLDS.TOTAL_HOUSEH
OLDS.1.data*TOTAL_HOUSEHOLDS.d
ata*TOTAL_HOUSEHOLDS.dict TOTAL
_MBTU"TOTAL_MBTU.TOTAL_N
ORMALIZED_MONTHS<TOTAL_NORMA
LIZED_MONTHS.1.data8TOTAL_N
ORMALIZED_MONTHS.dict TOTAL_S
A_COUNT*TOTAL_SA_COUNT.1.d
ata&TOTAL_SA_COUNT.data TOTAL
_USAGE$TOTAL_USAGE.1.data
TOTAL_USAGE.data TOT_CITY TOT
_CITY.1.data TOT_CITY.1.d
ict->TOT_CITY.data->TOT_CITY.d
ict TOTAL_COUNTY"TOT_CO
UNTY.1.data"TOT_COUNTY.1.d
ict TOT_COUNTY.data TOT_CO
UNTY.dict YEAR YEAR.1.d
ata YEAR.1.dict YEAR.d
ata YEAR.d
ict
array-asc♀ bigint♀ binary-bit♂ boolean♂ b
uiltin,clob(1) collate
binary♀ comparable♣ date+ distinct♀ doub
le
false
float♣ heap
index♂ integer-key♀ key.1.d
ata♀ key.1.d
ict+key.data+key.dict+not-
null-oid♣ real_T♣ tiny♣ true♀ unique-usr

```

value ↑ value.1.data ↑ value.1.dict ¶ value.  
data ¶ value.dict ¶ varchar8 varchar(10,1)  
collate binary:varchar(100,1) collate  
binary8 varchar(11,1) collate  
binary8 varchar(12,1) collate  
binary:varchar(127,2) collate  
binary8 varchar(15,1) collate  
binary:varchar(255,1) collate  
binary8 varchar(27,1) collate  
binary8 varchar(32,1) collate  
binary6 varchar(6,2) collate  
binary8 varchar(60,1) collate  
binary □□ □ collation:binary

comparable:comparable  
compression:heap  
data-file:COLUMNPROPS\_VALUE.data  
datatype:usr  
dict-file:COLUMNPROPS\_VALUE.dict  
distinct:distinct  
factory:varchar  
fixed:false  
name:COLUMNPROPS\_VALUE  
not-null:not-null  
precision:127  
scale:2  
size:508  
storagewidth:8  
type:varchar(127,2) collate binary  
type-file:COLUMNPROPS\_VALUE.type

□ j pk  
□ ♀ ↑ COLUMNPROPS\_ACTIVE.data &  
& ↑ COLUMNPROPS\_ACTIVE.type '  
' ¶ COLUMNPROPS\_ID.data , ¶  
COLUMNPROPS\_ID.type m m ⊥ C  
O L U M N P R O P S \_ K E Y . d a t a B  
검 ⊥ COLUMNPROPS\_KEY.dict →  
⊥ COLUMNPROPS\_KEY.type p  
↑ COLUMNPROPS\_PARENT.data  
□ ' ↑ COLUMNPROPS\_PARENT.type □  
□ † COLUMNPROPS\_VALUE.data È  
⊕ † COLUMNPROPS\_VALUE.dict j -j  
‡ COLUMNPROPS\_VALUE.type pk k

□ n □ builtin:bit  
data-file:COLUMNS\_ACTIVE.data  
datatype:boolean  
default-value:t  
factory:builtin  
fixed:true  
name:COLUMNS\_ACTIVE  
not-null:not-null  
size:1  
type:bit  
type-file:COLUMNS\_ACTIVE.type

□ o o ¶ L J






```

NORMALIZED_MONTHS TOTAL_SA_COUNT
TOTAL_USAGE + TOT_CITY || TOT_COUNTY
YEAR - key
value t          collation:binary
comparable:comparable
compression:heap
data-file:COLUMNS_NAME.data
datatype:usr
dict-file:COLUMNS_NAME.dict
distinct:distinct
factory:varchar
fixed:false
name:COLUMNS_NAME
not-null:not-null
precision:127
scale:2
size:508
storagewidth:8
type:varchar(127,2) collate binary
type-file:COLUMNS_NAME.type


```



```

data-file:COLUMNS_PARENT.data
datatype:index
factory:builtin
fixed:true
name:COLUMNS_PARENT
not-null:not-null
size:8
type:oid
type-file:COLUMNS_PARENT.type

```



```

data-file:DUAL_ID.data
datatype:index
factory:builtin
fixed:true
name:DUAL_ID
not-null:not-null
size:8

```

type:oid  
type-file:DUAL\_ID.type  
DUAL\_ID.data @ Z  
DUAL\_ID.type → builtin:bit

data-file:SCHEMAPROPS\_ACTIVE.data  
datatype:boolean  
default-value:t  
factory:builtin  
fixed:true  
name:SCHEMAPROPS\_ACTIVE  
not-null:not-null  
size:1  
type:bit  
type-file:SCHEMAPROPS\_ACTIVE.type

builtin:oid  
data-file:SCHEMAPROPS\_ID.data  
datatype:index  
factory:builtin  
fixed:true  
name:SCHEMAPROPS\_ID  
not-null:not-null  
size:8  
type:oid  
type-file:SCHEMAPROPS\_ID.type

data-file-name  
collation:binary  
comparable:comparable  
compression:heap  
data-file:SCHEMAPROPS\_KEY.data  
datatype:usr  
dict-file:SCHEMAPROPS\_KEY.dict  
distinct:distinct  
factory:varchar  
fixed:false  
name:SCHEMAPROPS\_KEY  
not-null:not-null  
precision:127  
scale:2  
size:508  
storagewidth:8  
type:varchar(127,2) collate binary  
type-file:SCHEMAPROPS\_KEY.type

builtin:oid  
data-file:SCHEMAPROPS\_PARENT.data  
datatype:index  
factory:builtin  
fixed:true  
name:SCHEMAPROPS\_PARENT



not-null:not-null  
size:8  
type:oid  
type-file:SCHEMAS\_ID.type

comparable:comparable  
compression:heap  
data-file:SCHEMAS\_NAME.data  
datatype:usr  
dict-file:SCHEMAS\_NAME.dict  
distinct:distinct  
factory:varchar  
fixed:false  
name:SCHEMAS\_NAME  
not-null:not-null  
precision:127  
scale:2  
size:508  
storagewidth:8  
type:varchar(127,2) collate binary  
type-file:SCHEMAS\_NAME.type

Extract - SYS  
collation:binary

SCHEMAS\_ACTIVE.data  
SCHEMAS\_ACTIVE.type  
SCHEMAS\_ID.data  
SCHEMAS\_ID.type  
SCHEMAS\_NAME.data  
SCHEMAS\_NAME.dict  
SCHEMAS\_NAME.type

builtin:bit  
data-file:TABLEPROPS\_ACTIVE.data  
datatype:boolean  
default-value:t  
factory:builtin  
fixed:true  
name:TABLEPROPS\_ACTIVE  
not-null:not-null  
size:1  
type:bit  
type-file:TABLEPROPS\_ACTIVE.type

builtin:oid  
data-file:TABLEPROPS\_ID.data  
datatype:index  
factory:builtin  
fixed:true  
name:TABLEPROPS\_ID  
not-null:not-null  
size:8

type:oid  
type-file:TABLEPROPS\_ID.type

data-file:TABLEPROPS\_KEY.data  
datatype:usr  
dict-file:TABLEPROPS\_KEY.dict  
distinct:distinct  
factory:varchar  
fixed:false  
name:TABLEPROPS\_KEY  
not-null:not-null  
precision:127  
scale:2  
size:508  
storagewidth:8  
type:varchar(127,2) collate binary  
type-file:TABLEPROPS\_KEY.type

data-file:TABLEPROPS\_PARENT.data  
datatype:index  
factory:builtin  
fixed:true  
name:TABLEPROPS\_PARENT  
not-null:not-null  
size:8  
type:oid  
type-file:TABLEPROPS\_PARENT.type

\$ T a b l e a u M e t a d a t a \_ C O L U M N P R O P S \_ C O L U M  
N S \_ D U A L \_ E x t r a c t \_ S C H E M A P R O P S \_ S C H E M  
A S \_ T A B L E P R O P S \_ T A B L E S  
collation:binary

comparable:comparable  
compression:heap  
data-file:TABLEPROPS\_VALUE.data  
datatype:usr  
dict-file:TABLEPROPS\_VALUE.dict  
distinct:distinct  
factory:varchar  
fixed:false  
name:TABLEPROPS\_VALUE



datatype:usr  
dict-file:TABLES\_NAME.dict  
distinct:distinct  
factory:varchar  
fixed:false  
name:TABLES\_NAME  
not-null:not-null  
precision:127  
scale:2  
size:508  
storagewidth:8  
type:varchar(127,2) collate binary  
type-file:TABLES\_NAME.type

␣@ x

裁 builtin:oid  
data-file:TABLES\_PARENT.data  
datatype:index  
factory:builtin  
fixed:true  
name:TABLES\_PARENT  
not-null:not-null  
size:8  
type:oid  
type-file:TABLES\_PARENT.type

␣+ ␣  
!! TABLES\_ACTIVE.data O  
␣ !! TABLES\_ACTIVE.type L ⚙  
TABLES\_ID.data  
: ⚙ TABLES\_ID.type ␣  
␣ ◀ TABLES\_NAME.data P j ◀ TA  
BLES\_NAME.dict  
: ◀ TABLES\_NAME.type  
!! TABLES\_PARENT.data ␣  
!! TABLES\_PARENT.type \$ ف  
␣• ♀ COLUMNPROPS k n ␣ COLUMN  
NS ( | DUAL  
♀ SCHEMAPROPS  
K ␣ SCHEMAS 0 ♂ TAB  
LEPROPS ← • TABLES ♂  
␣L ⚙ .database.type P j ␣ Extrac  
t , ␣ SYS ⚙ ␣