

BEFORE

PUBLIC UTILITIES COMMISSION OF THE STATE OF

Order Instituting on the Commission's to Adopt New Safety and Reliability for Natural Gas Transmission and Related Ratemaking

Notice of Utility Workers Union of America (U

Carl Regulatory Utility Workers Union 2021 Oceanside Phone: E-mail: billjulian@sb

November 4, 2013

Notice of Utility Workers Union of America (UWUA)

On

Pursuant to Rules 8.3 and 8.4 of the Utility Workers Union of America (UWUA) Notice.

On October 30, 2013 at 1 p.m., UWUA representative with Niki Bawa, advisor to Commissioner Carla Petermann in San Francisco. Julian discussed the UWUA's Comments on the Recommendations to revise and update the Commission's order proceeding September 26, 2012 regarding gas pipeline safety and operations. UWUA initiated the meeting.

UWUA provided an excerpt of six pages of pages included all of UWUA's specific comments attached to this Notice. The Commission focused on the inadvisability of recommendation regarding leak classification and management; developing a comprehensive leak reduction strategy that and not venting them in the knowledge of CPUC's responsibility to enforce state law and statute; achieving workforce adequacy in the industry.

Respectfully submitted,

/s/

William Julian II
43556 Madison
Davis CA 95618
Phone: (530) 219-219
E-mail: billjulian@sbglobal.net

November 4, 2013

웹□η
웹□η
웹□η
웹□η
웹□η
웹□η
웹□η
웹□η
웹□η
웹□η
웹□η
웹□η
웹□η
웹□η
웹□η
웹□η
웹□η
웹□η
웹□η
웹□η
웹□η
웹□η
웹□η

ATTACHMENT 웹□η
웹□η

c. Summary of Recommendations

UWUA has made a number of recommendations for revisions of existing sections of GO 112. They

Section 102.2 Relation to Federal Law

101.2. These rules are adopted in addition to regulations, specifically Title 49 of the Code of 191, 192, 193 and 199, which also govern Operation, and the of Gas Piping Systems and gas pipeline in the State of California. These are the federal pipeline safety regulations but are superior regulations, except that specific standards rule more stringent than a federal standard applicable facilities or transportation are declared to be con standard and will control, pursuant to Pub. Util 970, and 49 USC 60104(c).

Section 102.1 Purpose of Rules to Implement State

102.1. The purpose of California Rules is to Gas Pipeline Safety Act of 2011, Pub. Util. C and specifically to and enforce the that public and is the top priority in the operati delivery system in California.

Section 102.3 Renumbered to 102.1

102.3. These rules establish to the federal regulations, applicable requirements for the design, materials, locations, testing, operations and maintenance regulated gas pipelines facilities and gas distribution of gas and liquefied natural gas facilities health, comfort and convenience of the public and public welfare and to provide that safe maintained by gas utilities operating under the commission.

Section 102.3 Timely Update on Commission Website

104.3 Timely Update Commission Website

The Commission shall update the text of GO after the issuance of a decision adding, deleting, or General Order, or 15 days after any order comes into effect.

Section

Section 105. (b) Late Workforce definition

(h) adequate workforce for purposes of implementing Pub. section 961(d)(10) and for employing workers trained and necessary to carry out these rules and the rules of the utility's adopted open maintenance procedures according to their terms and order to promote the safety, health, comfort, and employees and the public.

Section

Section 12. Annual LER Report

Section

UWUA has made conceptual suggestions for improving proposed by SED. It is not proposing specific

Section 12. Safety-related Conditions

Section

124.2 Reproductive conditions

Section

(a) an element of the report required by shall include a compilation of related reports made to pursuant to 49 CFR 191.23 and 19 repair or other response to the observed condition. (b) in addition to the matters described as report 191.25, the utility shall report any external or coating on pipe observed and during the repair or repair or other response to the observed condition.

Section

Section

Section 12. Reproductive Excavated incidents

Section

127. Reproductive-related Incidents

(a) the utility shall report to the Commission every incident where utility facilities are damaged excavation in the proximity of its facilities and shall include the following information and other matter that Commission may prescribe: location of incident; whether it was called; identity and qualifications of

any; whether utility personnel was on site; descriptive techniques and equipment; description of utility facilities; repairs to utility facilities and their cost.
(b) Each utility shall provide a compilation of records required by section 958.5

Section
Section

Section 143.1 Distribution Leakage Surveys

Section

143.1. Distribution Leakage Surveys and Procedure

(a) A gas detector survey shall be conducted in business districts and in the vicinity of streets including tests of gas electric, telephone, system manholes, at cracks in pavement, and sidewalk locations providing an opportunity for finding gas exceeding 12 months, but at least once each year.
(b) A gas detector survey must be conducted on consequence areas for leaks at residential meters.
(c) The intervals for inspections in subdivisions shall be set to reflect the actual leak experience in the subdivision.
(d) The utility shall provide an adequate number of personnel sufficient to perform surveys as provided herein.

Section
Section

Section 143.2 Transmission Leakage Surveys

Section

Section 143.2. Transmission Leakage Surveys and Procedure

Section

(a) A gas detector leak survey shall be conducted on foot for all transmission pipe annually.
(b) A gas detector leak survey shall be conducted on foot for all transmission pipe each year annually.
(c) The intervals for inspections in subdivisions shall be set to reflect the actual leak experience in the subdivision.
(d) The utility shall provide an adequate number of personnel sufficient to perform surveys as provided herein.

Section
Section

Section 143.3 Valve Maintenance

Section

143.3 Valve Maintenance

Section

(a) Each operator will make an inventory of a description of the location, type, size, number, and criticality.

(b) Each valve, the use of which may transmission or distribution system, must be lubricated (where required) and left fully operational inspection. "Fully operational" means that the valve can be opened and closed.

(c) The report of the inspection must include: a record of the valve as found at the beginning of the maintenance procedures or other activities at the condition at the conclusion of the inspection.

(d) The operator will ensure that each inspection equipment to lubricate and operate the valve at the time of inspection.

(e) The operator will ensure that each inspector is fully trained to inspect and operate the valve; he/she is assigned.

Section 143.4

Section 143.4 Leaks in Risers

Section 143.4

143.4. Leaks in proximity of risers and

Section 143.4

(a) Any leak in, or in close proximity completely and permanently repaired on the same including specifically a leak at the time of repair be performed by qualified employees of the operator.

(b) The operator shall include these reports and of the annual leak report required by section 143.4.

Section 143.5

Section 143.5 Locate and Mark

Section 143.5

143.5. and Mark

Section 143.5

(a) locators shall be employees of the utility.

(b) excavations shall be observed by utility empowered to enforce utility procedures for excavation facilities, during excavation by hand.

(c) Each utility shall provide markers in its transmission and distribution systems that marks are both directions from any given point on the

Section 143.5

☐

Section 302. Utility Participation

☐

302.2 Participation by Utility Employees

☐

The commission and each utility shall provide of substantial and ongoing participation by the gas including including representatives of employees' choosing, and of contractors, in the development and implementation and maintenance procedures including matters covered utility safety programs and plans, which will be the object industrywide culture of safety that will minimize and dangerous conditions for the production gas corporation work

☐

☐

Section 303. Standards for Meter Service

☐

303.2. Meter Service

☐

303.2. (a) The purpose of this section is to ensure that 970 for after meter services as defined by (b) allowing for meaningful, substantial and ongoing utility employees in their designated representatives, and employees of contractors, the utility shall propose customer service functions including but not limited leak reports from customers and the leaks, meter services including but not limited to pilot examination of connectors and other appurtenances of residential dwellings; timely order completion for residential involving flowing gas on, turn off, high usage and investigations.

(c) The commission shall specify customer service safety metrics after review of the utility proposals and

(d) The commission shall meet with the staff, employees quarterly to review progress in achieving

☐

☐

☐