

From: Doll, Laura
Sent: 11/14/2013 8:56:18 AM
To: Haine, Steven K. (steven.haine@cpuc.ca.gov)
Cc: Bruno, Kenneth (kenneth.bruno@cpuc.ca.gov)
Bcc:
Subject: RE: CPUC Risk Assessment Section plastic pipes Data Request 1

Steve

Checking on this . . .

As you know, we have had quite an onslaught of data requests on the transmission side and many of the same people are involved in pulling info together.

Will let you know where this stands and will see if we can give you a firm ETA.

Thanks

Laura

From: Haine, Steven K. [mailto:steven.haine@cpuc.ca.gov]
Sent: Wednesday, November 13, 2013 5:16 PM
To: Doll, Laura
Cc: Bruno, Kenneth
Subject: FW: CPUC Risk Assessment Section plastic pipes Data Request 1

Hi, Laura:

Could you please follow up on this data request to see where it stands? I haven't heard back from Jane Yura or anyone at PG&E on this data request. Thanks.

Steven Haine, P.E.

Senior Utilities Engineer

Risk Assessment and Enforcement Section

Safety and Enforcement Division

California Public Utilities Commission

Phone: (415) 355-5553

From: Haine, Steven K.
Sent: Monday, October 28, 2013 5:28 PM
To: Yura, Jane (JKY1@pge.com)
Cc: Bruno, Kenneth
Subject: CPUC Risk Assessment Section plastic pipes Data Request 1

Dear Ms. Yura:

The Risk Assessment Section of the California Public Utilities Commission is performing a status review of older vintage plastic pipes among its regulated gas utilities. Data Request 1 in connection with this review is attached. Please furnish responses to this data request by November 8, 2013. If you have any questions, please do not hesitate to contact me. Thank you.

Sincerely,

Steven Haine, P.E.

Senior Utilities Engineer

Risk Assessment Section

Safety and Enforcement Division

California Public Utilities Commission

Phone: (415) 355-5553

Email: steven.haine@cpuc.ca.gov