

# William C. Haahesy

LAW OFFICES OF WILLIAM C. HAHESEY

January 16, 2014

## NOTICE

VIA EMAIL and U.S. MAIL

See Attached List

**Re: Notice of Demobilization and Removal of Items by Cleveland Wrecking Company at the Kern Power Plant site beginning Monday, January 20, 2014 at 7:00 a.m. and continuing Each Day Thereafter Until All Removed**

**PLEASE BE ADVISED THAT** the Pacific Gas and Electric Company (“PG & E”) has advised Cleveland Wrecking Company (“CWC”) that the California Public Utilities Commission (“CPUC”) has approved CWC’s demobilization from the Kern Power Plant site at [Redacted] Bakersfield, California. The demobilization includes the removal of all of CWC’s property remaining at the Kern Power Plant site. The property and other items to be removed by CWC include those generally described in Exhibit A attached hereto and incorporated herein. Some of those items have already been removed from the Kern Power Plant site with the permission of PG & E. These items are noted with (\*\*). PG & E has also requested that CWC perform the items described in the Exhibit B attached hereto and incorporated herein as part of the demobilization. **The demobilization and removal of the property shall commence on Monday, January 20, 2014 at 7:00 a.m. and shall continue thereafter each day until completed;**

**PLEASE BE FURTHER ADVISED THAT** except for the Project Documents (as defined below) and those items on the inventory list marked with an (⊙), CWC intends to commence use of all items other than the Project Documents identified below in its normal business operations. CWC further intends to return all rental items to the vendor or vendors after removal from the Kern Power Plant site;

**PLEASE BE FURTHER ADVISED THAT** on October 7, 2013, CWC inventoried certain contents of the office trailer at the Kern Power Plant site with the permission of PG & E. The items generally consist of boxes of PG & E power plant project documents (hereinafter referred to as “Project Documents”). As part of the inventory, CWC, through counsel, has stored the Project Documents in boxes and intends to continue to maintain those boxes until further written notice;

January 16, 2014

Page 2

**PLEASE BE FURTHER ADVISED THAT CWC** intends to provide to Cal-OSHA, at its request, two pieces of shrapnel from the Kern Power Plant site.

Very truly yours,



William C. Haesy

WCH/cd

Y:\Cleveland\Corresp\Notice Demobilize 1-16-14.doc

**NOTICE LIST**

**Rick Tse**

Safety and Enforcement Division  
California Public Utilities Commission  
505 Van Ness Avenue  
San Francisco, CA 94102  
T: (415) 355-5581  
Email: [rick.tse@cpuc.ca.gov](mailto:rick.tse@cpuc.ca.gov)

**Steve Honjio**

Dept. of Industrial Relations  
Division of Occupational Safety and Health  
750 Royal Oaks Dr., #104  
Monrovia, CA 91016  
T: (626) 471-9122  
F: (626) 471-9133  
Email: [shonjio@dir.ca.gov](mailto:shonjio@dir.ca.gov)

**Sean T. Cahill**

Cahill & Associates  
624 Broadway, Suite 501  
San Diego, CA 92101  
T: (619) 419-0152  
F: (619) 234-4400  
Email: [sean.cahill@cahilllawcorp.com](mailto:sean.cahill@cahilllawcorp.com)

**Dennis Thelen**

LeBeau Thelen  
P.O. Box 12092  
Bakersfield, CA 93389-2092  
T: (661) 325-8962  
F: (661) 325-1127  
Email: [dthelen@lebeauthelen.com](mailto:dthelen@lebeauthelen.com)

**Warren Nelson**

**Collin Cook**  
Fisher & Phillips, LLP  
2050 Main Street, #1000  
Irvine, CA 92614  
T: (949) 798-2111  
F: (949) 851-0152  
Email: [wnelson@laborlawyers.com](mailto:wnelson@laborlawyers.com)  
Email: [ccook@laborlawyers.com](mailto:ccook@laborlawyers.com)

**John V. O'Meara**

**Eileen J. Gaisford**  
Bremer, Whyte, Brown & O'Meara, LLP  
21271 Burbank Blvd, #110  
Woodland Hills, CA 91367  
T: (818) 712-9800  
F: (818) 712-9900  
Email: [jomeara@bremerwhyte.com](mailto:jomeara@bremerwhyte.com)  
Email: [egaisford@bremerwhyte.com](mailto:egaisford@bremerwhyte.com)

**Kathleen C. Lyon**

Aronowitz Skidmore Lyon  
200 Auburn Folsom Road, Suite 305  
Auburn, CA 95603  
T: (530) 823-9736  
F: (530) 823-5241  
Email: [klyon@asilaw.org](mailto:klyon@asilaw.org)

**Gregory A. Muir**

Young Wooldridge, LLP  
1800 30<sup>th</sup> Street, 4<sup>th</sup> Floor  
Bakersfield, CA 93301-5298  
T: (661) 327-9661  
F: (661) 327-1087  
Email: [gmuir@youngwooldridge.com](mailto:gmuir@youngwooldridge.com)

January 16, 2014

Page 4

**David K. Cohn**

Chain Cohn Stiles Law Offices

P.. Box 2348

Bakersfield, CA 93303-2348

T: (661) 323-4000

F: (661) 324-1352

Email: [lawinfo@chainlaw.com](mailto:lawinfo@chainlaw.com)

**Sandy Sakamoto**

**Bryan Sheldon**

**Arnold Barba**

Lim Ruger & Kim, LLP

1055 W. Seventh Street, Suite 2800

Los Angeles, CA 90017-2554

T: 213-955-9500

F: 213-955-9511

Email: [sandy.sakamoto@limruger.com](mailto:sandy.sakamoto@limruger.com)

Email: [bryan.sheldon@limruger.com](mailto:bryan.sheldon@limruger.com)

Email: [arnold.barba@limruger.com](mailto:arnold.barba@limruger.com)

**Stephen L. Schirle**

**Elizabeth Collier**

Redacted

Law Department

Pacific Gas & Electric Company

77 Beale Street, B30A

San Francisco, CA 94105

Email: [SLSw@pge.com](mailto:SLSw@pge.com)

Email: [EACp@pge.com](mailto:EACp@pge.com)

Email: Redacted

# EXHIBIT A

**Inventory of Cleveland Wrecking Company's Materials, Equipment and Supplies**  
**On-Site at the PG&E Power Plant, 2401 Coffee Road, Bakersfield, California**

<b>Location</b>	<b>Description</b>
CWC's Jobsite Office Trailer	Cleveland Wrecking Company's Jobsite Office Trailer
CWC's Jobsite Office Trailer	Fifteen Boxes of PG&E Power Plant Project Documents (Boxes 2-10, 14-19) (**) (Θ)
CWC's Jobsite Office Trailer	One Box of CWC T-Shirts (Box 1)
CWC's Jobsite Office Trailer	One Box of Records for the Freeport Bahamas Project (Box 13)(**)
CWC's Jobsite Office Trailer	One Box of Miscellaneous Documents (Box 11) (**) (Θ)
CWC's Jobsite Office Trailer	One Box Containing Two Pieces of Shrapnel (Box 20) (**) (Θ)
CWC's Jobsite Office Trailer	One Cellular Telephone and Two Digital Cameras (Box 10) (**) (Θ)
CWC's Jobsite Office Trailer	One Electronic Tape Measure (Box 10)(**)
CWC's Jobsite Office Trailer	One HP Scanner (Box 10) (**) (Θ)
CWC's Jobsite Office Trailer	Laptop Computer (Box 12) (**) (Θ)
CWC's Jobsite Office Trailer	Six Computer Disks (Box 6) (**) (Θ)
CWC's Jobsite Office Trailer	One Pocket Mike (Box 10)(**)
CWC's Jobsite Office Trailer	Empty Electronic Boxes (Box 10)(**)
CWC's Jobsite Office Trailer	One Cal-OSHA Pocket Guide for the Construction Industry (Box 10)(**)
CWC's Jobsite Office Trailer	One CST/Berger Laser Level, Stand and Stick
CWC's Jobsite Office Trailer	One FRX Gun
CWC's Jobsite Office Trailer	Seven Boxes of Safety Equipment
CWC's Jobsite Office Trailer	Miscellaneous Tools and Parts
CWC's Jobsite Office Trailer	Two Computer Printers
CWC's Jobsite Office Trailer	Three Oxy Settling Hoses
CWC's Jobsite Office Trailer	One Welding Helmet
CWC's Jobsite Office Trailer	One Cutting Torch (5 feet)
CWC's Jobsite Office Trailer	Two Cutting Torches (4 feet)
CWC's Jobsite Office Trailer	One Box of Two-Way Radios
CWC's Jobsite Office Trailer	PA/PR Batteries
CWC's Jobsite Office Trailer	Three First Aid Kits
CWC's Jobsite Office Trailer	One Microwave
CWC's Jobsite Office Trailer	One Refrigerator
CWC's Jobsite Office Trailer	Miscellaneous Chairs, Desks and Tables
CWC's Jobsite Office Trailer	One Shop Vacuum
CWC's Jobsite Office Trailer	Three Sample Testing Kits
CWC's Jobsite Office Trailer	Safety Supplies
CWC's Jobsite Office Trailer	Multiple Sets of Gloves
CWC's Jobsite Office Trailer	Multiple Hardhats
CWC's Jobsite Office Trailer	Shaun O'Connor's P&PR
CWC's Jobsite Office Trailer	Leon Nonette's P&PR(**)
Next to CWC's Jobsite Office Trailer	Two Spill Kits
Next to CWC's Jobsite Office Trailer	Freezer
Next to CWC's Jobsite Office Trailer	Mobile Mini Conex, No. BS40UYU0020, containing tools
Next to CWC's Jobsite Office Trailer	Enclosed Trailer, Plate No. 1WK6649
Next to CWC's Jobsite Office Trailer	Mobile Air Compressor, No. 334
Next to CWC's Jobsite Office Trailer	Five Pallets/Totes containing Fire and Water Hoses, Oxygen/ Propane Hoses, Power Cords, Light Strings and Electrical Junction Boxes
Next to CWC's Jobsite Office Trailer	Nine 60 lb. Propane Tanks
Next to CWC's Jobsite Office Trailer	Four Liquid Oxygen Tanks
Next to CWC's Jobsite Office Trailer	Twelve Compressed Oxygen Tanks

Next to CWC's Jobsite Office Trailer	Three Oxygen/Propane Storage Racks
Next to CWC's Jobsite Office Trailer	Electrical Meter Base
<b>Location</b>	<b>Description</b>
Next to CWC's Jobsite Office Trailer	Straw Waddles (Erosion Control)
Next to CWC's Jobsite Office Trailer	Seven Extension and Step Ladders
Next to CWC's Jobsite Office Trailer	Set of Forks for a Bobcat, No. 9130
Next to CWC's Jobsite Office Trailer	Sweeper for a Bobcat, No. 793702535
Next to CWC's Jobsite Office Trailer	Hydraulic Magnet
Next to CWC's Jobsite Office Trailer	Terex Crusher, No. 9114
Next to CWC's Jobsite Office Trailer	Mobile Surveillance Unit, No. 9137
Next to CWC's Jobsite Office Trailer	4000 Gallon Water Truck
Next to CWC's Jobsite Office Trailer	Asbestos Bin
Next to CWC's Jobsite Office Trailer	Lockable Twenty Yard Scrap Bin
Next to CWC's Jobsite Office Trailer	Approximately Twenty Miscellaneous Cables of Various Lengths
Next to CWC's Jobsite Office Trailer	Approximately Five Water Hoses for Terex Crusher
Next to CWC's Jobsite Office Trailer	Two Cutting Edges for Buckets
Next to CWC's Jobsite Office Trailer	Five Breaker Bits for a Bobcat Hammer
Next to CWC's Jobsite Office Trailer	Two Rubber Tracks for a Mini Excavator
Next to CWC's Jobsite Office Trailer	One Shear for a Bobcat, No. 6569491
Next to CWC's Jobsite Office Trailer	Two Ramps for a Portable Scale
Next to CWC's Jobsite Office Trailer	Four Rubber Plates
Next to CWC's Jobsite Office Trailer	Three Portable Toilets with Wash Stations
Next to CWC's Jobsite Office Trailer	Two Thirty Yard Scrap Bins
Next to CWC's Jobsite Office Trailer	Thirty Yard Trash Bin
Next to CWC's Jobsite Office Trailer	Approximately Fifty Delineators (Candles)
Along the Eastern Fence of the Project	Crusher Box with Spare Parts for Crusher (Blow Bars – Roller)
Along the Eastern Fence of the Project	Shear Box, No. 9054
Along the Eastern Fence of the Project	Approximately Seven Miscellaneous Cables – Various Lengths
Along the Eastern Fence of the Project	Ten Bits for Large Hammers (700 and 800 Excavators)
Along the Eastern Fence of the Project	Hydraulic Tank for Excavator
North of the Boiler Structure	Demo Tool, No. 9099
North of the Boiler Structure	Approximately Twenty Fire Hoses of Various Lengths
Inside Storage Building (North Side)	Water Meter with Backflow Protector
Inside Storage Building (North Side)	Hazards Waste Bin
Insider Storage Building (North Side)	Breaker for a Bobcat, No. B51877
Insider Storage Building (North Side)	Three Portable Shower Units
Insider Storage Building (North Side)	One Pallet of Supplies (Plastic Bags, Plastic Sheeting, Duct Tape and Spray Glue)
Insider Storage Building (North Side)	Two HEPA Vacuums
Insider Storage Building (North Side)	Three Diaphragm Pumps
Insider Storage Building (North Side)	Twelve 250 Gallon Oil Storage Totes
Entire Project Site	Additional equipment to be determined at the time of demobilization

# EXHIBIT B



□ Remove and dispose of Asbestos material in 20yd. and removal of Waste bin currently on site.

- Remove and dispose of plastic chemical totes used for Fuel Oil removal currently stored in Maintenance Bldg.
- Clean misc. trash around site and dispose/removal of 20yd. trash Waste bin currently on site. Also includes removing any trash and CWC owned trash cans, 5 gal. oil buckets and the containment trays they sit in. Remove Restroom facilities and Hand wash stations provided by CWC.
- Gather and removal of all CWC equipment, tools, Tool storage (Sea Van) and including all pressurized gas bottles for torching activities.
- Disconnect from Temp Power and Removal of Office trailer.
- Rental equipment to be picked up and removed from site such as 2 – Bob Cats, 1- 4,000 gal. Water truck and 1 -2000 gal. Water truck.
- Any and all of the CWC owned Orange delineators used in conjunction with PG&E delineators to form the Safety barricade around the boiler structures shall stay in place to provide safety barrier around structures.
- Have Water service at Fire Hydrant disconnected and Service Meter removed by California Water Service.
- Remove and dispose of any and all Steel scrap bins currently on site.
- Remove Rumble strips at double gate exit location.