

From: Cherry, Brian K
Sent: 2/3/2014 12:53:47 PM
To: Paul Clanon (paul.clanon@cpuc.ca.gov)
Cc:
Bcc:
Subject: Fwd: CPUC Reportable Gas Incident

FYI.

Brian K. Cherry
PG&E Company
VP, Regulatory Relations
77 Beale Street
San Francisco, CA. 94105
(415) 973-4977

Begin forwarded message:

From: Redacted
Date: February 3, 2014 at 12:45:34 PM PST
To: UO EP Gas Incident Notify
<DCSTSGasIncidentNotify@exchange.pge.com>
Cc: Redacted
Redacted
Subject: CPUC Reportable Gas Incident

At approximately 11:30 this morning PG&E received a call regarding a potential explosive device placed at or near a four meter manifold that Redacted, San Francisco. Police have established a command post and the bomb squad is on site. Nearby buildings have been evacuated and Redacted is blocked off at Redacted Streets. Gas service representative arrived on site at 11:58 hours and PG&E is establishing incident command. At this writing there are no injuries, no fatalities and no damages. This is reportable to the CPUC due to the presence of major media on site and the potential involvement of gas facilities.

Please contact me if you have any questions.

Redacted

PG&E - Gas Operations, Regulatory Compliance

Redacted