

???



???

???

PROTEST OF GLEN CANYON CORPORATION, et al. vs. ADAMS BEERS

Re: FD-107

???

February 10, 2014

???

0.2% (1-0.1333) (5 AC ON% 32 PA4) P-A

W%O L 1 N 2 N 3 3% (23 3 3 (3% C ON% 32 2% 3% j 30 0
N(N, & A- N 5 D%, & A- N 5 13% 2 2 A 4 w% O 2 w w
3 2 w 3 3 2% 2% (2% L % 33 3 w% O w L k 3 A- N U% N
1 L 3 3- 3% L 2% (3 O% N O% 3 3

D C N R , -% 0. 2% w 3 3% O 3 2 E w. U 3 3% 3 3 3 L 1. 3
N(N(2 D C 2 ON% (2 2% 2% (2 D C 2 ON% N(

AN R N / D C NR G% (23 3% AU 1 L 3 2 3 (N %
. 3 1 N. 3% 2 N% (1 3 N O% D C 2 ON% 3 2 (2 AU
L 2 k % W% O 3 3 3 L 23 3 3% (2 w 2 3% O 3 3 AU 3
2 q 1 2% w N 3 L 3 2% , -% 0. 3 2 3% 2% 2% 3 ((2 3% N 23 (CB 5
U - 3% L 3 2% 2 w 2% N L 0 D C 2 ON% (2 3% AB FA 3
(N 1 B A N 3 L 2) 3 w 2 k w 3 3% 23 N 3. E U 2 AU 5

G w L 6% N 3 (3% 3 3 3% 2 3% 0 2

D C D R G% N(3% N. N- 2 L 3 2. 3% 3% C ON% 32 2%
2 2 3% N 3 L 20 (2 3% 1 320. , -% 0. N. 2 O% L 3 2% 3 2% q 1 % 3
w%- L 1 N 2 2% 13) -q 1 2 3 % 2 0 (2 L 3. 2% q 1 % 3.

/ R F N C N% 2-0 N 3% 3% 2% N% 3-0 (AU 531 043% O 3 2
E w. % U 3 3% O N% 3 (2 L 3. w 2% (AU N 3 L 2 w 3% N (
3% 2 3 2 3 2% 3 43% E U 2% 0 O% (2 L 3. 3% L 3 2% 3. 31 (w %
1 4% 2 3% L 3 2% AU) 3% M 3 3 2 ((3% N 3 L 2 3 k. 2 ON% 1 2 3 2 4

1330 N 3L % 2ON% 23L % 3O% NN% 3 N 3 1 - 32%L (. %w AU 2O2w L

w - %MN3% 3 23N 3% 333 3O%3% (NN%2.3 AU 3 .

C 2%1-34w% O%3 EU L 0 (N% 3%3 3 3(0 1 L %2 3 23N 3 33%-w%3 O2- N33 (2 23% 2

B RR R G% 1 % 32L (2 N% 3O% 0L % 3 M2% 3% C ON% %32 2%. %3 2 1 320 3 2 . 2 (O.2 - (2 N% 3 1 N% (1- 33 %2 w 3 D C. B1 % N 32N 32L 0% 0 NL % 3 L 1. 3L 0 %3 %- (2 %2L 3 12 3% (. %3 3 %w% 3 D C O% 3 2 E w. % U3 3% w 3 13 . % (2L 3 % U.

B A / + A / R N R: G% O231 % (NL AU 0 U 2% w% - NL % 3 3 . 1 2 2 % 3 . 1L %2 (AU 2O2 w 0 0 O% -2 G% 1 L %2 3 1- 2% -N 3 %2 w 0 1-3 (AU 2O2 43.1 &9% (-N. 2-0 23 (3 .

C. 3% 3% C ON% %32 2% N% 3-0 (AU 531 04 32 13% % 20 3% L L %2 L k% L %12 AU - ((N-3. G 3 4 -0 L %12 1 L %2% - w 3 L L %2 NL -M3 3 3-0 2O% 1 3% N 3 N 3% w 3 B A N 3L 2% 0 N 1% 3% 3

, -% 0 1. %2.3 3% NL -M3% (NN 23% 0 L %12 % %2 0 0 w NN 23% 13L 3% N-% 3 (3 2% 1 N% N 3 3 w 3 3 3 233 3 w% 30 1 33% 3 w 1- 0 % (3 N. 2-0 0 L -0 O. 3% D C 2O% 1 L %2 (2 0 3 23N 3 2 0 3L 3 L %12% 0 N 1. 3 (2 -N- % 2.3 .

3 %w 3 13 0 3 3 N-% 3 3 (2L 0 O2% 2 1 (AU 2O2 N 3% 3.3 % 2% -0 O-1 -% (2 2% % 2N 12% 2 2-0 2% % 43 1 - -w 2 3% N 3 (3% 3 w 2 O 3 1 N. 31 % 3 - 3 k% - 2

W% 2% N 3 3% 231. 30 3 2O% (% N k 0 2% -k (2w 2 3 1 N% (1- 3

5 N 2% 04

GLEN CANYON CORPORATION

John Heil

Chairman and Chief Executive Officer

???

???


???

???

???

Typical Screen Shots from Glen Canyon's Meter Administration

???



???

???

???

longitude -122.005
comments
route

frequency HERTZ 60.000
temperature DEG 23.400
power factor PF 0.290
reading date Fri, 10 Jan 2014 17:08:00 GMT

meter status

status
tamper
power out
meter hot
relay open
error present

next message to the meter

response 1
meter command set clock
hex code 001d474343303030
 3031343137364120
 000152602909140e
 010a090819
value 1389373705000

last readings
 total readings to date 67033

post date (UTC)	meter time (UTC)	gateway time (UTC)	server time (UTC)	status code	active energy KWH	active power KW	active demand KW	reactive energy KVARh	reactive power KVAR	reactive demand KVAR	volts VOLTS	amperes AMPERES	frequency HERTZ	temperature DEG	power factor PF
1/10 17:08:00	17:08:24	17:08:24	17:08:32	0	89.920	0.001	4.068	-9.636	-0.001	-0.001	245.620	0.013	60.000	23.400	0.290
1/10 17:07:00	17:07:24	17:07:31	17:07:31	0	89.920	0.001	4.068	-9.636	-0.001	-0.001	245.687	0.014	60.000	23.400	0.306
1/10 17:06:00	17:06:24	17:06:32	17:06:32	0	89.920	0.001	4.068	-9.636	-0.001	-0.001	245.606	0.014	60.000	23.400	0.306
1/10 17:05:00	17:05:24	17:05:32	17:05:32	0	89.920	0.001	4.068	-9.636	-0.001	-0.001	245.685	0.014	60.000	23.300	0.287
1/10 17:04:00	17:04:24	17:04:32	17:04:32	0	89.920	0.001	4.068	-9.636	-0.001	-0.001	245.626	0.013	60.000	23.300	0.294
1/10 17:03:00	17:03:24	17:03:32	17:03:32	0	89.920	0.001	4.068	-9.636	-0.001	-0.001	245.446	0.013	60.000	23.300	0.296
1/10 17:02:00	17:02:24	17:02:31	17:02:31	0	89.920	0.001	4.068	-9.636	-0.001	-0.001	245.480	0.014	59.900	23.400	0.298
1/10 17:01:00	17:01:24	17:01:32	17:01:32	0	89.920	0.001	4.068	-9.635	-0.001	-0.001	245.431	0.014	60.000	23.400	0.279
1/10 17:00:00	17:00:24	17:00:32	17:00:32	0	89.920	0.001	4.068	-9.635	-0.001	-0.001	245.546	0.014	60.000	23.400	0.292
1/10 16:59:00	16:59:24	16:59:31	16:59:31	0	89.920	0.001	4.068	-9.635	-0.001	-0.001	245.494	0.014	60.000	23.400	0.317
1/10 16:58:00	16:58:24	16:58:33	16:58:33	0	89.920	0.001	4.068	-9.635	-0.001	-0.001	245.544	0.014	60.000	23.300	0.311
1/10 16:57:00	16:57:24	16:57:32	16:57:32	0	89.920	0.001	4.068	-9.635	-0.001	-0.001	245.532	0.013	60.000	23.400	0.303
1/10 16:56:00	16:56:24	16:56:32	16:56:32	0	89.920	0.001	4.068	-9.635	-0.001	-0.001	245.405	0.014	60.000	23.300	0.292
1/10 16:55:00	16:55:24	16:55:31	16:55:31	0	89.920	0.001	4.068	-9.635	-0.001	-0.001	245.763	0.014	60.000	23.400	0.292
1/10 16:54:00	16:54:24	16:54:30	16:54:30	0	89.920	0.001	4.068	-9.635	-0.001	-0.001	245.774	0.014	60.000	23.400	0.320
1/10 16:53:00	16:53:24	16:53:32	16:53:32	0	89.920	0.001	4.068	-9.635	-0.001	-0.001	245.601	0.013	60.000	23.400	0.297
1/10 16:52:00	16:52:24	16:52:31	16:52:31	0	89.920	0.001	4.068	-9.635	-0.001	-0.001	245.396	0.014	60.000	23.400	0.295
1/10 16:51:00	16:51:24	16:51:32	16:51:32	0	89.919	0.001	4.068	-9.635	-0.001	-0.001	245.358	0.014	60.000	23.400	0.304
1/10 16:50:00	16:50:24	16:50:33	16:50:33	0	89.919	0.001	4.068	-9.635	-0.001	-0.001	245.250	0.014	60.000	23.400	0.308