From: Jacobson, Erik B (RegRel Sent: 3/21/2014 5:06:24 PM

To: Cherry, Brian K (/O=PG&E/OU=CORPORATE/CN=RECIPIENTS/CN=BKC7);

valerie.beck@cpuc.ca.gov (valerie.beck@cpuc.ca.gov);

elizaveta.malashenko@cpuc.ca.gov (elizaveta.malashenko@cpuc.ca.gov)

Cc:

Bcc:

Subject: RE: A Message from Ed Halpin: DCPP 1X19 Update

My understanding is that the system is designed to handle leakage. The leakage was greater than normal due to the seal problem, but is easily handled. Erik

From: Cherry, Brian K

Sent: Friday, March 21, 2014 04:17 PM

To: Beck, Valerie <valerie.beck@cpuc.ca.gov>; Malashenko, Elizaveta I.

<elizaveta.malashenko@cpuc.ca.gov>

Cc: Jacobson, Erik B (RegRel)

Subject: RE: A Message from Ed Halpin: DCPP 1X19 Update

Let me find out.

Erik - can you check with DCPP?

From: Beck, Valerie [mailto:valerie.beck@cpuc.ca.gov]

**Sent:** Friday, March 21, 2014 4:14 PM **To:** Malashenko, Elizaveta I.; Cherry, Brian K

Subject: Re: A Message from Ed Halpin: DCPP 1X19 Update

Thanks Liza. I've asked Ron Lok to follow up with DCPP staff on the details and RCA.

Brian, just a couple of questions: Did the degraded seal result in any leakage? And what are the risks to starting up the plant (this weekend) in advance of addressing seal damage (11 days)?

Thanks....Valerie

On Mar 20, 2014, at 8:34 PM, "Malashenko, Elizaveta I." <<u>elizaveta.malashenko@cpuc.ca.gov</u>> wrote:

**FYI** 

## Begin forwarded message:

From: "Cherry, Brian K" < BKC7@pge.com > Date: March 20, 2014 at 8:17:44 PM PDT

To: Denise Tyrrell < denise.tyrrell@cpuc.ca.gov >, Liza Malashenko

<elizaveta.malashenko@cpuc.ca.gov>, Paul Clanon

<paul.clanon@cpuc.ca.gov>

Subject: Fwd: A Message from Ed Halpin: DCPP 1X19 Update

Brian K. Cherry PG&E Company VP, Regulatory Relations 77 Beale Street San Francisco, CA. 94105 (415) 973-4977

## Begin forwarded message:

From: DCPP Communications

<<u>DCPPCommunications@pge.com</u><<u>mailto:DCPPCommunications@pge.com</u>>>

Date: March 20, 2014 at 6:43:51 PM PDT

To: Officers - All

<<u>AllPGEOfficers@exchange.pge.com</u><<u>mailto:AllPGEOfficers@exchange.pge.com</u>>>

Cc: "Halpin, Ed" <<u>E1H8@pge.com</u><<u>mailto:E1H8@pge.com</u>>>, "Allen, Barry"

<<u>BSA8@pge.com</u><mailto:BSA8@pge.com>>, "Welsch, James"

<JMW1@pge.com<mailto:JMW1@pge.com>>>, Redacted

Redacted

Subject: A Message from Ed Halpin: DCPP 1X19 Update

## PG&E Officers;

After our team safely and successfully closed out our 1R18 refueling outage last Saturday, a reactor coolant pump seal began to behave in a manner that showed degradation, which could impact operational margin. As you know, we safely took Unit 1 off-line and into a cold shutdown condition to examine the seal and repair it, if necessary.

What we found was a "soft part" of the seal (O-ring) was damaged and not functioning as it is designed. The other three reactor coolant pump seals were not affected. Addressing reactor coolant pump seals takes time and our team is currently on track to safely close out 1X19 in 11 days.

Over the next several days, we will transition to heating up the plant and starting up the reactor. We predict plant heat-up to occur this weekend with breaker closure and power ascension to begin next week. Our team owns these challenges and we will continue to focus on improving performance. In the next several weeks, we plan to finalize our root cause analysis.

Unit 2 is safely operating at 100 percent power with no major challenges. We will continue to update you during key milestone events associated with 1X19. If you have any questions or concerns, you are welcome to reach out to me at your convenience.

Thank you for your continued support.

Ed

PG&E is committed to protecting our customers' privacy.
To learn more, please visit http://www.pge.com/about/company/privacy/customer/