

From: Wu, Katie
Sent: 3/30/2014 1:53:44 PM
To:
Cc: Marks, Jaclyn (jaclyn.marks@cpuc.ca.gov); Colvin, Michael (michael.colvin@cpuc.ca.gov); Skala, Pete (pete.skala@cpuc.ca.gov); Pulsifer, Thomas R. (thomas.pulsifer@cpuc.ca.gov)
Bcc:
Subject: Final 2013 ESPI Ex Ante Review Performance Scores
To all parties in R.12-01-005 and R.13-11005:

Pursuant to Decision (D). 13-09-023, Commission staff and consultants have completed the 2013 Efficiency Savings and Performance Incentive (ESPI) mechanism ex ante review performance scoring. The scores were developed as prescribed in Attachments 5 and 7 of D.13-09-023. The final scores for each utility are summarized below. A more detailed explanation of the scores and feedback for each utility are posted to the new ESPI page on [deeresources.com](http://deeresources.com/index.php/espi-ear-performance-scoring) (<http://deeresources.com/index.php/espi-ear-performance-scoring>).

IOU	Workpaper Score (max 50)	Custom Score (max 50)	Total Score (max 100)
PG&E	31.5	31	62.5
SCE	30	35.5	65.5
SDG&E	28	36.5	64.5
SoCalGas	30	36.5	66.5

As required by D.13-09-023, the utilities will use these scores when calculating their relative 2013 incentive payments for the ex ante review performance component of the ESPI. If you have any questions, please contact Katie Wu (katie.wu@cpuc.ca.gov).

Thanks,

Katie

Katie Wu

Regulatory Analyst - Energy Division

California Public Utilities Commission

505 Van Ness Avenue

San Francisco, CA 94102

(415) 703-2452