

From: [Redacted]
Sent: 3/12/2014 7:22:46 AM
To: Robert G. Eliason, Esq. [Redacted]
Singh, Sumeet
Cc: (/O=PG&E/OU=CORPORATE/CN=RECIPIENTS/CN=S1ST56905772); Knapp, Kevin (/O=PG&E/OU=Corporate/cn=Recipients/cn=K1KQ); Mike Calhoun (mcalhoun@ci.carmel.ca.us); Rob Mullane (RMullane@ci.carmel.ca.us); Geoff Morgan (geoff@frontline-energy.com); Vallejo, Alejandro (Law) (/o=PG&E/ou=Corporate/cn=Recipients/cn=AXVU); Paul ABADILLA (abadilla@monterey.org); John Kuehl (kuehl@ci.monterey.ca.us); bernard@berkeleyrc.com (bernard@berkeleyrc.com); john.white@fcfire.com (john.white@fcfire.com); jbaumgartner@ucsbalum.net (jbaumgartner@ucsbalum.net); Nathan Sarina (Nathan.Sarina@cpuc.ca.gov); [Redacted]
[Redacted]
Bcc:
Subject: Re: Sewer Inspections

Bob,

We will be examining sewer mains in the street today, March 12. Items 1) and 2) will be performed concurrently after today. I am hoping as soon as Friday. I will let everyone know when.

If it would be more convenient to view the hardware at the storage facility in SF, I'd be happy to arrange it. In fact, today might be a good time to do that since Bernard and John White will not be coming to Carmel. I think once they both see it they may not need to have it brought to Carmel. If John and Bernard let me know early this morning, I'll make it happen. Otherwise, I will arrange to have the hardware brought to Carmel and sync the examination with items 1) & 2).

The video request is a data request and I'll await the counsel of Mr. Vallejo as to whether or not a formal data request is required. Following his direction, I will ensure the videos and any other requested data are provided in a timely manner.

We have all been working well together in a very cordial and transparent manner. I really appreciate this and sincerely hope it continues.

Thank you all for your continued patience and support.

[Redacted]

p. s. I corrected John's email. I fat fingered it in my email you copied.

Redacted

Manager, Quality Engineering & Improvement
Gas Operations | Pacific Gas & Electric Company

Redacted

Sent from my iPhone

On Mar 11, 2014, at 6:47 PM, "Robert G. Eliason, Esq." Redacted wrote:

Steve:

It is my understanding that you will be looking at sewers again tomorrow, but that on another day (not tomorrow) PG&E will be (1) conducting a subsurface gas migration assessment using helium, and (2) will be conducting an examination within the pit where the subject tap-in was conducted. I also understand from John White that he has requested an opportunity to examine the hardware (regulator, riser and tap-in) in the possession of PG&E at the scene, and we join in that request. Assuming all that is correct, we want to be present for all of those activities excepting further viewing of the sewer tomorrow. We would, however, like to order copies of the sewer examination videos for both today and tomorrow.

Please let me know if I understand the schedule correctly, and please give us no less than 24-hours notice of further investigation (other than the sewer work scheduled for tomorrow). I am copying Mr. Vallejo with PG&E legal so that he will be aware of our requests.

Regards and thanks for your continuing courtesy in this matter.

Bob Eliason

Robert Eliason, Esq.
Wild, Carter & Tipton
246 W. Shaw Ave.
Fresno, California 93704

Redacted

Telephone: 559-224-2131
Facsimile: 559-229-7295

NOTICE OF CONFIDENTIALITY: This E-mail is covered by the Electronic Communications Privacy Act, 18 U.S.C. Sections 2510-2521 and is legally privileged. This information is confidential information and is intended only for use of the individual or entity named above. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you are not the intended recipient, you are notified that any disclosure, copying, distribution or the taking of any action in reliance on this communication is strictly prohibited. If you are not the intended recipient, please immediately delete this communication and destroy any copies and notify the sender by responsive e-mail or by telephone at (559) 224-2131.

IRS CIRCULAR 230 DISCLOSURE: To ensure compliance with the requirements imposed by the IRS, we inform you that any U.S. federal tax advice contained in this communication (including any attachments) is not intended or written to be used, and cannot be used, for the purpose of (i) avoiding penalties under the Internal Revenue Code or (ii) promoting, marketing or recommending to another party any transaction or matter addressed herein.

-----Original Message-----

From: [Redacted]
Sent: Tuesday, March 11, 2014 6:04 PM
To: Rob Mullane; Mike Calhoun
Cc: Knapp, Kevin; Singh, Sumeet; John Kuehl; Paul ABADILLA;
jbaumgartner@ucsbalum.net; bernard@berkeleyrc.com;
john.white@facfire.com; [Redacted] Nathan Sarina; Geoff Morgan
Subject: Re: Sewer Inspections

All,

The homesite is secure.
Frontline-Energy is still inspecting sewer mains on the corner of 3rd and
Guadalupe.

We will be starting on the street again at 0800.

[Redacted]

Sent from my iPad

On Mar 11, 2014, at 3:01 PM, [Redacted]
[Redacted] >> wrote:

All,

The following are entering the homesite to examine/video the sewer service.

John White

Redacted

Bernard Cuzzillo

Redacted

Miguel I

Redacted

Sent from my iPad

On Mar 11, 2014, at 1:42 PM, "Pratt, Steve E"

Redacted

wrote:

Greetings all,

Today we are in the street with Frontline-Energy performing video inspections of the "as-is" condition of the sewer mains along 3rd St. and Guadalupe. Later today, we will inspect the sewer lateral service to house. I will forward the roster of those who require entry when we are ready to proceed with that direction.

Please do not hesitate to contact me at any time with questions or comments.

Redacted

Redacted

Manager, Quality Engineering & Improvement Gas Operations | Pacific Gas & Electric Company

Redacted

PG&E is committed to protecting our customers' privacy.

To learn more, please visit

<http://www.pge.com/about/company/privacy/customer/>

