

CC&B Online Query


Gen Order Gas Exist Elec New Elec Smart Meter Complex Elec Gas Leak EC / Damaged Equip Code Description: Job Code Field Activity Code Completion Code Hazard Code

Parameter(s):

Field Order ID: 1653216081 Taken By: Redacte Time Taken: 08:46 Rescheduled By:

Premise ID: 1653216499 Date Taken: 10/3/12 Status: Completed

Customer Information



Premise Information

Prem Type:	Redacted			
Bus Activity:				
Home Area:				
Sub Area:				
Check Digit:				
SL:				
LS:				
Gas Sp ld:				
Elec Sp ld:				
MtrRd Route:				

New Business/ Disconnect-Reconnect

Contractor: Contractor Ph: Contractor Waiting:

Site Ready:

Job Owner:

Job Owner Ph:

Completion Information

Job Code: 1240 - E Unspecified-Outside

Fld Act Type 1: ELEUNSPO Comp Code 1: 0930 - CGI Other

Fld Act Type 2: Comp Code 2: Fld Act Type 3: Comp Code 3: Fld Act Type 4: Comp Code 4: -

FAS Priority: 1

MIR:

OEC:

New Hazards / Surveys / Misc.

New Hazard Code 1: New Hazard Code 2: New Hazard Code 3: -

Survey 1: Survey 2:

Survey 3:

Call Ahead Attempt: Call Ahead Success: Return To Record:

Service Rpt:

PM Information

PM Order: PM Operation:

Order Dates/Misc.

Date Wanted: 10/3/12

App Start Time: 08:00

App End Time: 20:00

Order Exp Date: 10/3/12

Redacte

Check Digit: Tot Amt Owing: Cash Only Flag:

Technician Information:

Tech ID: Redacted

Comp Date/Time: 10/3/12 2:25 PM

Dispatched Time: 09:05

Acknwldg Time:

En Route Time: 13:31
On Site Time: 13:58

Cancel Information

User ID: Rsn Code: Code Desc:

Attachments

of Attachments:

Service History / Existing Hazards

Service Hist 1: 09-25-2012 REMORVM Service Hist 2: 01-19-2012 HILOPRES

Hazard Code 1: 19 - Other Gas

Hazard Code 2: -Hazard Code 3: -

Hazard Date 1: 12/23/09

Hazard Date 2: Hazard Date 3:

Last Refreshed On: 3/17/14



Last Refreshed On: 3/17/14 Page 2 of 2



Business Intelligence Center of Excellence

CC&B Online Query

Parameter(s):					
Field Order ID:	1653216081	-		Time Taken:	08:46
Premise ID:	1653216499	Date Taken: 10)/3/12	Status:	Completed
CSR Remarks: Pls disp tman, set EAG	GLE for 7 days.				
EMR Ord Detail:					
BEWARE OF Redact	ed CUSTOMER W	ANTS TO MAKE SUF	RE EVERYTIME WE GO OUT TO I	EAVE SERVICE F	REPORT ON
	_				
EMR Completion BEWARE OF Redact HER DOOR		ANTS TO MAKE SUF	RE EVERYTIME WE GO OUT TO I	LEAVE SERVICE F	REPORT ON
Dispatcher:					
General: NEED RVM NONE AV	'ALIBLE.				
Extended:					
Cancel Notes:					

Last Refreshed On: 3/17/14 Page 1 of 1