**Business Intelligence Center of Excellence** 

## **CC&B** Online Query

**Gen Order** Gas Exist Elec New Elec Smart Meter Complex Elec Gas Leak EC / Damaged Equip Code Description: Job Code Field Activity Code Completion Code Hazard Code

		<b>T</b> -1 <b>D</b>	Dadaa	Time Talas		Developed to 3 D	
Field Order ID:	1653216375	•	Redac	Time Taken:		Rescheduled By:	
Premise ID:	1653216499	Date Taken:	4/20/11	Status:	Completed		
Customer Inform	nation	Premise In	formation	-	New Busin	ess/ Disconnect-Reconnect	
Account ID: Reda	cted	Prem Typ	e: Redacted		Contr	actor:	
Hm Ph:		Bus Activi			Contract	or Ph:	
Bus Ph:		Home Are	a:		Contractor Wa	aiting:	
Cont Ph:		Sub Are	a:				
Name:		Check Dig	jit:		Job O	wner:	
		S	L:		Job Own	er Ph:	
Address:		L	.S:				
		Gas Sp	ld:		Site R	leady:	
		Elec Sp					
City:		MtrRd Rou	te:				
Completion Inf	ormation				F	PM Information	
Job Code:	4080 - G Leak@		PM Order:				
Fld Act Type 1:	GASLEAKM	Comp Code 1: 4	132 - G Leak-C	Dutside-No Entry Le	eak	PM Operation:	
Fld Act Type 2:		Comp Code 2: 0	910 - CGI Cust	Not Home			
Fld Act Type 3:		Comp Code 3: -			<u>(</u>	Order Dates/Misc.	
Fid Act Type 4:		Comp Code 4: -				Date Wanted: 4/20/11	
FAS Priority:	1					App Start Time: 08:00	
MIR:						App End Time: 20:00	
OEC:						Order Exp Date: 4/20/11	
New Hazards / S	Surveys / Mis	<u>c.</u>				Dispatcher ID: Redacte	
New Hazard Co	de 1: -					Check Digit:	
New Hazard Code 2: -					Tot Amt Owing:		
New Hazard Co	de 3: -				Cash Only Flag:		
Surv	ey 1:				-	Fachaisian Information.	
Surv	vey 2:				-	Technician Information:	
Surv	vey 3:					Tech ID: Redacted	
Call Ahead Attempt:						Comp Date/Time: 4/20/11 3:49 PM	
Call Ahead Success:						Dispatched Time: 12:26	
Return To Record:						Acknwldg Time:	
Service	Rpt: Y					En Route Time: 15:02	
Service History	/ Existing Ha	zards				On Site Time: 15:28	
Service Hist 1:	12-23-2009 GAS	LEAKH			<u>(</u>	Cancel Information	
Service Hist 2:	09-02-2010 C-TEST				User ID:		
Hazard Code 1:	19 - Other Gas				Rsn Code:		
Hazard Code 2:	-					Code Desc:	
Hazard Code 3:	-						
Hazard Date 1:	12/23/09				1	Attachments	
Hazard Date 2:					-	# of Attachments:	
Hazard Date 3:							

CONFIDENTIAL - Provided Pursuant to P.U. Code § 583



Page 2 of 2

SB\_GT&S\_0641419

CONFIDENTIAL - Provided Pursuant to P.U. Code § 583



## Business Intelligence Center of Excellence

## **CC&B** Online Query

Parameter(s):					
Field Order ID:	1653216375	Taken By:	Redacted	Time Taken:	11:51
Premise ID:	1653216499	Date Taken: 4/20/11		Status:	Completed

## CSR Remarks:

EMR Ord Detail:

BEWARE OF Redacted

**EMR Completion:** 

**Dispatcher:** 

**General:** found 0%lel on partial front sweep. cust not home. found no leaks. approx .5cfh at mtr

Extended:

**Cancel Notes:** 

Page 1 of 1