



Business Intelligence Center of Excellence

CC&B Online Query

Gen Order Gas Exist Elec New Elec Smart Meter Complex Elec Gas Leak EC / Damaged Equip

Code Description Job Code Field Activity Code Completion Code Hazard Code

Parameter(s):

Field Order ID: 1653216826 Taken By: Redacted Time Taken: 08:46 Rescheduled By:
 Premise ID: 1653216499 Date Taken: 10/11/12 Status: Completed

Customer Information

Account ID: 0903364653
 Hm Ph:
 Bus Ph:
 Cont Ph: Redacted
 Name:
 Address:
 City:

Premise Information

Prem Type: RES
 Bus Activity:
 Home Area: DJCH101
 Sub Area: DJCS104
 Check Digit:
 SL:
 LS:
 Gas Sp Id:
 Elec Sp Id: 1653216405
 MtrRd Route: SJC35SM

New Business/ Disconnect-Reconnect

Contractor:
 Contractor Ph:
 Contractor Waiting:
 Job Owner:
 Job Owner Ph:
 Site Ready:

Completion Information

Job Code: 1240 - E Unspecified-Outside
 Fld Act Type 1: ELEUNSP0 Comp Code 1: 0980 - Cancel Per Customer
 Fld Act Type 2: Comp Code 2: -
 Fld Act Type 3: Comp Code 3: -
 Fld Act Type 4: Comp Code 4: -
 FAS Priority: 1
 MIR:
 OEC:

PM Information

PM Order:
 PM Operation:

Order Dates/Misc.

Date Wanted: 10/11/12
 App Start Time: 08:00
 App End Time: 20:00
 Order Exp Date: 10/11/12
 Dispatcher ID: 4APC2BM

New Hazards / Surveys / Misc.

New Hazard Code 1: -
 New Hazard Code 2: -
 New Hazard Code 3: -
 Survey 1: SRC
 Survey 2:
 Survey 3:
 Call Ahead Attempt: Y
 Call Ahead Success:
 Return To Record:
 Service Rpt: Y

Check Digit:
 Tot Amt Owing:
 Cash Only Flag:

Technician Information:

Tech ID: D1TMRP4
 Comp Date/Time: 10/11/12 4:24 PM
 Dispatched Time: 12:55
 Acknwldg Time:
 En Route Time: 15:25
 On Site Time: 15:42

Service History / Existing Hazards

Service Hist 1: 09-25-2012 REMORVM
 Service Hist 2: 01-19-2012 HILOPRES
 Hazard Code 1: 19 - Other Gas
 Hazard Code 2: -
 Hazard Code 3: -
 Hazard Date 1: 12/23/09
 Hazard Date 2:
 Hazard Date 3:

Cancel Information

User ID:
 Rsn Code:
 Code Desc:

Attachments

of Attachments:





Parameter(s):

Field Order ID: 1653216826

Taken By: Redacted

Time Taken: 08:46

Premise ID: 1653216499

Date Taken: 10/11/12

Status: Completed

CSR Remarks:

TAG TO Redacted INSTALL VOLTAGE EQUIPMENT ~ PER Redacted

EMR Ord Detail:

BEWARE OF TENANT-- collie, CUSTOMER WANTS TO MAKE SURE EVERYTIME WE GO OUT TO LEAVE SERVICE REPORT ON HER DOOR

EMR Completion:

BEWARE OF TENANT-- collie, CUSTOMER WANTS TO MAKE SURE EVERYTIME WE GO OUT TO LEAVE SERVICE REPORT ON HER DOOR

Dispatcher:

General:

CUST DID NOT WANT RVM SET. SAID ONE ALREADY SET.

Extended:

Cancel Notes: