

From: Jacobson, Erik B (RegRel)  
Sent: 6/9/2014 6:31:47 PM  
To: Kochanowsky, Amy E. (Amy.Kochanowsky@cpuc.ca.gov)  
Cc:  
Bcc:  
Subject: Re: Data Request: Facility-level emissions for AL 4331-E

Thanks

On Jun 9, 2014, at 6:14 PM, "Kochanowsky, Amy E." <Amy.Kochanowsky@cpuc.ca.gov> wrote:

Hi Erik,  
I saw that you are covering for [Redacted] - just wanted to forward the Data Request I sent earlier today. I'm a new analyst in the Energy Division working on GHG-related issues.

Best,  
Amy

**From:** Kochanowsky, Amy E.  
**Sent:** Monday, June 09, 2014 7:02 AM  
**To:** [Redacted]  
**Cc:** Houck, Jason; Franz, Damon A.  
**Subject:** Data Request: Facility-level emissions for AL 4331-E

Dear Kathleen and Jason,

Attached please find a data request regarding facility-level emissions used to establish PG&E's direct GHG compliance obligation purchase limit.

Please respond to this request by Friday, June 13. Any questions related to this request should be directed to Amy Kochanowsky at (415) 703-3175 or [ak1@cpuc.ca.gov](mailto:ak1@cpuc.ca.gov).

Best,

Amy

<DataRequest\_AL 4331-E Facility Emissions.doc>